


**Plot 7-443. Radiated Spurious Emissions above 1GHz Antenna WF7b (802.11b – Ch. 11)**

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	V	-	-	-82.13	9.23	34.10	53.98	-19.88
4924.00	Peak	V	-	-	-69.60	9.23	46.63	73.98	-27.35
7386.00	Avg	V	-	-	-83.81	12.66	35.85	53.98	-18.13
7386.00	Peak	V	-	-	-70.78	12.66	48.88	73.98	-25.10
12310.00	Avg	V	-	-	-84.89	18.60	40.71	53.98	-13.27
12310.00	Peak	V	-	-	-72.34	18.60	53.26	73.98	-20.72

**Table 7-56. Radiated Measurements Antenna WF7b**

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 282 of 430




**Plot 7-444. Radiated Spurious Emissions above 1GHz Antenna WF7b (802.11ax(SU) – Ch. 1)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	V	-	-	-82.29	8.18	32.89	53.98	-21.09
4824.00	Peak	V	-	-	-69.45	8.18	45.73	73.98	-28.25
12060.00	Avg	V	-	-	-84.21	17.53	40.32	53.98	-13.66
12060.00	Peak	V	-	-	-72.68	17.53	51.85	73.98	-22.13

**Table 7-57. Radiated Measurements Antenna WF7b**

FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 283 of 430




**Plot 7-445. Radiated Spurious Emissions above 1GHz Antenna WF7b (802.11ax(SU) – Ch. 6)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Avg	V	-	-	-82.17	8.63	33.46	53.98	-20.51
4874.00	Peak	V	-	-	-69.90	8.63	45.73	73.98	-28.24
7311.00	Avg	V	-	-	-83.36	11.22	34.86	53.98	-19.12
7311.00	Peak	V	-	-	-71.29	11.22	46.93	73.98	-27.05
12185.00	Avg	V	-	-	-84.29	17.25	39.96	53.98	-14.02
12185.00	Peak	V	-	-	-71.81	17.25	52.44	73.98	-21.54

**Table 7-58. Radiated Measurements Antenna WF7b**

FCC ID: BCGA2696 IC: 579C-A2696	 <b>element</b>	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 284 of 430



**Plot 7-446. Radiated Spurious Emissions above 1GHz Antenna WF7b (802.11ax(SU) – Ch. 11)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	V	-	-	-82.16	9.23	34.07	53.98	-19.91
4924.00	Peak	V	-	-	-69.08	9.23	47.15	73.98	-26.83
7386.00	Avg	V	-	-	-83.85	12.66	35.81	53.98	-18.17
7386.00	Peak	V	-	-	-71.58	12.66	48.08	73.98	-25.90
12310.00	Avg	V	-	-	-84.93	18.60	40.67	53.98	-13.31
12310.00	Peak	V	-	-	-72.86	18.60	52.74	73.98	-21.24

**Table 7-59. Radiated Measurements Antenna WF7b**

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 285 of 430

### 7.7.3 CDD Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-447. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 1)

Mode:	802.11n
Data Rate:	MCS15
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	H	-	-	-82.33	8.18	32.85	53.98	-21.13
4824.00	Peak	H	-	-	-69.75	8.18	45.43	73.98	-28.55
12060.00	Avg	H	-	-	-84.23	17.53	40.30	53.98	-13.68
12060.00	Peak	H	-	-	-70.97	17.53	53.56	73.98	-20.42

Table 7-60. Radiated Measurements CDD

FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 286 of 430




**Plot 7-448. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 6)**



**Plot 7-449. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol H)**

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 287 of 430




**Plot 7-450. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol V)**

Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	H	-	-	-82.30	8.63	33.33	53.98	-20.64
4874.00	Peak	H	-	-	-69.58	8.63	46.05	73.98	-27.92
7311.00	Avg	H	-	-	-83.42	11.22	34.80	53.98	-19.18
7311.00	Peak	H	-	-	-71.46	11.22	46.76	73.98	-27.22
12185.00	Avg	H	-	-	-84.31	17.25	39.94	53.98	-14.04
12185.00	Peak	H	-	-	-71.08	17.25	53.17	73.98	-20.81

**Table 7-61. Radiated Measurements CDD**

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 288 of 430




**Plot 7-451. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 11)**

Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	H	-	-	-82.11	9.23	34.12	53.98	-19.86
4924.00	Peak	H	-	-	-69.60	9.23	46.63	73.98	-27.35
7386.00	Avg	H	-	-	-83.78	12.66	35.88	53.98	-18.10
7386.00	Peak	H	-	-	-71.32	12.66	48.34	73.98	-25.64
12310.00	Avg	H	-	-	-84.87	18.60	40.73	53.98	-13.25
12310.00	Peak	H	-	-	-72.54	18.60	53.06	73.98	-20.92

**Table 7-62. Radiated Measurements CDD**

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 289 of 430




**Plot 7-452. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 1)**

Mode: 802.11ax (SU)  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Avg	H	-	-	-82.36	8.18	32.82	53.98	-21.16
4824.00	Peak	H	-	-	-70.33	8.18	44.85	73.98	-29.13
12060.00	Avg	H	-	-	-84.16	17.53	40.37	53.98	-13.61
12060.00	Peak	H	-	-	-71.70	17.53	52.83	73.98	-21.15

**Table 7-63. Radiated Measurements CDD**

FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 290 of 430




**Plot 7-453. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 6)**



**Plot 7-454. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol H)**

FCC ID: BCGA2696 IC: 579C-A2696	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 291 of 430




**Plot 7-455. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol V)**

Mode: 802.11ax (SU)  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	H	-	-	-82.29	8.63	33.34	53.98	-20.63
4874.00	Peak	H	-	-	-69.82	8.63	45.81	73.98	-28.16
7311.00	Avg	H	-	-	-83.40	11.22	34.82	53.98	-19.16
7311.00	Peak	H	-	-	-70.77	11.22	47.45	73.98	-26.53
12185.00	Avg	H	-	-	-84.34	17.25	39.91	53.98	-14.07
12185.00	Peak	H	-	-	-71.57	17.25	52.68	73.98	-21.30

**Table 7-64. Radiated Measurements CDD**

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 292 of 430



**Plot 7-456. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 11)**

Mode: 802.11ax (SU)  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Avg	H	-	-	-82.13	9.23	34.10	53.98	-19.88
4924.00	Peak	H	-	-	-69.60	9.23	46.63	73.98	-27.35
7386.00	Avg	H	-	-	-83.81	12.66	35.85	53.98	-18.13
7386.00	Peak	H	-	-	-71.88	12.66	47.78	73.98	-26.20
12310.00	Avg	H	-	-	-84.90	18.60	40.70	53.98	-13.28
12310.00	Peak	H	-	-	-72.30	18.60	53.30	73.98	-20.68


**Table 7-65. Radiated Measurements CDD**

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 293 of 430

### 7.7.4 Antenna WF8 Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-457. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-458. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 294 of 430

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-459. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2452MHz  
 Channel: 9



**Plot 7-460. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 295 of 430

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2457MHz  
 Channel: 10



**Plot 7-461. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11



**Plot 7-462. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 296 of 430

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2467MHz  
 Channel: 12



**Plot 7-463. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2472MHz  
 Channel: 13



**Plot 7-464. Radiated Restricted Upper Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 297 of 430

Mode: 802.11n  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-465. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-466. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 298 of 430

Mode: 802.11n  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 1



**Plot 7-467. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-468. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 299 of 430

Mode: 802.11n  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-469. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2417MHz  
 Channel: 2



**Plot 7-470. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 300 of 430

Mode: 802.11n  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-471. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-472. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 301 of 430

Mode: 802.11n  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2422MHz  
 Channel: 3



**Plot 7-473. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-474. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 302 of 430

Mode: 802.11n  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-475. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2427MHz  
 Channel: 4



**Plot 7-476. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 303 of 430

Mode: 802.11n  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2432MHz  
 Channel: 5



**Plot 7-477. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2432MHz  
 Channel: 5



**Plot 7-478. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 304 of 430

Mode: 802.11n  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2432MHz  
 Channel: 5



**Plot 7-479. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


Mode: 802.11n  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6 (low)



**Plot 7-480. Radiated Restricted Lower Band Edge Measurement Antenna WF8**


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 305 of 430

Mode: 802.11n  
 Data Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6 (low)



**Plot 7-481. Radiated Restricted Lower Band Edge Measurement Antenna WF8**

Mode: 802.11n  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 6 (low)



**Plot 7-482. Radiated Restricted Lower Band Edge Measurement Antenna WF8**

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 306 of 430