



Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-483. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-484. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 307 of 430

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-485. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-486. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 308 of 430

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-487. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-488. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 309 of 430

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-489. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-490. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 310 of 430

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-491. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-492. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 311 of 430

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-493. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-494. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 312 of 430

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-495. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-496. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 313 of 430

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-497. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-498. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 314 of 430

Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-499. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-500. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 315 of 430

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-501. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11n
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-502. Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 316 of 430

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-503. Radiated Restricted Upper Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-504. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 317 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-505. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-506. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 318 of 430

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-507. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-508. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 319 of 430

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-509. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-510. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 320 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-511. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-512. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 321 of 430

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-513. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-514. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 322 of 430

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-515. Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-516. Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 323 of 430

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-517. Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-518. Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 324 of 430