



Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-629. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-630. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 381 of 430

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-631. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-632. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 382 of 430

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-633. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-634. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 383 of 430

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-635. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-636. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 384 of 430

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-637. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-638. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 385 of 430

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-639. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-640. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 386 of 430

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-641. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-642. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 387 of 430

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-643. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-644. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 388 of 430

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (high)



Plot 7-645. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-646. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 389 of 430

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-647. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-648. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 390 of 430

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-649. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-650. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 391 of 430

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-651. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-652. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 392 of 430

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-653. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-654. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 393 of 430

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-655. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-656. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 394 of 430

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-657. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-658. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 395 of 430

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-659. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-660. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 396 of 430

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-661. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-662. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2696 IC: 579C-A2696	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 397 of 430

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-663. Radiated Restricted Upper Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-664. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-01.BCG	Test Dates: 05/30/2022 - 09/15/2022	EUT Type: Tablet Device	Page 398 of 430