



Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-665. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-666. Radiated Restricted Upper Band Edge Measurement CDD


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 399 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-667. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-668. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 400 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-669. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-670. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 401 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-671. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-672. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 402 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-673. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-674. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 403 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-675. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-676. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 404 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-677. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-678. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 405 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-679. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-680. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 406 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-681. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-682. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 407 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-683. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-684. Radiated Restricted Lower Band Edge Measurement CDD


| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 408 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (High)



Plot 7-685. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-686. Radiated Restricted Upper Band Edge Measurement CDD


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 409 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-687. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-688. Radiated Restricted Upper Band Edge Measurement CDD


| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 410 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-689. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-690. Radiated Restricted Upper Band Edge Measurement CDD


| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 411 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-691. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-692. Radiated Restricted Upper Band Edge Measurement CDD


| | | | |
|---|---|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 412 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-693. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-694. Radiated Restricted Upper Band Edge Measurement CDD


| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 413 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-695. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-696. Radiated Restricted Upper Band Edge Measurement CDD


| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 414 of 430 |

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-697. Radiated Restricted Upper Band Edge Measurement CDD

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-698. Radiated Restricted Upper Band Edge Measurement CDD

| | | | |
|---|--|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2696 IC: 579C-A2696 |  element | MEASUREMENT REPORT (CERTIFICATION) | Approved by: Technical Manager |
| Test Report S/N: 1C2205090022-01.BCG | Test Dates: 05/30/2022 - 09/15/2022 | EUT Type: Tablet Device | Page 415 of 430 |