












FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 84 of 257




Plot 7-115. PSD Antenna WF8 (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-118. PSD Antenna WF8 (80MHz BW 11ax Index 44 - RU52 - Ch.58)




Plot 7-116. PSD Antenna WF8 (40MHz BW 11ax - RU484 - Ch.54)



Plot 7-119. PSD Antenna WF8 (80MHz BW 11ax Index 52 - RU52 - Ch.58)




Plot 7-117. PSD Antenna WF8 (80MHz BW 11ax Index 37 - RU52 - Ch.58)




Plot 7-120. PSD Antenna WF8 (80MHz BW 11ax - RU996 - Ch.58)


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 85 of 257




Plot 7-121. PSD Antenna WF8 (20MHz BW 11ax Index 37 - RU52 - Ch.116)




Plot 7-124. PSD Antenna WF8 (20MHz BW 11ax- RU242 - Ch.116)




Plot 7-122. PSD Antenna WF8 (20MHz BW 11ax Index 38 - RU52 - Ch.116)



Plot 7-125. PSD Antenna WF8 (40MHz BW 11ax Index 37 - RU52 - Ch.110)




Plot 7-123. PSD Antenna WF8 (20MHz BW 11ax Index 40 - RU52 - Ch.116)




Plot 7-126. PSD Antenna WF8 (40MHz BW 11ax Index 40 - RU52 - Ch.110)


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 86 of 257




Plot 7-127. PSD Antenna WF8 (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-130. PSD Antenna WF8 (80MHz BW 11ax Index 44 - RU52 - Ch.122)




Plot 7-128. PSD Antenna WF8 (40MHz BW 11ax - RU484 - Ch.110)



Plot 7-131. PSD Antenna WF8 (80MHz BW 11ax Index 52 - RU52 - Ch.122)



Plot 7-129. PSD Antenna WF8 (80MHz BW 11ax Index 37 - RU52 - Ch.122)



Plot 7-132. PSD Antenna WF8 (80MHz BW 11ax - RU996 - Ch.122)

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 87 of 257

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.53	30.00	-24.47
				26	4	12.5/14.7 (MCS11)	5.92	30.00	-24.09
				26	8	12.5/14.7 (MCS11)	5.79	30.00	-24.21
	5785	157	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.70	30.00	-24.30
				26	4	12.5/14.7 (MCS11)	5.66	30.00	-24.34
				26	8	12.5/14.7 (MCS11)	5.63	30.00	-24.37
	5825	165	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.22	30.00	-23.78
				26	4	12.5/14.7 (MCS11)	6.29	30.00	-23.72
				26	8	12.5/14.7 (MCS11)	6.05	30.00	-23.95
	5755	151	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.37	30.00	-23.63
				26	8	12.5/14.7 (MCS11)	6.76	30.00	-23.24
				26	17	12.5/14.7 (MCS11)	6.39	30.00	-23.61
	5795	159	ax (40MHz)	26	0	12.5/14.7 (MCS11)	5.46	30.00	-24.54
				26	8	12.5/14.7 (MCS11)	6.66	30.00	-23.35
				26	17	12.5/14.7 (MCS11)	5.93	30.00	-24.07
	5775	155	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.76	30.00	-23.24
				26	18	12.5/14.7 (MCS11)	6.66	30.00	-23.34
				26	36	12.5/14.7 (MCS11)	6.37	30.00	-23.63







Table 7-87. Band 3 Power Spectral Density Measurements Antenna WF8 (RU26)

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.92	30.00	-24.08
	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.44	30.00	-23.56
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.35	30.00	-23.65
	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	2.21	30.00	-27.79
	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.47	30.00	-26.53
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.42	30.00	-34.42

Table 7-88. Band 3 Power Spectral Density Measurements Antenna WF8 (Fully-loaded RU)

FCC ID: BCGA2696 IC: 579C-A2696	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 88 of 257


V 10.5 12/15/2021




FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 89 of 257

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-139. PSD Antenna WF8 (40MHz BW 11ax Index 17 - RU26 - Ch.151)




Plot 7-142. PSD Antenna WF8 (80MHz BW 11ax Index 18 - RU26 - Ch.155)




Plot 7-140. PSD Antenna WF8 (40MHz BW 11ax - RU484 - Ch.151)



Plot 7-143. PSD Antenna WF8 (80MHz BW 11ax Index 36 - RU26 - Ch.155)



Plot 7-141. PSD Antenna WF8 (80MHz BW 11ax Index 0 - RU26 - Ch.155)



Plot 7-144. PSD Antenna WF8 (80MHz BW 11ax - RU996 - Ch.155)

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 90 of 257







	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	2.89	3.40	6.29	10.0	-3.71
				26	4	12.5/14.7 (MCS11)	3.14	3.40	6.54	10.0	-3.46
				26	8	12.5/14.7 (MCS11)	3.10	3.40	6.50	10.0	-3.50
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	3.16	3.40	6.56	10.0	-3.44
				26	4	12.5/14.7 (MCS11)	2.89	3.40	6.29	10.0	-3.71
				26	8	12.5/14.7 (MCS11)	3.09	3.40	6.49	10.0	-3.51
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	3.27	3.40	6.67	10.0	-3.33
				26	4	12.5/14.7 (MCS11)	3.33	3.40	6.73	10.0	-3.27
				26	8	12.5/14.7 (MCS11)	3.45	3.40	6.85	10.0	-3.15
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	3.06	3.40	6.46	10.0	-3.54
				26	8	12.5/14.7 (MCS11)	3.73	3.40	7.13	10.0	-2.88
				26	17	12.5/14.7 (MCS11)	3.03	3.40	6.43	10.0	-3.57
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	3.38	3.40	6.78	10.0	-3.22
				26	8	12.5/14.7 (MCS11)	3.55	3.40	6.95	10.0	-3.05
				26	17	12.5/14.7 (MCS11)	3.25	3.40	6.65	10.0	-3.35
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	3.58	3.40	6.98	10.0	-3.02
				26	18	12.5/14.7 (MCS11)	2.88	3.40	6.28	10.0	-3.72
				26	36	12.5/14.7 (MCS11)	2.73	3.40	6.13	10.0	-3.87

Table 7-89. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF8 (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.75	3.40	7.15	10.0	-2.85
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.88	3.40	7.28	10.0	-2.72
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.08	3.40	7.48	10.0	-2.52
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-6.51	3.40	-3.11	10.0	-13.11
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-6.91	3.40	-3.51	10.0	-13.51
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-5.91	3.40	-2.51	10.0	-12.51

Table 7-90. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF8 (Fully-loaded RU)


FCC ID: BCGA2696 IC: 579C-A2696	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 91 of 257




FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 92 of 257




Plot 7-151. ISED PSD Antenna WF8 (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-154. ISED PSD Antenna WF8 (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-152. ISED PSD Antenna WF8 (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-155. ISED PSD Antenna WF8 (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-153. ISED PSD Antenna WF8 (80MHz BW 11ax Index 0 – RU26 – Ch.42)



Plot 7-156. ISED PSD Antenna WF8 (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 93 of 257

Antenna WF7a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	8.59	11.0	-2.41
				26	4	12.5/14.7 (MCS11)	8.25	11.0	-2.75
				26	8	12.5/14.7 (MCS11)	8.93	11.0	-2.08
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	8.75	11.0	-2.25
				26	4	12.5/14.7 (MCS11)	8.32	11.0	-2.68
				26	8	12.5/14.7 (MCS11)	8.57	11.0	-2.43
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	8.94	11.0	-2.06
				26	4	12.5/14.7 (MCS11)	8.57	11.0	-2.43
				26	8	12.5/14.7 (MCS11)	8.25	11.0	-2.75
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	8.13	11.0	-2.87
				26	8	12.5/14.7 (MCS11)	8.58	11.0	-2.43
				26	17	12.5/14.7 (MCS11)	7.68	11.0	-3.32
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	8.49	11.0	-2.51
				26	8	12.5/14.7 (MCS11)	9.20	11.0	-1.80
				26	17	12.5/14.7 (MCS11)	9.08	11.0	-1.92
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	5.31	11.0	-5.69
				26	18	12.5/14.7 (MCS11)	4.87	11.0	-6.13
				26	36	12.5/14.7 (MCS11)	5.37	11.0	-5.63

Table 7-91. Bands 1 Power Spectral Density Measurements Antenna WF7a (RU26)

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 94 of 257

V 10.5 12/15/2021

	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 2A	5260	52	ax (20MHz)	52	37	25/29.4 (MCS11)	9.17	11.0	-1.84
				52	38	25/29.4 (MCS11)	9.46	11.0	-1.54
				52	40	25/29.4 (MCS11)	9.34	11.0	-1.66
	5300	60	ax (20MHz)	52	37	25/29.4 (MCS11)	9.20	11.0	-1.80
				52	38	25/29.4 (MCS11)	9.85	11.0	-1.15
				52	40	25/29.4 (MCS11)	9.56	11.0	-1.44
	5320	64	ax (20MHz)	52	37	25/29.4 (MCS11)	9.72	11.0	-1.28
				52	38	25/29.4 (MCS11)	9.93	11.0	-1.07
				52	40	25/29.4 (MCS11)	9.82	11.0	-1.18
	5270	54	ax (40MHz)	52	37	25/29.4 (MCS11)	9.22	11.0	-1.78
				52	40	25/29.4 (MCS11)	10.26	11.0	-0.74
				52	44	25/29.4 (MCS11)	9.46	11.0	-1.54
	5310	62	ax (40MHz)	52	37	25/29.4 (MCS11)	6.01	11.0	-4.99
				52	40	25/29.4 (MCS11)	6.96	11.0	-4.04
				52	44	25/29.4 (MCS11)	5.96	11.0	-5.04
	5290	58	ax (80MHz)	52	37	25/29.4 (MCS11)	6.72	11.0	-4.28
				52	44	25/29.4 (MCS11)	6.70	11.0	-4.31
				52	52	25/29.4 (MCS11)	6.39	11.0	-4.61
Band 2C	5500	100	ax (20MHz)	52	37	25/29.4 (MCS11)	9.45	11.0	-1.55
				52	38	25/29.4 (MCS11)	9.84	11.0	-1.16
				52	40	25/29.4 (MCS11)	9.40	11.0	-1.60
	5580	116	ax (20MHz)	52	37	25/29.4 (MCS11)	10.05	11.0	-0.95
				52	38	25/29.4 (MCS11)	10.13	11.0	-0.87
				52	40	25/29.4 (MCS11)	9.58	11.0	-1.42
	5600*	120	ax (20MHz)	52	37	25/29.4 (MCS11)	9.87	11.0	-1.13
				52	38	25/29.4 (MCS11)	10.18	11.0	-0.82
				52	40	25/29.4 (MCS11)	9.88	11.0	-1.12
	5720	144	ax (20MHz)	52	37	25/29.4 (MCS11)	9.76	11.0	-1.24
				52	38	25/29.4 (MCS11)	10.19	11.0	-0.81
				52	40	25/29.4 (MCS11)	10.30	11.0	-0.70
	5510	102	ax (40MHz)	52	37	25/29.4 (MCS11)	4.92	11.0	-6.08
				52	40	25/29.4 (MCS11)	5.79	11.0	-5.21
				52	44	25/29.4 (MCS11)	5.26	11.0	-5.74
	5550	110	ax (40MHz)	52	37	25/29.4 (MCS11)	9.95	11.0	-1.05
				52	40	25/29.4 (MCS11)	10.08	11.0	-0.92
				52	44	25/29.4 (MCS11)	10.15	11.0	-0.85
	5590*	118	ax (40MHz)	52	37	25/29.4 (MCS11)	10.24	11.0	-0.76
				52	40	25/29.4 (MCS11)	10.27	11.0	-0.73
				52	44	25/29.4 (MCS11)	9.84	11.0	-1.16
	5670	134	ax (40MHz)	52	37	25/29.4 (MCS11)	9.10	11.0	-1.90
				52	40	25/29.4 (MCS11)	9.76	11.0	-1.25
				52	44	25/29.4 (MCS11)	9.19	11.0	-1.81
	5710	142	ax (40MHz)	52	37	25/29.4 (MCS11)	10.33	11.0	-0.67
				52	40	25/29.4 (MCS11)	10.32	11.0	-0.68
				52	44	25/29.4 (MCS11)	10.05	11.0	-0.95
	5530	106	ax (80MHz)	52	37	25/29.4 (MCS11)	4.68	11.0	-6.32
				52	44	25/29.4 (MCS11)	4.71	11.0	-6.29
				52	52	25/29.4 (MCS11)	3.91	11.0	-7.09
	5610*	122	ax (80MHz)	52	37	25/29.4 (MCS11)	9.93	11.0	-1.07
				52	44	25/29.4 (MCS11)	9.68	11.0	-1.32
				52	52	25/29.4 (MCS11)	9.48	11.0	-1.52
	5690	138	ax (80MHz)	52	37	25/29.4 (MCS11)	9.72	11.0	-1.28
				52	44	25/29.4 (MCS11)	10.25	11.0	-0.75
				52	52	25/29.4 (MCS11)	9.77	11.0	-1.24

Table 7-92. Bands 2A, 2C Power Spectral Density Measurements Antenna WF7a (RU52)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2696 IC: 579C-A2696	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 95 of 257

V 10.5 12/15/2021


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.25	11.0	-6.75
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.53	11.0	-2.47
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.35	11.0	-2.65
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-2.97	11.0	-13.97
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.17	11.0	-5.83
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-7.09	11.0	-18.09
Band 2A	5260	52	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.89	11.0	-3.11
	5280	56	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.72	11.0	-3.28
	5320	64	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.14	11.0	-6.86
	5270	54	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.23	11.0	-6.77
	5310	62	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-3.83	11.0	-14.83
	5290	58	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-7.77	11.0	-18.77
Band 2C	5500	100	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.24	11.0	-7.76
	5580	116	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.37	11.0	-3.63
	5700	140	ax (20MHz)	242	61	121.9/143.4 (MCS11)	0.00	11.0	-11.00
	5720	144	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.77	11.0	-3.23
	5510	102	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-4.39	11.0	-15.39
	5550	110	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.63	11.0	-7.37
	5670	134	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.76	11.0	-11.76
	5710	142	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.83	11.0	-5.17
	5530	106	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-7.11	11.0	-18.11
	5690	138	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-0.39	11.0	-11.39

Table 7-93. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna WF7a (Fully-loaded RU)


*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2696 IC: 579C-A2696	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 96 of 257


V 10.5 12/15/2021




Plot 7-157. PSD Antenna WF7a (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-160. PSD Antenna WF7a (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-158. PSD Antenna WF7a (20MHz BW 11ax Index 4 - RU26 - Ch.40)



Plot 7-161. PSD Antenna WF7a (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-159. PSD Antenna WF7a (20MHz BW 11ax Index 8- RU26 - Ch.40)




Plot 7-162. PSD Antenna WF7a (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 97 of 257




Plot 7-163. PSD Antenna WF7a (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-166. PSD Antenna WF7a (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-164. PSD Antenna WF7a (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-167. PSD Antenna WF7a (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-165. PSD Antenna WF7a (80MHz BW 11ax Index 0 - RU26 - Ch.42)




Plot 7-168. PSD Antenna WF7a (80MHz BW 11ax - RU996 - Ch.42)


FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 98 of 257



Plot 7-169. PSD Antenna WF7a (20MHz BW 11ax Index 37 - RU52 - Ch.60)




Plot 7-172. PSD Antenna WF7a (20MHz BW 11ax - RU242 - Ch.56)



Plot 7-170. PSD Antenna WF7a (20MHz BW 11ax Index 38 - RU52 - Ch.60)



Plot 7-173. PSD Antenna WF7a (40MHz BW 11ax Index 37 - RU52 - Ch.54)



Plot 7-171. PSD Antenna WF7a (20MHz BW 11ax Index 40 - RU52 - Ch.60)



Plot 7-174. PSD Antenna WF7a (40MHz BW 11ax Index 40 - RU52 - Ch.54)

FCC ID: BCGA2696 IC: 579C-A2696		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090022-08-R1.BCG	Test Dates: 05/30/2022 - 09/16/2022	EUT Type: Tablet Device	Page 99 of 257