


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2


PASS Average Trace
Peak Trace
Avg. Offset: 11.0dB
Peak Offset: 10.4dB RBW: 1 MHz VBW: 3 MHz
SWT: 1.01ms Peak: 2390.00 MHz, 66.35 dB μ V/m
Avg: 2389.52 MHz, 51.27 dB μ V/m



Plot 7-648. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2


PASS Average Trace
Peak Trace
Avg. Offset: 10.9dB
Peak Offset: 10.4dB RBW: 1 MHz VBW: 3 MHz
SWT: 1.01ms Peak: 2389.76 MHz, 68.93 dB μ V/m
Avg: 2389.76 MHz, 50.69 dB μ V/m



Plot 7-649. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device	Page 390 of 440

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-650. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-651. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 391 of 440

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-652. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-653. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 392 of 440

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-654. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-655. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device	Page 393 of 440	

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-656. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-657. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device	Page 394 of 440	

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-658. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-659. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device	Page 395 of 440	

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-660. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-661. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device	Page 396 of 440	

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-662. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 6



Plot 7-663. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 397 of 440

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 6



Plot 7-664. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-665. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 398 of 440

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-666. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-667. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 399 of 440

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-668. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-669. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 400 of 440

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-670. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-671. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 401 of 440

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-672. Radiated Restricted Upper Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9




Plot 7-673. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 402 of 440

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10


PASS Average Trace RBW: 1 MHz Peak: 2483.73 MHz, 69.06 dB μ V/m
 Peak Trace Avg. Offset: 11.8dB VBW: 3 MHz Avg: 2483.50 MHz, 49.59 dB μ V/m
 Peak Offset: 11.5dB SWT: 1.01ms



Plot 7-674. Radiated Restricted Upper Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10


PASS Average Trace RBW: 1 MHz Peak: 2483.50 MHz, 67.31 dB μ V/m
 Peak Trace Avg. Offset: 12.0dB VBW: 3 MHz Avg: 2483.50 MHz, 50.83 dB μ V/m
 Peak Offset: 11.5dB SWT: 1.01ms



Plot 7-675. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 403 of 440

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-676. Radiated Restricted Upper Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11




Plot 7-677. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 404 of 440

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11


PASS Average Trace RBW: 1 MHz Peak: 2483.50 MHz, 67.07 dB μ V/m
 Peak Trace Avg. Offset: 12.0dB VBW: 3 MHz Avg: 2483.50 MHz, 51.09 dB μ V/m
 Peak Offset: 11.5dB SWT: 1.01ms



Plot 7-678. Radiated Restricted Upper Band Edge Measurement CDD

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11


PASS Average Trace RBW: 1 MHz Peak: 2483.50 MHz, 68.94 dB μ V/m
 Peak Trace Avg. Offset: 12.1dB VBW: 3 MHz Avg: 2483.50 MHz, 50.15 dB μ V/m
 Peak Offset: 11.5dB SWT: 1.01ms



Plot 7-679. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 405 of 440

Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-680. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-681. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 406 of 440

Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-682. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS10
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-683. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 407 of 440

Mode: 802.11n
 Data Rate: MCS12
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-684. Radiated Restricted Upper Band Edge Measurement CDD


Mode: 802.11n
 Data Rate: MCS13
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-685. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 408 of 440

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-686. Radiated Restricted Lower Band Edge Measurement CDD


Mode: 802.11ax - SU
 Data Rate: MCS4
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-687. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2757 IC: 579C-A2757	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device		Page 409 of 440

Mode: 802.11ax - SU
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-688. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11ax - SU
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-689. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2757 IC: 579C-A2757	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090023-10.BCG	Test Dates: 05/30/2022 - 09/14/2022	EUT Type: Tablet Device	Page 410 of 440