







Plot 7-246. ISED PSD Antenna WF5B (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-249. ISED PSD Antenna WF5B (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-247. ISED PSD Antenna WF5B (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-250. ISED PSD Antenna WF5B (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-248. ISED PSD Antenna WF5B (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-251. ISED PSD Antenna WF5B (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 119 of 289

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-252. ISSED PSD Antenna WF5B (20MHz BW 11ax Index 0 – RU26 – Ch.50(L))



Plot 7-254. ISSED PSD Antenna WF5B (20MHz BW 11ax Index 68– RU996x2 – Ch.50)



Plot 7-253. ISSED PSD Antenna WF5B (20MHz BW 11ax Index 36 – RU26 – Ch.50(L))

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 120 of 289

Summed CDD/SDM Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF5B Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	6.18	5.80	9.00	11.00	-2.00
					26	4	25/29.4 (MCS11)	5.28	5.00	8.15	11.00	-2.85
					26	8	25/29.4 (MCS11)	5.81	6.30	9.07	11.00	-1.93
	5200	40	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	6.35	6.08	9.23	11.00	-1.77
					26	4	25/29.4 (MCS11)	6.11	5.96	9.05	11.00	-1.95
					26	8	25/29.4 (MCS11)	6.77	6.13	9.47	11.00	-1.53
	5240	48	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	7.04	6.49	9.78	11.00	-1.22
					26	4	25/29.4 (MCS11)	6.22	6.12	9.18	11.00	-1.82
					26	8	25/29.4 (MCS11)	6.82	6.30	9.58	11.00	-1.42
	5190	38	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	6.51	6.23	9.38	11.00	-1.62
					26	8	25/29.4 (MCS11)	6.81	6.99	9.91	11.00	-1.09
					26	17	25/29.4 (MCS11)	5.72	6.36	9.06	11.00	-1.94
	5230	46	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	6.31	5.99	9.16	11.00	-1.84
					26	8	25/29.4 (MCS11)	7.04	6.46	9.77	11.00	-1.23
					26	17	25/29.4 (MCS11)	6.55	6.13	9.35	11.00	-1.65
	5210	42	ax (80MHz)	CDD	26	0	25/29.4 (MCS11)	6.87	6.82	9.86	11.00	-1.14
					26	18	25/29.4 (MCS11)	6.57	6.23	9.41	11.00	-1.59
					26	36	25/29.4 (MCS11)	6.37	5.80	9.10	11.00	-1.90
Band 1/2A	5250	50 (L)	ax (160MHz)	CDD	26	0	25/29.4 (MCS11)	0.40	-0.75	2.87	11.00	-8.13
		50 (U)			26	36	25/29.4 (MCS11)	0.18	0.29	3.25	11.00	-7.75
					26	36	25/29.4 (MCS11)	-0.14	0.18	3.03	11.00	-7.97
Band 2C	5570*	114 (L)	ax (160MHz)	CDD	26	0	25/29.4 (MCS11)	0.46	-0.67	2.94	11.00	-8.06
		114 (U)			26	36	25/29.4 (MCS11)	0.01	-0.01	3.01	11.00	-7.99
					26	36	25/29.4 (MCS11)	-0.33	-1.24	2.25	11.00	-8.75

Table 7-116. Bands 1,2A,2C Power Spectral Density Measurements CDD (RU26)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 121 of 289

V 10.5 12/15/2021

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF5B Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 2A	5260	52	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	7.57	7.01	10.31	11.00	-0.69
					52	38	50/58.8 (MCS11)	7.42	7.48	10.46	11.00	-0.54
					52	40	50/58.8 (MCS11)	7.56	7.30	10.44	11.00	-0.56
	5300	60	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	7.45	6.71	10.11	11.00	-0.89
					52	38	50/58.8 (MCS11)	6.97	5.63	9.36	11.00	-1.64
					52	40	50/58.8 (MCS11)	7.51	7.05	10.30	11.00	-0.70
	5320	64	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	7.50	7.20	10.36	11.00	-0.64
					52	38	50/58.8 (MCS11)	7.36	7.50	10.44	11.00	-0.56
					52	40	50/58.8 (MCS11)	7.42	7.24	10.34	11.00	-0.66
	5270	54	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	7.26	6.24	9.79	11.00	-1.21
					52	40	50/58.8 (MCS11)	7.88	6.56	10.28	11.00	-0.72
					52	44	50/58.8 (MCS11)	7.62	6.42	10.07	11.00	-0.93
	5310	62	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	6.00	5.73	8.88	11.00	-2.12
					52	40	50/58.8 (MCS11)	6.36	6.03	9.21	11.00	-1.79
					52	44	50/58.8 (MCS11)	6.07	5.66	8.88	11.00	-2.12
	5290	58	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	5.96	4.71	8.39	11.00	-2.61
					52	44	50/58.8 (MCS11)	5.60	4.77	8.21	11.00	-2.79
					52	52	50/58.8 (MCS11)	5.49	4.90	8.21	11.00	-2.79
Band 2C	5500	100	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	6.91	5.82	9.41	11.00	-1.59
					52	38	50/58.8 (MCS11)	7.31	6.17	9.78	11.00	-1.22
					52	40	50/58.8 (MCS11)	6.59	6.26	9.44	11.00	-1.56
	5580	116	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	7.20	6.22	9.75	11.00	-1.25
					52	38	50/58.8 (MCS11)	7.48	6.66	10.10	11.00	-0.90
					52	40	50/58.8 (MCS11)	6.93	6.59	9.78	11.00	-1.22
	5700	140	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	6.66	6.89	9.79	11.00	-1.21
					52	38	50/58.8 (MCS11)	6.83	7.01	9.93	11.00	-1.07
					52	40	50/58.8 (MCS11)	6.45	6.77	9.62	11.00	-1.38
	5720	144	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	7.03	6.65	9.85	11.00	-1.15
					52	38	50/58.8 (MCS11)	7.07	6.87	9.98	11.00	-1.02
					52	40	50/58.8 (MCS11)	7.15	6.71	9.94	11.00	-1.06
	5510	102	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	6.49	5.33	8.96	11.00	-2.04
					52	40	50/58.8 (MCS11)	7.43	6.25	9.89	11.00	-1.11
					52	44	50/58.8 (MCS11)	6.85	5.77	9.35	11.00	-1.65
	5550	110	ax (40MHz)	SDM	52	37	50/58.8 (MCS11)	6.95	6.09	9.55	11.00	-1.45
					52	40	50/58.8 (MCS11)	7.66	6.62	10.19	11.00	-0.81
					52	44	50/58.8 (MCS11)	6.62	6.36	9.50	11.00	-1.50
	5710	142	ax (40MHz)	SDM	52	37	50/58.8 (MCS11)	6.35	6.00	9.19	11.00	-1.81
					52	40	50/58.8 (MCS11)	7.44	6.92	10.20	11.00	-0.80
					52	44	50/58.8 (MCS11)	6.65	6.33	9.50	11.00	-1.50
	5530	106	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	4.24	3.47	6.88	11.00	-4.12
					52	44	50/58.8 (MCS11)	4.13	3.47	6.82	11.00	-4.18
					52	52	50/58.8 (MCS11)	4.16	3.48	6.84	11.00	-4.16
	5610*	122	ax (80MHz)	SDM	52	37	50/58.8 (MCS11)	7.03	6.35	9.72	11.00	-1.28
					52	44	50/58.8 (MCS11)	6.88	6.15	9.54	11.00	-1.46
					52	52	50/58.8 (MCS11)	6.48	6.09	9.30	11.00	-1.70
	5690	138	ax (80MHz)	SDM	52	37	50/58.8 (MCS11)	6.53	6.31	9.43	11.00	-1.57
					52	44	50/58.8 (MCS11)	6.35	6.30	9.33	11.00	-1.67
					52	52	50/58.8 (MCS11)	6.64	6.19	9.43	11.00	-1.57

Table 7-117. Bands 2A, 2C Power Spectral Density Measurements CDD/SDM (RU52)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 122 of 289

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF5T Power Density [dBm/MHz]	Antenna WF5B Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	2.25	2.30	5.29	10.92	-5.63
	5200	40	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.69	4.36	7.54	11.00	-3.46
	5240	48	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.63	4.37	7.51	11.00	-3.49
	5190	38	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-3.55	-3.57	-0.55	11.00	-11.55
	5230	46	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	3.60	3.99	6.81	11.00	-4.19
	5210	42	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-8.15	-8.87	-5.48	10.78	-16.26
Band 1/2A	5250	50	ax (160MHz)	CDD	996x2	68	1020.8/1201 (MCS11)	-13.05	-13.25	-10.14	11.00	-21.14
Band 2A	5260	52	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	4.12	4.38	7.26	11.00	-3.74
	5300	60	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.66	5.66	8.67	11.00	-2.33
	5320	64	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	1.89	1.76	4.83	10.78	-5.95
	5270	54	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	3.34	2.89	6.13	10.78	-4.65
	5310	62	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-4.25	-4.59	-1.41	10.78	-12.19
	5290	58	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-7.76	-8.18	-4.96	10.78	-15.74
Band 2C	5500	100	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	1.97	1.77	4.88	11.00	-6.12
	5580	116	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	3.90	3.38	6.66	11.00	-4.34
	5700	140	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	-2.20	-2.23	0.79	11.00	-10.21
	5720	144	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	4.40	4.32	7.37	11.00	-3.63
	5510	102	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	-4.68	-5.46	-2.04	11.00	-13.04
	5550	110	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	1.61	0.85	4.26	11.00	-6.74
	5710	142	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	4.17	3.37	6.80	11.00	-4.20
	5530	106	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-8.92	-9.38	-6.13	11.00	-17.13
	5610*	122	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-5.43	-6.21	-2.79	11.00	-13.79
	5690	138	ax (80MHz)	SDM	996	67	1020.8/1201 (MCS11)	-0.84	-1.48	1.86	11.00	-9.14
	5560*	114	ax (160MHz)	CDD	996x2	68	1020.8/1201 (MCS11)	-13.89	-14.61	-11.22	11.00	-22.22


Table 7-118. Bands 1, 2A, 2C Power Spectral Density Measurements CDD/SDM (Fully-loaded RU)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 123 of 289

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-255. PSD CDD Antenna WF5T (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-258. PSD CDD Antenna WF5B (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-256. PSD CDD Antenna WF5B (20MHz BW 11ax Index 0 – RU26 – Ch.40)



Plot 7-259. PSD CDD Antenna WF5T (20MHz BW 11ax Index 8 – RU26 – Ch.40)



Plot 7-257. PSD CDD Antenna WF5T (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-260. PSD CDD Antenna WF5B (20MHz BW 11ax Index 8 – RU26 – Ch.40)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 124 of 289

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-261. PSD CDD Antenna WF5T (20MHz BW 11ax - RU242 - Ch.40)




Plot 7-264. PSD CDD Antenna WF5B (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-262. PSD CDD Antenna WF5B (20MHz BW 11ax - RU242 - Ch.40)



Plot 7-265. PSD CDD Antenna WF5T (40MHz BW 11ax Index 8 - RU26 - Ch.46)



Plot 7-263. PSD CDD Antenna WF5T (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-266. PSD CDD Antenna WF5B (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 125 of 289

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-267. PSD CDD Antenna WF5T (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-270. PSD CDD Antenna WF5B (40MHz BW 11ax – RU484 – Ch.46)




Plot 7-268. PSD CDD Antenna WF5B (40MHz BW 11ax Index 17 – RU26 – Ch.46)



Plot 7-271. PSD CDD Antenna WF5T (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-269. PSD CDD Antenna WF5T (40MHz BW 11ax – RU484 – Ch.46)




Plot 7-272. PSD CDD Antenna WF5B (80MHz BW 11ax Index 0 – RU26 – Ch.42)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 126 of 289




Plot 7-273. PSD CDD Antenna WF5T (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-276. PSD CDD Antenna WF5B (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-274. PSD CDD Antenna WF5B (80MHz BW 11ax Index 18 – RU26 – Ch.42)



Plot 7-277. PSD CDD Antenna WF5T (80MHz BW 11ax – RU996 – Ch.42)




Plot 7-275. PSD CDD Antenna WF5T (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-278. PSD CDD Antenna WF5B (80MHz BW 11ax – RU996 – Ch.42)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 127 of 289




Plot 7-279. PSD CDD Antenna WF5T (20MHz BW 11ax Index 0 - RU26 - Ch.50(L))




Plot 7-282. PSD CDD Antenna WF5B (20MHz BW 11ax Index 36 - RU26 - Ch.50(L))




Plot 7-280. PSD CDD Antenna WF5B (20MHz BW 11ax Index 0 - RU26 - Ch.50(L))



Plot 7-283. PSD CDD Antenna WF5T (20MHz BW 11ax Index 36 - RU26 - Ch.50(U))




Plot 7-281. PSD CDD Antenna WF5T (20MHz BW 11ax Index 36 - RU26 - Ch.50(L))




Plot 7-284. PSD CDD Antenna WF5B (20MHz BW 11ax Index 36 - RU26 - Ch.50(U))


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 128 of 289




Plot 7-285. PSD CDD Antenna WF5T (20MHz BW 11ax Index 68- RU996x2 - Ch.50)




Plot 7-288. PSD CDD Antenna WF5B (20MHz BW 11ax Index 37 - RU52 - Ch.60)




Plot 7-286. PSD CDD Antenna WF5B (20MHz BW 11ax Index 68- RU996x2 - Ch.50)



Plot 7-289. PSD CDD Antenna WF5T (20MHz BW 11ax Index 38 - RU52 - Ch.60)









Plot 7-287. PSD CDD Antenna WF5T (20MHz BW 11ax Index 37 - RU52 - Ch.60)




Plot 7-290. PSD CDD Antenna WF5B (20MHz BW 11ax Index 38 - RU52 - Ch.60)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 129 of 289




FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 130 of 289




Plot 7-297. PSD CDD Antenna WF5T (40MHz BW 11ax Index 40 – RU52 – Ch.54)




Plot 7-300. PSD CDD Antenna WF5B (40MHz BW 11ax Index 44 – RU52 – Ch.54)




Plot 7-298. PSD CDD Antenna WF5B (40MHz BW 11ax Index 40 – RU52 – Ch.54)



Plot 7-301. PSD CDD Antenna WF5T (40MHz BW 11ax – RU484 – Ch.54)




Plot 7-299. PSD CDD Antenna WF5T (40MHz BW 11ax Index 44 – RU52 – Ch.54)




Plot 7-302. PSD CDD Antenna WF5B (40MHz BW 11ax – RU484 – Ch.54)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 131 of 289



Plot 7-303. PSD CDD Antenna WF5T (80MHz BW 11ax Index 37 - RU52 - Ch.58)




Plot 7-306. PSD CDD Antenna WF5B (80MHz BW 11ax Index 44 - RU52 - Ch.58)




Plot 7-304. PSD CDD Antenna WF5B (80MHz BW 11ax Index 37 - RU52 - Ch.58)



Plot 7-307. PSD CDD Antenna WF5T (80MHz BW 11ax Index 52 - RU52 - Ch.58)




Plot 7-305. PSD CDD Antenna WF5T (80MHz BW 11ax Index 44 - RU52 - Ch.58)




Plot 7-308. PSD CDD Antenna WF5B (80MHz BW 11ax Index 52 - RU52 - Ch.58)


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 132 of 289




Plot 7-309. PSD CDD Antenna WF5T (80MHz BW 11ax - RU996 - Ch.58)




Plot 7-310. PSD CDD Antenna WF5B (80MHz BW 11ax - RU996 - Ch.58)




Plot 7-311. PSD SDM Antenna WF5T (20MHz BW 11ax Index 37 - RU52 - Ch.116)



Plot 7-312. PSD SDM Antenna WF5B (20MHz BW 11ax Index 37 - RU52 - Ch.116)



Plot 7-313. PSD SDM Antenna WF5T (20MHz BW 11ax Index 38 - RU52 - Ch.116)



Plot 7-314. PSD SDM Antenna WF5B (20MHz BW 11ax Index 38 - RU52 - Ch.116)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-10.BCG	Test Dates: 05/30/2022-9/22/2022	EUT Type: Tablet Device	Page 133 of 289