


Plot 7-587. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 93)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6415MHz  
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
12830.00	Average	V	118	116	-81.36	15.67	41.31	68.20	-26.89

Table 7-59. Radiated Spurious Emission Measurements Antenna WF5t

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 182 of 280	




Plot 7-588. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 97)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6435MHz  
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
12870.00	Average	V	-	-	-84.70	15.53	37.83	68.20	-30.37

Table 7-60. Radiated Spurious Emission Measurements Antenna WF5t

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 183 of 280	




Plot 7-589. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 105, MCS2)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6475MHz  
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	V	-	-	-84.49	15.36	37.87	68.20	-30.33

Table 7-61. Radiated Spurious Emission Measurements Antenna WF5t

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 184 of 280	




Plot 7-590. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 113)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6515MHz  
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	-	-	-84.69	15.65	37.96	68.20	-30.24

Table 7-62. Radiated Spurious Emission Measurements Antenna WF5t

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 185 of 280	




**Plot 7-591. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 117)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6535MHz  
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13070.00	Average	V	-	-	-84.53	15.72	38.19	68.20	-30.01

**Table 7-63. Radiated Spurious Emission Measurements Antenna WF5t**

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 186 of 280	




Plot 7-592. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 149, MCS2)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6695MHz  
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-73.31	15.78	49.47	73.98	-24.51
* 13390.00	Average	V	-	-	-84.89	15.78	37.89	53.98	-16.09

Table 7-64. Radiated Spurious Emission Measurements Antenna WF5t

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 187 of 280




Plot 7-593. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 185)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6875MHz  
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13750.00	Average	V	-	-	-83.62	17.82	41.20	68.20	-27.00

Table 7-65. Radiated Spurious Emission Measurements Antenna WF5t

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 188 of 280	




**Plot 7-594. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 189)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6895MHz  
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13750.00	Average	V	-	-	-83.53	17.82	41.29	68.20	-26.91

**Table 7-66. Radiated Spurious Emission Measurements Antenna WF5t**

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 189 of 280	




Plot 7-595. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 209, MCS2)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6995MHz  
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13990.00	Average	V	-	-	-84.04	17.85	40.81	68.20	-27.39

Table 7-67. Radiated Spurious Emission Measurements Antenna WF5t

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 190 of 280	



**Plot 7-596. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 233)**


Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
14230.00	Average	V	-	-	-83.65	18.14	41.49	68.20	-26.71

**Table 7-68. Radiated Spurious Emission Measurements Antenna WF5t**

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 191 of 280	

### 7.7.2 Antenna WF5b Radiated Spurious Emission




**Plot 7-597. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 1)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11910.00	Peak	V	-	-	-72.53	14.14	48.61	73.98	-25.37
* 11910.00	Average	H	-	-	-84.32	14.14	36.82	53.98	-17.16
* 17865.00	Peak	H	-	-	-73.44	24.21	57.77	73.98	-16.21
* 17865.00	Average	H	-	-	-84.63	24.21	46.58	53.98	-7.40

**Table 7-69. Radiated Spurious Emission Measurements Antenna WF5b**

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 192 of 280	




Plot 7-598. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 45, MCS2)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6175MHz  
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-72.61	14.67	49.06	73.98	-24.92
* 12350.00	Average	V	-	-	-84.46	14.67	37.21	53.98	-16.77

Table 7-70. Radiated Spurious Emission Measurements Antenna WF5b

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 193 of 280




Plot 7-599. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 93)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6415MHz  
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.43	15.67	38.24	68.20	-29.96

Table 7-71. Radiated Spurious Emission Measurements Antenna WF5b

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 194 of 280




**Plot 7-600. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 97)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6435MHz  
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	V	-	-	-83.88	15.53	38.65	68.20	-29.55

**Table 7-72. Radiated Spurious Emission Measurements Antenna WF5b**

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 195 of 280	




Plot 7-601. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 105, MCS2)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6475MHz  
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	V	-	-	-83.66	18.14	41.48	68.20	-26.72

Table 7-73. Radiated Spurious Emission Measurements Antenna WF5b

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 196 of 280	




Plot 7-602. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 113)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6515MHz  
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	-	-	-81.88	18.17	43.29	68.20	-24.91

Table 7-74. Radiated Spurious Emission Measurements Antenna WF5b

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 197 of 280




Plot 7-603. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 117)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6535MHz  
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13070.00	Average	V	-	-	-83.63	18.02	41.39	68.20	-26.81

Table 7-75. Radiated Spurious Emission Measurements Antenna WF5b

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 198 of 280	




Plot 7-604. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 149, MCS2)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6695MHz  
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.52	18.12	52.60	73.98	-21.38
* 13390.00	Average	V	-	-	-84.02	18.12	41.10	53.98	-12.88

Table 7-76. Radiated Spurious Emission Measurements Antenna WF5b

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 199 of 280




**Plot 7-605. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 185)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6875MHz  
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.09	17.82	41.73	68.20	-26.47

**Table 7-77. Radiated Spurious Emission Measurements Antenna WF5b**

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 200 of 280




**Plot 7-606. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 189)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6895MHz  
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.13	17.82	41.69	68.20	-26.51

**Table 7-78. Radiated Spurious Emission Measurements Antenna WF5b**

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 201 of 280	



**Plot 7-607. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 209, MCS2)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6995MHz  
 Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13990.00	Average	V	-	-	-83.58	17.85	41.27	68.20	-26.93

**Table 7-79. Radiated Spurious Emission Measurements Antenna WF5b**

FCC ID: BCGA2759 IC: 579C-A2759	 element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device			

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-608. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 233)


Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	V	-	-	-83.67	18.14	41.47	68.20	-26.73


Table 7-80. Radiated Spurious Emission Measurements Antenna WF5b

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 203 of 280	

### 7.7.3 SDM Primary Radiated Spurious Emission




Plot 7-609. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1)



Plot 7-610. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 204 of 280




Plot 7-611. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1, Pol. V)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11910.00	Peak	H	-	-	-72.45	16.85	51.59	73.98	-22.39
* 11910.00	Average	H	-	-	-84.15	16.85	40.30	53.98	-13.68
* 17865.00	Peak	H	-	-	-74.04	21.45	56.29	73.98	-17.69
* 17865.00	Average	H	-	-	-85.66	21.45	44.41	53.98	-9.57

Table 7-81. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 205 of 280	




**Plot 7-612. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 45, MCS2)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6175MHz  
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Peak	H	-	-	-72.30	14.67	49.37	73.98	-24.61
* 12350.00	Average	H	-	-	-84.18	17.83	40.65	53.98	-13.33

**Table 7-82. Radiated Spurious Emission Measurements SDM**

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 206 of 280




Plot 7-613. Radiated Spurious Emissions above 1GHz CDD (802.11ax – Ch. 93)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6415MHz  
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	H	-	-	-83.97	18.15	41.18	68.20	-27.02

Table 7-83. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 207 of 280	




Plot 7-614. Radiated Spurious Emissions above 1GHz CDD (802.11ax – Ch. 97)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6435MHz  
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
12870.00	Average	H	-	-	-83.89	18.27	41.38	68.20	-26.82

Table 7-84. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 208 of 280	




**Plot 7-615. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 105, MCS2)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6475MHz  
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-83.66	18.16	41.50	68.20	-26.70

**Table 7-85. Radiated Spurious Emission Measurements SDM**

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 209 of 280	




Plot 7-616. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113)



Plot 7-617. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 113, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 210 of 280




**Plot 7-618. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 113, Pol. V)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6515MHz  
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.00	Average	H	-	-	-83.81	18.53	41.72	68.20	-26.48

**Table 7-86. Radiated Spurious Emission Measurements SDM**

FCC ID: BCGA2759 IC: 579C-A2759	 <b>element</b> <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 211 of 280	




Plot 7-619. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6535MHz  
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
13070.00	Average	H	-	-	-83.59	18.31	41.72	68.20	-26.48

Table 7-87. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA2759 IC: 579C-A2759	 element <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 212 of 280	




Plot 7-620. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149, MCS2)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6695MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Peak	H	-	-	-72.21	18.01	52.80	73.98	-21.18
* 13390.00	Average	H	-	-	-84.02	18.01	40.99	53.98	-12.99

Table 7-88. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 213 of 280




Plot 7-621. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185)



Plot 7-622. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 185, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 214 of 280



**Plot 7-623. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 185, Pol. V)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6875MHz  
 Channel: 185


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13750.00	Average	H	-	-	-83.39	17.82	41.43	68.20	-26.77

**Table 7-89. Radiated Spurious Emission Measurements SDM**


FCC ID: BCGA2759 IC: 579C-A2759	 element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device			

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-624. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 189)



Plot 7-625. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 189, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 216 of 280




**Plot 7-626. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 189, Pol. V)**

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6895MHz  
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-83.49	17.46	40.97	68.20	-27.23

**Table 7-90. Radiated Spurious Emission Measurements SDM**

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>				Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device			Page 217 of 280




Plot 7-627. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209, MCS2)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6995MHz  
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-83.43	17.85	41.42	68.20	-26.78

Table 7-91. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 218 of 280	



Plot 7-628. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 233)

Mode: 802.11ax  
 Data Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
14230.00	Average	H	-	-	-83.56	18.13	41.57	68.20	-26.63


Table 7-92. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA2759 IC: 579C-A2759	 <b>MEASUREMENT REPORT (CERTIFICATION)</b>			Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 219 of 280	

#### 7.7.4 Antenna WF5t Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 12Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-629. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)**


Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 24Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-630. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)**


FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 220 of 280

Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 54Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-631. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)**


Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 12Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



**Plot 7-632. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)**


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 221 of 280

Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 24Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



Plot 7-633. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)

Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 54Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



Plot 7-634. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 222 of 280


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 12Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 7115MHz

Channel: 233



**Plot 7-635. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)**


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 24Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 7115MHz

Channel: 233



**Plot 7-636. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)**


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 24Mbps


Distance of Measurements: 3 Meters

Operating Frequency: 7115MHz

Channel: 233




**Plot 7-637. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-638. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)**

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 223 of 280

Worst Case Mode: 802.11a  
 Worst Case Transfer Rate: 54Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7115MHz  
 Channel: 233




**Plot 7-639. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)**



**Plot 7-640. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)**


FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 224 of 280

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-641. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-642. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)**


FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 225 of 280

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5955MHz  
 Channel: 1



**Plot 7-643. Antenna WF5t Radiated Lower Band Edge (Peak/Average – UNII Band 5)**


Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS2  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



**Plot 7-644. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)**


FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 226 of 280

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



**Plot 7-645. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 7095MHz  
 Channel: 229



**Plot 7-646. Antenna WF5t Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-11-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 227 of 280

Worst Case Mode:

802.11ax

Worst Case Transfer Rate:

MCS2

Distance of Measurements:


3 Meters

Operating Frequency:

7115MHz

Channel:

233



**Plot 7-647. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)**

Worst Case Mode:

802.11ax

Worst Case Transfer Rate:

MCS4

Distance of Measurements:


3 Meters

Operating Frequency:

7115MHz

Channel:

233



**Plot 7-648. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)**

Worst Case Mode:

802.11ax

Worst Case Transfer Rate:

MCS4

Distance of Measurements:


3 Meters

Operating Frequency:


7115MHz

Channel:

233



**Plot 7-649. Antenna WF5t Radiated Upper Band Edge (Peak – UNII Band 8)**



**Plot 7-650. Antenna WF5t Radiated Upper Band Edge (Average – UNII Band 8)**

FCC ID: BCGA2759	 element
IC: 579C-A2759	
Test Report S/N: 1C2205090024-11-R2.BCG	

MEASUREMENT REPORT  
(CERTIFICATION)

Approved by:  
Technical Manager

Test Dates:  
05/27/2022 - 9/26/2022

EUT Type:  
Tablet Device

Page 228 of 280

V 10.5 12/15/2021