


Plot 7-676. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 113 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13030.00	Average	V	289	110	-79.82	18.84	46.02	68.20	-22.18

Table 7-57. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 189 of 323	




Plot 7-677. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13070.00	Average	V	-	-	-83.55	18.01	41.46	68.20	-26.74

Table 7-58. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 190 of 323	




Plot 7-678. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 149 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.73	18.12	52.39	73.98	-21.59
* 13390.00	Average	V	-	-	-84.03	18.12	41.09	53.98	-12.89

Table 7-59. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 191 of 323	




Plot 7-679. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 185 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13750.00	Average	V	-	-	-83.25	17.82	41.57	68.20	-26.63

Table 7-60. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 192 of 323	




Plot 7-680. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13790.00	Average	V	-	-	-83.30	17.46	41.16	68.20	-27.04

Table 7-61. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 193 of 323	




Plot 7-681. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13990.00	Average	V	-	-	-83.22	17.85	41.63	68.20	-26.57

Table 7-62. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 194 of 323	




Plot 7-682. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 229 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
14230.00	Average	V	-	-	-83.79	18.13	41.34	68.20	-26.86

Table 7-63. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 195 of 323	


RU242

Plot 7-683. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 1 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11910.00	Peak	V	-	-	-71.36	16.96	52.60	73.98	-21.38
* 11910.00	Average	V	-	-	-83.03	16.96	40.93	53.98	-13.05
* 17865.00	Peak	V	-	-	-75.05	21.89	53.84	73.98	-20.14
* 17865.00	Average	V	-	-	-86.62	21.89	42.27	53.98	-11.71

Table 7-64. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 196 of 323	




Plot 7-684. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 45 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-72.35	17.84	52.49	73.98	-21.49
* 12350.00	Average	V	-	-	-84.28	17.84	40.56	53.98	-13.42

Table 7-65. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 197 of 323	




Plot 7-685. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.26	18.55	41.29	68.20	-26.91

Table 7-66. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 198 of 323	




Plot 7-686. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 97 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12870.00	Average	V	-	-	-83.92	18.68	41.76	68.20	-26.44

Table 7-67. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 199 of 323	




Plot 7-687. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12950.00	Average	V	-	-	-83.65	18.16	41.51	68.20	-26.69

Table 7-68. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 200 of 323	




Plot 7-688. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	-	-	-83.88	18.53	41.65	68.20	-26.55

Table 7-69. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 201 of 323	




Plot 7-689. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13070.00	Average	V	-	-	-83.60	18.31	41.71	68.20	-26.49

Table 7-70. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 202 of 323	




Plot 7-690. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 149 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.27	18.01	52.74	73.98	-21.24
* 13390.00	Average	V	-	-	-84.21	18.01	40.80	53.98	-13.18

Table 7-71. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 203 of 323	




Plot 7-691. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 185 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-86.33	17.82	38.49	68.20	-29.71

Table 7-72. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 204 of 323	




Plot 7-692. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 189 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13750.00	Average	V	-	-	-83.28	17.82	41.54	68.20	-26.66

Table 7-73. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 205 of 323	




Plot 7-693. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 209 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13990.00	Average	V	-	-	-83.30	17.85	41.55	68.20	-26.65

Table 7-74. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 206 of 323	



Plot 7-694. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 229 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
14230.00	Average	V	-	-	-83.56	18.14	41.58	68.20	-26.62

Table 7-75. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 207 of 323	

7.7.2 Antenna WF5b Primary Radiated Spurious Emission

RU26




Plot 7-695. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 1 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11910.00	Peak	V	-	-	-71.88	18.18	53.30	73.98	-20.68
* 11910.00	Average	V	-	-	-83.07	18.18	42.11	53.98	-11.87
* 17865.00	Peak	V	-	-	-75.48	23.46	54.98	73.98	-19.00
* 17865.00	Average	V	-	-	-86.61	23.46	43.85	53.98	-10.13

Table 7-76. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 208 of 323	




Plot 7-696. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 45 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-72.67	18.70	53.03	73.98	-20.95
* 12350.00	Average	V	-	-	-83.70	18.70	42.00	53.98	-11.98

Table 7-77. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device			




Plot 7-697. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 93 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12830.00	Average	V	-	-	-83.74	18.94	42.20	68.20	-26.00

Table 7-78. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 210 of 323	




Plot 7-698. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 97 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12870.00	Average	V	294	71	-77.81	19.59	48.78	68.20	-19.42

Table 7-79. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 211 of 323	




Plot 7-699. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 105 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12950.00	Average	V	298	70	-75.37	19.17	50.80	68.20	-17.40

Table 7-80. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 212 of 323	




Plot 7-700. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 113 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13030.00	Average	V	289	68	-79.05	18.84	46.79	68.20	-21.41

Table 7-81. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 213 of 323	




Plot 7-701. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13070.00	Average	V	-	-	-83.53	18.01	41.48	68.20	-26.72

Table 7-82. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 214 of 323	




Plot 7-702. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 149 – RU26)

Mode: 802.11ax
 Data Rate MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.06	18.12	53.06	73.98	-20.92
* 13390.00	Average	V	-	-	-84.09	18.12	41.03	53.98	-12.95

Table 7-83. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 215 of 323	




Plot 7-703. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 185 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13750.00	Average	V	-	-	-83.23	17.82	41.59	68.20	-26.61

Table 7-84. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 216 of 323	




Plot 7-704. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13790.00	Average	V	-	-	-83.20	17.46	41.26	68.20	-26.94

Table 7-85. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 217 of 323	




Plot 7-705. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13990.00	Average	V	-	-	-83.50	17.85	41.35	68.20	-26.85

Table 7-86. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 218 of 323	




Plot 7-706. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 229 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	V	-	-	-83.58	18.13	41.55	68.20	-26.65

Table 7-87. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 219 of 323	


RU242

Plot 7-707. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 1 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11910.00	Peak	V	-	-	-71.84	16.96	52.12	73.98	-21.86
* 11910.00	Average	V	-	-	-83.00	16.96	40.96	53.98	-13.02
* 17865.00	Peak	V	-	-	-72.12	21.89	56.77	73.98	-17.21
* 17865.00	Average	V	-	-	-84.26	21.89	44.63	53.98	-9.35

Table 7-88. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 220 of 323	




Plot 7-708. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 45 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-72.32	17.83	52.51	73.98	-21.47
* 12350.00	Average	V	-	-	-84.03	17.83	40.80	53.98	-13.18

Table 7-89. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 221 of 323	




Plot 7-709. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12830.00	Average	V	-	-	-84.06	18.55	41.49	68.20	-26.71

Table 7-90. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 222 of 323	




Plot 7-710. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 97 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12870.00	Average	V	-	-	-83.73	18.68	41.95	68.20	-26.25

Table 7-91. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 223 of 323	




Plot 7-711. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	V	-	-	-83.56	18.16	41.60	68.20	-26.60

Table 7-92. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 224 of 323	




Plot 7-712. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13030.00	Average	V	-	-	-83.89	18.52	41.63	68.20	-26.57

Table 7-93. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 225 of 323	




Plot 7-713. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13070.00	Average	V	-	-	-83.71	18.31	41.60	68.20	-26.60

Table 7-94. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 226 of 323	




Plot 7-714. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 149 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.96	18.01	52.05	73.98	-21.93
* 13390.00	Average	V	-	-	-84.03	18.01	40.98	53.98	-13.00

Table 7-95. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 227 of 323




Plot 7-715. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 185 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.37	17.82	41.45	68.20	-26.75

Table 7-96. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 228 of 323	




Plot 7-716. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 189 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13750.00	Average	V	-	-	-83.20	17.82	41.62	68.20	-26.58

Table 7-97. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 229 of 323	




Plot 7-717. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 209 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	V	-	-	-83.49	17.85	41.36	68.20	-26.84

Table 7-98. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 230 of 323	



Plot 7-718. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 229 – RU242)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
14230.00	Average	V	-	-	-83.55	18.14	41.59	68.20	-26.61

Table 7-99. Radiated Spurious Emission Measurements Antenna WF5b – RU242


FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 231 of 323	

7.7.3 SDM Primary Radiated Spurious Emission

RU26




Plot 7-719. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26)



Plot 7-720. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1 – RU26, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 232 of 323




Plot 7-721. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26. Pol. V)

Mode:	802.11ax
Data Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
11910.00	Peak	H	-	-	-71.65	18.18	53.53	73.98	-20.45
11910.00	Average	H	-	-	-83.16	18.18	42.02	53.98	-11.96
17865.00	Peak	H	-	-	-75.17	23.46	55.29	73.98	-18.69
17865.00	Average	H	-	-	-86.63	23.46	43.83	53.98	-10.15

Table 7-100. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 233 of 323




Plot 7-722. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 45 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 12350.00	Peak	H	-	-	-72.23	18.70	53.47	73.98	-20.51
* 12350.00	Average	H	-	-	-83.67	18.70	42.03	53.98	-11.95

Table 7-101. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 234 of 323	




Plot 7-723. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 93 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12830.00	Average	H	230	117	-79.43	18.94	46.51	68.20	-21.69

Table 7-102. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 235 of 323	




Plot 7-724. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 97 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12870.00	Average	H	291	79	-72.91	19.59	53.68	68.20	-14.52

Table 7-103. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 236 of 323	




Plot 7-725. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 105 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12950.00	Average	H	224	119	-69.18	19.17	56.99	68.20	-11.21

Table 7-104. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 237 of 323	




Plot 7-726. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU26)



Plot 7-727. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 113 – RU26, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 238 of 323




Plot 7-728. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU26, Pol. V)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	219	116	-72.85	18.84	52.99	68.20	-15.21

Table 7-105. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 239 of 323	




Plot 7-729. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13070.00	Average	H	-	-	-83.57	18.02	41.45	68.20	-26.75

Table 7-106. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 240 of 323	




Plot 7-730. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 13390.00	Peak	H	-	-	-72.94	18.12	52.18	73.98	-21.80
* 13390.00	Average	H	-	-	-83.98	18.12	41.14	53.98	-12.84

Table 7-107. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 241 of 323	




Plot 7-731. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU26)



Plot 7-732. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 185 – RU26, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 242 of 323




Plot 7-733. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU26, Pol. V)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.26	17.82	41.56	68.20	-26.64

Table 7-108. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 243 of 323	




Plot 7-734. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 189 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13790.00	Average	V	-	-	-83.30	17.46	41.16	68.20	-27.04

Table 7-109. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 244 of 323	




Plot 7-735. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	V	-	-	-83.31	17.85	41.54	68.20	-26.66

Table 7-110. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 245 of 323	




Plot 7-736. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 229 – RU26)



Plot 7-737. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1 – RU26, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 246 of 323	



Plot 7-738. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26, Pol. V)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	H	-	-	-83.62	18.14	41.52	68.20	-26.68

Table 7-111. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R2.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 247 of 323	