


**Plot 7-664. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 149)**

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
11490.00	Average	H	-	-	-82.48	16.14	40.66	53.98	-13.32
11490.00	Peak	H	-	-	-71.50	16.14	51.64	73.98	-22.34
17235.00	Peak	H	-	-	-72.36	22.84	57.48	68.20	-10.72

**Table 7-201. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 260 of 365



**Plot 7-665. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 157)**



**Plot 7-666. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. H)**

FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 261 of 365




**Plot 7-667. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. V)**

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5785MHz  
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11570.00	Average	H	-	-	-82.41	16.55	41.14	53.98	-12.84
11570.00	Peak	H	-	-	-71.02	16.55	52.53	73.98	-21.45
17355.00	Peak	H	-	-	-71.58	23.18	58.60	68.20	-9.60

**Table 7-202. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 262 of 365




**Plot 7-668. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 165)**

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
11650.00	Average	H	-	-	-82.12	17.07	41.95	53.98	-12.02
11650.00	Peak	H	-	-	-70.67	17.07	53.40	73.98	-20.57
17475.00	Peak	H	-	-	-72.20	23.78	58.58	68.20	-9.62

**Table 7-203. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 263 of 365




**Plot 7-669. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 36)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5180MHz  
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-70.77	12.32	48.55	68.20	-19.65
* 15540.00	Average	H	-	-	-83.65	18.12	41.47	53.98	-12.50
* 15540.00	Peak	H	-	-	-72.68	18.12	52.44	73.98	-21.53

**Table 7-204. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 264 of 365



**Plot 7-670. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 40)**



**Plot 7-671. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.40, Pol. H)**

FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 265 of 365




Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5200MHz  
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-70.79	12.51	48.72	68.20	-19.48
15600.00	Average	H	-	-	-83.65	18.21	41.56	53.98	-12.42
15600.00	Peak	H	-	-	-72.13	18.21	53.08	73.98	-20.90

Table 7-205. Radiated Measurements SDM

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 266 of 365




**Plot 7-673. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 48)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5240MHz  
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]	
10480.00	Peak	H	-	-	-70.42	12.64	49.22	68.20	-18.98	
15720.00	Average	H	-	-	-83.78	18.75	41.97	53.98	-12.01	
*	15720.00	Peak	H	-	-	-72.15	18.75	53.60	73.98	-20.38

**Table 7-206. Radiated Measurements SDM**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 267 of 365




**Plot 7-674. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 52)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5260MHz  
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10520.00	Peak	H	-	-	-70.59	12.63	49.04	68.20	-19.16
15780.00	Average	H	-	-	-84.11	19.20	42.09	53.98	-11.89
15780.00	Peak	H	-	-	-72.87	19.20	53.33	73.98	-20.65

**Table 7-207. Radiated Measurements SDM**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 268 of 365



**Plot 7-675. Radiated Spurious Emissions above 1GHz SDM (802.11ax(SU) – Ch. 56)**



**Plot 7-676. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. H)**

FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 269 of 365




**Plot 7-677. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11ax(SU) – Ch.56, Pol. V)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5280MHz  
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-71.35	12.95	48.60	68.20	-19.60
15840.00	Average	H	-	-	-83.93	19.24	42.31	53.98	-11.67
15840.00	Peak	H	-	-	-72.87	19.24	53.37	73.98	-20.61

**Table 7-208. Radiated Measurements SDM**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 270 of 365




**Plot 7-678. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 64)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]	
*	10640.00	Average	H	-	-	-82.28	12.36	37.08	53.98	-16.90
*	10640.00	Peak	H	-	-	-70.17	12.36	49.19	73.98	-24.79
*	15960.00	Average	H	-	-	-83.96	18.82	41.86	53.98	-12.11
*	15960.00	Peak	H	-	-	-72.86	18.82	52.96	73.98	-21.01

**Table 7-209. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 271 of 365




**Plot 7-679. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 100)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
11000.00	Average	H	-	-	-82.37	13.08	37.71	53.98	-16.27
11000.00	Peak	H	-	-	-71.09	13.08	48.99	73.98	-24.99
16500.00	Peak	H	-	-	-71.77	20.23	55.46	68.20	-12.74

**Table 7-210. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 272 of 365



**Plot 7-680. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 116)**



**Plot 7-681. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.116, Pol. H)**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 273 of 365




**Plot 7-682. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.116, Pol. V)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5580MHz  
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11160.00	Average	H	-	-	-82.75	12.65	36.90	53.98	-17.08
11160.00	Peak	H	-	-	-70.69	12.65	48.96	73.98	-25.02
16740.00	Peak	H	-	-	-72.17	21.41	56.24	68.20	-11.96

**Table 7-211. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 274 of 365




**Plot 7-683. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 144)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5720MHz  
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
11440.00	Average	H	-	-	-82.86	13.23	37.37	53.98	-16.61
11440.00	Peak	H	-	-	-71.11	13.23	49.12	73.98	-24.86
17160.00	Peak	H	-	-	-72.28	22.21	56.93	68.20	-11.27

**Table 7-212. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 275 of 365




**Plot 7-684. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 149)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
11490.00	Average	H	-	-	-82.72	13.35	37.63	53.98	-16.35
11490.00	Peak	H	-	-	-71.08	13.35	49.27	73.98	-24.71
17235.00	Peak	H	-	-	-71.46	22.33	57.87	68.20	-10.33

**Table 7-213. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 276 of 365



**Plot 7-685. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 157)**



**Plot 7-686. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. H)**

FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 277 of 365




**Plot 7-687. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11ax(SU) – Ch.157, Pol. V)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5785MHz  
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11570.00	Average	H	-	-	-82.73	13.53	37.80	53.98	-16.18
11570.00	Peak	H	-	-	-71.22	13.53	49.31	73.98	-24.67
17355.00	Peak	H	-	-	-71.85	22.91	58.06	68.20	-10.14

**Table 7-214. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 278 of 365



**Plot 7-688. Radiated Spurious Emissions above 1GHz CDD (802.11ax(SU) – Ch. 165)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
11650.00	Average	H	-	-	-82.69	13.52	37.83	53.98	-16.15
11650.00	Peak	H	-	-	-71.03	13.52	49.49	73.98	-24.49
17475.00	Peak	H	-	-	-71.59	23.62	59.03	68.20	-9.17

**Table 7-215. Radiated Measurements CDD**

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 279 of 365

## 7.6.4 Antenna 5b Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]



Plot 7-689. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS2)




Plot 7-690. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS4)




Plot 7-691. Antenna 5b (Pk & Avg, Ch.36, 802.11n, MCS7)




Plot 7-692. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS2)




Plot 7-693. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS4)



Plot 7-694. Antenna 5b (Pk & Avg, Ch.40, 802.11n, MCS7)




Plot 7-695. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS4)




Plot 7-696. Antenna 5b (Pk & Avg, Ch.60, 802.11n, MCS7)


FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 280 of 365




Plot 7-697. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS2)




Plot 7-698. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS4)




Plot 7-699. Antenna 5b (Pk & Avg, Ch.64, 802.11n, MCS7)




Plot 7-700. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS2)




Plot 7-701. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS4)



Plot 7-702. Antenna 5b (Pk & Avg, Ch.100, 802.11n, MCS7)




Plot 7-703. Antenna 5b (Pk & Avg, Ch.104, 802.11n, MCS4)




Plot 7-704. Antenna 5b (Pk & Avg, Ch.104, 802.11n, MCS7)


FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 281 of 365




Plot 7-705. Antenna 5b (Pk, Ch.132, 802.11n, MCS7)




Plot 7-709. Antenna 5b (Pk, Ch.140, 802.11n, MCS2)




Plot 7-706. Antenna 5b (Pk, Ch.136, 802.11n, MCS2)




Plot 7-710. Antenna 5b (Pk, Ch.140, 802.11n, MCS4)




Plot 7-707. Antenna 5b (Pk, Ch.136, 802.11n, MCS4)



Plot 7-711. Antenna 5b (Pk, Ch.140, 802.11n, MCS7)




Plot 7-708. Antenna 5b (Pk, Ch.136, 802.11n, MCS7)




Plot 7-712. Antenna 5b (Pk, Ch.149, 802.11n, MCS2)


FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 282 of 365




Plot 7-713. Antenna 5b (Pk, Ch.149, 802.11n, MCS4)




Plot 7-714. Antenna 5b (Pk, Ch.149, 802.11n, MCS7)




Plot 7-715. Antenna 5b (Pk, Ch.165, 802.11n, MCS2)




Plot 7-716. Antenna 5b (Pk, Ch.165, 802.11n, MCS4)




Plot 7-717. Antenna 5b (Pk, Ch.165, 802.11n, MCS7)



Plot 7-718. Antenna 5b (Pk & Avg, Ch.36, 802.11ax(SU), MCS2)




Plot 7-719. Antenna 5b (Pk & Avg, Ch.36, 802.11ax(SU), MCS4)




Plot 7-720. Antenna 5b (Pk & Avg, Ch.36, 802.11ax(SU), MCS11)


FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 283 of 365




Plot 7-721. Antenna 5b (Pk & Avg, Ch.40, 802.11ax(SU), MCS2)




Plot 7-722. Antenna 5b (Pk & Avg, Ch.40, 802.11ax(SU), MCS4)




Plot 7-723. Antenna 5b (Pk & Avg, Ch.40, 802.11ax(SU), MCS11)




Plot 7-724. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS2)




Plot 7-725. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS4)



Plot 7-726. Antenna 5b (Pk & Avg, Ch.60, 802.11ax(SU), MCS11)




Plot 7-727. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS2)




Plot 7-728. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS4)


FCC ID: BCGA2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 284 of 365




Plot 7-729. Antenna 5b (Pk & Avg, Ch.64, 802.11ax(SU), MCS11)




Plot 7-730. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS2)




Plot 7-731. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS4)




Plot 7-732. Antenna 5b (Pk & Avg, Ch.100, 802.11ax(SU), MCS11)




Plot 7-733. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS2)



Plot 7-734. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS4)




Plot 7-735. Antenna 5b (Pk & Avg, Ch.104, 802.11ax(SU), MCS11)




Plot 7-736. Antenna 5b (Pk & Avg, Ch.108, 802.11ax(SU), MCS4)


FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 285 of 365




Plot 7-737. Antenna 5b (Pk & Avg, Ch.108, 802.11ax(SU), MCS11)




Plot 7-738. Antenna 5b (Pk, Ch.132, 802.11ax(SU), MCS2)




Plot 7-739. Antenna 5b (Pk, Ch.132, 802.11ax(SU), MCS4)




Plot 7-740. Antenna 5b (Pk, Ch.132, 802.11ax(SU), MCS11)




Plot 7-741. Antenna 5b (Pk, Ch.136, 802.11ax(SU), MCS2)



Plot 7-742. Antenna 5b (Pk, Ch.136, 802.11ax(SU), MCS4)



Plot 7-743. Antenna 5b (Pk, Ch.136, 802.11ax(SU), MCS11)



Plot 7-744. Antenna 5b (Pk, Ch.140, 802.11ax(SU), MCS2)

FCC ID: BCGA2764 IC: 579C-A2764	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-19.BCG	Test Dates: 05/30/2022-09/30/2022	EUT Type: Tablet Device	Page 286 of 365