




Plot 7-445. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) – Ch. 6)


Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	V	-	-	-80.44	6.24	32.80	53.98	-21.18
4874.00	Peak	V	-	-	-67.85	6.24	45.39	73.98	-28.59
7311.00	Avg	V	-	-	-80.82	10.04	36.22	53.98	-17.76
7311.00	Peak	V	-	-	-68.28	10.04	48.76	73.98	-25.22
12185.00	Avg	V	-	-	-83.93	14.99	38.06	53.98	-15.92
12185.00	Peak	V	-	-	-71.34	14.99	50.65	73.98	-23.33

Table 7-58. Radiated Measurements Antenna 2a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 284 of 429

V 10.5 12/15/2021



Plot 7-446. Radiated Spurious Emissions above 1GHz Antenna 2a (802.11ax(SU) – Ch. 11)

Mode: 802.11ax(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Avg	V	-	-	-80.78	6.44	32.66	53.98	-21.32
4924.00	Peak	V	-	-	-68.38	6.44	45.06	73.98	-28.92
7386.00	Avg	V	-	-	-80.55	9.99	36.44	53.98	-17.54
7386.00	Peak	V	-	-	-68.11	9.99	48.88	73.98	-25.10
12310.00	Avg	V	-	-	-83.93	15.20	38.27	53.98	-15.71
12310.00	Peak	V	-	-	-71.41	15.20	50.79	73.98	-23.19

Table 7-59. Radiated Measurements Antenna 2a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 285 of 429

7.7.3 CDD Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-447. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 1)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	V	-	-	-80.36	5.97	32.61	53.98	-21.37
4824.00	Peak	V	-	-	-68.03	5.97	44.94	73.98	-29.04
12060.00	Avg	V	-	-	-83.77	14.72	37.95	53.98	-16.03
12060.00	Peak	V	-	-	-71.64	14.72	50.08	73.98	-23.90


Table 7-60. Radiated Measurements CDD

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 286 of 429

V 10.5 12/15/2021



Plot 7-448. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 6)




Plot 7-449. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol H)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 287 of 429

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



12:00:31 03.08.2022

Plot 7-450. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6, Pol V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	V	-	-	-80.43	6.24	32.81	53.98	-21.17
4874.00	Peak	V	-	-	-67.55	6.24	45.69	73.98	-28.29
7311.00	Avg	V	-	-	-80.82	10.04	36.22	53.98	-17.76
7311.00	Peak	V	-	-	-68.27	10.04	48.77	73.98	-25.21
12185.00	Avg	V	-	-	-83.93	14.99	38.06	53.98	-15.92
12185.00	Peak	V	-	-	-71.42	14.99	50.57	73.98	-23.41

Table 7-61. Radiated Measurements CDD

FCC ID: BCG2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 288 of 429

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-451. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 11)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	V	-	-	-80.81	6.44	32.63	53.98	-21.35
4924.00	Peak	V	-	-	-68.87	6.44	44.57	73.98	-29.41
7386.00	Avg	V	-	-	-80.58	9.99	36.41	53.98	-17.57
7386.00	Peak	V	-	-	-67.79	9.99	49.20	73.98	-24.78
12310.00	Avg	V	-	-	-83.92	15.20	38.28	53.98	-15.70
12310.00	Peak	V	-	-	-71.63	15.20	50.57	73.98	-23.41

Table 7-62. Radiated Measurements CDD

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 289 of 429

V 10.5 12/15/2021



Plot 7-452. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 1)


Mode: 802.11ax (SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Avg	V	-	-	-80.31	5.97	32.66	53.98	-21.32
4824.00	Peak	V	-	-	-67.50	5.97	45.47	73.98	-28.51
12060.00	Avg	V	-	-	-83.84	14.72	37.88	53.98	-16.10
12060.00	Peak	V	-	-	-71.16	14.72	50.56	73.98	-23.42


Table 7-63. Radiated Measurements CDD

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 290 of 429

V 10.5 12/15/2021



Plot 7-453. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 6)




Plot 7-454. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol H)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 291 of 429

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-455. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6, Pol V)

Mode: 802.11ax (SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 06


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Avg	V	-	-	-80.41	6.24	32.83	53.98	-21.15
4874.00	Peak	V	-	-	-68.42	6.24	44.82	73.98	-29.16
7311.00	Avg	V	-	-	-80.86	10.04	36.18	53.98	-17.80
7311.00	Peak	V	-	-	-68.30	10.04	48.74	73.98	-25.24
12185.00	Avg	V	-	-	-83.98	14.99	38.01	53.98	-15.97
12185.00	Peak	V	-	-	-71.25	14.99	50.74	73.98	-23.24

Table 7-64. Radiated Measurements CDD

FCC ID: BCG2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 292 of 429

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-456. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 11)

Mode: 802.11ax (SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Avg	V	-	-	-80.78	6.44	32.66	53.98	-21.32
4924.00	Peak	V	-	-	-68.65	6.44	44.79	73.98	-29.19
7386.00	Avg	V	-	-	-80.57	9.99	36.42	53.98	-17.56
7386.00	Peak	V	-	-	-68.16	9.99	48.83	73.98	-25.15
12310.00	Avg	V	-	-	-83.95	15.20	38.25	53.98	-15.73
12310.00	Peak	V	-	-	-71.50	15.20	50.70	73.98	-23.28

Table 7-65. Radiated Measurements CDD


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 293 of 429

V 10.5 12/15/2021

7.7.4 Antenna 4a Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-457. Radiated Restricted Lower Band Edge Measurement Antenna 4a

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2




Plot 7-458. Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 294 of 429


V 10.5 12/15/2021

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-459. Radiated Restricted Lower Band Edge Measurement Antenna 4a


Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-460. Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 295 of 429

Mode: 802.11b
Data Rate: 11Mbps
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-461. Radiated Restricted Upper Band Edge Measurement Antenna 4a

Mode: 802.11b
Data Rate: 11Mbps
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10




Plot 7-462. Radiated Restricted Upper Band Edge Measurement Antenna 4a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 296 of 429


V 10.5 12/15/2021

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-463. Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-464. Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 297 of 429

Mode: 802.11b
 Data Rate: 11Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 2472MHz
 Channel: 13



Plot 7-465. Radiated Restricted Upper Band Edge Measurement Antenna 4a

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1




Plot 7-466. Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 298 of 429


V 10.5 12/15/2021

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-467. Radiated Restricted Lower Band Edge Measurement Antenna 4a

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1




Plot 7-468. Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 299 of 429


V 10.5 12/15/2021

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-469. Radiated Restricted Lower Band Edge Measurement Antenna 4a

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2




Plot 7-470. Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 300 of 429


V 10.5 12/15/2021

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-471. Radiated Restricted Lower Band Edge Measurement Antenna 4a

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3




Plot 7-472. Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 301 of 429


V 10.5 12/15/2021

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-473. Radiated Restricted Lower Band Edge Measurement Antenna 4a


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-474. Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 302 of 429

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-475. Radiated Restricted Lower Band Edge Measurement Antenna 4a


Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-476. Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 303 of 429

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-477. Radiated Restricted Lower Band Edge Measurement Antenna 4a


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-478. Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 304 of 429

Mode: 802.11n
Data Rate: MCS3
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-479. Radiated Restricted Lower Band Edge Measurement Antenna 4a


Mode: 802.11n
Data Rate: MCS5
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-480. Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 305 of 429

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-481. Radiated Restricted Lower Band Edge Measurement Antenna 4a


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (low)



Plot 7-482. Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 306 of 429

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6 (high)



Plot 7-483. Radiated Restricted Upper Band Edge Measurement Antenna 4a

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7




Plot 7-484. Radiated Restricted Upper Band Edge Measurement Antenna 4a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 307 of 429


V 10.5 12/15/2021

Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-485. Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-486. Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 308 of 429

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-487. Radiated Restricted Upper Band Edge Measurement Antenna 4a


Mode: 802.11n
 Data Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-488. Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 309 of 429

Mode: 802.11n
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-489. Radiated Restricted Upper Band Edge Measurement Antenna 4a

Mode: 802.11n
 Data Rate: MCS3
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-490. Radiated Restricted Upper Band Edge Measurement Antenna 4a

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-11.BCG	Test Dates: 07/21/2022-9/12/2022	EUT Type: Tablet Device	Page 310 of 429