






Plot 7-51. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-54. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-52. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-55. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-53. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 0 - RU26 - Ch.42)




Plot 7-56. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax - RU996 - Ch.42)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 32 of 278




Plot 7-57. 26dB BW & 99% OBW Antenna WF4a (160MHz BW 11ax Index 37 – RU52 – Ch.50(L))




Plot 7-60. 26dB BW & 99% OBW Antenna WF4a (160MHz BW 11ax – RU996x2 – Ch.50)




Plot 7-58. 26dB BW & 99% OBW Antenna WF4a (160MHz BW 11ax Index 52 – RU52 – Ch.50(L))



Plot 7-61. 26dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 37 – RU52 – Ch.60)




Plot 7-59. 26dB BW & 99% OBW Antenna WF4a (160MHz BW 11ax Index 52 – RU52 – Ch.50(U))




Plot 7-62. 26dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 38 – RU52 – Ch.60)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 33 of 278




Plot 7-63. 26dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 40 – RU52 – Ch.60)




Plot 7-66. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 40 – RU52 – Ch.54)



Plot 7-64. 26dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax – RU242 – Ch.60)



Plot 7-67. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 44 – RU52 – Ch.54)



Plot 7-65. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 37 – RU52 – Ch.54)




Plot 7-68. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax – RU484 – Ch.54)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 34 of 278

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-69. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 37 – RU52 – Ch.58)




Plot 7-72. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax – RU996 – Ch.58)




Plot 7-70. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 44 – RU52 – Ch.58)



Plot 7-73. 26dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 37 – RU52 – Ch.116)




Plot 7-71. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 52 – RU52 – Ch.58)




Plot 7-74. 26dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 38 – RU52 – Ch.116)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 35 of 278




Plot 7-75. 26dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 40 – RU52 – Ch.116)




Plot 7-78. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 40 – RU52 – Ch.110)




Plot 7-76. 26dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax – RU242 – Ch.116)



Plot 7-79. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 44 – RU52 – Ch.110)




Plot 7-77. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 37 – RU52 – Ch.110)



Plot 7-80. 26dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax – RU484 – Ch.110)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 36 of 278




Plot 7-81. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 37 – RU52 – Ch.106)




Plot 7-84. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax – RU996 – Ch.106)




Plot 7-82. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 44 – RU52 – Ch.106)



Plot 7-85. 26dB BW & 99% OBW Antenna WF4a (160MHz BW 11ax Index 37 – RU52 – Ch.114(L))




Plot 7-83. 26dB BW & 99% OBW Antenna WF4a (80MHz BW 11ax Index 52 – RU52 – Ch.106)




Plot 7-86. 26dB BW & 99% OBW Antenna WF4a (160MHz BW 11ax Index 52 – RU52 – Ch.114(L))

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 37 of 278



Plot 7-87. 26dB BW & 99% OBW Antenna WF4a (160MHz BW 11ax Index 52 – RU52 – Ch.114(U))



Plot 7-88. 26dB BW & 99% OBW Antenna WF4a (160MHz BW 11ax – RU996x2 – Ch.114)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 38 of 278

V 10.5 12/15/2021

7.3 6dB & 99% Bandwidth Measurement – 802.11ax OFDMA

§2.1049; §15.407 (e); RSS-Gen [6.7]

Test Overview and Limit

The bandwidth at 6dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 6dB bandwidth.

In the 5.725 – 5.850GHz band, the 6dB bandwidth must be ≥ 500 kHz.

Test Procedure Used

ANSI C63.10-2013 – Subclause 6.9.2

KDB 789033 D02 v02r01 – Section C

Test Settings

1. The signal analyzers' automatic bandwidth measurement capability was used to perform the 6dB bandwidth measurement. The "X" dB bandwidth parameter was set to $X = 6$. The automatic bandwidth measurement function also has the capability of simultaneously measuring the 99% occupied bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 100 kHz
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

1. All antenna configurations were investigated and only the worst case is reported
2. All RU's were investigated and only worst case partially-loaded and fully-loaded RU's were reported.
3. Low, mid, and high channels were tested and tabular data has been reported. Only mid channel bandwidth plots have been reported.

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 39 of 278

V 10.5 12/15/2021

Antenna WF5b 6dB & 99% Bandwidth Measurements


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
Band 3	5745	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	17.86	2.05	0.50	Pass
				26	4	12.5/14.7 (MCS11)	17.19	2.57	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.26	2.09	0.50	Pass
	5785	157	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.15	2.12	0.50	Pass
				26	4	12.5/14.7 (MCS11)	17.20	2.71	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.42	2.13	0.50	Pass
	5825	165	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.15	2.13	0.50	Pass
				26	4	12.5/14.7 (MCS11)	17.18	2.71	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.35	2.11	0.50	Pass
	5755	151	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.04	2.15	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.89	2.21	0.50	Pass
				26	17	12.5/14.7 (MCS11)	18.04	2.14	0.50	Pass
	5795	159	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.03	2.19	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.85	2.14	0.50	Pass
				26	17	12.5/14.7 (MCS11)	18.01	2.12	0.50	Pass
	5775	155	ax (80MHz)	26	0	12.5/14.7 (MCS11)	17.95	2.23	0.50	Pass
				26	18	12.5/14.7 (MCS11)	36.92	2.84	0.50	Pass
				26	36	12.5/14.7 (MCS11)	18.03	2.26	0.50	Pass

Table 7-8. Conducted Bandwidth Measurements Antenna WF5b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
Band 3	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	18.97	19.04	0.50	Pass
	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	18.96	19.01	0.50	Pass
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	18.96	19.04	0.50	Pass
	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.92	38.17	0.50	Pass
	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.90	38.19	0.50	Pass
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.01	77.92	0.50	Pass

Table 7-9. Conducted Bandwidth Measurements Antenna WF5b (Fully- loaded RU)


FCC ID: BCG2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 40 of 278




Plot 7-89. 6dB BW & 99% OBW Antenna WF5b (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-92. 6dB BW & 99% OBW Antenna WF5b (20MHz BW 11ax – RU242 – Ch.157)




Plot 7-90. 6dB BW & 99% OBW Antenna WF5b (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-93. 6dB BW & 99% OBW Antenna WF5b (40MHz BW 11ax Index 0 – RU26 – Ch.151)




Plot 7-91. 6dB BW & 99% OBW Antenna WF5b (20MHz BW 11ax Index 8 – RU26 – Ch.157)




Plot 7-94. 6dB BW & 99% OBW Antenna WF5b (40MHz BW 11ax Index 8 – RU26 – Ch.151)


FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 41 of 278




Plot 7-95. 6dB BW & 99% OBW Antenna WF5b (40MHz BW 11ax Index 17 - RU26 - Ch.151)




Plot 7-98. 6dB BW & 99% OBW Antenna WF5b (80MHz BW 11ax Index 18 - RU26 - Ch.155)




Plot 7-96. 6dB BW & 99% OBW Antenna WF5b (40MHz BW 11ax - RU484 - Ch.151)



Plot 7-99. 6dB BW & 99% OBW Antenna WF5b (80MHz BW 11ax Index 36 - RU26 - Ch.155)



Plot 7-97. 6dB BW & 99% OBW Antenna WF5b (80MHz BW 11ax Index 0 - RU26 - Ch.155)



Plot 7-100. 6dB BW & 99% OBW Antenna WF5b (80MHz BW 11ax - RU996 - Ch.155)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 42 of 278

Antenna WF4a 6dB & 99% Bandwidth Measurements


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
Band 3	5745	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.11	2.05	0.50	Pass
				26	4	12.5/14.7 (MCS11)	17.02	2.70	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.39	2.12	0.50	Pass
	5785	157	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.17	2.08	0.50	Pass
				26	4	12.5/14.7 (MCS11)	17.06	2.69	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.20	2.09	0.50	Pass
	5825	165	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.14	2.09	0.50	Pass
				26	4	12.5/14.7 (MCS11)	17.14	2.66	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.36	2.11	0.50	Pass
	5755	151	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.04	2.17	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.85	2.12	0.50	Pass
				26	17	12.5/14.7 (MCS11)	17.99	2.14	0.50	Pass
	5795	159	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.01	2.15	0.50	Pass
				26	8	12.5/14.7 (MCS11)	18.77	2.13	0.50	Pass
				26	17	12.5/14.7 (MCS11)	18.01	2.12	0.50	Pass
	5775	155	ax (80MHz)	26	0	12.5/14.7 (MCS11)	17.98	2.26	0.50	Pass
				26	18	12.5/14.7 (MCS11)	36.93	2.86	0.50	Pass
				26	36	12.5/14.7 (MCS11)	18.00	2.26	0.50	Pass

Table 7-10. Conducted Bandwidth Measurements Antenna WF4a (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
Band 3	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	18.98	19.07	0.50	Pass
	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	18.98	19.04	0.50	Pass
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	18.98	19.08	0.50	Pass
	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.92	38.14	0.50	Pass
	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.92	38.16	0.50	Pass
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.08	77.58	0.50	Pass

Table 7-11. Conducted Bandwidth Measurements Antenna WF4a (Fully-loaded RU)


FCC ID: BCG2764 IC: 579C-A2764	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 43 of 278




Plot 7-101. 6dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-104. 6dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax– RU242 – Ch.157)




Plot 7-102. 6dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-105. 6dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 0 – RU26 – Ch.151)



Plot 7-103. 6dB BW & 99% OBW Antenna WF4a (20MHz BW 11ax Index 8– RU26 – Ch.157)



Plot 7-106. 6dB BW & 99% OBW Antenna WF4a (40MHz BW 11ax Index 8 – RU26 – Ch.151)

FCC ID: BCG2764 IC: 579C-A2764		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-20.BCG	Test Dates: 05/30/2022-9/29/2022	EUT Type: Tablet Device	Page 44 of 278