







Plot 7-299. Ant M0 OBW (Band n261-100MHz-4CC SISO DFTs-OFDM – QPSK – Mid Channel)





Plot 7-300. Ant M0 OBW (Band n261-100MHz-4CC SISO DFTs-OFDM – 16QAM – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 187 of 999




FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 188 of 999




© 2022 ELEMENT V2.0 5/30/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 190 of 999



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 191 of 999

7.2.4 Band n260

Bandwidth [MHz]	CCs Active	Channel	Frequency [MHz]	Waveform	Modulation	Beam Polarization	Beam ID	Antenna Diversity	OBW [MHz]
50	1	Mid	38499.96	CP-OFDM	QPSK	V	60	SISO	47.98
		Mid	38499.96	CP-OFDM	16QAM	V	60	SISO	48.39
		Mid	38499.96	CP-OFDM	64QAM	V	60	SISO	47.41
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60	SISO	46.37
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60	SISO	46.25
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60	SISO	46.43
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60	SISO	48.11
		Mid	38499.96	CP-OFDM	QPSK	V	60 + 188	MIMO	47.47
		Mid	38499.96	CP-OFDM	16QAM	V	60 + 188	MIMO	47.40
		Mid	38499.96	CP-OFDM	64QAM	V	60 + 188	MIMO	47.33
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	SISO Dual Pol	46.30
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60 + 188	SISO Dual Pol	46.28
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60 + 188	SISO Dual Pol	46.16
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60 + 188	SISO Dual Pol	44.81
50+50	2	Mid	38499.96	CP-OFDM	QPSK	V	60	SISO	97.69
		Mid	38499.96	CP-OFDM	16QAM	V	60	SISO	98.01
		Mid	38499.96	CP-OFDM	64QAM	V	60	SISO	97.28
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60	SISO	95.69
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60	SISO	96.92
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60	SISO	96.59
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60	SISO	95.64
		Mid	38499.96	CP-OFDM	QPSK	V	60 + 188	MIMO	97.15
		Mid	38499.96	CP-OFDM	16QAM	V	60 + 188	MIMO	97.27
		Mid	38499.96	CP-OFDM	64QAM	V	60 + 188	MIMO	97.31
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	SISO Dual Pol	96.01
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60 + 188	SISO Dual Pol	96.49
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60 + 188	SISO Dual Pol	95.94
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60 + 188	SISO Dual Pol	96.36
50+50+50	3	Mid	38499.96	CP-OFDM	QPSK	V	60	SISO	147.70
		Mid	38499.96	CP-OFDM	16QAM	V	60	SISO	148.18
		Mid	38499.96	CP-OFDM	64QAM	V	60	SISO	148.76
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60	SISO	147.68
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60	SISO	147.12
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60	SISO	146.95
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60	SISO	147.09
		Mid	38499.96	CP-OFDM	QPSK	V	60 + 188	MIMO	148.30
		Mid	38499.96	CP-OFDM	16QAM	V	60 + 188	MIMO	148.02
		Mid	38499.96	CP-OFDM	64QAM	V	60 + 188	MIMO	148.56
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	SISO Dual Pol	147.21
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60 + 188	SISO Dual Pol	147.08
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60 + 188	SISO Dual Pol	146.97
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60 + 188	SISO Dual Pol	147.06
50+50+50+50	4	Mid	38499.96	CP-OFDM	QPSK	V	60	SISO	197.69
		Mid	38499.96	CP-OFDM	16QAM	V	60	SISO	197.73
		Mid	38499.96	CP-OFDM	64QAM	V	60	SISO	198.53
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60	SISO	197.40
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60	SISO	197.00
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60	SISO	197.06
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60	SISO	197.35
		Mid	38499.96	CP-OFDM	QPSK	V	60 + 188	MIMO	197.90
		Mid	38499.96	CP-OFDM	16QAM	V	60 + 188	MIMO	197.63
		Mid	38499.96	CP-OFDM	64QAM	V	60 + 188	MIMO	198.18
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	SISO Dual Pol	196.55
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60 + 188	SISO Dual Pol	197.01
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60 + 188	SISO Dual Pol	196.19
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60 + 188	SISO Dual Pol	197.38

Table 7-20. Ant M0 Occupied Bandwidths (n260 – 50MHz)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 192 of 999

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Waveform	Modulation	Beam Polarization	Beam ID	Antenna Diversity	OBW [MHz]
100	1	Mid	38499.96	CP-OFDM	QPSK	V	60	SISO	95.12
		Mid	38499.96	CP-OFDM	16QAM	V	60	SISO	94.97
		Mid	38499.96	CP-OFDM	64QAM	V	60	SISO	94.99
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60	SISO	94.41
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60	SISO	94.54
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60	SISO	91.41
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60	SISO	92.21
		Mid	38499.96	CP-OFDM	QPSK	V	60 + 188	MIMO	95.31
		Mid	38499.96	CP-OFDM	16QAM	V	60 + 188	MIMO	94.79
		Mid	38499.96	CP-OFDM	64QAM	V	60 + 188	MIMO	94.88
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	SISO Dual Pol	91.87
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60 + 188	SISO Dual Pol	91.71
100+100	2	Mid	38499.96	DFT-s-OFDM	16QAM	V	60 + 188	SISO Dual Pol	92.01
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60 + 188	SISO Dual Pol	91.78
		Mid	38499.96	CP-OFDM	QPSK	V	60	SISO	193.60
		Mid	38499.96	CP-OFDM	16QAM	V	60	SISO	194.33
		Mid	38499.96	CP-OFDM	64QAM	V	60	SISO	195.39
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60	SISO	192.28
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60	SISO	191.23
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60	SISO	191.84
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60	SISO	192.49
		Mid	38499.96	CP-OFDM	QPSK	V	60 + 188	MIMO	194.14
		Mid	38499.96	CP-OFDM	16QAM	V	60 + 188	MIMO	194.85
		Mid	38499.96	CP-OFDM	64QAM	V	60 + 188	MIMO	194.54
100+100+100	3	Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	SISO Dual Pol	192.06
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60 + 188	SISO Dual Pol	192.07
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60 + 188	SISO Dual Pol	191.88
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60 + 188	SISO Dual Pol	192.00
		Mid	38499.96	CP-OFDM	QPSK	V	60	SISO	298.34
		Mid	38499.96	CP-OFDM	16QAM	V	60	SISO	298.14
		Mid	38499.96	CP-OFDM	64QAM	V	60	SISO	296.04
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60	SISO	297.44
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60	SISO	297.16
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60	SISO	295.95
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60	SISO	297.57
		Mid	38499.96	CP-OFDM	QPSK	V	60 + 188	MIMO	298.47
100+100+100+100	4	Mid	38499.96	CP-OFDM	16QAM	V	60 + 188	MIMO	297.87
		Mid	38499.96	CP-OFDM	64QAM	V	60 + 188	MIMO	300.02
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	SISO Dual Pol	295.92
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60 + 188	SISO Dual Pol	294.78
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60 + 188	SISO Dual Pol	295.94
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60 + 188	SISO Dual Pol	296.92
		Mid	38499.96	CP-OFDM	QPSK	V	60	SISO	394.83
		Mid	38499.96	CP-OFDM	16QAM	V	60	SISO	394.18
		Mid	38499.96	CP-OFDM	64QAM	V	60	SISO	395.55
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60	SISO	393.10
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60	SISO	392.07
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60	SISO	392.02
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60	SISO	392.05
		Mid	38499.96	CP-OFDM	QPSK	V	60 + 188	MIMO	397.79
		Mid	38499.96	CP-OFDM	16QAM	V	60 + 188	MIMO	397.77
		Mid	38499.96	CP-OFDM	64QAM	V	60 + 188	MIMO	395.94
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	SISO Dual Pol	397.03
		Mid	38499.96	DFT-s-OFDM	QPSK	V	60 + 188	SISO Dual Pol	396.64
		Mid	38499.96	DFT-s-OFDM	16QAM	V	60 + 188	SISO Dual Pol	391.08
		Mid	38499.96	DFT-s-OFDM	64QAM	V	60 + 188	SISO Dual Pol	394.59

Table 7-21. Ant M0 Occupied Bandwidths (n260 – 100MHz)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 193 of 999

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Waveform	Modulation	Beam Polarization	Beam ID	Antenna Diversity	OBW [MHz]
50	1	Mid	38499.96	CP-OFDM	QPSK	H	51	SISO	54.85
		Mid	38499.96	CP-OFDM	16QAM	H	51	SISO	51.87
		Mid	38499.96	CP-OFDM	64QAM	H	51	SISO	59.16
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51	SISO	46.85
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51	SISO	46.99
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51	SISO	47.16
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51	SISO	45.91
		Mid	38499.96	CP-OFDM	QPSK	H	51 + 179	MIMO	49.27
		Mid	38499.96	CP-OFDM	16QAM	H	51 + 179	MIMO	47.76
		Mid	38499.96	CP-OFDM	64QAM	H	51 + 179	MIMO	46.75
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	SISO Dual Pol	45.01
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51 + 179	SISO Dual Pol	44.97
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51 + 179	SISO Dual Pol	45.24
50+50	2	Mid	38499.96	DFT-s-OFDM	64QAM	H	51 + 179	SISO Dual Pol	44.81
		Mid	38499.96	CP-OFDM	QPSK	H	51	SISO	97.47
		Mid	38499.96	CP-OFDM	16QAM	H	51	SISO	97.65
		Mid	38499.96	CP-OFDM	64QAM	H	51	SISO	97.62
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51	SISO	95.96
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51	SISO	95.89
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51	SISO	96.33
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51	SISO	96.14
		Mid	38499.96	CP-OFDM	QPSK	H	51 + 179	MIMO	96.35
		Mid	38499.96	CP-OFDM	16QAM	H	51 + 179	MIMO	96.14
		Mid	38499.96	CP-OFDM	64QAM	H	51 + 179	MIMO	96.06
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	SISO Dual Pol	95.38
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51 + 179	SISO Dual Pol	95.59
50+50+50	3	Mid	38499.96	DFT-s-OFDM	16QAM	H	51 + 179	SISO Dual Pol	95.65
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51 + 179	SISO Dual Pol	95.84
		Mid	38499.96	CP-OFDM	QPSK	H	51	SISO	149.30
		Mid	38499.96	CP-OFDM	16QAM	H	51	SISO	148.85
		Mid	38499.96	CP-OFDM	64QAM	H	51	SISO	148.85
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51	SISO	147.88
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51	SISO	148.24
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51	SISO	147.57
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51	SISO	147.59
		Mid	38499.96	CP-OFDM	QPSK	H	51 + 179	MIMO	147.38
		Mid	38499.96	CP-OFDM	16QAM	H	51 + 179	MIMO	147.48
		Mid	38499.96	CP-OFDM	64QAM	H	51 + 179	MIMO	147.31
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	SISO Dual Pol	146.66
50+50+50+50	4	Mid	38499.96	DFT-s-OFDM	QPSK	H	51 + 179	SISO Dual Pol	145.52
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51 + 179	SISO Dual Pol	146.80
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51 + 179	SISO Dual Pol	145.69
		Mid	38499.96	CP-OFDM	QPSK	H	51	SISO	198.57
		Mid	38499.96	CP-OFDM	16QAM	H	51	SISO	198.33
		Mid	38499.96	CP-OFDM	64QAM	H	51	SISO	199.57
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51	SISO	198.97
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51	SISO	197.86
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51	SISO	197.45
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51	SISO	198.09
		Mid	38499.96	CP-OFDM	QPSK	H	51 + 179	MIMO	196.90
		Mid	38499.96	CP-OFDM	16QAM	H	51 + 179	MIMO	197.09
		Mid	38499.96	CP-OFDM	64QAM	H	51 + 179	MIMO	197.00
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	SISO Dual Pol	195.91
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51 + 179	SISO Dual Pol	195.74
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51 + 179	SISO Dual Pol	196.36
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51 + 179	SISO Dual Pol	196.44

Table 7-22. Ant M2 Occupied Bandwidths (n260 – 50MHz)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 194 of 999

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Waveform	Modulation	Beam Polarization	Beam ID	Antenna Diversity	OBW [MHz]
100	1	Mid	38499.96	CP-OFDM	QPSK	H	51	SISO	96.85
		Mid	38499.96	CP-OFDM	16QAM	H	51	SISO	95.57
		Mid	38499.96	CP-OFDM	64QAM	H	51	SISO	94.89
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51	SISO	91.94
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51	SISO	92.70
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51	SISO	92.67
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51	SISO	92.53
		Mid	38499.96	CP-OFDM	QPSK	H	51 + 179	MIMO	95.37
		Mid	38499.96	CP-OFDM	16QAM	H	51 + 179	MIMO	94.85
		Mid	38499.96	CP-OFDM	64QAM	H	51 + 179	MIMO	94.57
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	SISO Dual Pol	92.73
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51 + 179	SISO Dual Pol	92.63
100+100	2	Mid	38499.96	DFT-s-OFDM	16QAM	H	51 + 179	SISO Dual Pol	92.47
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51 + 179	SISO Dual Pol	92.06
		Mid	38499.96	CP-OFDM	QPSK	H	51	SISO	195.66
		Mid	38499.96	CP-OFDM	16QAM	H	51	SISO	195.51
		Mid	38499.96	CP-OFDM	64QAM	H	51	SISO	196.11
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51	SISO	192.29
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51	SISO	192.29
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51	SISO	192.39
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51	SISO	192.51
		Mid	38499.96	CP-OFDM	QPSK	H	51 + 179	MIMO	193.56
		Mid	38499.96	CP-OFDM	16QAM	H	51 + 179	MIMO	194.38
		Mid	38499.96	CP-OFDM	64QAM	H	51 + 179	MIMO	195.43
100+100+100	3	Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	SISO Dual Pol	192.06
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51 + 179	SISO Dual Pol	192.07
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51 + 179	SISO Dual Pol	192.47
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51 + 179	SISO Dual Pol	192.19
		Mid	38499.96	CP-OFDM	QPSK	H	51	SISO	295.35
		Mid	38499.96	CP-OFDM	16QAM	H	51	SISO	295.51
		Mid	38499.96	CP-OFDM	64QAM	H	51	SISO	296.32
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51	SISO	293.25
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51	SISO	292.92
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51	SISO	293.62
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51	SISO	294.16
		Mid	38499.96	CP-OFDM	QPSK	H	51 + 179	MIMO	295.64
100+100+100+100	4	Mid	38499.96	CP-OFDM	16QAM	H	51 + 179	MIMO	295.41
		Mid	38499.96	CP-OFDM	64QAM	H	51 + 179	MIMO	296.24
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	SISO Dual Pol	292.94
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51 + 179	SISO Dual Pol	292.63
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51 + 179	SISO Dual Pol	292.29
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51 + 179	SISO Dual Pol	292.91
		Mid	38499.96	CP-OFDM	QPSK	H	51	SISO	394.48
		Mid	38499.96	CP-OFDM	16QAM	H	51	SISO	395.30
		Mid	38499.96	CP-OFDM	64QAM	H	51	SISO	396.36
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51	SISO	393.10
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51	SISO	392.34
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51	SISO	392.75
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51	SISO	393.12
		Mid	38499.96	CP-OFDM	QPSK	H	51 + 179	MIMO	394.91
		Mid	38499.96	CP-OFDM	16QAM	H	51 + 179	MIMO	394.91
		Mid	38499.96	CP-OFDM	64QAM	H	51 + 179	MIMO	395.94
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	SISO Dual Pol	393.31
		Mid	38499.96	DFT-s-OFDM	QPSK	H	51 + 179	SISO Dual Pol	391.36
		Mid	38499.96	DFT-s-OFDM	16QAM	H	51 + 179	SISO Dual Pol	391.08
		Mid	38499.96	DFT-s-OFDM	64QAM	H	51 + 179	SISO Dual Pol	391.96

Table 7-23. Ant M2 Occupied Bandwidths (n260 – 100MHz)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 195 of 999

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Waveform	Modulation	Beam Polarization	Beam ID	Antenna Diversity	OBW [MHz]
50	1	Mid	38499.96	CP-OFDM	QPSK	H	55	SISO	47.32
		Mid	38499.96	CP-OFDM	16QAM	H	55	SISO	47.34
		Mid	38499.96	CP-OFDM	64QAM	H	55	SISO	47.22
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55	SISO	45.97
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55	SISO	46.02
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55	SISO	45.84
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55	SISO	45.84
		Mid	38499.96	CP-OFDM	QPSK	H	55 + 183	MIMO	47.06
		Mid	38499.96	CP-OFDM	16QAM	H	55 + 183	MIMO	46.97
		Mid	38499.96	CP-OFDM	64QAM	H	55 + 183	MIMO	47.04
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	SISO Dual Pol	46.31
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55 + 183	SISO Dual Pol	46.11
50+50	2	Mid	38499.96	DFT-s-OFDM	16QAM	H	55 + 183	SISO Dual Pol	46.02
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55 + 183	SISO Dual Pol	46.02
		Mid	38499.96	CP-OFDM	QPSK	H	55	SISO	97.00
		Mid	38499.96	CP-OFDM	16QAM	H	55	SISO	97.22
		Mid	38499.96	CP-OFDM	64QAM	H	55	SISO	96.98
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55	SISO	95.56
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55	SISO	95.67
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55	SISO	95.82
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55	SISO	95.66
		Mid	38499.96	CP-OFDM	QPSK	H	55 + 183	MIMO	96.31
		Mid	38499.96	CP-OFDM	16QAM	H	55 + 183	MIMO	96.43
		Mid	38499.96	CP-OFDM	64QAM	H	55 + 183	MIMO	96.63
50+50+50	3	Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	SISO Dual Pol	95.41
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55 + 183	SISO Dual Pol	95.74
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55 + 183	SISO Dual Pol	95.17
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55 + 183	SISO Dual Pol	95.15
		Mid	38499.96	CP-OFDM	QPSK	H	55	SISO	147.67
		Mid	38499.96	CP-OFDM	16QAM	H	55	SISO	147.78
		Mid	38499.96	CP-OFDM	64QAM	H	55	SISO	147.61
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55	SISO	147.38
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55	SISO	146.93
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55	SISO	146.41
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55	SISO	146.82
		Mid	38499.96	CP-OFDM	QPSK	H	55 + 183	MIMO	146.91
50+50+50+50	4	Mid	38499.96	CP-OFDM	16QAM	H	55 + 183	MIMO	147.34
		Mid	38499.96	CP-OFDM	64QAM	H	55 + 183	MIMO	146.93
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	SISO Dual Pol	146.72
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55 + 183	SISO Dual Pol	146.54
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55 + 183	SISO Dual Pol	146.49
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55 + 183	SISO Dual Pol	146.19
		Mid	38499.96	CP-OFDM	QPSK	H	55	SISO	196.81
		Mid	38499.96	CP-OFDM	16QAM	H	55	SISO	197.20
		Mid	38499.96	CP-OFDM	64QAM	H	55	SISO	197.17
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55	SISO	196.69
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55	SISO	196.43
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55	SISO	196.16
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55	SISO	196.40
		Mid	38499.96	CP-OFDM	QPSK	H	55 + 183	MIMO	196.15
		Mid	38499.96	CP-OFDM	16QAM	H	55 + 183	MIMO	196.69
		Mid	38499.96	CP-OFDM	64QAM	H	55 + 183	MIMO	196.58
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	SISO Dual Pol	196.19
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55 + 183	SISO Dual Pol	195.74
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55 + 183	SISO Dual Pol	196.05
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55 + 183	SISO Dual Pol	195.27


Table 7-24. Ant M3 Occupied Bandwidths (n260 – 50MHz)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 196 of 999


Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Waveform	Modulation	Beam Polarization	Beam ID	Antenna Diversity	OBW [MHz]
100	1	Mid	38499.96	CP-OFDM	QPSK	H	55	SISO	94.90
		Mid	38499.96	CP-OFDM	16QAM	H	55	SISO	94.67
		Mid	38499.96	CP-OFDM	64QAM	H	55	SISO	95.03
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55	SISO	92.14
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55	SISO	91.73
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55	SISO	92.03
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55	SISO	91.61
		Mid	38499.96	CP-OFDM	QPSK	H	55 + 183	MIMO	94.56
		Mid	38499.96	CP-OFDM	16QAM	H	55 + 183	MIMO	94.52
		Mid	38499.96	CP-OFDM	64QAM	H	55 + 183	MIMO	94.45
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	SISO Dual Pol	92.71
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55 + 183	SISO Dual Pol	92.33
100+100	2	Mid	38499.96	DFT-s-OFDM	16QAM	H	55 + 183	SISO Dual Pol	92.83
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55 + 183	SISO Dual Pol	92.17
		Mid	38499.96	CP-OFDM	QPSK	H	55	SISO	194.44
		Mid	38499.96	CP-OFDM	16QAM	H	55	SISO	194.45
		Mid	38499.96	CP-OFDM	64QAM	H	55	SISO	194.57
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55	SISO	191.33
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55	SISO	191.12
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55	SISO	191.34
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55	SISO	191.22
		Mid	38499.96	CP-OFDM	QPSK	H	55 + 183	MIMO	194.09
		Mid	38499.96	CP-OFDM	16QAM	H	55 + 183	MIMO	193.99
		Mid	38499.96	CP-OFDM	64QAM	H	55 + 183	MIMO	193.87
100+100+100	3	Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	SISO Dual Pol	191.93
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55 + 183	SISO Dual Pol	191.81
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55 + 183	SISO Dual Pol	192.04
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55 + 183	SISO Dual Pol	192.38
		Mid	38499.96	CP-OFDM	QPSK	H	55	SISO	296.78
		Mid	38499.96	CP-OFDM	16QAM	H	55	SISO	296.30
		Mid	38499.96	CP-OFDM	64QAM	H	55	SISO	297.25
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55	SISO	294.73
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55	SISO	294.83
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55	SISO	294.40
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55	SISO	294.47
		Mid	38499.96	CP-OFDM	QPSK	H	55 + 183	MIMO	297.18
100+100+100+100	4	Mid	38499.96	CP-OFDM	16QAM	H	55 + 183	MIMO	296.39
		Mid	38499.96	CP-OFDM	64QAM	H	55 + 183	MIMO	297.62
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	SISO Dual Pol	293.88
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55 + 183	SISO Dual Pol	292.93
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55 + 183	SISO Dual Pol	294.12
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55 + 183	SISO Dual Pol	293.57
		Mid	38499.96	CP-OFDM	QPSK	H	55	SISO	396.13
		Mid	38499.96	CP-OFDM	16QAM	H	55	SISO	396.34
		Mid	38499.96	CP-OFDM	64QAM	H	55	SISO	398.36
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55	SISO	395.36
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55	SISO	394.88
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55	SISO	394.18
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55	SISO	395.15
		Mid	38499.96	CP-OFDM	QPSK	H	55 + 183	MIMO	394.93
		Mid	38499.96	CP-OFDM	16QAM	H	55 + 183	MIMO	395.23
		Mid	38499.96	CP-OFDM	64QAM	H	55 + 183	MIMO	397.87
		Mid	38499.96	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	SISO Dual Pol	392.34
		Mid	38499.96	DFT-s-OFDM	QPSK	H	55 + 183	SISO Dual Pol	392.66
		Mid	38499.96	DFT-s-OFDM	16QAM	H	55 + 183	SISO Dual Pol	392.52
		Mid	38499.96	DFT-s-OFDM	64QAM	H	55 + 183	SISO Dual Pol	394.59

Table 7-25. Ant M3 Occupied Bandwidths (n260 – 100MHz)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 197 of 999



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 198 of 999




Plot 7-311. Ant M0 OBW (Band n260-50MHz-1CC SISO CP-OFDM – 64QAM – Mid Channel)




Plot 7-312. Ant M0 OBW (Band n260-50MHz-1CC SISO DFTs-OFDM – $\pi/2$ BPSK – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 199 of 999




Plot 7-313. Ant M0 OBW (Band n260-50MHz-1CC SISO DFTs-OFDM – QPSK – Mid Channel)



Plot 7-314. Ant M0 OBW (Band n260-50MHz-1CC SISO DFTs-OFDM – 16QAM – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 200 of 999



Plot 7-315. Ant M0 OBW (Band n260-50MHz-1CC SISO DFTs-OFDM – 64QAM – Mid Channel)




Plot 7-316. Ant M0 OBW (Band n260-50MHz-1CC MIMO CP-OFDM – QPSK – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 201 of 999



Plot 7-317. Ant M0 OBW (Band n260-50MHz-1CC MIMO CP-OFDM – 16QAM – Mid Channel)




Plot 7-318. Ant M0 OBW (Band n260-50MHz-1CC MIMO CP-OFDM – 64QAM – Mid Channel)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 202 of 999




FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 203 of 999



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 204 of 999




Plot 7-323. Ant M0 OBW (Band n260-50MHz-2CC SISO CP-OFDM – QPSK – Mid Channel)




Plot 7-324. Ant M0 OBW (Band n260-50MHz-2CC SISO CP-OFDM – 16QAM – Mid Channel)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 205 of 999



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 206 of 999	




Plot 7-327. Ant M0 OBW (Band n260-50MHz-2CC SISO DFTs-OFDM – QPSK – Mid Channel)




Plot 7-328. Ant M0 OBW (Band n260-50MHz-2CC SISO DFTs-OFDM – 16QAM – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 207 of 999





Plot 7-329. Ant M0 OBW (Band n260-50MHz-2CC SISO DFTs-OFDM – 64QAM – Mid Channel)




Plot 7-330. Ant M0 OBW (Band n260-50MHz-2CC MIMO CP-OFDM – QPSK – Mid Channel)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 208 of 999



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 209 of 999




Plot 7-333. Ant M0 OBW (Band n260-50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK – Mid Channel)




Plot 7-334. Ant M0 OBW (Band n260-50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 210 of 999



Plot 7-335. Ant M0 OBW (Band n260-50MHz-2CC SISO Dual Pol DFTs-OFDM – 16QAM – Mid Channel)




Plot 7-336. Ant M0 OBW (Band n260-50MHz-2CC SISO Dual Pol DFTs-OFDM – 64QAM – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 211 of 999




Plot 7-337. Ant M0 OBW (Band n260-50MHz-3CC SISO CP-OFDM – QPSK – Mid Channel)




Plot 7-338. Ant M0 OBW (Band n260-50MHz-3CC SISO CP-OFDM – 16QAM – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 212 of 999



Plot 7-339. Ant M0 OBW (Band n260-50MHz-3CC SISO CP-OFDM – 64QAM – Mid Channel)



Plot 7-340. Ant M0 OBW (Band n260-50MHz-3CC SISO DFTs-OFDM – $\pi/2$ BPSK – Mid Channel)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 213 of 999



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 214 of 999



Plot 7-343. Ant M0 OBW (Band n260-50MHz-3CC SISO DFTs-OFDM – 64QAM – Mid Channel)




Plot 7-344. Ant M0 OBW (Band n260-50MHz-3CC MIMO CP-OFDM – QPSK – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 215 of 999





Plot 7-345. Ant M0 OBW (Band n260-50MHz-3CC MIMO CP-OFDM – 16QAM – Mid Channel)




Plot 7-346. Ant M0 OBW (Band n260-50MHz-3CC MIMO CP-OFDM – 64QAM – Mid Channel)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 216 of 999




FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 217 of 999



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 218 of 999




Plot 7-351. Ant M0 OBW (Band n260-50MHz-4CC SISO CP-OFDM – QPSK – Mid Channel)




Plot 7-352. Ant M0 OBW (Band n260-50MHz-4CC SISO CP-OFDM – 16QAM – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 219 of 999




Plot 7-353. Ant M0 OBW (Band n260-50MHz-4CC SISO CP-OFDM – 64QAM – Mid Channel)




Plot 7-354. Ant M0 OBW (Band n260-50MHz-4CC SISO DFTs-OFDM – $\pi/2$ BPSK – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 220 of 999





Plot 7-355. Ant M0 OBW (Band n260-50MHz-4CC SISO DFTs-OFDM – QPSK – Mid Channel)




Plot 7-356. Ant M0 OBW (Band n260-50MHz-4CC SISO DFTs-OFDM – 16QAM – Mid Channel)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 221 of 999



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 222 of 999



Plot 7-359. Ant M0 OBW (Band n260-50MHz-4CC MIMO CP-OFDM – 16QAM – Mid Channel)



Plot 7-360. Ant M0 OBW (Band n260-50MHz-4CC MIMO CP-OFDM – 64QAM – Mid Channel)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 223 of 999