






ACLRResults

Plot 7-815. Ant M3 Upper Band Edge (Band n258-R1 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-816. Ant M3 Upper Band Edge (Band n258-R1 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 470 of 999

ACLRResults

Plot 7-817. Ant M3 Lower Band Edge (Band n258-R1 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-818. Ant M3 Lower Band Edge (Band n258-R1 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 471 of 999	

ACLRResults

Plot 7-819. Ant M3 Upper Band Edge (Band n258-R1 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-820. Ant M3 Upper Band Edge (Band n258-R1 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 472 of 999	

ACLRResults

Plot 7-821. Ant M3 Lower Band Edge (Band n258-R1 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-822. Ant M3 Lower Band Edge (Band n258-R1 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 473 of 999

ACLRResults

Plot 7-823. Ant M3 Upper Band Edge (Band n258-R1 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-824. Ant M3 Upper Band Edge (Band n258-R1 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 474 of 999

ACLRResults

Plot 7-825. Ant M3 Lower Band Edge (Band n258-R1 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-826. Ant M3 Lower Band Edge (Band n258-R1 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 475 of 999

ACLRResults

Plot 7-827. Ant M3 Upper Band Edge (Band n258-R1 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-828. Ant M3 Upper Band Edge (Band n258-R1 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 476 of 999	

ACLRResults

Plot 7-829. Ant M3 Lower Band Edge (Band n258-R1 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-830. Ant M3 Lower Band Edge (Band n258-R1 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 477 of 999

ACLRResults

Plot 7-831. Ant M3 Upper Band Edge (Band n258-R1 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-832. Ant M3 Upper Band Edge (Band n258-R1 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 478 of 999	

ACLRResults

Plot 7-833. Ant M3 Lower Band Edge (Band n258-R1 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-834. Ant M3 Lower Band Edge (Band n258-R1 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 479 of 999

ACLRResults

Plot 7-835. Ant M3 Upper Band Edge (Band n258-R1 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-836. Ant M3 Upper Band Edge (Band n258-R1 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 480 of 999

ACLRResults

Plot 7-837. Ant M3 Lower Band Edge (Band n258-R1 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-838. Ant M3 Lower Band Edge (Band n258-R1 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 481 of 999	

ACLRResults

Plot 7-839. Ant M3 Upper Band Edge (Band n258-R1 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-840. Ant M3 Upper Band Edge (Band n258-R1 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 482 of 999	

7.5.4 Band n258-R2 – Ant M0

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
50	1	Low	24775.08	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-19.69	-13	-6.69
		Low	24775.08	MIMO	CP-OFDM	QPSK	H	59 + 187	1 Low	-19.04	-5	-14.04
		High	25224.96	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-18.24	-13	-5.24
		High	25224.96	MIMO	CP-OFDM	QPSK	H	59 + 187	1 High	-13.05	-5	-8.05
		Low	24775.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-21.94	-13	-8.94
		Low	24775.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 Low	-14.21	-5	-9.21
		High	25224.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-22.15	-13	-9.15
		High	25224.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 High	-12.43	-5	-7.43
		Low	24775.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-19.08	-13	-6.08
		Low	24775.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 Low	-13.70	-5	-8.70
		High	25224.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-18.30	-13	-5.30
		High	25224.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 High	-13.17	-5	-8.17
50+50	2	Low	24800.10	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-29.54	-13	-16.54
		Low	24800.10	MIMO	CP-OFDM	QPSK	H	59 + 187	1 Low	-18.26	-13	-5.26
		High	25199.94	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-28.97	-13	-15.97
		High	25199.94	MIMO	CP-OFDM	QPSK	H	59 + 187	1 High	-16.52	-13	-3.52
		Low	24800.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-30.93	-13	-17.93
		Low	24800.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 Low	-21.57	-13	-8.57
		High	25199.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-31.26	-13	-18.26
		High	25199.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 High	-20.17	-13	-7.17
		Low	24800.10	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-29.98	-13	-16.98
		Low	24800.10	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 Low	-19.28	-13	-6.28
		High	25199.94	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-30.06	-13	-17.06
		High	25199.94	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 High	-18.86	-13	-5.86
50+50+50	3	Low	24825.12	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-30.25	-13	-17.25
		Low	24825.12	MIMO	CP-OFDM	QPSK	H	59 + 187	1 Low	-25.36	-13	-12.36
		High	25174.92	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-19.84	-5	-14.92
		High	25174.92	MIMO	CP-OFDM	QPSK	H	59 + 187	1 High	-19.70	-13	-6.70
		Low	24825.12	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-29.55	-13	-16.55
		Low	24825.12	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 Low	-25.03	-13	-12.03
		High	25174.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-30.15	-13	-17.02
		High	25174.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 High	-18.24	-13	-5.04
		Low	24825.12	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-29.29	-13	-16.29
		Low	24825.12	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 Low	-22.43	-13	-9.43
		High	25174.92	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-30.59	-13	-17.19
		High	25174.92	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 High	-15.31	-13	-2.31
50+50+50+50	4	Low	24850.14	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-31.64	-13	-18.64
		Low	24850.14	MIMO	CP-OFDM	QPSK	H	59 + 187	1 Low	-25.20	-13	-12.20
		High	25149.90	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-30.37	-13	-17.37
		High	25149.90	MIMO	CP-OFDM	QPSK	H	59 + 187	1 High	-19.02	-13	-6.02
		Low	24850.14	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-31.52	-13	-18.52
		Low	24850.14	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 Low	-20.66	-13	-7.66
		High	25149.90	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-30.22	-13	-17.22
		High	25149.90	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 High	-17.05	-13	-4.05
		Low	24850.14	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-30.78	-13	-17.78
		Low	24850.14	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 Low	-24.73	-13	-11.73
		High	25149.90	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-30.11	-13	-17.11
		High	25149.90	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 High	-16.49	-13	-3.49



Table 7-141. Ant M0 – Band Edge Measurement Table (Band n258-R2 – 50MHz)

FCC ID: BCGA2764	PART 30 MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device				Page 483 of 999
© 2022 ELEMENT Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.	V2.0 5/30/2022					



Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
100	1	Low	24800.04	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-22.11	-13	-9.11
			24800.04	MIMO	CP-OFDM	QPSK	H	59 + 187	1 Low	-15.69	-5	-10.69
			25200.00	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-19.05	-13	-6.05
			25200.00	MIMO	CP-OFDM	QPSK	H	59 + 187	1 High	-23.53	-5	-18.53
			24800.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-23.67	-13	-10.67
			24800.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 Low	-10.32	-5	-5.32
			25200.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-22.85	-13	-9.85
	High	25200.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 High	-21.94	-5	-16.94	
			24800.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-21.91	-13	-8.91
			24800.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 Low	-8.65	-5	-3.65
		25200.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-19.56	-13	-6.56	
			25200.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 High	-20.61	-5	-15.61
100+100	2	Low	24850.08	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-31.85	-13	-18.85
			24850.08	MIMO	CP-OFDM	QPSK	H	59 + 187	1 Low	-18.36	-13	-5.36
			25149.96	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-30.15	-13	-17.15
			25149.96	MIMO	CP-OFDM	QPSK	H	59 + 187	1 High	-23.17	-13	-10.17
			24850.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-33.43	-13	-20.43
			24850.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 Low	-19.96	-13	-6.96
			25149.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-32.34	-13	-19.34
	High	25149.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 High	-24.93	-13	-11.93	
			24850.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-32.13	-13	-19.13
			24850.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 Low	-17.40	-13	-4.40
		25149.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-31.54	-13	-18.54	
			25149.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 High	-22.12	-13	-9.12
100+100+100	3	Low	24900.12	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-31.91	-13	-18.91
			24900.12	MIMO	CP-OFDM	QPSK	H	59 + 187	1 Low	-19.10	-13	-6.10
			25099.92	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-30.12	-13	-17.12
			25099.92	MIMO	CP-OFDM	QPSK	H	59 + 187	1 High	-15.59	-13	-2.59
			24900.12	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-31.22	-13	-18.22
			24900.12	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 Low	-17.86	-13	-4.86
			25099.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-29.91	-13	-16.91
	High	25099.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 High	-14.04	-13	-1.04	
			25099.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-31.35	-13	-18.35
			24900.12	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 Low	-18.24	-13	-5.24
		25099.92	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-29.75	-13	-16.75	
			25099.92	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 High	-16.97	-12	-4.58
			24950.16	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-32.54	-13	-19.54
			24950.16	MIMO	CP-OFDM	QPSK	H	59 + 187	1 Low	-17.40	-13	-4.40
100+100+100+100	4	High	25049.88	MIMO	CP-OFDM	QPSK	H	59 + 187	Full	-30.05	-13	-17.05
			25049.88	MIMO	CP-OFDM	QPSK	H	59 + 187	1 High	-23.29	-13	-10.29
			24950.16	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-31.92	-13	-18.92
			24950.16	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 Low	-16.02	-13	-3.02
			25049.88	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	Full	-30.23	-13	-17.23
			25049.88	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	59 + 187	1 High	-16.46	-13	-3.46
			24950.16	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-31.95	-13	-18.95
	Low	25049.88	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 Low	-16.39	-13	-3.39	
			24950.16	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	Full	-29.96	-13	-16.96
			25049.88	SISO Dual Pol	DFT-s-OFDM	QPSK	H	59 + 187	1 High	-21.50	-13	-8.50

Table 7-142. Ant M0 – Band Edge Measurement Table (Band n258-R2 – 100MHz)



FCC ID: BCGA2764	PART 30 MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:				Page 484 of 999
1C2205090028-06-R1.BCG	5/30/2022 – 9/24/2022	Tablet Device				

ACLRResults

Plot 7-841. Ant M0 Lower Band Edge (Band n258-R2 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-842. Ant M0 Lower Band Edge (Band n258-R2 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 485 of 999

ACLRResults

Plot 7-843. Ant M0 Upper Band Edge (Band n258-R2 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-844. Ant M0 Upper Band Edge (Band n258-R2 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 486 of 999	

ACLRResults

Plot 7-845. Ant M0 Lower Band Edge (Band n258-R2 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-846. Ant M0 Lower Band Edge (Band n258-R2 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 487 of 999	

ACLRResults

Plot 7-847. Ant M0 Upper Band Edge (Band n258-R2 50MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)
ACLRResults

Plot 7-848. Ant M0 Upper Band Edge (Band n258-R2 50MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 488 of 999

ACLRResults

Plot 7-849. Ant M0 Lower Band Edge (Band n258-R2 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-850. Ant M0 Lower Band Edge (Band n258-R2 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 489 of 999

ACLRResults

Plot 7-851. Ant M0 Upper Band Edge (Band n258-R2 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-852. Ant M0 Upper Band Edge (Band n258-R2 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 490 of 999	

ACLRResults

Plot 7-853. Ant M0 Lower Band Edge (Band n258-R2 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-854. Ant M0 Lower Band Edge (Band n258-R2 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 491 of 999	

ACLRResults

Plot 7-855. Ant M0 Upper Band Edge (Band n258-R2 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-856. Ant M0 Upper Band Edge (Band n258-R2 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 492 of 999





Plot 7-857. Ant M0 Lower Band Edge (Band n258-R2 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)





Plot 7-858. Ant M0 Lower Band Edge (Band n258-R2 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764	 element	PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 493 of 999	

ACLRResults

Plot 7-859. Ant M0 Upper Band Edge (Band n258-R2 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-860. Ant M0 Upper Band Edge (Band n258-R2 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 494 of 999	

ACLRResults

Plot 7-861. Ant M0 Lower Band Edge (Band n258-R2 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-862. Ant M0 Lower Band Edge (Band n258-R2 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 495 of 999	


ACLRResults

Plot 7-863. Ant M0 Upper Band Edge (Band n258-R2 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-864. Ant M0 Upper Band Edge (Band n258-R2 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 496 of 999	


ACLRResults

Plot 7-865. Ant M0 Lower Band Edge (Band n258-R2 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-866. Ant M0 Lower Band Edge (Band n258-R2 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 497 of 999	



ACEResults


Plot 7-867. Ant M0 Upper Band Edge (Band n258-R2 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)

ACEResults



Plot 7-868. Ant M0 Upper Band Edge (Band n258-R2 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 498 of 999


ACLRResults

Plot 7-869. Ant M0 Lower Band Edge (Band n258-R2 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-870. Ant M0 Lower Band Edge (Band n258-R2 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 499 of 999



ACEResults


Plot 7-871. Ant M0 Upper Band Edge (Band n258-R2 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)

ACEResults



Plot 7-872. Ant M0 Upper Band Edge (Band n258-R2 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 500 of 999


ACLRResults

Plot 7-873. Ant M0 Lower Band Edge (Band n258-R2 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-874. Ant M0 Lower Band Edge (Band n258-R2 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 501 of 999



ACEResults


Plot 7-875. Ant M0 Upper Band Edge (Band n258-R2 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)



ACEResults


Plot 7-876. Ant M0 Upper Band Edge (Band n258-R2 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 502 of 999

ACLRResults

Plot 7-877. Ant M0 Lower Band Edge (Band n258-R2 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-878. Ant M0 Lower Band Edge (Band n258-R2 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 503 of 999

ACLRResults

Plot 7-879. Ant M0 Upper Band Edge (Band n258-R2 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-880. Ant M0 Upper Band Edge (Band n258-R2 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 504 of 999	

ACLRResults

Plot 7-881. Ant M0 Lower Band Edge (Band n258-R2 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-882. Ant M0 Lower Band Edge (Band n258-R2 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 505 of 999

ACLRResults

Plot 7-883. Ant M0 Upper Band Edge (Band n258-R2 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-884. Ant M0 Upper Band Edge (Band n258-R2 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 506 of 999

ACLRResults

Plot 7-885. Ant M0 Lower Band Edge (Band n258-R2 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-886. Ant M0 Lower Band Edge (Band n258-R2 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 507 of 999	

ACLRResults

Plot 7-887. Ant M0 Upper Band Edge (Band n258-R2 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-888. Ant M0 Upper Band Edge (Band n258-R2 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 508 of 999	

ACLRResults

Plot 7-889. Ant M0 Lower Band Edge (Band n258-R2 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-890. Ant M0 Lower Band Edge (Band n258-R2 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 509 of 999

ACLRResults

Plot 7-891. Ant M0 Upper Band Edge (Band n258-R2 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-892. Ant M0 Upper Band Edge (Band n258-R2 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 510 of 999

ACLRResults

Plot 7-893. Ant M0 Lower Band Edge (Band n258-R2 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-894. Ant M0 Lower Band Edge (Band n258-R2 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 511 of 999

ACLRResults

Plot 7-895. Ant M0 Upper Band Edge (Band n258-R2 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-896. Ant M0 Upper Band Edge (Band n258-R2 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 512 of 999	

ACLRResults

Plot 7-897. Ant M0 Lower Band Edge (Band n258-R2 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-898. Ant M0 Lower Band Edge (Band n258-R2 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 513 of 999

ACLRResults

Plot 7-899. Ant M0 Upper Band Edge (Band n258-R2 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-900. Ant M0 Upper Band Edge (Band n258-R2 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 514 of 999	

ACLRResults

Plot 7-901. Ant M0 Lower Band Edge (Band n258-R2 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-902. Ant M0 Lower Band Edge (Band n258-R2 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 515 of 999

ACLRResults

Plot 7-903. Ant M0 Upper Band Edge (Band n258-R2 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-904. Ant M0 Upper Band Edge (Band n258-R2 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 516 of 999	

ACLRResults

Plot 7-905. Ant M0 Lower Band Edge (Band n258-R2 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-906. Ant M0 Lower Band Edge (Band n258-R2 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 517 of 999	

ACLRResults

Plot 7-907. Ant M0 Upper Band Edge (Band n258-R2 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-908. Ant M0 Upper Band Edge (Band n258-R2 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 518 of 999	