







ACLRResults

Plot 7-1387. Ant M3 Upper Band Edge (Band n261 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1388. Ant M3 Upper Band Edge (Band n261 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 768 of 999	


ACLRResults

Plot 7-1389. Ant M3 Lower Band Edge (Band n261 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1390. Ant M3 Lower Band Edge (Band n261 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 769 of 999


ACLRResults

Plot 7-1391. Ant M3 Upper Band Edge (Band n261 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1392. Ant M3 Upper Band Edge (Band n261 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 770 of 999	



ACLRResults


Plot 7-1393. Ant M3 Lower Band Edge (Band n261 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)

ACLRResults



Plot 7-1394. Ant M3 Lower Band Edge (Band n261 100MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 771 of 999	


ACLRResults

Plot 7-1395. Ant M3 Upper Band Edge (Band n261 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1396. Ant M3 Upper Band Edge (Band n261 100MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 772 of 999



ACEResults


Plot 7-1397. Ant M3 Lower Band Edge (Band n261 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)

ACEResults


Plot 7-1398. Ant M3 Lower Band Edge (Band n261 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 773 of 999	

ACLRResults

Plot 7-1399. Ant M3 Upper Band Edge (Band n261 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1400. Ant M3 Upper Band Edge (Band n261 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 774 of 999

ACEResults



Plot 7-1401. Ant M3 Lower Band Edge (Band n261 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)


ACEResults



Plot 7-1402. Ant M3 Lower Band Edge (Band n261 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 775 of 999	

ACLRResults





Plot 7-1403. Ant M3 Upper Band Edge (Band n261 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)

ACLRResults





Plot 7-1404. Ant M3 Upper Band Edge (Band n261 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 776 of 999

ACLRResults

Plot 7-1405. Ant M3 Lower Band Edge (Band n261 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1406. Ant M3 Lower Band Edge (Band n261 100MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 777 of 999	

ACLRResults

Plot 7-1407. Ant M3 Upper Band Edge (Band n261 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1408. Ant M3 Upper Band Edge (Band n261 100MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 778 of 999	

ACLRResults

Plot 7-1409. Ant M3 Lower Band Edge (Band n261 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1410. Ant M3 Lower Band Edge (Band n261 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 779 of 999	

ACLRResults

Plot 7-1411. Ant M3 Upper Band Edge (Band n261 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1412. Ant M3 Upper Band Edge (Band n261 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 780 of 999	

ACLRResults

Plot 7-1413. Ant M3 Lower Band Edge (Band n261 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1414. Ant M3 Lower Band Edge (Band n261 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 781 of 999

ACLRResults

Plot 7-1415. Ant M3 Upper Band Edge (Band n261 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1416. Ant M3 Upper Band Edge (Band n261 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 782 of 999	

7.5.10 Band n260 – Ant M0

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
50	1	Low	37025.04	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-24.46	-13	-11.46
		Low	37025.04	MIMO	CP-OFDM	QPSK	V	60 + 188	1 Low	-21.34	-5	-16.34
		High	39975.00	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-26.11	-13	-13.11
		High	39975.00	MIMO	CP-OFDM	QPSK	V	60 + 188	1 High	-23.45	-5	-18.45
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-28.83	-13	-15.83
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 Low	-17.28	-5	-12.28
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-29.48	-13	-16.48
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 High	-23.66	-5	-18.66
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-24.72	-13	-11.72
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 Low	-19.11	-5	-14.11
50+50	2	High	39975.00	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-25.94	-13	-12.94
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 High	-23.46	-5	-18.46
		Low	37050.06	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-29.85	-13	-16.85
		Low	37050.06	MIMO	CP-OFDM	QPSK	V	60 + 188	1 Low	-23.88	-13	-10.88
		High	39949.98	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-33.34	-13	-20.34
		High	39949.98	MIMO	CP-OFDM	QPSK	V	60 + 188	1 High	-26.76	-13	-13.76
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-30.77	-13	-17.77
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 Low	-24.90	-13	-11.90
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-34.00	-13	-21.00
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 High	-29.73	-13	-16.73
50+50+50	3	Low	37050.06	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-30.09	-13	-17.09
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 Low	-24.82	-13	-11.82
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-33.73	-13	-20.73
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 High	-28.62	-13	-15.62
		Low	37075.08	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-33.60	-13	-20.60
		Low	37075.08	MIMO	CP-OFDM	QPSK	V	60 + 188	1 Low	-32.17	-13	-19.17
		High	39924.96	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-34.03	-13	-21.03
		High	39924.96	MIMO	CP-OFDM	QPSK	V	60 + 188	1 High	-29.44	-13	-16.44
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-33.56	-13	-20.56
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 Low	-25.72	-13	-12.72
50+50+50	4	High	39924.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-33.91	-13	-20.91
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 High	-29.34	-13	-16.34
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-33.72	-13	-20.72
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 Low	-28.41	-13	-15.41
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-33.58	-13	-20.58
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 High	-27.11	-13	-14.11
		Low	37100.10	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-34.04	-13	-21.04
		Low	37100.10	MIMO	CP-OFDM	QPSK	V	60 + 188	1 Low	-28.80	-13	-15.80
		High	39899.94	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-33.87	-13	-20.87
		High	39899.94	MIMO	CP-OFDM	QPSK	V	60 + 188	1 High	-29.80	-13	-16.80
50+50+50+50	4	Low	37100.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-33.96	-13	-20.96
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 Low	-26.39	-13	-13.39
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-33.87	-13	-20.87
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 High	-30.32	-13	-17.32
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-33.90	-13	-20.90
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 Low	-25.93	-13	-12.93
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-34.01	-13	-21.01
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 High	-27.76	-13	-14.76



Table 7-153. Ant M0 – Band Edge Measurement Table (Band n260 – 50MHz)

FCC ID: BCGA2764	PART 30 MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device			Page 783 of 999



Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
100	1	Low	37050.00	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-27.49	-13	-14.49
		Low	37050.00	MIMO	CP-OFDM	QPSK	V	60 + 188	1 Low	-23.49	-5	-18.49
		High	39949.92	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-27.89	-13	-14.89
		High	39949.92	MIMO	CP-OFDM	QPSK	V	60 + 188	1 High	-34.43	-13	-21.43
		Low	37050.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-30.76	-13	-17.76
		Low	37050.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 Low	-21.06	-5	-16.06
		High	39949.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-30.74	-13	-17.74
		High	39949.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 High	-34.18	-13	-21.18
		Low	37050.00	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-27.68	-13	-14.68
		Low	37050.00	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 Low	-19.03	-5	-14.03
		High	39949.92	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-27.62	-13	-14.62
		High	39949.92	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 High	-34.31	-13	-21.31
100+100	2	Low	37100.04	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-30.05	-13	-17.05
		Low	37100.04	MIMO	CP-OFDM	QPSK	V	60 + 188	1 Low	-21.54	-13	-8.54
		High	39899.88	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-34.27	-13	-21.27
		High	39899.88	MIMO	CP-OFDM	QPSK	V	60 + 188	1 High	-25.99	-13	-12.99
		Low	37100.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-31.10	-13	-18.10
		Low	37100.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 Low	-18.52	-13	-5.52
		High	39899.88	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-34.52	-13	-21.52
		High	39899.88	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 High	-26.74	-13	-13.74
		Low	37100.04	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-30.79	-13	-17.79
		Low	37100.04	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 Low	-21.28	-13	-8.28
		High	39899.88	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-34.39	-13	-21.39
		High	39899.88	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 High	-26.22	-13	-13.22
100+100+100	3	Low	37150.08	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-34.36	-13	-21.36
		Low	37150.08	MIMO	CP-OFDM	QPSK	V	60 + 188	1 Low	-24.80	-13	-11.80
		High	39849.84	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-34.16	-13	-21.16
		High	39849.84	MIMO	CP-OFDM	QPSK	V	60 + 188	1 High	-27.44	-13	-14.44
		Low	37150.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-34.32	-13	-21.32
		Low	37150.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 Low	-23.28	-13	-10.28
		High	39849.84	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-34.43	-13	-21.43
		High	39849.84	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 High	-25.78	-13	-12.78
		Low	37150.08	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-34.13	-13	-21.13
		Low	37150.08	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 Low	-22.57	-13	-9.57
		High	39849.84	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-34.14	-13	-21.14
		High	39849.84	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 High	-25.13	-13	-12.13
100+100+100+100	4	Low	37200.12	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-34.51	-13	-21.51
		Low	37200.12	MIMO	CP-OFDM	QPSK	V	60 + 188	1 Low	-25.08	-13	-12.08
		High	39799.80	MIMO	CP-OFDM	QPSK	V	60 + 188	Full	-34.39	-13	-21.39
		High	39799.80	MIMO	CP-OFDM	QPSK	V	60 + 188	1 High	-27.11	-13	-14.11
		Low	37200.12	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-34.25	-13	-21.25
		Low	37200.12	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 Low	-24.72	-13	-11.72
		High	39799.80	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	Full	-34.18	-13	-21.18
		High	39799.80	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	V	60 + 188	1 High	-27.69	-13	-14.69
		Low	37200.12	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-34.17	-13	-21.17
		Low	37200.12	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 Low	-23.17	-13	-10.17
		High	39799.80	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	Full	-34.32	-13	-21.32
		High	39799.80	SISO Dual Pol	DFT-s-OFDM	QPSK	V	60 + 188	1 High	-27.40	-13	-14.40

Table 7-154. Ant M0 – Band Edge Measurement Table (Band n260 – 100MHz)



FCC ID: BCGA2764	PART 30 MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device				Page 784 of 999

ACLRResults

Plot 7-1417. Ant M0 Lower Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1418. Ant M0 Lower Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 785 of 999

ACLRResults

Plot 7-1419. Ant M0 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1420. Ant M0 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)


FCC ID: BCGA2764	 PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 786 of 999

ACLRResults

Plot 7-1421. Ant M0 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1422. Ant M0 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 787 of 999





Plot 7-1423. Ant M0 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)





Plot 7-1424. Ant M0 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764	 element	PART 30 MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Approved by: Technical Manager Page 788 of 999


ACLRResults

Plot 7-1425. Ant M0 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1426. Ant M0 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764	 element	PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 789 of 999	


ACLRResults

Plot 7-1427. Ant M0 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1428. Ant M0 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 790 of 999



ACLRResults


Plot 7-1429. Ant M0 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)

ACLRResults



Plot 7-1430. Ant M0 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764	 PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 791 of 999


ACLRResults

Plot 7-1431. Ant M0 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1432. Ant M0 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 792 of 999



ACEResults


Plot 7-1433. Ant M0 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)

ACEResults



Plot 7-1434. Ant M0 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 793 of 999

ACLRResults

Plot 7-1435. Ant M0 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)
ACLRResults

Plot 7-1436. Ant M0 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)


FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 794 of 999

ACEResults





Plot 7-1437. Ant M0 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)

ACEResults





Plot 7-1438. Ant M0 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 795 of 999	

ACLRResults

Plot 7-1439. Ant M0 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1440. Ant M0 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 796 of 999	

ACLRResults

Plot 7-1441. Ant M0 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1442. Ant M0 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 797 of 999

ACLRResults

Plot 7-1443. Ant M0 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1444. Ant M0 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 798 of 999

ACLRResults

Plot 7-1445. Ant M0 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1446. Ant M0 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 799 of 999	

ACLRResults

Plot 7-1447. Ant M0 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1448. Ant M0 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 800 of 999	

ACLRResults

Plot 7-1449. Ant M0 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1450. Ant M0 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 801 of 999	

ACLRResults

Plot 7-1451. Ant M0 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1452. Ant M0 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 802 of 999	

ACLRResults

Plot 7-1453. Ant M0 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1454. Ant M0 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 803 of 999

ACLRResults

Plot 7-1455. Ant M0 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1456. Ant M0 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 804 of 999

ACLRResults

Plot 7-1457. Ant M0 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1458. Ant M0 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 805 of 999

ACLRResults

Plot 7-1459. Ant M0 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)
ACLRResults

Plot 7-1460. Ant M0 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 806 of 999	

ACLRResults

Plot 7-1461. Ant M0 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1462. Ant M0 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 807 of 999

ACLRResults

Plot 7-1463. Ant M0 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1464. Ant M0 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764	 element	PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 808 of 999	

ACLRResults

Plot 7-1465. Ant M0 Lower Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1466. Ant M0 Lower Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 809 of 999

ACLRResults

Plot 7-1467. Ant M0 Upper Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1468. Ant M0 Upper Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 810 of 999

ACLRResults

Plot 7-1469. Ant M0 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1470. Ant M0 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 811 of 999	

ACLRResults

Plot 7-1471. Ant M0 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1472. Ant M0 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 812 of 999	


ACLRResults

Plot 7-1473. Ant M0 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1474. Ant M0 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 813 of 999	

ACLRResults

Plot 7-1475. Ant M0 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1476. Ant M0 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 814 of 999	

ACLRResults





Plot 7-1477. Ant M0 Lower Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)

ACLRResults




Plot 7-1478. Ant M0 Lower Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764	 element	PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 815 of 999


ACLRResults

Plot 7-1479. Ant M0 Upper Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1480. Ant M0 Upper Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 816 of 999

ACEResults


Plot 7-1481. Ant M0 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)

ACEResults


Plot 7-1482. Ant M0 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764	 element	PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 817 of 999	