





ACEResults


Plot 7-1577. Ant M2 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)

ACEResults



Plot 7-1578. Ant M2 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 867 of 999

ACLRResults

Plot 7-1579. Ant M2 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1580. Ant M2 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 868 of 999	

ACEResults





Plot 7-1581. Ant M2 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)

ACEResults




Plot 7-1582. Ant M2 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 869 of 999

ACLRResults

Plot 7-1583. Ant M2 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1584. Ant M2 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 870 of 999	

PASS


 Center Freq: 37 GHz
 Span: 1000 MHz
 Trace: AVERAGE
 Detector: RMS
 SWP Count: 100
 RBW: 1 MHz
 VBW: 3 MHz
 SWP: 2001

Plot 7-1585. Ant M2 Lower Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)
PASS

 Center Freq: 37 GHz
 Span: 1000 MHz
 Trace: AVERAGE
 Detector: RMS
 SWP Count: 100
 RBW: 1 MHz
 VBW: 3 MHz
 SWP: 2001

Plot 7-1586. Ant M2 Lower Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device			Page 871 of 999




Plot 7-1587. Ant M2 Upper Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1588. Ant M2 Upper Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device			Page 872 of 999




Plot 7-1589. Ant M2 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1590. Ant M2 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764	element PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 873 of 999




Plot 7-1591. Ant M2 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1592. Ant M2 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764	element PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 874 of 999




Plot 7-1593. Ant M2 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1594. Ant M2 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764	element PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 875 of 999





Plot 7-1595. Ant M2 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)





Plot 7-1596. Ant M2 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764	element PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 876 of 999

ACLRResults

Plot 7-1597. Ant M2 Lower Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1598. Ant M2 Lower Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 877 of 999

ACLRResults

Plot 7-1599. Ant M2 Upper Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1600. Ant M2 Upper Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 878 of 999

ACLRResults

Plot 7-1601. Ant M2 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1602. Ant M2 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 879 of 999

ACLRResults

Plot 7-1603. Ant M2 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1604. Ant M2 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 880 of 999	

ACLRResults

Plot 7-1605. Ant M2 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1606. Ant M2 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 881 of 999

ACLRResults

Plot 7-1607. Ant M2 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1608. Ant M2 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 882 of 999	

7.5.12 Band n260 – Ant M3

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
50	1	Low	37025.04	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-20.80	-13	-7.80
		Low	37025.04	MIMO	CP-OFDM	QPSK	H	55 + 183	1 Low	-22.97	-13	-9.97
		High	39975.00	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-29.78	-13	-16.78
		High	39975.00	MIMO	CP-OFDM	QPSK	H	55 + 183	1 High	-24.46	-5	-19.46
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-21.30	-13	-8.30
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 Low	-22.55	-13	-9.55
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-32.28	-13	-19.28
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 High	-23.29	-5	-18.29
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-19.04	-13	-6.04
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 Low	-14.20	-5	-9.20
50+50	2	High	39975.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-28.76	-13	-15.76
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 High	-23.57	-5	-18.57
		Low	37050.06	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-33.80	-13	-20.80
		Low	37050.06	MIMO	CP-OFDM	QPSK	H	55 + 183	1 Low	-28.20	-13	-15.20
		High	39949.98	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-34.65	-13	-21.65
		High	39949.98	MIMO	CP-OFDM	QPSK	H	55 + 183	1 High	-32.35	-13	-19.35
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.18	-13	-21.18
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 Low	-30.57	-13	-17.57
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.76	-13	-21.76
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 High	-34.46	-13	-21.46
50+50+50	3	Low	37050.06	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.25	-13	-21.25
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 Low	-29.50	-13	-16.50
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.71	-13	-21.71
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 High	-33.98	-13	-20.98
		Low	37075.08	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-34.46	-13	-21.46
		Low	37075.08	MIMO	CP-OFDM	QPSK	H	55 + 183	1 Low	-32.76	-13	-19.76
		High	39924.96	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-34.82	-13	-21.82
		High	39924.96	MIMO	CP-OFDM	QPSK	H	55 + 183	1 High	-33.72	-13	-20.72
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.17	-13	-21.17
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 Low	-31.76	-13	-18.76
50+50+50	4	High	39924.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.74	-13	-21.74
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 High	-34.62	-13	-21.62
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.31	-13	-21.31
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 Low	-30.99	-13	-17.99
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.72	-13	-21.72
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 High	-24.61	-13	-11.61
		Low	37100.10	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-34.46	-13	-21.46
		Low	37100.10	MIMO	CP-OFDM	QPSK	H	55 + 183	1 Low	-31.91	-13	-18.91
		High	39899.94	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-33.42	-13	-20.42
		High	39899.94	MIMO	CP-OFDM	QPSK	H	55 + 183	1 High	-25.22	-13	-12.22
50+50+50+50	4	Low	37100.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.63	-13	-21.63
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 Low	-31.50	-13	-18.50
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-33.85	-13	-20.85
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 High	-29.44	-13	-16.44
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.50	-13	-21.50
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 Low	-30.72	-13	-17.72
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.04	-13	-21.04
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 High	-24.98	-13	-11.98

Table 7-157. Ant M3 – Band Edge Measurement Table (Band n260 – 50MHz)


FCC ID: BCGA2764	PART 30 MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device			Page 883 of 999


Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
100	1		Low	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-20.92	-13	-7.92
			Low	MIMO	CP-OFDM	QPSK	H	55 + 183	1 Low	-21.75	-13	-8.75
			High	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-31.68	-13	-18.68
			High	MIMO	CP-OFDM	QPSK	H	55 + 183	1 High	-34.73	-13	-21.73
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-21.31	-13	-8.31
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 Low	-21.97	-13	-8.97
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-33.22	-13	-20.22
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 High	-34.74	-13	-21.74
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-20.53	-13	-7.53
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 Low	-12.34	-5	-7.34
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-30.76	-13	-17.76
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 High	-34.76	-13	-21.76
			Low	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-34.48	-13	-21.48
			Low	MIMO	CP-OFDM	QPSK	H	55 + 183	1 Low	-25.60	-13	-12.60
100+100	2		High	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-34.78	-13	-21.78
			High	MIMO	CP-OFDM	QPSK	H	55 + 183	1 High	-33.70	-13	-20.70
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.76	-13	-21.76
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 Low	-26.41	-13	-13.41
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.85	-13	-21.85
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 High	-35.03	-13	-22.03
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.65	-13	-21.65
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 Low	-25.60	-13	-12.60
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.84	-13	-21.84
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 High	-34.34	-13	-21.34
			Low	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-34.61	-13	-21.61
			Low	MIMO	CP-OFDM	QPSK	H	55 + 183	1 Low	-28.68	-13	-15.68
100+100+100	3		High	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-33.82	-13	-20.82
			High	MIMO	CP-OFDM	QPSK	H	55 + 183	1 High	-23.53	-13	-10.53
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.60	-13	-21.60
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 Low	-27.31	-13	-14.31
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.30	-13	-21.30
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 High	-30.20	-13	-17.20
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.44	-13	-21.44
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 Low	-27.56	-13	-14.56
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.25	-13	-21.25
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 High	-23.42	-13	-10.42
			Low	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-34.44	-13	-21.44
			Low	MIMO	CP-OFDM	QPSK	H	55 + 183	1 Low	-26.32	-13	-13.32
100+100+100+100	4		High	MIMO	CP-OFDM	QPSK	H	55 + 183	Full	-33.30	-13	-20.30
			High	MIMO	CP-OFDM	QPSK	H	55 + 183	1 High	-22.66	-13	-9.66
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-34.54	-13	-21.54
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 Low	-25.23	-13	-12.23
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	Full	-33.35	-13	-20.35
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	55 + 183	1 High	-27.51	-13	-14.51
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-34.61	-13	-21.61
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 Low	-24.16	-13	-11.16
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	Full	-33.68	-13	-20.68
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	55 + 183	1 High	-20.84	-13	-7.84

Table 7-158. Ant M3 – Band Edge Measurement Table (Band n260 – 100MHz)

FCC ID: BCGA2764	PART 30 MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:				Page 884 of 999
1C2205090028-06-R1.BCG	5/30/2022 – 9/24/2022	Tablet Device				

PASS



 Center Freq: 37 GHz
 Span: 125 MHz
 Trace: AVERAGE
 Detector: RMS
 SWP Count: 100
 RBW: 1 MHz
 VBW: 3 MHz
 SWP: 1001

PASS

 Center Freq: 37 GHz
 Span: 125 MHz
 Trace: AVERAGE
 Detector: RMS
 SWP Count: 100
 RBW: 1 MHz
 VBW: 3 MHz
 SWP: 1001



FCC ID: BCGA2764	
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022 EUT Type: Tablet Device

**PART 30 MEASUREMENT REPORT
(CERTIFICATION)**
Approved by:
 Technical Manager


Page 885 of 999

ACLRResults

Plot 7-1611. Ant M3 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1612. Ant M3 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 886 of 999	





Plot 7-1613. Ant M3 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1614. Ant M3 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764	 PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 887 of 999

ACLRResults

Plot 7-1615. Ant M3 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1616. Ant M3 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 888 of 999	

PASS
 Center Freq: 37 GHz
 Span: 125 MHz
 Trace: AVERAGE
 Detector: RMS
 SWP Count: 100
 RBW: 1 MHz
 VBW: 3 MHz
 SWP: 1001





Plot 7-1617. Ant M3 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)

PASS
 Center Freq: 37 GHz
 Span: 125 MHz
 Trace: AVERAGE
 Detector: RMS
 SWP Count: 100
 RBW: 1 MHz
 VBW: 3 MHz
 SWP: 1001





Plot 7-1618. Ant M3 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764	 PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 889 of 999

ACLRResults

Plot 7-1619. Ant M3 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1620. Ant M3 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 890 of 999	

ACLRResults

Plot 7-1621. Ant M3 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1622. Ant M3 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 891 of 999	

ACLRResults

Plot 7-1623. Ant M3 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1624. Ant M3 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 892 of 999	

ACLRResults

Plot 7-1625. Ant M3 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1626. Ant M3 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 893 of 999	

ACLRResults

Plot 7-1627. Ant M3 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1628. Ant M3 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 894 of 999

ACLRResults

Plot 7-1629. Ant M3 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1630. Ant M3 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 895 of 999

ACLRResults

Plot 7-1631. Ant M3 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1632. Ant M3 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 896 of 999	

ACLRResults

Plot 7-1633. Ant M3 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1634. Ant M3 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 897 of 999

ACLRResults

Plot 7-1635. Ant M3 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1636. Ant M3 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 898 of 999	

ACLRResults

Plot 7-1637. Ant M3 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1638. Ant M3 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 899 of 999

ACLRResults

Plot 7-1639. Ant M3 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1640. Ant M3 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 900 of 999	

ACLRResults

Plot 7-1641. Ant M3 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1642. Ant M3 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 901 of 999

ACLRResults

Plot 7-1643. Ant M3 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1644. Ant M3 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 902 of 999	

ACLRResults

Plot 7-1645. Ant M3 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1646. Ant M3 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 903 of 999	

ACLRResults

Plot 7-1647. Ant M3 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1648. Ant M3 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 904 of 999	

ACLRResults

Plot 7-1649. Ant M3 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1650. Ant M3 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 905 of 999	

ACLRResults

Plot 7-1651. Ant M3 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1652. Ant M3 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 906 of 999	


ACLRResults

Plot 7-1653. Ant M3 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1654. Ant M3 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 907 of 999	

ACLRResults

Plot 7-1655. Ant M3 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1656. Ant M3 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 908 of 999	

PASS


 Center Freq: 37 GHz
 Span: 250 MHz
 Trace: AVERAGE
 Detector: RMS
 RBW: 1 MHz
 VBW: 3 MHz
 SWP Count: 100
 SWP: 1001

Plot 7-1657. Ant M3 Lower Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
PASS

 Center Freq: 37 GHz
 Span: 250 MHz
 Trace: AVERAGE
 Detector: RMS
 RBW: 1 MHz
 VBW: 3 MHz
 SWP Count: 100
 SWP: 1001

Plot 7-1658. Ant M3 Lower Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)


FCC ID: BCGA2764	 PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 909 of 999

ACLRResults

Plot 7-1659. Ant M3 Upper Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1660. Ant M3 Upper Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 910 of 999	





Plot 7-1661. Ant M3 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1662. Ant M3 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)


FCC ID: BCGA2764	 PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 911 of 999

ACLRResults

Plot 7-1663. Ant M3 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1664. Ant M3 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 912 of 999	

PASS

 Center Freq: 37 GHz
 Span: 250 MHz
 Trace: AVERAGE
 Detector: RMS
 RBW: 1 MHz
 VBW: 3 MHz
 SWP Count: 100
 SWP: 1001

Plot 7-1665. Ant M3 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
PASS

 Center Freq: 37 GHz
 Span: 250 MHz
 Trace: AVERAGE
 Detector: RMS
 RBW: 1 MHz
 VBW: 3 MHz
 SWP Count: 100
 SWP: 1001

Plot 7-1666. Ant M3 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 913 of 999

ACLRResults

Plot 7-1667. Ant M3 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1668. Ant M3 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 914 of 999