

APPENDIX I: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 1 of 177

All conducted power measurements for 4G/5G Sub6 WWAN technologies and bands in this section were performed by setting *Reserve_power_margin* (Qualcomm® Smart Transmit EFS entry) to 0 dB, so that the EUT transmits continuously at minimum (Plimit, limitimum tune up output power Plimit).

I.1 LTE Lower Bandwidth RF Conducted Powers

I.1.1 LTE Band 71

Table I-1
LTE Band 71 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 133297 (680.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
QPSK	1	0	19.90	0	0
	1	36	19.97		0
	1	74	19.96		0
	36	0	19.93	0-1	0
	36	18	20.00		0
	36	37	19.95		0
	75	0	19.95		0
16QAM	1	0	20.40	0-1	0
	1	36	20.41		0
	1	74	20.35		0
	36	0	19.97	0-2	0
	36	18	20.03		0
	36	37	19.97		0
	75	0	20.02		0
64QAM	1	0	20.18	0-2	0
	1	36	20.19		0
	1	74	20.15		0
	36	0	19.93	0-3	0.4
	36	18	20.02		0.4
	36	37	19.97		0.4
	75	0	20.02		0.4
256QAM	1	0	17.73	0-5	2.4
	1	36	17.81		2.4
	1	74	17.93		2.4
	36	0	17.68		2.4
	36	18	17.75		2.4
	36	37	17.72		2.4
	75	0	17.76		2.4

Table I-2
LTE Band 71 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.23	20.01	20.27	0	0
	1	25	20.11	20.07	20.31		0
	1	49	20.22	20.08	20.21		0
	25	0	20.14	20.11	20.16	0-1	0
	25	12	20.13	20.18	20.16		0
	25	25	20.08	20.12	20.20		0
16QAM	50	0	20.11	20.14	20.14		0
	1	0	20.38	20.30	20.40	0-1	0
	1	25	20.31	20.28	20.40		0
	1	49	20.32	20.35	20.39		0
	25	0	20.15	20.11	20.20	0-2	0
	25	12	20.17	20.12	20.18		0
25	25	20.11	20.13	20.20	0		
64QAM	50	0	20.13	20.13	20.17		0
	1	0	20.36	20.25	20.33	0-2	0
	1	25	20.30	20.30	20.40		0
	1	49	20.31	20.28	20.23		0
	25	0	20.16	20.08	20.17	0-3	0.4
	25	12	20.14	20.17	20.17		0.4
25	25	20.08	20.14	20.18	0.4		
256QAM	50	0	20.13	20.14	20.14		0.4
	1	0	17.89	17.93	18.00	0-5	2.4
	1	25	17.92	17.96	18.12		2.4
	1	49	17.86	17.81	17.93		2.4
	25	0	17.89	17.85	17.92		2.4
	25	12	17.91	17.93	17.92		2.4
25	25	17.83	17.82	17.90	2.4		
50	0	17.87	17.89	17.87	2.4		

Table I-3
LTE Band 71 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.88	19.85	19.95	0	0
	1	12	20.07	20.03	20.11		0
	1	24	19.82	19.82	19.83		0
	12	0	19.89	19.78	19.91	0-1	0
	12	6	19.88	19.88	19.95		0
	12	13	19.87	19.82	19.84		0
	25	0	19.85	19.84	19.86		0
	16QAM	1	0	20.18	20.13	20.15	0-1
1		12	20.20	20.21	20.10	0	
1		24	20.17	20.12	20.10	0	
12		0	19.94	19.82	19.93	0-2	0
12		6	19.96	19.95	19.96		0
12		13	19.91	19.88	19.89		0
25		0	19.89	19.86	19.91		0
64QAM		1	0	20.05	19.98	19.94	0-2
	1	12	20.09	20.14	20.00	0	
	1	24	19.97	20.03	19.92	0	
	12	0	19.94	19.79	19.91	0-3	0.4
	12	6	19.95	19.92	19.96		0.4
	12	13	19.89	19.86	19.86		0.4
	25	0	19.89	19.88	19.87		0.4
256QAM	1	0	17.98	17.93	18.09	0-5	2.4
	1	12	18.05	18.08	18.16		2.4
	1	24	17.91	18.04	17.96		2.4
	12	0	17.94	17.81	17.93		2.4
	12	6	17.95	17.92	17.99		2.4
	12	13	17.89	17.85	17.88		2.4
	25	0	17.89	17.86	17.94		2.4

Table I-4
LTE Band 71 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz) Conducted Power [dBm]		
QPSK	1	0	20.43	0	0
	1	36	20.38		0
	1	74	20.33		0
	36	0	20.44	0-1	0
	36	18	20.47		0
	36	37	20.42		0
	75	0	20.46		0
16QAM	1	0	20.97	0-1	0
	1	36	21.00		0
	1	74	20.96		0
	36	0	20.45	0-2	0
	36	18	20.51		0
	36	37	20.43		0
	75	0	20.47		0
64QAM	1	0	20.67	0-2	0
	1	36	20.65		0
	1	74	20.56		0
	36	0	20.44	0-3	0
	36	18	20.46		0
	36	37	20.46		0
	75	0	20.46		0
256QAM	1	0	20.34	0-5	0.8
	1	36	20.39		0.8
	1	74	20.43		0.8
	36	0	20.27		0.8
	36	18	20.29		0.8
	36	37	20.26		0.8
	75	0	20.28		0.8

Table I-5
LTE Band 71 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.74	20.74	20.66	0	0
	1	25	20.61	20.62	20.71		0
	1	49	20.66	20.69	20.63		0
	25	0	20.73	20.54	20.63	0-1	0
	25	12	20.72	20.62	20.61		0
	25	25	20.64	20.56	20.67		0
16QAM	50	0	20.69	20.59	20.61	0-1	0
	1	0	20.94	20.91	20.92		0
	1	25	20.89	20.83	20.96		0
	1	49	20.77	20.92	20.99	0-2	0
	25	0	20.79	20.61	20.64		0
	25	12	20.76	20.67	20.65		0
64QAM	25	25	20.68	20.63	20.68	0-2	0
	50	0	20.70	20.61	20.64		0
	1	0	20.96	20.80	20.76		0-2
	1	25	20.84	20.73	20.90	0	
	1	49	20.78	20.81	20.84	0-3	
	25	0	20.73	20.53	20.66		0
256QAM	25	12	20.69	20.62	20.68		0-3
	25	25	20.64	20.56	20.67	0	
	50	0	20.70	20.59	20.62	0	
	1	0	20.66	20.52	20.51	0-5	0.8
	1	25	20.69	20.55	20.61		0.8
	1	49	20.52	20.46	20.51		0.8
25	0	20.53	20.37	20.43	0.8		
25	12	20.54	20.43	20.46	0.8		
25	25	20.45	20.38	20.43	0.8		
50	0	20.51	20.39	20.40	0.8		

Table I-6
LTE Band 71 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.91	20.56	20.58	0	0
	1	12	20.97	20.77	20.71		0
	1	24	20.81	20.58	20.46		0
	12	0	20.75	20.52	20.66		0
	12	6	20.77	20.63	20.68	0-1	0
	12	13	20.70	20.56	20.59		0
	25	0	20.70	20.56	20.62		0
	1	0	20.95	20.85	20.94		0-1
1	12	20.95	20.98	20.93	0		
1	24	20.94	20.83	20.84	0		
12	0	20.81	20.59	20.68	0-2	0	
12	6	20.79	20.68	20.71		0	
12	13	20.74	20.62	20.65		0	
25	0	20.74	20.59	20.65		0	
64QAM	1	0	20.71	20.70	20.86	0-2	0
	1	12	20.83	20.75	20.93		0
	1	24	20.72	20.75	20.74		0
	12	0	20.76	20.51	20.68	0-3	0
	12	6	20.78	20.63	20.71		0
	12	13	20.73	20.55	20.62		0
	25	0	20.72	20.60	20.63		0
256QAM	1	0	20.67	20.38	20.55	0-5	0.8
	1	12	20.67	20.56	20.65		0.8
	1	24	20.53	20.47	20.43		0.8
	12	0	20.52	20.33	20.47		0.8
	12	6	20.58	20.46	20.49		0.8
	12	13	20.49	20.39	20.40		0.8
	25	0	20.52	20.39	20.42		0.8

I.1.2 LTE Band 12

Table I-7
LTE Band 12 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.85	19.85	20.03	0	0
	1	12	19.93	19.91	20.22		0
	1	24	19.82	19.78	19.96		0
	12	0	19.92	19.83	19.84	0-1	0
	12	6	19.94	19.90	19.86		0
	12	13	19.85	19.85	19.88		0
	25	0	19.92	19.86	19.82		0
16QAM	1	0	20.26	20.16	20.15	0-1	0
	1	12	20.34	20.30	20.25		0
	1	24	20.16	20.13	20.11		0
	12	0	20.01	19.88	19.89	0-2	0
	12	6	20.02	19.95	19.90		0
	12	13	19.96	19.88	19.89		0
	25	0	19.92	19.89	19.81		0
64QAM	1	0	19.85	19.81	19.80	0-2	0
	1	12	19.88	19.85	19.88		0
	1	24	19.82	19.79	19.75		0
	12	0	19.74	19.60	19.70	0-3	0.2
	12	6	19.76	19.71	19.73		0.2
	12	13	19.66	19.61	19.68		0.2
	25	0	19.69	19.66	19.66		0.2
256QAM	1	0	17.93	18.04	17.92	0-5	2.2
	1	12	18.03	18.14	18.07		2.2
	1	24	17.89	18.08	18.00		2.2
	12	0	17.94	17.86	17.85		2.2
	12	6	17.94	17.95	17.88		2.2
	12	13	17.88	17.87	17.87		2.2
	25	0	17.92	17.89	17.84		2.2

Table I-8
LTE Band 12 Measured P_{Limit} Antenna 1 - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.17	20.09	20.10	0	0
	1	7	20.21	20.18	20.16		0
	1	14	20.06	20.03	20.01		0
	8	0	20.17	20.13	20.14	0-1	0
	8	4	20.13	20.14	20.13		0
	8	7	20.08	20.08	20.07		0
	15	0	20.11	20.10	20.11		0
	16QAM	1	0	20.15	20.00	20.07	0-1
1		7	20.18	20.06	20.12	0	
1		14	20.05	19.92	19.98	0	
8		0	19.95	19.91	19.89	0-2	0
8		4	19.93	19.87	19.89		0
8		7	19.87	19.81	19.82		0
15		0	19.82	19.83	19.82		0
64QAM		1	0	20.02	20.00	19.96	0-2
	1	7	20.10	20.01	20.01	0	
	1	14	19.94	19.95	19.87	0	
	8	0	19.88	19.90	19.87	0-3	0.2
	8	4	19.89	19.90	19.90		0.2
	8	7	19.81	19.84	19.80		0.2
	15	0	19.84	19.82	19.83		0.2
	256QAM	1	0	18.03	17.80	17.93	0-5
1		7	18.05	18.01	18.01	2.2	
1		14	17.80	17.80	17.88	2.2	
8		0	17.79	17.85	17.86	2.2	
8		4	17.88	17.86	17.86	2.2	
8		7	17.82	17.80	17.78	2.2	
15		0	17.83	17.80	17.83	2.2	

Table I-9
LTE Band 12 Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 12							
1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.22	20.22	20.04	0	0
	1	2	20.25	20.24	20.04		0
	1	5	20.26	20.19	19.96		0
	3	0	20.19	20.13	20.14		0
	3	2	20.16	20.11	20.09		0
	3	3	20.13	20.09	20.09		0
	6	0	20.13	20.05	20.05		0
16QAM	1	0	20.10	20.01	20.08	0-1	0
	1	2	20.11	20.04	20.05		0
	1	5	20.03	19.94	20.01	0-1	0
	3	0	20.02	19.98	19.96		0
	3	2	20.03	19.92	19.95		0
	3	3	20.02	19.90	19.95		0
	6	0	19.93	19.89	19.82		0
64QAM	1	0	20.04	19.99	19.92	0-2	0
	1	2	19.99	20.01	20.00		0
	1	5	19.98	19.95	19.93		0
	3	0	19.98	19.92	19.89		0
	3	2	19.94	19.85	19.98		0
	3	3	19.82	19.83	19.97		0
	6	0	19.85	19.79	19.83	0-3	0.2
256QAM	1	0	17.95	17.90	17.90	0-5	2.2
	1	2	17.98	18.00	17.91		2.2
	1	5	17.88	17.95	17.85		2.2
	3	0	17.96	17.88	17.86		2.2
	3	2	17.88	17.77	17.84		2.2
	3	3	17.91	17.81	17.81		2.2
	6	0	17.81	17.72	17.81		2.2

Table I-10
LTE Band 12 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	19.12	19.33	19.20	0	0	
	1	12	19.26	19.61	19.31		0	
	1	24	19.10	19.33	19.12		0	
	12	0	19.12	19.19	19.15	0-1	0	
	12	6	19.14	19.20	19.16		0	
	12	13	19.10	19.19	19.07		0	
	25	0	19.12	19.15	19.11		0	
16QAM	1	0	19.48	19.53	19.53	0-1	0	
	1	12	19.55	19.57	19.53		0	
	1	24	19.37	19.46	19.28		0	
	12	0	19.21	19.26	19.21	0-2	0	
	12	6	19.24	19.28	19.22		0	
	12	13	19.18	19.25	19.12		0	
64QAM	25	0	19.14	19.19	19.16	0-2	0	
	1	0	19.30	19.31	19.25		0-3	0
	1	12	19.30	19.35	19.24			0
	1	24	19.26	19.30	19.14	0		
	12	0	19.12	19.22	19.18	0		
	12	6	19.11	19.22	19.18	0		
	12	13	19.14	19.22	19.11	0		
256QAM	25	0	19.14	19.17	19.14	0-5	0	
	1	0	19.19	19.33	19.37		0	
	1	12	19.23	19.37	19.29		0	
	1	24	19.07	19.33	19.33		0	
	12	0	19.16	19.18	19.17		0	
	12	6	19.16	19.18	19.18		0	
	12	13	19.09	19.17	19.08		0	
	25	0	19.12	19.15	19.12	0		

Table I-11
LTE Band 12 Measured P_{Limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.04	19.25	19.12	0	0
	1	7	19.07	19.29	19.18		0
	1	14	18.94	19.16	18.99		0
	8	0	19.18	19.17	19.16	0-1	0
	8	4	19.15	19.26	19.13		0
	8	7	19.10	19.20	19.08		0
	15	0	19.14	19.16	19.08		0
16QAM	1	0	19.26	19.45	19.36	0-1	0
	1	7	19.31	19.50	19.42		0
	1	14	19.23	19.35	19.23		0
	8	0	19.25	19.26	19.23	0-2	0
	8	4	19.22	19.33	19.25		0
	8	7	19.17	19.27	19.14		0
	15	0	19.17	19.21	19.14		0
64QAM	1	0	19.38	19.37	19.13	0-2	0
	1	7	19.35	19.45	19.25		0
	1	14	19.25	19.34	19.13		0
	8	0	19.15	19.22	19.20	0-3	0
	8	4	19.17	19.31	19.19		0
	8	7	19.15	19.21	19.13		0
	15	0	19.23	19.15	19.15		0
256QAM	1	0	19.30	19.23	19.19	0-5	0
	1	7	19.38	19.35	19.21		0
	1	14	19.23	19.18	19.14		0
	8	0	19.21	19.19	19.14		0
	8	4	19.20	19.26	19.13		0
	8	7	19.14	19.21	19.09		0
	15	0	19.17	19.16	19.09	0	

Table I-12
LTE Band 12 Measured P_{Limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.12	19.34	19.20	0	0
	1	2	19.11	19.38	19.21		0
	1	5	19.02	19.31	19.17		0
	3	0	19.20	19.22	19.10		0
	3	2	19.15	19.20	19.11		0
	3	3	19.16	19.25	19.07		0
	6	0	19.11	19.21	19.06		0
16QAM	1	0	19.40	19.44	19.39	0-1	0
	1	2	19.51	19.54	19.41		0
	1	5	19.32	19.43	19.31		0
	3	0	19.35	19.30	19.24	0-1	0
	3	2	19.27	19.33	19.20		0
	3	3	19.30	19.26	19.19		0
	6	0	19.18	19.26	19.15		0
64QAM	1	0	19.41	19.35	19.15	0-2	0
	1	2	19.33	19.43	19.19		0
	1	5	19.24	19.28	19.11		0
	3	0	19.22	19.39	19.14	0-2	0
	3	2	19.19	19.36	19.07		0
	3	3	19.23	19.38	19.05		0
	6	0	19.13	19.24	19.03		0
256QAM	1	0	19.30	19.24	19.17	0-3	0
	1	2	19.29	19.39	19.20		0
	1	5	19.25	19.28	19.11		0
	3	0	19.29	19.21	19.10	0-5	0
	3	2	19.25	19.26	19.07		0
	3	3	19.25	19.25	19.09		0
	6	0	19.07	19.30	19.11		0

I.1.3 LTE Band 13

Table I-13
LTE Band 13 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.61	0	0
	1	12	19.82		0
	1	24	19.60		0
	12	0	19.64	0-1	0
	12	6	19.73		0
	12	13	19.62		0
	25	0	19.66		0
16QAM	1	0	19.66	0-1	0
	1	12	19.76		0
	1	24	19.69		0
	12	0	19.43	0-2	0
	12	6	19.55		0
	12	13	19.43		0
	25	0	19.43		0
64QAM	1	0	19.56	0-2	0
	1	12	19.69		0
	1	24	19.55		0
	12	0	19.39	0-3	0
	12	6	19.49		0
	12	13	19.36		0
	25	0	19.38		0
256QAM	1	0	17.74	0-5	1.7
	1	12	17.91		1.7
	1	24	17.69		1.7
	12	0	17.69		1.7
	12	6	17.78		1.7
	12	13	17.65		1.7
	25	0	17.66		1.7

Table I-14
LTE Band 13 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.94	0	0
	1	12	20.07		0
	1	24	19.92		0
	12	0	19.91	0-1	0
	12	6	19.94		0
	12	13	19.90		0
	25	0	19.91		0
16QAM	1	0	19.98	0-1	0
	1	12	20.02		0
	1	24	19.98		0
	12	0	19.99	0-2	0
	12	6	20.01		0
	12	13	19.97		0
	25	0	19.94		0
64QAM	1	0	19.99	0-2	0
	1	12	20.01		0
	1	24	19.93		0
	12	0	19.94	0-3	0
	12	6	19.98		0
	12	13	19.94		0
	25	0	19.92		0
256QAM	1	0	19.98	0-5	0.2
	1	12	20.01		0.2
	1	24	19.93		0.2
	12	0	19.96		0.2
	12	6	19.98		0.2
	12	13	19.94		0.2
	25	0	19.94		0.2

I.1.4 LTE Band 14

Table I-15
LTE Band 14 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.79	0	0
	1	12	19.92		0
	1	24	19.70		0
	12	0	19.78	0-1	0
	12	6	19.78		0
	12	13	19.68		0
	25	0	19.74		0
16QAM	1	0	20.02	0-1	0
	1	12	20.04		0
	1	24	19.98		0
	12	0	19.80	0-2	0
	12	6	19.81		0
	12	13	19.72		0
	25	0	19.78		0
64QAM	1	0	20.04	0-2	0
	1	12	19.97		0
	1	24	19.90		0
	12	0	19.81	0-3	0
	12	6	19.82		0
	12	13	19.70		0
	25	0	19.74		0
256QAM	1	0	17.86	0-5	1.7
	1	12	17.86		1.7
	1	24	17.84		1.7
	12	0	17.78		1.7
	12	6	17.79		1.7
	12	13	17.68		1.7
	25	0	17.76		1.7

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by:
DUT Type: Tablet Device		Technical Manager
APPENDIX I: Page 11 of 177		

Table I-16
LTE Band 14 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.25	0	0
	1	12	20.15		0
	1	24	19.90		0
	12	0	19.93	0-1	0
	12	6	19.95		0
	12	13	19.85		0
	25	0	19.90		0
16QAM	1	0	20.22	0-1	0
	1	12	20.24		0
	1	24	20.22		0
	12	0	19.98	0-2	0
	12	6	19.99		0
	12	13	19.88		0
	25	0	19.93		0
64QAM	1	0	20.14	0-2	0
	1	12	20.23		0
	1	24	20.08		0
	12	0	19.98	0-3	0
	12	6	19.98		0
	12	13	19.86		0
	25	0	19.90		0
256QAM	1	0	19.99	0-5	0.2
	1	12	20.12		0.2
	1	24	19.91		0.2
	12	0	19.97		0.2
	12	6	19.95		0.2
	12	13	19.85		0.2
	25	0	19.91		0.2

I.1.5 LTE Band 26

Table I-17
LTE Band 26 (Cell) Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	27015 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.68	17.62	17.55	0	0
	1	12	17.73	17.83	17.71		0
	1	24	17.61	17.70	17.48		0
	12	0	17.60	17.58	17.63	0-1	0
	12	6	17.64	17.68	17.62		0
	12	13	17.51	17.61	17.60		0
	25	0	17.65	17.63	17.63		0
16QAM	1	0	17.54	17.59	17.53	0-1	0
	1	12	17.74	17.64	17.63		0
	1	24	17.52	17.58	17.52		0
	12	0	17.35	17.31	17.38	0-2	0
	12	6	17.38	17.42	17.39		0
	12	13	17.30	17.38	17.33		0
	25	0	17.27	17.34	17.32		0
64QAM	1	0	17.29	17.35	17.54	0-2	0
	1	12	17.32	17.47	17.43		0
	1	24	17.35	17.36	17.47		0
	12	0	17.37	17.29	17.38	0-3	0
	12	6	17.36	17.37	17.35		0
	12	13	17.27	17.38	17.31		0
	25	0	17.34	17.34	17.32		0
256QAM	1	0	17.53	17.30	17.31	0-5	0
	1	12	17.51	17.38	17.50		0
	1	24	17.48	17.40	17.42		0
	12	0	17.32	17.27	17.35		0
	12	6	17.34	17.39	17.31		0
	12	13	17.29	17.31	17.32		0
	25	0	17.23	17.30	17.32		0

Table I-18
LTE Band 26 (Cell) Measured P_{Limit} Antenna 1 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.42	17.56	17.52	0	0
	1	7	17.47	17.67	17.56		0
	1	14	17.37	17.57	17.41		0
	8	0	17.56	17.52	17.63	0-1	0
	8	4	17.61	17.63	17.62		0
	8	7	17.56	17.57	17.58		0
	15	0	17.57	17.60	17.58		0
16QAM	1	0	17.46	17.48	17.52	0-1	0
	1	7	17.53	17.55	17.49		0
	1	14	17.48	17.46	17.35		0
	8	0	17.32	17.25	17.40	0-2	0
	8	4	17.32	17.36	17.42		0
	8	7	17.26	17.35	17.37		0
	15	0	17.33	17.36	17.25		0
64QAM	1	0	17.50	17.38	17.40	0-2	0
	1	7	17.48	17.56	17.45		0
	1	14	17.44	17.37	17.34		0
	8	0	17.33	17.18	17.28	0-3	0
	8	4	17.40	17.30	17.30		0
	8	7	17.33	17.28	17.26		0
	15	0	17.29	17.37	17.30		0
256QAM	1	0	17.30	17.35	17.39	0-5	0
	1	7	17.54	17.39	17.50		0
	1	14	17.33	17.41	17.40		0
	8	0	17.34	17.19	17.24		0
	8	4	17.34	17.36	17.33		0
	8	7	17.34	17.31	17.25		0
	15	0	17.28	17.29	17.27		0

Table I-19
LTE Band 26 (Cell) Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 26 (Cell)							
1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.49	17.51	17.66	0	0
	1	2	17.49	17.61	17.66		0
	1	5	17.47	17.60	17.63		0
	3	0	17.61	17.59	17.59		0
	3	2	17.57	17.60	17.61		0
	3	3	17.56	17.63	17.58		0
	6	0	17.55	17.56	17.51		0
16QAM	1	0	17.42	17.40	17.41	0-1	0
	1	2	17.34	17.46	17.55		0
	1	5	17.49	17.49	17.42		0
	3	0	17.34	17.46	17.35		0
	3	2	17.38	17.46	17.37		0
	3	3	17.44	17.38	17.38		0
	6	0	17.36	17.38	17.34		0
64QAM	1	0	17.43	17.46	17.48	0-2	0
	1	2	17.43	17.63	17.40		0
	1	5	17.37	17.37	17.33		0
	3	0	17.32	17.32	17.23		0
	3	2	17.44	17.42	17.24		0
	3	3	17.41	17.34	17.30		0
	6	0	17.38	17.28	17.31		0
256QAM	1	0	17.30	17.33	17.39	0-3	0
	1	2	17.28	17.52	17.28		0
	1	5	17.33	17.40	17.34		0
	3	0	17.45	17.45	17.28		0
	3	2	17.31	17.45	17.22		0
	3	3	17.46	17.46	17.27		0
	6	0	17.34	17.22	17.28		0

Table I-20
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.08	18.18	17.95	0	0
	1	12	18.22	18.39	17.98		0
	1	24	18.05	18.12	17.95		0
	12	0	18.10	17.99	17.94		0
	12	6	18.10	18.06	17.95	0-1	0
	12	13	18.07	18.03	17.91		0
	25	0	18.06	18.03	17.91		0
	25	0	18.06	18.03	17.91		0
16QAM	1	0	18.65	18.38	18.18	0-1	0
	1	12	18.70	18.45	18.27		0
	1	24	18.53	18.19	18.18		0
	12	0	18.15	18.02	17.98		0
	12	6	18.15	18.15	18.01	0-2	0
	12	13	18.05	18.12	17.94		0
	25	0	18.07	18.10	17.85		0
	25	0	18.07	18.10	17.85		0
64QAM	1	0	18.21	18.32	18.09	0-2	0
	1	12	18.22	18.29	18.07		0
	1	24	18.15	18.21	18.04		0
	12	0	18.17	18.06	18.00		0
	12	6	18.22	18.17	18.00	0-3	0
	12	13	18.14	18.10	17.97		0
	25	0	18.13	18.11	17.95		0
	25	0	18.13	18.11	17.95		0
256QAM	1	0	18.34	18.08	18.00	0-5	0
	1	12	18.26	18.34	18.07		0
	1	24	18.12	18.19	18.00		0
	12	0	18.16	18.01	17.97		0
	12	6	18.13	18.11	17.98		0
	12	13	18.06	18.01	17.97		0
	25	0	18.11	18.08	17.95		0
	25	0	18.11	18.08	17.95		0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 15 of 177

Table I-21
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.40	18.31	18.26	0	0
	1	7	18.45	18.43	18.30		0
	1	14	18.37	18.27	18.19		0
	8	0	18.51	18.37	18.29	0-1	0
	8	4	18.53	18.48	18.32		0
	8	7	18.47	18.44	18.26		0
	15	0	18.49	18.47	18.27		0
16QAM	1	0	18.65	18.48	18.38	0-1	0
	1	7	18.69	18.68	18.51		0
	1	14	18.57	18.47	18.32		0
	8	0	18.53	18.33	18.27	0-2	0
	8	4	18.49	18.40	18.30		0
	8	7	18.47	18.40	18.26		0
	15	0	18.43	18.42	18.28		0
64QAM	1	0	18.47	18.67	18.40	0-2	0
	1	7	18.64	18.69	18.46		0
	1	14	18.39	18.58	18.40		0
	8	0	18.48	18.41	18.31	0-3	0
	8	4	18.51	18.51	18.29		0
	8	7	18.46	18.47	18.27		0
	15	0	18.46	18.42	18.23		0
256QAM	1	0	18.58	18.58	18.52	0-5	0
	1	7	18.69	18.67	18.63		0
	1	14	18.60	18.60	18.50		0
	8	0	18.55	18.41	18.31		0
	8	4	18.57	18.53	18.39		0
	8	7	18.53	18.48	18.30		0
	15	0	18.55	18.48	18.35		0

Table I-22
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.37	18.24	18.18	0	0
	1	2	18.40	18.35	18.18		0
	1	5	18.41	18.29	18.18		0
	3	0	18.37	18.35	18.24		0
	3	2	18.42	18.35	18.18		0
	3	3	18.56	18.34	18.11		0
	6	0	18.38	18.33	18.14		0
16QAM	1	0	18.65	18.45	18.46	0-1	0
	1	2	18.58	18.69	18.45		0
	1	5	18.61	18.56	18.46		0
	3	0	18.57	18.54	18.36		0
	3	2	18.54	18.45	18.35		0
	3	3	18.48	18.44	18.30		0
	6	0	18.39	18.39	18.22		0
64QAM	1	0	18.67	18.36	18.26	0-2	0
	1	2	18.52	18.48	18.43		0
	1	5	18.53	18.43	18.27		0
	3	0	18.57	18.46	18.37		0
	3	2	18.60	18.49	18.35		0
	3	3	18.55	18.47	18.32		0
	6	0	18.39	18.45	18.23		0
256QAM	1	0	18.50	18.48	18.23	0-3	0
	1	2	18.60	18.49	18.35		0
	1	5	18.48	18.46	18.26		0
	3	0	18.46	18.39	18.43		0
	3	2	18.44	18.43	18.32		0
	3	3	18.46	18.39	18.33		0
	6	0	18.44	18.31	18.19		0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 16 of 177

I.1.6 LTE Band 5

Table I-23
LTE Band 5 (Cell) Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.78	17.62	17.57	0	0
	1	12	18.05	17.69	17.70		0
	1	24	17.74	17.59	17.55		0
	12	0	17.69	17.58	17.70	0-1	0
	12	6	17.71	17.56	17.67		0
	12	13	17.65	17.54	17.64		0
	25	0	17.68	17.57	17.66		0
16QAM	1	0	17.98	17.87	18.00	0-1	0
	1	12	18.00	17.84	18.01		0
	1	24	17.99	17.87	17.94		0
	12	0	17.77	17.65	17.74	0-2	0
	12	6	17.78	17.64	17.76		0
	12	13	17.75	17.62	17.73		0
	25	0	17.74	17.57	17.69		0
64QAM	1	0	17.52	17.39	17.52	0-2	0
	1	12	17.57	17.40	17.44		0
	1	24	17.47	17.38	17.44		0
	12	0	17.50	17.33	17.48	0-3	0
	12	6	17.55	17.35	17.46		0
	12	13	17.45	17.37	17.43		0
	25	0	17.45	17.32	17.45		0
256QAM	1	0	17.63	17.39	17.62	0-5	0
	1	12	17.72	17.38	17.63		0
	1	24	17.68	17.51	17.56		0
	12	0	17.48	17.34	17.43		0
	12	6	17.45	17.40	17.45		0
	12	13	17.45	17.34	17.42		0
	25	0	17.48	17.34	17.43		0

Table I-24
LTE Band 5 (Cell) Measured P_{Limit} Antenna 1 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.59	17.51	17.63	0	0
	1	7	17.61	17.59	17.57		0
	1	14	17.53	17.55	17.53		0
	8	0	17.69	17.53	17.62	0-1	0
	8	4	17.71	17.55	17.71		0
	8	7	17.68	17.51	17.67		0
	15	0	17.69	17.50	17.64		0
16QAM	1	0	17.94	17.70	17.87	0-1	0
	1	7	17.92	17.94	17.83		0
	1	14	17.72	17.70	17.85		0
	8	0	17.75	17.60	17.77	0-2	0
	8	4	17.78	17.64	17.81		0
	8	7	17.76	17.61	17.77		0
	15	0	17.78	17.60	17.69		0
64QAM	1	0	17.65	17.39	17.56	0-2	0
	1	7	17.67	17.43	17.57		0
	1	14	17.46	17.42	17.50		0
	8	0	17.47	17.29	17.44	0-3	0
	8	4	17.49	17.32	17.49		0
	8	7	17.47	17.37	17.41		0
	15	0	17.46	17.24	17.47		0
256QAM	1	0	17.55	17.36	17.54	0-5	0
	1	7	17.57	17.55	17.59		0
	1	14	17.51	17.51	17.48		0
	8	0	17.48	17.28	17.41		0
	8	4	17.56	17.31	17.40		0
	8	7	17.44	17.32	17.36		0
	15	0	17.47	17.28	17.35		0

Table I-25
LTE Band 5 (Cell) Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.73	17.66	17.79	0	0
	1	2	17.74	17.67	17.80		0
	1	5	17.62	17.63	17.76		0
	3	0	17.69	17.57	17.67		0
	3	2	17.72	17.63	17.71		0
	3	3	17.70	17.59	17.68		0
	6	0	17.65	17.49	17.62		0
	0-1	0	0	0	0		
16QAM	1	0	17.81	17.74	17.92	0-1	0
	1	2	18.00	17.84	17.78		0
	1	5	17.99	17.81	17.86		0
	3	0	17.80	17.70	17.80		0
	3	2	17.84	17.71	17.76		0
	3	3	17.87	17.72	17.71		0
	6	0	17.82	17.64	17.71		0
	0-2	0	0	0	0		
64QAM	1	0	17.62	17.36	17.51	0-2	0
	1	2	17.59	17.45	17.46		0
	1	5	17.52	17.44	17.45		0
	3	0	17.58	17.30	17.44		0
	3	2	17.52	17.24	17.55		0
	3	3	17.50	17.25	17.56		0
	6	0	17.40	17.27	17.36		0
	0-3	0	0	0	0		
256QAM	1	0	17.65	17.35	17.53	0-5	0
	1	2	17.64	17.47	17.57		0
	1	5	17.58	17.34	17.44		0
	3	0	17.62	17.54	17.48		0
	3	2	17.58	17.59	17.46		0
	3	3	17.58	17.55	17.49		0
	6	0	17.50	17.25	17.32		0

Table I-26
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.25	18.26	18.38	0	0
	1	12	18.28	18.37	18.57		0
	1	24	18.15	18.26	18.32		0
	12	0	18.18	18.12	18.30	0-1	0
	12	6	18.17	18.22	18.26		0
	12	13	18.18	18.19	18.24		0
	25	0	18.18	18.19	18.26		0
16QAM	1	0	18.49	18.49	18.50	0-1	0
	1	12	18.53	18.55	18.59		0
	1	24	18.52	18.55	18.52		0
	12	0	18.24	18.15	18.35	0-2	0
	12	6	18.25	18.24	18.30		0
	12	13	18.20	18.23	18.27		0
	25	0	18.20	18.17	18.29		0
64QAM	1	0	18.54	18.41	18.40	0-2	0
	1	12	18.45	18.38	18.41		0
	1	24	18.34	18.48	18.27		0
	12	0	18.26	18.15	18.30	0-3	0
	12	6	18.27	18.24	18.30		0
	12	13	18.23	18.21	18.27		0
	25	0	18.24	18.20	18.30		0
256QAM	1	0	18.37	18.39	18.50	0-5	0
	1	12	18.39	18.37	18.51		0
	1	24	18.29	18.41	18.48		0
	12	0	18.28	18.17	18.30		0
	12	6	18.25	18.24	18.31		0
	12	13	18.19	18.24	18.26		0
	25	0	18.25	18.23	18.28		0

Table I-27
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.18	17.99	18.16	0	0
	1	7	18.23	18.06	18.22		0
	1	14	18.14	18.02	18.11		0
	8	0	18.17	18.08	18.24	0-1	0
	8	4	18.17	18.18	18.25		0
	8	7	18.16	18.15	18.24		0
	15	0	18.14	18.17	18.21	0	
16QAM	1	0	18.41	18.30	18.52	0-1	0
	1	7	18.41	18.37	18.53		0
	1	14	18.34	18.31	18.46		0
	8	0	18.25	18.12	18.30	0-2	0
	8	4	18.30	18.25	18.32		0
	8	7	18.23	18.22	18.25		0
	15	0	18.26	18.19	18.25	0	
64QAM	1	0	18.33	18.38	18.38	0-2	0
	1	7	18.39	18.49	18.43		0
	1	14	18.26	18.38	18.34		0
	8	0	18.22	18.13	18.24	0-3	0
	8	4	18.25	18.24	18.27		0
	8	7	18.19	18.19	18.21		0
	15	0	18.21	18.20	18.26	0	
256QAM	1	0	18.31	18.22	18.35	0-5	0
	1	7	18.43	18.37	18.36		0
	1	14	18.27	18.34	18.30		0
	8	0	18.21	18.15	18.23	0	
	8	4	18.24	18.21	18.32	0	
	8	7	18.20	18.21	18.27	0	
	15	0	18.20	18.18	18.27	0	

Table I-28
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.28	18.04	18.29	0	0
	1	2	18.30	18.10	18.30		0
	1	5	18.27	18.05	18.30		0
	3	0	18.19	18.16	18.22		0
	3	2	18.14	18.16	18.19		0
	3	3	18.25	18.17	18.18		0
	6	0	18.19	18.11	18.14		0
16QAM	1	0	18.44	18.27	18.41	0-1	0
	1	2	18.46	18.33	18.50		0
	1	5	18.37	18.42	18.48		0
	3	0	18.39	18.25	18.28		0
	3	2	18.35	18.26	18.29		0
	3	3	18.34	18.29	18.26		0
	6	0	18.28	18.16	18.23		0
64QAM	1	0	18.43	18.39	18.21	0-2	0
	1	2	18.43	18.43	18.27		0
	1	5	18.38	18.43	18.17		0
	3	0	18.30	18.23	18.27		0
	3	2	18.25	18.21	18.27		0
	3	3	18.27	18.25	18.31		0
	6	0	18.12	18.15	18.18		0
256QAM	1	0	18.25	18.19	18.37	0-3	0
	1	2	18.27	18.33	18.41		0
	1	5	18.20	18.24	18.30		0
	3	0	18.31	18.18	18.28		0
	3	2	18.39	18.21	18.29		0
	3	3	18.30	18.20	18.29		0
	6	0	18.14	18.12	18.17		0

I.1.7 LTE Band 66

Table I-29
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.08	16.01	16.06	0	0
	1	36	16.11	16.08	16.10		0
	1	74	16.00	15.99	16.00		0
	36	0	16.05	16.00	16.06	0-1	0
	36	18	15.99	16.02	16.05		0
	36	37	15.96	15.97	16.10		0
	75	0	15.96	15.99	16.02		0
16QAM	1	0	16.34	16.16	16.44	0-1	0
	1	36	16.39	16.23	16.66		0
	1	74	16.28	16.12	16.39		0
	36	0	16.11	16.01	16.03	0-2	0
	36	18	16.03	16.03	16.06		0
	36	37	16.00	16.00	16.11		0
	75	0	16.01	16.02	16.02		0
64QAM	1	0	16.49	16.50	16.55	0-2	0
	1	36	16.57	16.51	16.50		0
	1	74	16.44	16.48	16.53		0
	36	0	16.35	16.28	16.34	0-3	0
	36	18	16.29	16.30	16.35		0
	36	37	16.26	16.29	16.41		0
	75	0	16.26	16.29	16.33		0
256QAM	1	0	16.45	16.39	16.38	0-5	0
	1	36	16.46	16.51	16.58		0
	1	74	16.31	16.44	16.44		0
	36	0	16.35	16.29	16.35		0
	36	18	16.30	16.31	16.38		0
	36	37	16.28	16.29	16.43		0
	75	0	16.29	16.30	16.33		0

Table I-30
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.17	16.03	16.28	0	0
	1	25	16.26	16.04	16.32		0
	1	49	16.16	15.93	16.23		0
	25	0	16.23	16.12	16.22	0-1	0
	25	12	16.25	16.12	16.22		0
	25	25	16.20	16.10	16.25		0
	50	0	16.23	16.11	16.19		0
16QAM	1	0	16.52	16.38	16.64	0-1	0
	1	25	16.57	16.35	16.64		0
	1	49	16.53	16.31	16.48		0
	25	0	16.25	16.18	16.20	0-2	0
	25	12	16.28	16.16	16.20		0
	25	25	16.21	16.16	16.25		0
	50	0	16.23	16.12	16.15		0
64QAM	1	0	16.34	16.30	16.35	0-2	0
	1	25	16.35	16.31	16.44		0
	1	49	16.36	16.20	16.41		0
	25	0	16.23	16.13	16.18	0-3	0
	25	12	16.27	16.15	16.23		0
	25	25	16.20	16.08	16.22		0
	50	0	16.22	16.10	16.15		0
256QAM	1	0	16.34	16.11	16.29	0-5	0
	1	25	16.40	16.25	16.41		0
	1	49	16.33	16.08	16.32		0
	25	0	16.26	16.15	16.20		0
	25	12	16.27	16.16	16.20		0
	25	25	16.21	16.12	16.25		0
	50	0	16.25	16.12	16.16		0

Table I-31
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.22	16.22	16.23	0	0
	1	12	16.31	16.30	16.28		0
	1	24	16.27	16.19	16.20		0
	12	0	16.20	16.10	16.24	0-1	0
	12	6	16.21	16.11	16.26		0
	12	13	16.20	16.06	16.22		0
	25	0	16.23	16.09	16.25		0
	25	0	16.23	16.09	16.25		0
16QAM	1	0	16.65	16.47	16.56	0-1	0
	1	12	16.60	16.51	16.55		0
	1	24	16.62	16.51	16.53		0
	12	0	16.26	16.18	16.21	0-2	0
	12	6	16.29	16.20	16.23		0
	12	13	16.24	16.17	16.19		0
	25	0	16.19	16.11	16.22		0
	25	0	16.19	16.11	16.22		0
64QAM	1	0	16.39	16.23	16.39	0-2	0
	1	12	16.49	16.22	16.42		0
	1	24	16.35	16.14	16.34		0
	12	0	16.25	16.12	16.26	0-3	0
	12	6	16.27	16.15	16.27		0
	12	13	16.22	16.13	16.23		0
	25	0	16.23	16.09	16.21		0
	25	0	16.23	16.09	16.21		0
256QAM	1	0	16.32	16.28	16.38	0-5	0
	1	12	16.33	16.27	16.42		0
	1	24	16.39	16.30	16.34		0
	12	0	16.22	16.13	16.24		0
	12	6	16.26	16.13	16.26		0
	12	13	16.23	16.10	16.21		0
	25	0	16.24	16.12	16.21		0
	25	0	16.24	16.12	16.21		0

Table I-32
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.26	16.05	16.26	0	0
	1	7	16.33	16.16	16.30		0
	1	14	16.23	16.04	16.19		0
	8	0	16.30	16.21	16.38	0-1	0
	8	4	16.33	16.26	16.43		0
	8	7	16.29	16.22	16.34		0
	15	0	16.31	16.18	16.36		0
	15	0	16.31	16.18	16.36		0
16QAM	1	0	16.46	16.40	16.60	0-1	0
	1	7	16.62	16.51	16.61		0
	1	14	16.43	16.39	16.48		0
	8	0	16.36	16.27	16.41	0-2	0
	8	4	16.39	16.32	16.49		0
	8	7	16.35	16.28	16.41		0
	15	0	16.39	16.28	16.38		0
	15	0	16.39	16.28	16.38		0
64QAM	1	0	16.43	16.28	16.47	0-2	0
	1	7	16.52	16.38	16.52		0
	1	14	16.43	16.24	16.41		0
	8	0	16.37	16.24	16.44	0-3	0
	8	4	16.33	16.26	16.46		0
	8	7	16.39	16.23	16.43		0
	15	0	16.29	16.21	16.40		0
	15	0	16.29	16.21	16.40		0
256QAM	1	0	16.39	16.39	16.62	0-5	0
	1	7	16.47	16.39	16.60		0
	1	14	16.46	16.35	16.59		0
	8	0	16.31	16.28	16.42		0
	8	4	16.39	16.29	16.49		0
	8	7	16.29	16.28	16.40		0
	15	0	16.33	16.20	16.44		0
	15	0	16.33	16.20	16.44		0

Table I-33
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.19	16.26	16.43	0	0
	1	2	16.21	16.27	16.45		0
	1	5	16.25	16.24	16.44		0
	3	0	16.31	16.19	16.43		0
	3	2	16.33	16.24	16.40		0
	3	3	16.32	16.24	16.40		0
	6	0	16.27	16.19	16.31	0-1	0
16QAM	1	0	16.47	16.51	16.55	0-1	0
	1	2	16.43	16.48	16.64		0
	1	5	16.50	16.38	16.56		0
	3	0	16.41	16.32	16.53		0
	3	2	16.49	16.30	16.53		0
	3	3	16.41	16.27	16.46		0
	6	0	16.38	16.33	16.40	0-2	0
64QAM	1	0	16.37	16.38	16.51	0-2	0
	1	2	16.59	16.34	16.62		0
	1	5	16.39	16.25	16.48		0
	3	0	16.39	16.29	16.44		0
	3	2	16.39	16.34	16.54		0
	3	3	16.36	16.35	16.52		0
	6	0	16.33	16.23	16.35	0-3	0
256QAM	1	0	16.46	16.41	16.52	0-5	0
	1	2	16.49	16.39	16.58		0
	1	5	16.34	16.35	16.45		0
	3	0	16.44	16.15	16.42		0
	3	2	16.44	16.31	16.40		0
	3	3	16.41	16.30	16.40		0
	6	0	16.33	16.26	16.45		0

Table I-34
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.43	14.31	14.40	0	0
	1	36	14.50	14.32	14.47		0
	1	74	14.37	14.36	14.36		0
	36	0	14.41	14.31	14.35	0-1	0
	36	18	14.45	14.36	14.34		0
	36	37	14.32	14.30	14.38		0
	75	0	14.43	14.30	14.36		0
16QAM	1	0	14.63	14.51	14.56	0-1	0
	1	36	14.62	14.54	14.66		0
	1	74	14.59	14.50	14.61		0
	36	0	14.45	14.32	14.36	0-2	0
	36	18	14.46	14.33	14.39		0
	36	37	14.38	14.36	14.41		0
	75	0	14.48	14.36	14.32		0
64QAM	1	0	14.38	14.31	14.42	0-2	0
	1	36	14.46	14.36	14.56		0
	1	74	14.38	14.30	14.46		0
	36	0	14.34	14.20	14.25	0-3	0
	36	18	14.23	14.28	14.27		0
	36	37	14.21	14.21	14.31		0
	75	0	14.24	14.20	14.25		0
256QAM	1	0	14.29	14.29	14.30	0-5	0
	1	36	14.38	14.31	14.41		0
	1	74	14.25	14.26	14.40		0
	36	0	14.24	14.19	14.20		0
	36	18	14.23	14.22	14.28		0
	36	37	14.16	14.24	14.31		0
	75	0	14.21	14.17	14.22		0

Table I-35
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.50	14.34	14.47	0	0
	1	25	14.50	14.43	14.48		0
	1	49	14.40	14.39	14.47		0
	25	0	14.56	14.42	14.45	0-1	0
	25	12	14.49	14.40	14.52		0
	25	25	14.48	14.42	14.53		0
	50	0	14.47	14.40	14.63		0
	50	0	14.47	14.40	14.63		0
16QAM	1	0	14.69	14.64	14.69	0-1	0
	1	25	14.67	14.67	14.66		0
	1	49	14.68	14.62	14.63		0
	25	0	14.61	14.46	14.50	0-2	0
	25	12	14.54	14.46	14.49		0
	25	25	14.48	14.44	14.56		0
	50	0	14.46	14.46	14.47		0
	50	0	14.46	14.46	14.47		0
64QAM	1	0	14.49	14.36	14.47	0-2	0
	1	25	14.54	14.43	14.58		0
	1	49	14.54	14.39	14.51		0
	25	0	14.41	14.34	14.39	0-3	0
	25	12	14.44	14.31	14.37		0
	25	25	14.30	14.26	14.39		0
	50	0	14.28	14.26	14.33		0
	50	0	14.28	14.26	14.33		0
256QAM	1	0	14.42	14.35	14.36	0-5	0
	1	25	14.43	14.40	14.47		0
	1	49	14.37	14.43	14.43		0
	25	0	14.38	14.31	14.32		0
	25	12	14.42	14.30	14.43		0
	25	25	14.28	14.27	14.39		0
	50	0	14.27	14.26	14.33		0
	50	0	14.27	14.26	14.33		0

Table I-36
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.59	14.47	14.49	0	0
	1	12	14.57	14.46	14.52		0
	1	24	14.58	14.36	14.48		0
	12	0	14.53	14.42	14.53	0-1	0
	12	6	14.56	14.45	14.53		0
	12	13	14.56	14.40	14.51		0
	25	0	14.57	14.38	14.52		0
	25	0	14.66	14.66	14.68		0
16QAM	1	12	14.65	14.58	14.69	0-1	0
	1	24	14.70	14.64	14.67		0
	12	0	14.57	14.43	14.56		0
	12	6	14.60	14.47	14.59	0-2	0
	12	13	14.58	14.45	14.60		0
	25	0	14.54	14.44	14.50		0
	25	0	14.57	14.46	14.56		0
	25	0	14.66	14.66	14.68		0
64QAM	1	0	14.57	14.46	14.56	0-2	0
	1	12	14.54	14.37	14.56		0
	1	24	14.50	14.38	14.56		0
	12	0	14.41	14.31	14.45	0-3	0
	12	6	14.41	14.33	14.44		0
	12	13	14.38	14.31	14.45		0
	25	0	14.42	14.35	14.39		0
	25	0	14.42	14.35	14.39		0
256QAM	1	0	14.49	14.33	14.50	0-5	0
	1	12	14.50	14.42	14.58		0
	1	24	14.42	14.30	14.49		0
	12	0	14.37	14.27	14.44		0
	12	6	14.41	14.34	14.42		0
	12	13	14.39	14.30	14.43		0
	25	0	14.36	14.26	14.39		0
	25	0	14.36	14.26	14.39		0

Table I-37
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.46	14.33	14.43	0	0
	1	7	14.54	14.48	14.51		0
	1	14	14.46	14.31	14.43		0
	8	0	14.52	14.39	14.48	0-1	0
	8	4	14.57	14.45	14.53		0
	8	7	14.54	14.36	14.50		0
	15	0	14.58	14.42	14.53		0
	15	0	14.58	14.42	14.53		0
16QAM	1	0	14.68	14.63	14.69	0-1	0
	1	7	14.70	14.66	14.68		0
	1	14	14.63	14.58	14.69		0
	8	0	14.60	14.43	14.58	0-2	0
	8	4	14.61	14.50	14.57		0
	8	7	14.55	14.57	14.57		0
	15	0	14.59	14.46	14.53		0
	15	0	14.59	14.46	14.53		0
64QAM	1	0	14.49	14.36	14.49	0-2	0
	1	7	14.51	14.41	14.61		0
	1	14	14.51	14.40	14.52		0
	8	0	14.37	14.32	14.45	0-3	0
	8	4	14.46	14.34	14.44		0
	8	7	14.39	14.33	14.40		0
	15	0	14.37	14.29	14.41		0
	15	0	14.37	14.29	14.41		0
256QAM	1	0	14.51	14.33	14.43	0-5	0
	1	7	14.51	14.37	14.52		0
	1	14	14.37	14.32	14.35		0
	8	0	14.38	14.29	14.44		0
	8	4	14.42	14.37	14.40		0
	8	7	14.40	14.23	14.37		0
	15	0	14.38	14.24	14.42		0
	15	0	14.38	14.24	14.42		0

Table I-38
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.49	14.34	14.46	0	0
	1	2	14.53	14.37	14.57		0
	1	5	14.45	14.36	14.48		0
	3	0	14.47	14.36	14.42		0
	3	2	14.54	14.42	14.50		0
	3	3	14.51	14.32	14.48		0
	6	0	14.48	14.35	14.43		0
	6	0	14.48	14.35	14.43		0
16QAM	1	0	14.67	14.70	14.67	0-1	0
	1	2	14.68	14.64	14.69		0
	1	5	14.63	14.51	14.61		0
	3	0	14.58	14.56	14.57		0
	3	2	14.58	14.49	14.53		0
	3	3	14.64	14.51	14.57		0
	6	0	14.61	14.39	14.54		0
	6	0	14.61	14.39	14.54		0
64QAM	1	0	14.51	14.34	14.57	0-2	0
	1	2	14.53	14.41	14.58		0
	1	5	14.54	14.26	14.55		0
	3	0	14.38	14.34	14.49		0
	3	2	14.40	14.34	14.49		0
	3	3	14.40	14.35	14.47		0
	6	0	14.35	14.29	14.43		0
	6	0	14.35	14.29	14.43		0
256QAM	1	0	14.55	14.31	14.47	0-5	0
	1	2	14.38	14.32	14.46		0
	1	5	14.37	14.28	14.37		0
	3	0	14.34	14.33	14.44		0
	3	2	14.35	14.29	14.42		0
	3	3	14.37	14.31	14.40		0
	6	0	14.40	14.27	14.35		0
	6	0	14.40	14.27	14.35		0

Table I-39
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132047 (1717.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132597 (1772.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
Conducted Power [dBm]							
QPSK	1	0	15.83	15.70	15.64	0	0
	1	36	15.94	15.84	15.72		0
	1	74	15.76	15.68	15.59		0
	36	0	15.80	15.76	15.74	0-1	0
	36	18	15.83	15.80	15.76		0
	36	37	15.81	15.74	15.77		0
	75	0	15.78	15.74	15.68		0
16QAM	1	0	16.04	15.90	16.06	0-1	0
	1	36	16.07	16.01	16.03		0
	1	74	15.96	15.84	16.03		0
	36	0	15.84	15.79	15.75	0-2	0
	36	18	15.81	15.79	15.80		0
	36	37	15.76	15.71	15.79		0
	75	0	15.81	15.72	15.72		0
64QAM	1	0	15.99	15.89	15.93	0-2	0
	1	36	16.03	15.99	16.00		0
	1	74	15.89	15.86	15.86		0
	36	0	15.81	15.74	15.71	0-3	0
	36	18	15.84	15.82	15.76		0
	36	37	15.78	15.76	15.75		0
	75	0	15.77	15.75	15.67		0
256QAM	1	0	15.78	15.92	15.99	0-5	0
	1	36	15.90	15.97	16.04		0
	1	74	15.82	15.91	16.03		0
	36	0	15.81	15.77	15.72		0
	36	18	15.85	15.79	15.76		0
	36	37	15.80	15.74	15.73		0
	75	0	15.83	15.77	15.71		0

Table I-40
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132022 (1715.0 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132622 (1775.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
Conducted Power [dBm]							
QPSK	1	0	15.78	15.86	15.76	0	0
	1	25	15.82	15.89	15.81		0
	1	49	15.72	15.74	15.67		0
	25	0	15.91	15.87	15.83	0-1	0
	25	12	15.95	15.89	15.82		0
	25	25	15.91	15.83	15.83		0
	50	0	15.92	15.85	15.80		0
16QAM	1	0	16.09	16.21	16.07	0-1	0
	1	25	16.05	16.16	16.08		0
	1	49	16.20	15.97	15.84		0
	25	0	16.01	15.90	15.79	0-2	0
	25	12	15.93	15.89	15.83		0
	25	25	15.95	15.84	15.89		0
	50	0	15.93	15.86	15.81		0
64QAM	1	0	16.12	15.94	15.87	0-2	0
	1	25	16.04	16.09	16.05		0
	1	49	15.96	15.91	15.90		0
	25	0	15.94	15.90	15.79	0-3	0
	25	12	15.93	15.87	15.83		0
	25	25	15.88	15.84	15.87		0
	50	0	15.91	15.85	15.81		0
256QAM	1	0	16.10	16.02	16.02	0-5	0
	1	25	16.02	16.02	16.16		0
	1	49	15.97	15.95	15.95		0
	25	0	15.92	15.94	15.82		0
	25	12	15.96	15.91	15.87		0
	25	25	15.91	15.85	15.87		0
	50	0	15.97	15.87	15.81		0

Table I-41
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.84	15.88	15.80	0	0
	1	12	16.00	15.96	15.89		0
	1	24	15.82	15.90	15.73		0
	12	0	15.95	15.83	15.85	0-1	0
	12	6	15.92	15.87	15.85		0
	12	13	15.87	15.82	15.84		0
	25	0	15.87	15.82	15.86		0
16QAM	1	0	16.15	16.13	16.25	0-1	0
	1	12	16.22	16.22	16.19		0
	1	24	16.15	16.19	16.10		0
	12	0	15.99	15.94	15.90	0-2	0
	12	6	16.05	15.95	15.98		0
	12	13	15.96	15.95	15.90		0
	25	0	15.93	15.91	15.87		0
64QAM	1	0	16.07	15.95	15.97	0-2	0
	1	12	16.04	16.02	16.02		0
	1	24	15.99	15.92	15.91		0
	12	0	15.91	15.87	15.90	0-3	0
	12	6	15.91	15.90	15.87		0
	12	13	15.93	15.84	15.87		0
	25	0	15.90	15.85	15.85		0
256QAM	1	0	16.12	16.00	16.00	0-5	0
	1	12	16.22	16.07	16.03		0
	1	24	16.15	15.92	15.96		0
	12	0	15.91	15.88	15.89		0
	12	6	15.99	15.89	15.89		0
	12	13	15.91	15.85	15.86		0
	25	0	15.92	15.87	15.84		0

Table I-42
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.74	15.81	15.71	0	0
	1	7	15.79	15.87	15.77		0
	1	14	15.68	15.82	15.73		0
	8	0	15.87	15.82	15.82	0-1	0
	8	4	15.86	15.87	15.85		0
	8	7	15.85	15.76	15.82		0
	15	0	15.86	15.81	15.81		0
16QAM	1	0	16.03	15.98	16.01	0-1	0
	1	7	16.06	16.11	16.07		0
	1	14	15.98	15.97	15.95		0
	8	0	15.96	15.88	15.90	0-2	0
	8	4	15.98	15.92	15.92		0
	8	7	15.90	15.91	15.89		0
	15	0	15.94	15.87	15.81		0
64QAM	1	0	16.07	16.00	15.87	0-2	0
	1	7	16.09	16.07	15.97		0
	1	14	16.04	16.02	15.78		0
	8	0	15.94	15.84	15.88	0-3	0
	8	4	15.94	15.91	15.91		0
	8	7	15.95	15.83	15.86		0
	15	0	15.90	15.84	15.79		0
256QAM	1	0	16.02	15.93	15.99	0-5	0
	1	7	16.15	16.02	16.13		0
	1	14	16.00	15.95	16.02		0
	8	0	15.93	15.86	15.82		0
	8	4	15.97	15.86	15.87		0
	8	7	15.91	15.83	15.86		0
	15	0	15.90	15.87	15.84		0

Table I-43
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.88	15.95	15.95	0	0
	1	2	15.80	16.04	15.99		0
	1	5	15.75	15.99	15.91		0
	3	0	15.89	15.82	15.84		0
	3	2	15.91	15.83	15.81		0
	3	3	15.91	15.84	15.86		0
	6	0	15.87	15.80	15.79	0-1	0
16QAM	1	0	16.16	16.16	16.07	0-1	0
	1	2	16.20	16.05	16.11		0
	1	5	16.06	16.05	16.02		0
	3	0	16.07	15.97	16.00		0
	3	2	16.01	15.96	16.04		0
	3	3	16.00	16.01	16.01		0
	6	0	16.00	15.84	15.88	0-2	0
64QAM	1	0	16.07	15.84	15.91	0-2	0
	1	2	16.21	15.99	15.88		0
	1	5	16.09	15.84	15.84		0
	3	0	15.98	15.80	15.93		0
	3	2	16.00	15.87	15.92		0
	3	3	15.95	15.82	15.92		0
	6	0	15.94	15.80	15.87	0-3	0
256QAM	1	0	15.98	15.98	15.99	0-5	0
	1	2	16.12	16.05	16.04		0
	1	5	15.99	15.99	15.96		0
	3	0	16.01	15.94	15.80		0
	3	2	16.00	15.93	15.84		0
	3	3	16.01	15.93	15.80		0
	6	0	15.89	15.84	15.81		0

Table I-44
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.24	13.14	13.13	0	0
	1	36	13.38	13.28	13.22		0
	1	74	13.23	13.16	13.10		0
	36	0	13.22	13.25	13.23		0
	36	18	13.29	13.26	13.33		0
	36	37	13.19	13.24	13.26		0
	75	0	13.14	13.19	13.19		0
16QAM	1	0	13.40	13.41	13.53	0-1	0
	1	36	13.59	13.50	13.63		0
	1	74	13.34	13.38	13.44		0
	36	0	13.25	13.22	13.24		0
	36	18	13.30	13.25	13.35		0
	36	37	13.24	13.24	13.30		0
	75	0	13.16	13.22	13.20		0
64QAM	1	0	13.34	13.39	13.45	0-2	0
	1	36	13.54	13.55	13.59		0
	1	74	13.34	13.28	13.42		0
	36	0	13.24	13.17	13.21		0
	36	18	13.28	13.22	13.31		0
	36	37	13.20	13.20	13.31		0
	75	0	13.16	13.19	13.21		0
256QAM	1	0	13.14	13.12	13.19	0-3	0
	1	36	13.12	13.18	13.32		0
	1	74	13.19	13.07	13.23		0
	36	0	13.05	13.05	13.04		0
	36	18	13.08	13.07	13.07		0
	36	37	13.03	13.07	13.11		0
	75	0	13.05	13.05	13.04		0

Table I-45
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.22	13.24	13.30	0	0
	1	25	13.28	13.27	13.45		0
	1	49	13.24	13.26	13.26		0
	25	0	13.40	13.30	13.37	0-1	0
	25	12	13.36	13.37	13.38		0
	25	25	13.30	13.33	13.44		0
	50	0	13.32	13.31	13.36		0
16QAM	1	0	13.44	13.55	13.54	0-1	0
	1	25	13.50	13.62	13.58		0
	1	49	13.45	13.47	13.60		0
	25	0	13.39	13.37	13.34	0-2	0
	25	12	13.33	13.39	13.34		0
	25	25	13.35	13.35	13.39		0
	50	0	13.26	13.32	13.36		0
64QAM	1	0	13.46	13.36	13.45	0-2	0
	1	25	13.58	13.37	13.46		0
	1	49	13.44	13.41	13.44		0
	25	0	13.36	13.31	13.37	0-3	0
	25	12	13.28	13.34	13.36		0
	25	25	13.28	13.32	13.37		0
	50	0	13.27	13.36	13.36		0
256QAM	1	0	13.33	13.28	13.34	0-5	0
	1	25	13.31	13.34	13.41		0
	1	49	13.23	13.26	13.27		0
	25	0	13.21	13.17	13.23		0
	25	12	13.16	13.16	13.25		0
	25	25	13.17	13.15	13.28		0
	50	0	13.14	13.18	13.21		0

Table I-46
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.36	13.28	13.33	0	0
	1	12	13.37	13.32	13.36		0
	1	24	13.35	13.32	13.32		0
	12	0	13.34	13.28	13.42	0-1	0
	12	6	13.39	13.25	13.44		0
	12	13	13.38	13.26	13.40		0
	25	0	13.34	13.27	13.43		0
16QAM	1	0	13.58	13.66	13.65	0-1	0
	1	12	13.57	13.70	13.72		0
	1	24	13.48	13.59	13.60		0
	12	0	13.34	13.33	13.43	0-2	0
	12	6	13.39	13.32	13.47		0
	12	13	13.35	13.33	13.41		0
	25	0	13.36	13.30	13.39		0
64QAM	1	0	13.48	13.40	13.63	0-2	0
	1	12	13.48	13.49	13.51		0
	1	24	13.54	13.40	13.41		0
	12	0	13.36	13.25	13.44	0-3	0
	12	6	13.35	13.34	13.40		0
	12	13	13.33	13.29	13.43		0
	25	0	13.34	13.28	13.36		0
256QAM	1	0	13.31	13.23	13.41	0-5	0
	1	12	13.38	13.21	13.41		0
	1	24	13.30	13.27	13.36		0
	12	0	13.19	13.16	13.27		0
	12	6	13.20	13.16	13.28		0
	12	13	13.21	13.14	13.26		0
	25	0	13.19	13.14	13.25		0

Table I-47
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.18	13.14	13.27	0	0
	1	7	13.22	13.25	13.34		0
	1	14	13.17	13.18	13.22		0
	8	0	13.31	13.22	13.39	0-1	0
	8	4	13.34	13.26	13.42		0
	8	7	13.33	13.21	13.36		0
16QAM	15	0	13.35	13.23	13.37	0	
	1	0	13.50	13.41	13.55	0-1	0
	1	7	13.44	13.48	13.71		0
	1	14	13.39	13.43	13.56		0
	8	0	13.35	13.32	13.39	0-2	0
	8	4	13.38	13.38	13.47		0
8	7	13.32	13.35	13.38	0		
64QAM	15	0	13.28	13.25	13.37	0	
	1	0	13.46	13.38	13.65	0-2	0
	1	7	13.45	13.52	13.71		0
	1	14	13.37	13.40	13.61		0
	8	0	13.30	13.25	13.43	0-3	0
	8	4	13.32	13.32	13.48		0
8	7	13.30	13.29	13.45	0		
256QAM	15	0	13.32	13.28	13.44	0	
	1	0	13.25	13.27	13.36	0-5	0
	1	7	13.36	13.35	13.45		0
	1	14	13.26	13.20	13.30		0
	8	0	13.21	13.10	13.27		0
	8	4	13.22	13.18	13.32		0
8	7	13.19	13.12	13.28	0		
	15	0	13.17	13.15	13.25	0	

Table I-48
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.20	13.18	13.42	0	0
	1	2	13.23	13.26	13.44		0
	1	5	13.26	13.21	13.41		0
	3	0	13.33	13.23	13.39		0
	3	2	13.30	13.29	13.39		0
	3	3	13.30	13.24	13.40		0
	6	0	13.29	13.19	13.30		0
16QAM	1	0	13.32	13.49	13.54	0-1	0
	1	2	13.43	13.44	13.62		0
	1	5	13.40	13.40	13.44		0
	3	0	13.41	13.36	13.52	0-1	0
	3	2	13.45	13.40	13.51		0
	3	3	13.44	13.37	13.50		0
	6	0	13.34	13.31	13.44	0-2	0
64QAM	1	0	13.47	13.43	13.54	0-2	0
	1	2	13.50	13.46	13.62		0
	1	5	13.54	13.34	13.51		0
	3	0	13.46	13.29	13.36		0
	3	2	13.43	13.31	13.42		0
	3	3	13.39	13.29	13.39		0
	6	0	13.26	13.28	13.28	0-3	0
256QAM	1	0	13.23	13.15	13.31	0-5	0
	1	2	13.32	13.16	13.44		0
	1	5	13.18	13.22	13.34		0
	3	0	13.02	13.23	13.25		0
	3	2	13.12	13.22	13.22		0
	3	3	13.05	13.19	13.23		0
	6	0	13.16	13.19	13.21		0

I.1.8 LTE Band 25

Table I-49
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.33	16.29	16.11	0	0
	1	36	16.35	16.34	16.11		0
	1	74	16.41	16.24	16.06		0
	36	0	16.30	16.29	16.18	0-1	0
	36	18	16.35	16.32	16.20		0
	36	37	16.29	16.24	16.19		0
	75	0	16.25	16.28	16.17		0
16QAM	1	0	16.46	16.59	16.40	0-1	0
	1	36	16.53	16.62	16.41		0
	1	74	16.47	16.50	16.36		0
	36	0	16.35	16.32	16.22	0-2	0
	36	18	16.37	16.35	16.26		0
	36	37	16.32	16.27	16.24		0
	75	0	16.29	16.33	16.21		0
64QAM	1	0	16.37	16.52	16.17	0-2	0
	1	36	16.46	16.50	16.25		0
	1	74	16.38	16.44	16.24		0
	36	0	16.33	16.32	16.20	0-3	0
	36	18	16.38	16.37	16.23		0
	36	37	16.31	16.26	16.22		0
	75	0	16.30	16.35	16.20		0
256QAM	1	0	16.43	16.42	16.26	0-5	0.1
	1	36	16.38	16.39	16.28		0.1
	1	74	16.39	16.36	16.20		0.1
	36	0	16.33	16.33	16.22		0.1
	36	18	16.38	16.37	16.25		0.1
	36	37	16.31	16.26	16.26		0.1
	75	0	16.31	16.32	16.24		0.1

Table I-50
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.41	16.33	16.23	0	0
	1	25	16.43	16.37	16.20		0
	1	49	16.40	16.31	16.23		0
	25	0	16.43	16.42	16.27		0
	25	12	16.40	16.46	16.26	0-1	0
	25	25	16.39	16.36	16.25		0
	50	0	16.37	16.42	16.28		0
16QAM	1	0	16.59	16.68	16.52	0-1	0
	1	25	16.65	16.61	16.44		0
	1	49	16.73	16.55	16.58		0
	25	0	16.45	16.47	16.31		0
	25	12	16.41	16.48	16.34	0-2	0
	25	25	16.40	16.41	16.31		0
	50	0	16.41	16.45	16.30		0
64QAM	1	0	16.60	16.77	16.58	0-2	0
	1	25	16.65	16.59	16.42		0
	1	49	16.57	16.58	16.55		0
	25	0	16.49	16.49	16.31		0
	25	12	16.42	16.48	16.35	0-3	0
	25	25	16.44	16.39	16.29		0
	50	0	16.42	16.42	16.31		0
256QAM	1	0	16.63	16.56	16.55	0-5	0.1
	1	25	16.68	16.61	16.51		0.1
	1	49	16.63	16.52	16.68		0.1
	25	0	16.49	16.47	16.33		0.1
	25	12	16.42	16.48	16.33		0.1
	25	25	16.42	16.43	16.26		0.1
	50	0	16.42	16.42	16.29		0.1

Table I-51
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.48	16.52	16.14	0	0
	1	12	16.49	16.58	16.22		0
	1	24	16.51	16.47	16.11		0
	12	0	16.40	16.39	16.19	0-1	0
	12	6	16.41	16.37	16.20		0
	12	13	16.43	16.35	16.19		0
	25	0	16.41	16.34	16.17		0
	25	0	16.41	16.34	16.17		0
16QAM	1	0	16.77	16.72	16.55	0-1	0
	1	12	16.80	16.80	16.67		0
	1	24	16.79	16.65	16.51		0
	12	0	16.45	16.42	16.30	0-2	0
	12	6	16.51	16.42	16.30		0
	12	13	16.49	16.43	16.28		0
	25	0	16.44	16.43	16.27		0
	25	0	16.44	16.43	16.27		0
64QAM	1	0	16.56	16.74	16.52	0-2	0
	1	12	16.48	16.74	16.71		0
	1	24	16.56	16.69	16.52		0
	12	0	16.51	16.42	16.29	0-3	0
	12	6	16.52	16.44	16.29		0
	12	13	16.50	16.46	16.27		0
	25	0	16.44	16.41	16.25		0
	25	0	16.44	16.41	16.25		0
256QAM	1	0	16.74	16.70	16.47	0-5	0.1
	1	12	16.81	16.78	16.65		0.1
	1	24	16.79	16.62	16.50		0.1
	12	0	16.50	16.46	16.27		0.1
	12	6	16.47	16.46	16.29		0.1
	12	13	16.51	16.48	16.28		0.1
	25	0	16.50	16.44	16.28		0.1
	25	0	16.50	16.44	16.28		0.1

Table I-52
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.30	16.33	16.09	0	0
	1	7	16.39	16.39	16.16		0
	1	14	16.33	16.33	16.08		0
	8	0	16.40	16.34	16.25	0-1	0
	8	4	16.40	16.37	16.21		0
	8	7	16.40	16.35	16.18		0
	15	0	16.39	16.34	16.15		0
	15	0	16.39	16.34	16.15		0
16QAM	1	0	16.54	16.54	16.49	0-1	0
	1	7	16.57	16.60	16.54		0
	1	14	16.50	16.58	16.44		0
	8	0	16.49	16.42	16.26	0-2	0
	8	4	16.51	16.47	16.31		0
	8	7	16.47	16.46	16.24		0
	15	0	16.46	16.45	16.23		0
	15	0	16.46	16.45	16.23		0
64QAM	1	0	16.69	16.54	16.30	0-2	0
	1	7	16.64	16.52	16.41		0
	1	14	16.65	16.50	16.29		0
	8	0	16.49	16.40	16.25	0-3	0
	8	4	16.51	16.41	16.26		0
	8	7	16.53	16.38	16.23		0
	15	0	16.46	16.39	16.22		0
	15	0	16.46	16.39	16.22		0
256QAM	1	0	16.49	16.55	16.24	0-5	0.1
	1	7	16.55	16.54	16.35		0.1
	1	14	16.52	16.46	16.23		0.1
	8	0	16.44	16.41	16.39		0.1
	8	4	16.49	16.43	16.19		0.1
	8	7	16.45	16.39	16.22		0.1
	15	0	16.40	16.38	16.54		0.1
	15	0	16.40	16.38	16.54		0.1

Table I-53
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.28	16.43	16.26	0	0
	1	2	16.28	16.44	16.28		0
	1	5	16.27	16.39	16.27		0
	3	0	16.38	16.36	16.20		0
	3	2	16.35	16.37	16.21		0
	3	3	16.38	16.34	16.21		0
	6	0	16.35	16.34	16.15		0-1
16QAM	1	0	16.61	16.58	16.44	0-1	0
	1	2	16.64	16.62	16.48		0
	1	5	16.68	16.56	16.42		0
	3	0	16.52	16.53	16.33		0
	3	2	16.49	16.51	16.36		0
	3	3	16.54	16.52	16.40		0
	6	0	16.45	16.37	16.26		0-2
64QAM	1	0	16.64	16.56	16.27	0-2	0
	1	2	16.58	16.62	16.32		0
	1	5	16.59	16.52	16.21		0
	3	0	16.47	16.43	16.28		0
	3	2	16.47	16.42	16.34		0
	3	3	16.47	16.40	16.28		0
	6	0	16.41	16.33	16.14		0-3
256QAM	1	0	16.52	16.35	16.40	0-5	0.1
	1	2	16.50	16.38	16.48		0.1
	1	5	16.55	16.37	16.42		0.1
	3	0	16.42	16.46	16.29		0.1
	3	2	16.44	16.49	16.28		0.1
	3	3	16.42	16.47	16.30		0.1
	6	0	16.39	16.37	16.10		

Table I-54
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.25	14.35	14.15	0	0
	1	36	14.31	14.49	14.23		0
	1	74	14.29	14.31	14.06		0
	36	0	14.27	14.42	14.36	0-1	0
	36	18	14.34	14.49	14.39		0
	36	37	14.33	14.44	14.37		0
	75	0	14.28	14.42	14.34		0
16QAM	1	0	14.35	14.36	14.28	0-1	0
	1	36	14.41	14.61	14.38		0
	1	74	14.36	14.43	14.26		0
	36	0	14.28	14.42	14.36	0-2	0
	36	18	14.33	14.47	14.38		0
	36	37	14.29	14.44	14.37		0
	75	0	14.27	14.39	14.38		0
64QAM	1	0	14.32	14.56	14.59	0-2	0
	1	36	14.50	14.67	14.61		0
	1	74	14.40	14.62	14.55		0
	36	0	14.22	14.34	14.30	0-3	0
	36	18	14.23	14.39	14.30		0
	36	37	14.25	14.37	14.27		0
	75	0	14.19	14.32	14.25		0
256QAM	1	0	14.19	14.45	14.38	0-5	0
	1	36	14.25	14.63	14.41		0
	1	74	14.22	14.52	14.30		0
	36	0	14.22	14.32	14.28		0
	36	18	14.26	14.41	14.33		0
	36	37	14.25	14.36	14.28		0
	75	0	14.22	14.33	14.31		0

Table I-55
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.21	14.34	14.25	0	0
	1	25	14.27	14.34	14.19		0
	1	49	14.29	14.20	14.14		0
	25	0	14.33	14.49	14.34	0-1	0
	25	12	14.34	14.49	14.34		0
	25	25	14.32	14.45	14.34		0
	50	0	14.33	14.49	14.36		0
	50	0	14.33	14.49	14.36		0
16QAM	1	0	14.38	14.47	14.35	0-1	0
	1	25	14.33	14.50	14.25		0
	1	49	14.26	14.48	14.20		0
	25	0	14.33	14.50	14.35	0-2	0
	25	12	14.36	14.50	14.37		0
	25	25	14.33	14.47	14.37		0
	50	0	14.30	14.46	14.34		0
	50	0	14.30	14.46	14.34		0
64QAM	1	0	14.38	14.31	14.45	0-2	0
	1	25	14.46	14.36	14.43		0
	1	49	14.46	14.27	14.39		0
	25	0	14.24	14.43	14.29	0-3	0
	25	12	14.28	14.41	14.29		0
	25	25	14.28	14.39	14.36		0
	50	0	14.24	14.44	14.28		0
	50	0	14.24	14.44	14.28		0
256QAM	1	0	14.34	14.56	14.38	0-5	0
	1	25	14.32	14.55	14.43		0
	1	49	14.27	14.49	14.35		0
	25	0	14.22	14.41	14.26		0
	25	12	14.27	14.41	14.30		0
	25	25	14.26	14.40	14.27		0
	50	0	14.27	14.39	14.30		0
	50	0	14.27	14.39	14.30		0

Table I-56
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.37	14.59	14.14	0	0
	1	12	14.37	14.54	14.35		0
	1	24	14.37	14.43	14.22		0
	12	0	14.31	14.47	14.37	0-1	0
	12	6	14.32	14.50	14.33		0
	12	13	14.28	14.45	14.29		0
	25	0	14.33	14.44	14.31		0
	25	0	14.33	14.44	14.31		0
16QAM	1	0	14.43	14.51	14.35	0-1	0
	1	12	14.61	14.55	14.52		0
	1	24	14.45	14.46	14.43		0
	12	0	14.36	14.41	14.35	0-2	0
	12	6	14.36	14.46	14.40		0
	12	13	14.33	14.44	14.47		0
	25	0	14.29	14.47	14.51		0
	25	0	14.29	14.47	14.51		0
64QAM	1	0	14.50	14.48	14.61	0-2	0
	1	12	14.25	14.68	14.61		0
	1	24	14.68	14.65	14.51		0
	12	0	14.24	14.38	14.30	0-3	0
	12	6	14.25	14.42	14.28		0
	12	13	14.26	14.37	14.25		0
	25	0	14.21	14.32	14.26		0
	25	0	14.21	14.32	14.26		0
256QAM	1	0	14.10	14.64	14.14	0-5	0
	1	12	14.14	14.66	14.16		0
	1	24	14.37	14.61	14.39		0
	12	0	14.25	14.45	14.25		0
	12	6	14.27	14.47	14.29		0
	12	13	14.31	14.44	14.31		0
	25	0	14.26	14.38	14.28		0
	25	0	14.26	14.38	14.28		0

Table I-57
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.11	14.38	14.20	0	0
	1	7	14.16	14.42	14.25		0
	1	14	14.12	14.34	14.13		0
	8	0	14.27	14.41	14.32	0-1	0
	8	4	14.25	14.45	14.31		0
	8	7	14.22	14.40	14.31		0
	15	0	14.24	14.40	14.31		0
	15	0	14.24	14.40	14.31		0
16QAM	1	0	14.42	14.58	14.38	0-1	0
	1	7	14.38	14.52	14.27		0
	1	14	14.32	14.46	14.21		0
	8	0	14.20	14.49	14.42	0-2	0
	8	4	14.20	14.52	14.37		0
	8	7	14.19	14.50	14.38		0
	15	0	14.24	14.34	14.40		0
	15	0	14.24	14.34	14.40		0
64QAM	1	0	14.31	14.22	14.25	0-2	0
	1	7	14.25	14.31	14.31		0
	1	14	14.19	14.21	14.33		0
	8	0	14.33	14.33	14.29	0-3	0
	8	4	14.40	14.35	14.35		0
	8	7	14.18	14.26	14.40		0
	15	0	14.23	14.31	14.29		0
	15	0	14.23	14.31	14.29		0
256QAM	1	0	14.32	14.28	14.28	0-5	0
	1	7	14.40	14.36	14.34		0
	1	14	14.33	14.19	14.27		0
	8	0	14.20	14.34	14.35		0
	8	4	14.27	14.40	14.38		0
	8	7	14.24	14.30	14.31		0
	15	0	14.20	14.36	14.27		0
	15	0	14.20	14.36	14.27		0

Table I-58
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.11	14.50	14.39	0	0
	1	2	14.16	14.55	14.40		0
	1	5	14.11	14.42	14.38		0
	3	0	14.18	14.42	14.28		0
	3	2	14.20	14.42	14.30		0
	3	3	14.20	14.43	14.29		0
	6	0	14.20	14.38	14.24	0-1	0
16QAM	1	0	14.35	14.49	14.29	0-1	0
	1	2	14.32	14.52	14.43		0
	1	5	14.33	14.48	14.45		0
	3	0	14.31	14.44	14.30		0
	3	2	14.33	14.45	14.33		0
	3	3	14.29	14.44	14.38		0
	6	0	14.25	14.42	14.29	0-2	0
64QAM	1	0	14.30	14.45	14.28	0-2	0
	1	2	14.07	14.38	14.31		0
	1	5	14.39	14.27	14.28		0
	3	0	14.01	14.09	14.17		0
	3	2	14.18	14.21	14.28		0
	3	3	14.11	14.10	14.19		0
	6	0	13.98	14.27	14.33	0-3	0
256QAM	1	0	14.02	14.61	14.41	0-5	0
	1	2	14.14	14.59	14.39		0
	1	5	13.99	14.57	14.40		0
	3	0	14.20	14.28	14.33		0
	3	2	14.26	14.32	14.32		0
	3	3	14.20	14.30	14.33		0
	6	0	14.09	14.25	14.25	0	

Table I-59
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.39	16.25	16.37	0	0
	1	36	16.46	16.34	16.38		0
	1	74	16.36	16.20	16.31		0
	36	0	16.37	16.43	16.32	0-1	0
	36	18	16.41	16.46	16.41		0
	36	37	16.31	16.45	16.41		0
	75	0	16.29	16.41	16.37		0
16QAM	1	0	16.34	16.15	16.27	0-1	0
	1	36	16.38	16.25	16.36		0
	1	74	16.17	16.13	16.14		0
	36	0	16.06	16.05	15.95	0-2	0
	36	18	16.11	16.05	16.07		0
	36	37	16.01	16.03	16.02		0
	75	0	15.99	16.02	16.06		0
64QAM	1	0	16.12	16.22	16.04	0-2	0
	1	36	16.38	16.36	16.08		0
	1	74	16.26	16.09	16.13		0
	36	0	16.07	16.02	15.93	0-3	0
	36	18	16.04	16.01	16.04		0
	36	37	15.99	16.02	15.99		0
	75	0	15.96	16.03	16.05		0
256QAM	1	0	16.03	16.28	16.06	0-5	0
	1	36	16.19	16.17	16.18		0
	1	74	16.07	16.20	16.15		0
	36	0	16.05	16.03	15.92		0
	36	18	16.05	16.03	16.02		0
	36	37	15.99	16.02	16.02		0
	75	0	15.98	16.04	16.01		0

Table I-60
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.33	16.50	16.37	0	0
	1	25	16.36	16.51	16.36		0
	1	49	16.34	16.53	16.39		0
	25	0	16.52	16.52	16.43	0-1	0
	25	12	16.51	16.52	16.45		0
	25	25	16.53	16.53	16.50		0
	50	0	16.52	16.52	16.42		0
16QAM	1	0	15.98	16.15	16.20	0-1	0
	1	25	16.05	16.18	16.11		0
	1	49	16.12	16.12	16.18		0
	25	0	15.97	15.99	15.83	0-2	0
	25	12	15.97	16.02	15.86		0
	25	25	15.96	15.99	15.95		0
	50	0	15.96	15.95	15.85		0
64QAM	1	0	16.20	16.08	15.91	0-2	0
	1	25	16.16	16.00	16.07		0
	1	49	16.06	16.02	15.87		0
	25	0	15.95	15.96	15.82	0-3	0
	25	12	16.04	15.96	15.86		0
	25	25	15.95	15.94	15.91		0
	50	0	15.97	15.91	15.84		0
256QAM	1	0	16.06	15.95	15.90	0-5	0
	1	25	16.02	15.98	16.06		0
	1	49	16.09	16.04	15.90		0
	25	0	15.92	15.96	15.86		0
	25	12	15.98	15.97	15.89		0
	25	25	15.96	15.97	15.91		0
	50	0	15.96	15.98	15.82		0

Table I-61
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.00	15.94	15.78	0	0
	1	12	16.01	15.97	15.89		0
	1	24	16.01	15.99	15.82		0
	12	0	16.03	16.06	16.00	0-1	0
	12	6	16.06	16.06	16.01		0
	12	13	16.05	16.05	16.00		0
	25	0	15.95	15.93	15.93		0
	25	0	15.95	15.93	15.93		0
16QAM	1	0	16.27	16.28	16.14	0-1	0
	1	12	16.18	16.25	16.27		0
	1	24	16.22	16.24	16.25		0
	12	0	16.00	16.01	15.89	0-2	0
	12	6	16.01	16.02	15.91		0
	12	13	16.02	16.02	15.91		0
	25	0	16.00	15.98	15.91		0
	25	0	16.00	15.98	15.91		0
64QAM	1	0	15.97	16.05	16.05	0-2	0
	1	12	15.95	16.09	16.04		0
	1	24	15.99	15.98	16.10		0
	12	0	15.97	15.98	16.06	0-3	0
	12	6	15.97	15.96	15.94		0
	12	13	15.97	15.91	15.92		0
	25	0	15.94	15.93	15.88		0
	25	0	15.94	15.93	15.88		0
256QAM	1	0	16.09	16.00	16.08	0-5	0
	1	12	16.14	16.20	16.02		0
	1	24	16.15	16.16	16.01		0
	12	0	15.98	15.93	15.93		0
	12	6	16.01	15.92	15.93		0
	12	13	15.98	15.95	15.91		0
	25	0	15.97	15.94	15.91		0
	25	0	15.97	15.94	15.91		0

Table I-62
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.30	16.50	16.40	0	0
	1	7	16.28	16.50	16.45		0
	1	14	16.28	16.47	16.39		0
	8	0	16.47	16.50	16.47	0-1	0
	8	4	16.48	16.48	16.47		0
	8	7	16.46	16.47	16.45		0
	15	0	16.46	16.46	16.44		0
16QAM	1	0	16.11	16.15	15.96	0-1	0
	1	7	16.18	16.19	16.16		0
	1	14	16.09	16.05	15.95		0
	8	0	15.95	15.96	15.95	0-2	0
	8	4	16.02	16.00	15.97		0
	8	7	15.93	15.96	15.93		0
	15	0	15.88	15.93	15.89		0
64QAM	1	0	15.97	16.11	16.05	0-2	0
	1	7	16.04	16.06	16.15		0
	1	14	16.07	16.06	16.09		0
	8	0	15.96	16.00	15.93	0-3	0
	8	4	15.99	16.02	15.96		0
	8	7	15.97	15.99	15.92		0
	15	0	15.91	15.99	15.87		0
256QAM	1	0	15.92	16.12	15.99	0-5	0
	1	7	16.10	16.10	16.07		0
	1	14	15.96	16.14	16.05		0
	8	0	15.96	16.00	15.91		0
	8	4	15.99	16.04	15.94		0
	8	7	15.98	15.97	15.94		0
	15	0	15.92	15.97	15.89		0

Table I-63
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.52	16.47	16.47	0	0
	1	2	16.52	16.48	16.50		0
	1	5	16.51	16.44	16.49		0
	3	0	16.41	16.42	16.41		0
	3	2	16.44	16.47	16.36		0
	3	3	16.42	16.47	16.45		0
	6	0	16.34	16.38	16.28	0-1	0
16QAM	1	0	16.16	16.03	16.04	0-1	0
	1	2	16.14	16.24	16.14		0
	1	5	16.10	16.20	16.07		0
	3	0	15.95	16.15	15.92		0
	3	2	16.14	15.99	15.96		0
	3	3	16.04	16.04	16.00		0
	6	0	15.97	15.90	15.89	0-2	0
64QAM	1	0	15.97	15.98	15.85	0-2	0
	1	2	16.08	16.11	15.94		0
	1	5	16.05	16.00	15.87		0
	3	0	15.93	15.92	15.93		0
	3	2	16.02	15.93	15.94		0
	3	3	15.95	15.92	15.83		0
	6	0	15.95	15.96	15.83	0-3	0
256QAM	1	0	15.83	16.00	15.93	0-5	0
	1	2	15.99	15.92	16.03		0
	1	5	15.97	15.94	15.91		0
	3	0	15.96	16.10	15.78		0
	3	2	16.00	15.93	15.81		0
	3	3	15.94	15.99	15.90		0
	6	0	15.94	16.01	15.84		0

Table I-64
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.17	12.12	12.00	0	0
	1	36	12.19	12.14	12.05		0
	1	74	12.14	12.11	12.00		0
	36	0	12.14	12.11	12.12	0-1	0
	36	18	12.09	12.16	12.15		0
	36	37	12.12	12.16	12.16		0
	75	0	12.07	12.15	12.12		0
16QAM	1	0	12.36	12.03	12.06	0-1	0
	1	36	12.43	12.10	12.23		0
	1	74	12.38	12.07	12.07		0
	36	0	11.95	11.94	11.93	0-2	0
	36	18	11.89	11.99	11.95		0
	36	37	11.92	11.94	11.94		0
	75	0	11.90	11.96	11.94		0
64QAM	1	0	12.02	12.06	11.95	0-2	0
	1	36	12.08	12.14	12.04		0
	1	74	12.01	12.12	11.99		0
	36	0	11.97	11.93	11.93	0-3	0
	36	18	11.90	11.95	11.96		0
	36	37	11.93	11.94	11.95		0
	75	0	11.88	11.93	11.93		0
256QAM	1	0	12.06	12.02	11.97	0-5	0
	1	36	12.10	12.01	12.01		0
	1	74	12.00	12.00	11.91		0
	36	0	11.93	11.91	11.90		0
	36	18	11.88	11.94	11.93		0
	36	37	11.89	11.93	11.92		0
	75	0	11.84	11.95	11.92		0

Table I-65
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.10	12.18	12.14	0	0
	1	25	12.16	12.24	12.12		0
	1	49	12.13	12.20	12.09		0
	25	0	12.25	12.25	12.20	0-1	0
	25	12	12.25	12.26	12.25		0
	25	25	12.16	12.22	12.21		0
	50	0	12.13	12.24	12.19		0
16QAM	1	0	12.19	12.24	12.28	0-1	0
	1	25	12.20	12.29	12.31		0
	1	49	12.19	12.23	12.24		0
	25	0	12.06	12.06	12.07	0-2	0
	25	12	12.10	12.09	12.08		0
	25	25	12.00	12.07	12.07		0
	50	0	12.01	12.09	12.05		0
64QAM	1	0	12.15	12.13	12.02	0-2	0
	1	25	12.29	12.24	12.07		0
	1	49	12.23	12.21	11.97		0
	25	0	12.01	12.06	12.00	0-3	0
	25	12	12.10	12.04	12.05		0
	25	25	11.97	12.03	11.99		0
	50	0	11.99	12.06	12.01		0
256QAM	1	0	12.12	12.15	12.10	0-5	0
	1	25	12.15	12.07	12.15		0
	1	49	12.03	12.13	11.98		0
	25	0	12.04	12.06	12.01		0
	25	12	12.09	12.06	12.02		0
	25	25	11.98	12.04	11.99		0
	50	0	11.95	12.07	12.00		0

Table I-66
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.30	12.27	12.13	0	0
	1	12	12.42	12.29	12.15		0
	1	24	12.36	12.28	12.13		0
	12	0	12.20	12.22	12.20	0-1	0
	12	6	12.24	12.27	12.20		0
	12	13	12.19	12.24	12.22		0
	25	0	12.18	12.21	12.19		0
	25	0	12.18	12.21	12.19		0
16QAM	1	0	12.36	12.38	12.29	0-1	0
	1	12	12.35	12.38	12.33		0
	1	24	12.40	12.40	12.32		0
	12	0	12.06	12.15	12.08	0-2	0
	12	6	12.06	12.12	12.10		0
	12	13	12.10	12.16	12.05		0
	25	0	12.08	12.05	12.04		0
	25	0	12.08	12.05	12.04		0
64QAM	1	0	12.08	12.22	12.20	0-2	0
	1	12	12.09	12.18	12.28		0
	1	24	12.21	12.22	12.15		0
	12	0	12.03	12.02	12.01	0-3	0
	12	6	12.05	12.03	12.05		0
	12	13	12.04	12.06	12.02		0
	25	0	12.00	12.01	12.00		0
	25	0	12.00	12.01	12.00		0
256QAM	1	0	12.22	12.16	12.14	0-5	0
	1	12	12.15	12.15	12.09		0
	1	24	12.17	12.15	12.13		0
	12	0	12.01	12.02	11.98		0
	12	6	12.03	12.05	12.02		0
	12	13	12.02	12.06	12.01		0
	25	0	12.04	12.04	12.01		0
	25	0	12.04	12.04	12.01		0

Table I-67
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.07	12.19	12.09	0	0
	1	7	12.14	12.21	12.15		0
	1	14	12.09	12.20	12.07		0
	8	0	12.22	12.19	12.16	0-1	0
	8	4	12.24	12.21	12.20		0
	8	7	12.19	12.19	12.16		0
	15	0	12.20	12.22	12.15		0
	15	0	12.20	12.22	12.15		0
16QAM	1	0	12.13	12.23	12.24	0-1	0
	1	7	12.22	12.31	12.32		0
	1	14	12.15	12.28	12.19		0
	8	0	12.04	12.05	12.06	0-2	0
	8	4	12.10	12.08	12.11		0
	8	7	12.09	12.05	12.06		0
	15	0	12.04	12.06	12.06		0
	15	0	12.04	12.06	12.06		0
64QAM	1	0	12.22	12.05	12.02	0-2	0
	1	7	12.25	12.20	12.19		0
	1	14	12.22	12.14	12.07		0
	8	0	12.02	12.04	11.98	0-3	0
	8	4	12.03	12.03	12.05		0
	8	7	12.02	12.03	11.99		0
	15	0	12.01	11.97	11.99		0
	15	0	12.01	11.97	11.99		0
256QAM	1	0	12.00	12.10	12.08	0-5	0
	1	7	12.06	12.05	12.10		0
	1	14	12.05	12.02	12.06		0
	8	0	12.02	11.95	11.98		0
	8	4	12.04	12.03	12.02		0
	8	7	12.01	11.98	11.96		0
	15	0	11.98	11.99	11.98		0
	15	0	11.98	11.99	11.98		0

Table I-68
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.17	12.21	12.19	0	0
	1	2	12.19	12.21	12.22		0
	1	5	12.14	12.18	12.22		0
	3	0	12.18	12.14	12.16		0
	3	2	12.17	12.16	12.19		0
	3	3	12.18	12.15	12.19		0
	6	0	12.15	12.15	12.11		0
16QAM	1	0	12.15	12.25	12.21	0-1	0
	1	2	12.22	12.27	12.20		0
	1	5	12.29	12.22	12.24		0
	3	0	12.12	12.12	12.10		0
	3	2	12.13	12.13	12.07		0
	3	3	12.07	12.17	12.10		0
	6	0	12.02	12.04	12.01		0
64QAM	1	0	12.10	12.20	12.01	0-2	0
	1	2	12.12	12.15	12.03		0
	1	5	12.16	12.08	11.99		0
	3	0	12.08	12.04	12.04		0
	3	2	12.09	12.05	12.12		0
	3	3	12.06	12.04	12.11		0
	6	0	11.97	11.97	11.99		0
256QAM	1	0	12.11	12.09	12.14	0-5	0
	1	2	12.07	12.16	12.17		0
	1	5	12.06	12.13	12.10		0
	3	0	12.07	11.99	12.07		0
	3	2	12.12	11.96	12.08		0
	3	3	12.10	11.96	12.05		0
	6	0	11.90	11.94	11.93		0

I.1.9 LTE Band 30

Table I-69
LTE Band 30 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	13.29	0	0
	1	12	13.36		0
	1	24	13.25		0
	12	0	13.27	0-1	0
	12	6	13.34		0
	12	13	13.27		0
	25	0	13.30		0
16QAM	1	0	13.63	0-1	0
	1	12	13.67		0
	1	24	13.61		0
	12	0	13.31	0-2	0
	12	6	13.34		0
	12	13	13.30		0
	25	0	13.32		0
64QAM	1	0	13.52	0-2	0
	1	12	13.56		0
	1	24	13.44		0
	12	0	13.32	0-3	0
	12	6	13.36		0
	12	13	13.31		0
	25	0	13.32		0
256QAM	1	0	13.30	0-5	0
	1	12	13.46		0
	1	24	13.27		0
	12	0	13.29		0
	12	6	13.35		0
	12	13	13.28		0
	25	0	13.28		0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 40 of 177

Table I-70
LTE Band 30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	13.75	0	0
	1	12	13.87		0
	1	24	13.75		0
	12	0	13.76	0-1	0
	12	6	13.81		0
	12	13	13.66		0
	25	0	13.70		0
16QAM	1	0	14.06	0-1	0
	1	12	14.07		0
	1	24	14.05		0
	12	0	13.81	0-2	0
	12	6	13.87		0
	12	13	13.70		0
	25	0	13.77		0
64QAM	1	0	13.98	0-2	0
	1	12	14.03		0
	1	24	13.93		0
	12	0	13.79	0-3	0
	12	6	13.85		0
	12	13	13.78		0
	25	0	13.79		0
256QAM	1	0	13.87	0-5	0
	1	12	13.95		0
	1	24	13.74		0
	12	0	13.75		0
	12	6	13.80		0
	12	13	13.74		0
	25	0	13.74		0

Table I-71
LTE Band 30 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	15.01	0	0
	1	12	15.05		0
	1	24	14.96		0
	12	0	15.02	0-1	0
	12	6	15.08		0
	12	13	15.03		0
	25	0	15.02		0
16QAM	1	0	15.30	0-1	0
	1	12	15.41		0
	1	24	15.35		0
	12	0	15.04	0-2	0
	12	6	15.09		0
	12	13	15.05		0
	25	0	14.99		0
64QAM	1	0	15.30	0-2	0
	1	12	15.41		0
	1	24	15.36		0
	12	0	15.02	0-3	0
	12	6	15.07		0
	12	13	15.01		0
	25	0	15.00		0
256QAM	1	0	15.28	0-5	0
	1	12	15.40		0
	1	24	15.32		0
	12	0	15.00		0
	12	6	15.01		0
	12	13	15.01		0
	25	0	15.02		0

Table I-72
LTE Band 30 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	11.59	0	0
	1	12	11.67		0
	1	24	11.62		0
	12	0	11.69	0-1	0
	12	6	11.76		0
	12	13	11.75		0
	25	0	11.71		0
16QAM	1	0	11.84	0-1	0
	1	12	11.80		0
	1	24	11.75		0
	12	0	11.54	0-2	0
	12	6	11.57		0
	12	13	11.54		0
	25	0	11.49		0
64QAM	1	0	11.52	0-2	0
	1	12	11.63		0
	1	24	11.56		0
	12	0	11.46	0-3	0
	12	6	11.50		0
	12	13	11.53		0
	25	0	11.47		0
256QAM	1	0	11.70	0-5	0
	1	12	11.77		0
	1	24	11.66		0
	12	0	11.69		0
	12	6	11.75		0
	12	13	11.71		0
	25	0	11.70		0

I.1.10 LTE Band 7

Table I-73
LTE Band 7 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 7							
15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825	21100	21375		
			(2507.5 MHz)	(2535.0 MHz)	(2562.5 MHz)		
Conducted Power [dBm]							
QPSK	1	0	13.49	13.56	13.62	0	0
	1	36	13.57	13.76	13.69		0
	1	74	13.47	13.67	13.60		0
	36	0	13.52	13.64	13.67	0-1	0
	36	18	13.58	13.64	13.67		0
	36	37	13.54	13.64	13.62		0
	75	0	13.51	13.61	13.63		0
16QAM	1	0	13.73	13.68	13.75	0-1	0
	1	36	13.81	13.89	13.81		0
	1	74	13.74	13.76	13.74		0
	36	0	13.56	13.63	13.66	0-2	0
	36	18	13.60	13.69	13.70		0
	36	37	13.55	13.65	13.63		0
	75	0	13.56	13.64	13.64		0
64QAM	1	0	13.67	13.61	13.66	0-2	0
	1	36	13.71	13.81	13.73		0
	1	74	13.56	13.69	13.63		0
	36	0	13.55	13.62	13.66	0-3	0
	36	18	13.57	13.68	13.68		0
	36	37	13.52	13.65	13.62		0
	75	0	13.55	13.64	13.66		0
256QAM	1	0	13.55	13.65	13.68	0-5	0
	1	36	13.57	13.76	13.86		0
	1	74	13.57	13.75	13.80		0
	36	0	13.50	13.50	13.56		0
	36	18	13.53	13.62	13.69		0
	36	37	13.51	13.61	13.65		0
	75	0	13.51	13.59	13.67		0

Table I-74
LTE Band 7 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 7							
10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.51	13.76	13.70	0	0
	1	25	13.55	13.71	13.73		0
	1	49	13.54	13.76	13.72		0
	25	0	13.71	13.77	13.85	0-1	0
	25	12	13.70	13.79	13.84		0
	25	25	13.63	13.80	13.80		0
	50	0	13.65	13.78	13.78		0
16QAM	1	0	13.78	13.78	13.96	0-1	0
	1	25	13.83	13.85	13.98		0
	1	49	13.86	13.92	13.95		0
	25	0	13.71	13.79	13.83	0-2	0
	25	12	13.74	13.82	13.82		0
	25	25	13.74	13.77	13.81		0
	50	0	13.66	13.75	13.82		0
64QAM	1	0	13.80	13.92	13.88	0-2	0
	1	25	13.88	13.99	13.94		0
	1	49	13.80	14.01	13.94		0
	25	0	13.67	13.76	13.81	0-3	0
	25	12	13.69	13.77	13.88		0
	25	25	13.69	13.80	13.79		0
	50	0	13.66	13.76	13.79		0
256QAM	1	0	13.68	13.74	13.91	0-5	0
	1	25	13.74	13.94	14.18		0
	1	49	13.70	13.93	14.04		0
	25	0	13.63	13.65	13.72		0
	25	12	13.64	13.74	13.80		0
	25	25	13.65	13.77	13.88		0
	50	0	13.66	13.75	13.74		0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 44 of 177

Table I-75
LTE Band 7 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 7							
5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.62	13.66	13.57	0	0
	1	12	13.77	13.95	13.77		0
	1	24	13.69	13.80	13.64		0
	12	0	13.58	13.70	13.70	0-1	0
	12	6	13.66	13.76	13.81		0
	12	13	13.70	13.82	13.82		0
	25	0	13.68	13.74	13.76		0
16QAM	1	0	13.52	13.75	13.67	0-1	0
	1	12	13.59	13.72	13.78		0
	1	24	13.63	13.81	13.69		0
	12	0	13.40	13.44	13.48	0-2	0
	12	6	13.47	13.54	13.54		0
	12	13	13.45	13.54	13.56		0
	25	0	13.37	13.45	13.48		0
64QAM	1	0	13.69	13.70	13.94	0-2	0
	1	12	13.77	13.80	13.90		0
	1	24	13.74	13.72	13.81		0
	12	0	13.63	13.76	13.72	0-3	0
	12	6	13.70	13.76	13.80		0
	12	13	13.69	13.83	13.82		0
	25	0	13.63	13.75	13.77		0
256QAM	1	0	13.72	13.61	13.79	0-5	0
	1	12	13.90	13.78	13.87		0
	1	24	13.87	13.78	13.88		0
	12	0	13.60	13.69	13.75		0
	12	6	13.70	13.76	13.84		0
	12	13	13.70	13.77	13.84		0
	25	0	13.65	13.68	13.82		0

Table I-76
LTE Band 7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 7							
15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.89	13.86	13.91	0	0
	1	36	13.89	13.76	13.75		0
	1	74	13.87	13.76	13.75		0
	36	0	13.84	13.90	13.92	0-1	0
	36	18	13.90	13.89	13.87		0
	36	37	13.84	13.85	13.89		0
	75	0	13.87	13.86	13.90		0
16QAM	1	0	14.01	14.10	14.11	0-1	0
	1	36	14.02	14.08	14.12		0
	1	74	14.06	14.06	14.05		0
	36	0	13.88	13.91	13.94	0-2	0
	36	18	13.89	13.91	13.92		0
	36	37	13.87	13.88	13.89		0
	75	0	13.88	13.92	13.90		0
64QAM	1	0	13.94	13.90	14.00	0-2	0
	1	36	13.98	13.93	14.05		0
	1	74	13.88	13.90	13.96		0
	36	0	13.83	13.87	13.86	0-3	0
	36	18	13.82	13.84	13.94		0
	36	37	13.81	13.84	13.89		0
	75	0	13.84	13.83	13.90		0
256QAM	1	0	13.83	13.90	13.91	0-5	0
	1	36	13.92	13.95	13.96		0
	1	74	13.95	13.99	14.01		0
	36	0	13.86	13.87	13.80		0
	36	18	13.85	13.87	13.91		0
	36	37	13.82	13.88	13.90		0
	75	0	13.83	13.85	13.90		0

Table I-77
LTE Band 7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.95	14.02	14.00	0	0
	1	25	13.97	13.91	14.12		0
	1	49	13.96	13.91	14.04		0
	25	0	14.03	14.01	14.05	0-1	0
	25	12	14.01	14.05	14.06		0
	25	25	14.02	14.01	14.04		0
	50	0	14.00	14.01	14.02		0
	50	0	14.00	14.01	14.02		0
16QAM	1	0	14.16	14.21	14.31	0-1	0
	1	25	14.18	14.24	14.37		0
	1	49	14.16	14.18	14.27		0
	25	0	14.03	14.07	14.08	0-2	0
	25	12	14.05	14.06	14.07		0
	25	25	14.02	14.02	14.05		0
	50	0	14.01	14.01	14.05		0
	50	0	14.01	14.01	14.05		0
64QAM	1	0	14.10	14.19	14.18	0-2	0
	1	25	14.17	14.26	14.15		0
	1	49	14.07	14.10	14.16		0
	25	0	14.00	14.00	13.99	0-3	0
	25	12	13.98	14.03	14.01		0
	25	25	13.96	14.00	14.05		0
	50	0	13.96	13.98	13.96		0
	50	0	13.96	13.98	13.96		0
256QAM	1	0	14.06	14.09	14.03	0-5	0
	1	25	14.17	14.19	14.16		0
	1	49	14.06	14.11	14.07		0
	25	0	13.95	14.02	13.99		0
	25	12	14.01	14.02	14.01		0
	25	25	13.99	14.01	14.05		0
	50	0	13.99	14.01	13.98		0
	50	0	13.99	14.01	13.98		0

Table I-78
LTE Band 7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.09	13.99	13.95	0	0
	1	12	14.24	14.22	14.04		0
	1	24	14.15	14.13	14.01		0
	12	0	13.95	13.98	13.98	0-1	0
	12	6	14.01	14.02	14.02		0
	12	13	14.04	14.08	14.10		0
	25	0	14.02	14.00	14.02		0
	25	0	14.02	14.00	14.02		0
16QAM	1	0	14.30	14.26	14.30	0-1	0
	1	12	14.45	14.34	14.40		0
	1	24	14.37	14.37	14.38		0
	12	0	14.01	13.99	14.00	0-2	0
	12	6	14.06	14.07	14.08		0
	12	13	14.06	14.07	14.10		0
	25	0	14.05	14.04	14.03		0
	25	0	14.05	14.04	14.03		0
64QAM	1	0	13.98	14.03	14.18	0-2	0
	1	12	14.02	14.13	14.28		0
	1	24	13.95	14.11	14.14		0
	12	0	13.92	13.96	14.04	0-3	0
	12	6	14.01	14.04	14.10		0
	12	13	14.01	14.04	14.14		0
	25	0	13.95	13.98	14.07		0
	25	0	13.95	13.98	14.07		0
256QAM	1	0	14.13	14.12	14.17	0-5	0
	1	12	14.20	14.17	14.21		0
	1	24	14.12	14.09	14.12		0
	12	0	13.92	13.93	14.02		0
	12	6	13.98	13.99	14.08		0
	12	13	14.02	14.04	14.10		0
	25	0	13.96	13.99	14.04		0
	25	0	13.96	13.99	14.04		0

Table I-79
LTE Band 7 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 7							
15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.39	15.53	15.44	0	0
	1	36	15.45	15.53	15.46		0
	1	74	15.43	15.53	15.42		0
	36	0	15.46	15.50	15.57	0-1	0
	36	18	15.47	15.52	15.56		0
	36	37	15.40	15.52	15.53		0
	75	0	15.39	15.51	15.56		0
	75	0	15.39	15.51	15.56		0
16QAM	1	0	15.63	15.77	15.74	0-1	0
	1	36	15.72	15.86	15.82		0
	1	74	15.67	15.72	15.76		0
	36	0	15.51	15.54	15.59	0-2	0
	36	18	15.51	15.53	15.62		0
	36	37	15.45	15.54	15.59		0
	75	0	15.43	15.54	15.59		0
	75	0	15.43	15.54	15.59		0
64QAM	1	0	15.69	15.74	15.82	0-2	0
	1	36	15.66	15.82	15.86		0
	1	74	15.57	15.85	15.76		0
	36	0	15.50	15.55	15.63	0-3	0
	36	18	15.51	15.55	15.64		0
	36	37	15.44	15.54	15.58		0
	75	0	15.41	15.55	15.61		0
	75	0	15.41	15.55	15.61		0
256QAM	1	0	15.60	15.70	15.77	0-5	0
	1	36	15.61	15.82	15.90		0
	1	74	15.62	15.80	15.73		0
	36	0	15.50	15.55	15.60		0
	36	18	15.53	15.56	15.59		0
	36	37	15.43	15.54	15.58		0
	75	0	15.43	15.56	15.59		0
	75	0	15.43	15.56	15.59		0

Table I-80
LTE Band 7 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 7							
10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.63	15.54	15.68	0	0
	1	25	15.69	15.61	15.70		0
	1	49	15.64	15.63	15.75		0
	25	0	15.65	15.69	15.71	0-1	0
	25	12	15.68	15.70	15.73		0
	25	25	15.65	15.67	15.68		0
	50	0	15.63	15.68	15.68		0
	50	0	15.63	15.68	15.68		0
16QAM	1	0	15.94	15.78	15.96	0-1	0
	1	25	15.98	15.78	16.00		0
	1	49	15.86	15.90	16.03		0
	25	0	15.69	15.74	15.72	0-2	0
	25	12	15.71	15.75	15.74		0
	25	25	15.68	15.74	15.74		0
	50	0	15.67	15.68	15.71		0
	50	0	15.67	15.68	15.71		0
64QAM	1	0	15.91	15.91	16.01	0-2	0
	1	25	15.88	15.87	15.98		0
	1	49	15.93	15.88	16.08		0
	25	0	15.69	15.72	15.73	0-3	0
	25	12	15.71	15.74	15.73		0
	25	25	15.66	15.72	15.71		0
	50	0	15.65	15.68	15.71		0
	50	0	15.65	15.68	15.71		0
256QAM	1	0	15.78	15.80	15.93	0-5	0
	1	25	15.84	15.80	15.93		0
	1	49	15.91	15.89	16.08		0
	25	0	15.71	15.73	15.76		0
	25	12	15.67	15.73	15.75		0
	25	25	15.68	15.73	15.73		0
	50	0	15.65	15.71	15.70		0
	50	0	15.65	15.71	15.70		0

Table I-81
LTE Band 7 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 7							
5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.65	15.75	15.63	0	0
	1	12	15.70	15.92	15.77		0
	1	24	15.71	15.81	15.67		0
	12	0	15.58	15.59	15.61	0-1	0
	12	6	15.65	15.68	15.70		0
	12	13	15.66	15.72	15.69		0
	25	0	15.64	15.62	15.67		0
	25	0	15.64	15.62	15.67		0
16QAM	1	0	15.94	15.93	15.95	0-1	0
	1	12	16.04	16.04	16.06		0
	1	24	15.98	16.00	15.99		0
	12	0	15.62	15.66	15.68	0-2	0
	12	6	15.71	15.74	15.77		0
	12	13	15.73	15.73	15.79		0
	25	0	15.67	15.70	15.70		0
	25	0	15.67	15.70	15.70		0
64QAM	1	0	15.74	15.94	15.88	0-2	0
	1	12	16.04	15.98	16.04		0
	1	24	15.98	16.02	16.02		0
	12	0	15.65	15.65	15.68	0-3	0
	12	6	15.72	15.75	15.76		0
	12	13	15.78	15.75	15.77		0
	25	0	15.66	15.69	15.72		0
	25	0	15.66	15.69	15.72		0
256QAM	1	0	15.81	15.93	15.95	0-5	0
	1	12	16.04	16.05	16.09		0
	1	24	15.96	16.03	16.00		0
	12	0	15.63	15.62	15.73		0
	12	6	15.72	15.71	15.78		0
	12	13	15.71	15.74	15.80		0
	25	0	15.66	15.67	15.71		0
	25	0	15.66	15.67	15.71		0

Table I-82
LTE Band 7 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.04	12.20	12.17	0	0
	1	36	12.08	12.21	12.15		0
	1	74	12.09	12.18	12.14		0
	36	0	12.22	12.24	12.18	0-1	0
	36	18	12.22	12.18	12.21		0
	36	37	12.19	12.15	12.18		0
	75	0	12.15	12.16	12.22		0
	75	0	12.15	12.16	12.22		0
16QAM	1	0	12.47	12.44	12.41	0-1	0
	1	36	12.51	12.39	12.38		0
	1	74	12.49	12.37	12.41		0
	36	0	12.29	12.25	12.23	0-2	0
	36	18	12.28	12.23	12.19		0
	36	37	12.21	12.23	12.19		0
	75	0	12.21	12.19	12.18		0
	75	0	12.21	12.19	12.18		0
64QAM	1	0	12.53	12.35	12.36	0-2	0
	1	36	12.51	12.43	12.43		0
	1	74	12.50	12.34	12.32		0
	36	0	12.28	12.30	12.21	0-3	0
	36	18	12.28	12.22	12.17		0
	36	37	12.23	12.22	12.21		0
	75	0	12.22	12.20	12.18		0
	75	0	12.22	12.20	12.18		0
256QAM	1	0	12.46	12.38	12.37	0-5	0
	1	36	12.50	12.42	12.35		0
	1	74	12.51	12.41	12.33		0
	36	0	12.28	12.27	12.23		0
	36	18	12.29	12.20	12.23		0
	36	37	12.21	12.21	12.19		0
	75	0	12.21	12.20	12.19		0
	75	0	12.21	12.20	12.19		0

Table I-83
LTE Band 7 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 7							
10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.26	12.41	12.40	0	0
	1	25	12.36	12.46	12.42		0
	1	49	12.33	12.39	12.37		0
	25	0	12.39	12.39	12.36	0-1	0
	25	12	12.36	12.36	12.38		0
	25	25	12.35	12.36	12.38		0
	50	0	12.32	12.31	12.36		0
16QAM	1	0	12.61	12.60	12.61	0-1	0
	1	25	12.62	12.63	12.61		0
	1	49	12.64	12.63	12.63		0
	25	0	12.44	12.44	12.41	0-2	0
	25	12	12.41	12.40	12.42		0
	25	25	12.40	12.39	12.40		0
	50	0	12.34	12.31	12.37		0
64QAM	1	0	12.57	12.58	12.65	0-2	0
	1	25	12.63	12.62	12.61		0
	1	49	12.58	12.61	12.63		0
	25	0	12.45	12.43	12.40	0-3	0
	25	12	12.41	12.39	12.42		0
	25	25	12.40	12.36	12.37		0
	50	0	12.34	12.34	12.39		0
256QAM	1	0	12.56	12.54	12.62	0-5	0
	1	25	12.57	12.61	12.63		0
	1	49	12.60	12.61	12.63		0
	25	0	12.46	12.45	12.39		0
	25	12	12.41	12.41	12.44		0
	25	25	12.40	12.38	12.40		0
	50	0	12.34	12.33	12.35		0

Table I-84
LTE Band 7 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 7							
5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.36	12.38	12.27	0	0
	1	12	12.51	12.49	12.41		0
	1	24	12.45	12.44	12.28		0
	12	0	12.33	12.34	12.26	0-1	0
	12	6	12.40	12.33	12.35		0
	12	13	12.45	12.34	12.37		0
	25	0	12.37	12.30	12.32		0
	1	0	12.69	12.69	12.59		0-1
1	12	12.78	12.82	12.75	0		
1	24	12.71	12.65	12.66	0		
16QAM	12	0	12.41	12.39	12.31	0-2	0
	12	6	12.46	12.36	12.39		0
	12	13	12.51	12.38	12.42		0
	25	0	12.40	12.34	12.38		0
	64QAM	1	0	12.65	12.70	12.60	0-2
1		12	12.79	12.76	12.70	0	
1		24	12.72	12.69	12.66	0	
12		0	12.39	12.36	12.30	0-3	0
12		6	12.45	12.40	12.37		0
12		13	12.51	12.39	12.42		0
25		0	12.46	12.30	12.37		0
256QAM	1	0	12.69	12.71	12.65	0-5	0
	1	12	12.77	12.78	12.66		0
	1	24	12.71	12.75	12.70		0
	12	0	12.37	12.37	12.33		0
	12	6	12.44	12.38	12.41		0
	12	13	12.46	12.40	12.45		0
	25	0	12.44	12.32	12.36		0

I.1.11 LTE Band 41

Table I-85
LTE Band 41 PC3 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.46	14.67	14.77	14.38	14.63	0	0
	1	36	14.56	14.66	14.67	14.40	14.65		0
	1	74	14.50	14.64	14.67	14.39	14.72		0
	36	0	14.62	14.77	14.97	14.50	14.74	0-1	0
	36	18	14.69	14.78	14.93	14.51	14.74		0
	36	37	14.62	14.76	14.84	14.46	14.72		0
	75	0	14.59	14.76	14.64	14.55	14.77		0
16QAM	1	0	14.49	14.61	14.47	14.44	14.53	0-1	0
	1	36	14.57	14.59	14.46	14.36	14.57		0
	1	74	14.61	14.55	14.49	14.41	14.61		0
	36	0	14.57	14.73	14.70	14.44	14.70	0-2	0
	36	18	14.65	14.71	14.66	14.42	14.69		0
	36	37	14.66	14.71	14.60	14.40	14.63		0
	75	0	14.62	14.72	14.63	14.44	14.72		0
64QAM	1	0	14.59	14.65	14.51	14.52	14.57	0-2	0
	1	36	14.55	14.57	14.47	14.45	14.55		0
	1	74	14.68	14.53	14.35	14.46	14.62		0
	36	0	14.61	14.71	14.71	14.43	14.68	0-3	0
	36	18	14.63	14.70	14.66	14.42	14.71		0
	36	37	14.62	14.70	14.59	14.40	14.66		0
	75	0	14.62	14.72	14.64	14.45	14.68		0
256QAM	1	0	14.61	14.64	14.54	14.37	14.55	0-5	0
	1	36	14.57	14.57	14.53	14.42	14.56		0
	1	74	14.59	14.62	14.40	14.44	14.65		0
	36	0	14.61	14.73	14.71	14.42	14.69		0
	36	18	14.65	14.74	14.68	14.43	14.68		0
	36	37	14.63	14.70	14.59	14.40	14.65		0
	75	0	14.63	14.73	14.61	14.45	14.70		0

Table I-86
LTE Band 41 PC3 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
Conducted Power [dBm]									
QPSK	1	0	14.75	14.83	14.89	14.67	14.78	0	0
	1	25	14.83	14.88	14.90	14.66	14.83		0
	1	49	14.75	14.79	14.76	14.61	14.83		0
	25	0	14.85	14.89	14.87	14.69	14.85	0-1	0
	25	12	14.83	14.93	14.91	14.70	14.95		0
	25	25	14.78	14.92	14.80	14.66	14.87		0
	50	0	14.75	14.92	14.86	14.69	14.93		0
16QAM	1	0	14.73	14.73	14.61	14.46	14.79	0-1	0
	1	25	14.74	14.73	14.70	14.49	14.82		0
	1	49	14.72	14.70	14.58	14.43	14.78		0
	25	0	14.75	14.85	14.86	14.56	14.76	0-2	0
	25	12	14.82	14.85	14.82	14.59	14.87		0
	25	25	14.78	14.86	14.78	14.53	14.82		0
	50	0	14.77	14.87	14.72	14.58	14.83		0
64QAM	1	0	14.69	14.81	14.59	14.55	14.77	0-2	0
	1	25	14.68	14.80	14.62	14.56	14.74		0
	1	49	14.72	14.63	14.55	14.52	14.71		0
	25	0	14.79	14.82	14.81	14.55	14.82	0-3	0
	25	12	14.83	14.83	14.83	14.59	14.91		0
	25	25	14.81	14.84	14.77	14.51	14.82		0
	50	0	14.78	14.83	14.73	14.60	14.85		0
256QAM	1	0	14.68	14.75	14.61	14.47	14.67	0-5	0
	1	25	14.78	14.75	14.67	14.57	14.84		0
	1	49	14.71	14.61	14.52	14.47	14.75		0
	25	0	14.77	14.83	14.80	14.56	14.83		0
	25	12	14.83	14.84	14.85	14.59	14.88		0
	25	25	14.79	14.88	14.77	14.52	14.80		0
	50	0	14.78	14.86	14.75	14.62	14.84		0

Table I-87
LTE Band 41 PC3 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	14.81	14.81	14.75	14.60	14.74	0	0	
	1	12	14.81	14.89	14.79	14.66	14.84		0-1	0
	1	24	14.76	14.83	14.75	14.62	14.82			0
	12	0	14.83	14.89	14.86	14.65	14.85	0-1		0
	12	6	14.85	14.92	14.86	14.71	14.90		0	
	12	13	14.81	14.92	14.84	14.67	14.82		0	
16QAM	25	0	14.80	14.91	14.85	14.66	14.88	0-1	0	
	1	0	14.72	14.74	14.70	14.47	14.61		0-1	0
	1	12	14.78	14.80	14.74	14.62	14.75			0
	1	24	14.73	14.76	14.66	14.58	14.72	0-2		0
	12	0	14.78	14.86	14.80	14.56	14.80		0	
	12	6	14.79	14.91	14.83	14.58	14.84		0	
64QAM	12	13	14.80	14.82	14.69	14.53	14.80	0-2	0	
	25	0	14.77	14.87	14.82	14.59	14.85		0-2	0
	1	0	14.71	14.66	14.62	14.52	14.67			0
	1	12	14.75	14.81	14.74	14.63	14.79	0-3		0
	1	24	14.74	14.75	14.64	14.58	14.76		0	
	12	0	14.74	14.83	14.83	14.56	14.83		0	
256QAM	12	6	14.77	14.90	14.84	14.62	14.84	0-3	0	
	12	13	14.80	14.81	14.73	14.56	14.82		0-3	0
	25	0	14.77	14.84	14.84	14.61	14.82			0
	1	0	14.73	14.66	14.70	14.51	14.63	0-5		0
	1	12	14.75	14.71	14.81	14.56	14.76		0	
	1	24	14.77	14.74	14.69	14.52	14.73		0	
12	0	14.76	14.80	14.80	14.60	14.81	0			
12	6	14.77	14.84	14.82	14.62	14.84	0			
12	13	14.76	14.79	14.74	14.59	14.80	0			
	25	0	14.80	14.86	14.79	14.60	14.84		0	

Table I-88
LTE Band 41 PC3 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
Conducted Power [dBm]									
QPSK	1	0	15.95	16.13	16.06	16.13	16.26	0	0
	1	36	16.02	16.02	16.07	16.11	16.28		0
	1	74	15.92	16.01	15.98	16.10	16.31		0
	36	0	16.09	16.11	16.20	16.14	16.30	0-1	0
	36	18	16.12	16.09	16.20	16.11	16.31		0
	36	37	16.08	16.05	16.11	16.06	16.25		0
16QAM	75	0	16.11	16.08	16.10	16.14	16.34	0-1	0
	1	0	16.03	15.86	16.16	15.93	16.02		0
	1	36	16.10	15.85	16.15	15.92	16.06		0
	1	74	16.05	15.85	16.09	15.93	16.10	0-2	0
	36	0	16.12	16.13	16.18	16.15	16.33		0
	36	18	16.12	16.09	16.18	16.12	16.33		0
64QAM	36	37	16.11	16.07	16.07	16.06	16.26	0-2	0
	75	0	16.12	16.09	16.09	16.13	16.32		0
	1	0	15.89	16.12	16.08	15.97	16.10		0-2
	1	36	16.03	16.08	16.08	16.09	16.24	0	
	1	74	15.97	16.06	16.08	16.07	16.33	0	
	36	0	16.16	16.12	16.21	16.12	16.33	0-3	0
256QAM	36	18	16.18	16.10	16.21	16.13	16.33		0
	36	37	16.13	16.11	16.13	16.07	16.30		0
	75	0	16.15	16.09	16.13	16.13	16.35	0-3	0
	1	0	16.06	16.03	16.25	16.20	16.42		0
	1	36	16.10	16.02	16.29	16.22	16.48		0
	256QAM	1	74	16.07	15.88	16.13	16.07	16.34	0-5
36		0	16.18	16.13	16.32	16.25	16.44	0	
36		18	16.13	16.08	16.32	16.30	16.48	0	
36		37	16.11	16.08	16.23	16.20	16.43	0-5	0
75		0	16.13	16.07	16.33	16.29	16.44		0

Table I-89
LTE Band 41 PC3 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	16.21	16.22	16.25	16.26	16.31	0	0
	1	25	16.28	16.23	16.27	16.25	16.34		0
	1	49	16.20	16.14	16.14	16.15	16.28		0
	25	0	16.27	16.22	16.29	16.26	16.38	0-1	0
	25	12	16.30	16.24	16.31	16.31	16.45		0
	25	25	16.24	16.21	16.22	16.20	16.38		0
16QAM	50	0	16.26	16.22	16.30	16.29	16.43	0-1	0
	1	0	16.22	16.01	16.15	16.22	16.27		0
	1	25	16.27	16.02	16.24	16.22	16.34		0
	1	49	16.11	15.90	16.08	16.15	16.31	0-2	0
	25	0	16.25	16.19	16.30	16.24	16.41		0
	25	12	16.26	16.23	16.29	16.30	16.42		0
64QAM	25	25	16.22	16.22	16.20	16.20	16.37	0-2	0
	50	0	16.23	16.19	16.28	16.27	16.45		0
	1	0	16.24	16.22	16.20	16.18	16.38		0-2
	1	25	16.25	16.19	16.18	16.23	16.43	0	
	1	49	16.20	16.24	16.11	16.10	16.31	0	
	25	0	16.29	16.02	16.17	16.16	16.36	0-3	0
256QAM	25	12	16.36	16.01	16.19	16.18	16.41		0
	25	25	16.30	16.00	16.09	16.09	16.33		0
	50	0	16.33	16.03	16.17	16.18	16.36	0-5	0
	1	0	16.09	16.19	16.25	16.20	16.42		0
	1	25	16.31	16.20	16.29	16.22	16.48		0
	1	49	16.17	16.12	16.13	16.07	16.34		0
25	0	16.27	16.25	16.32	16.25	16.44	0		
256QAM	25	12	16.30	16.28	16.32	16.30	16.48	0	
	25	25	16.26	16.23	16.23	16.20	16.43	0	
	50	0	16.30	16.21	16.33	16.29	16.44	0	

Table I-90
LTE Band 41 PC3 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	16.09	16.03	16.17	16.19	16.24	0	0
	1	12	16.15	16.13	16.22	16.28	16.33		0
	1	24	16.09	16.09	16.16	16.24	16.29		0
	12	0	16.25	16.15	16.30	16.27	16.39	0-1	0
	12	6	16.25	16.18	16.32	16.31	16.44		0
	12	13	16.21	16.14	16.28	16.29	16.32		0
16QAM	25	0	16.21	16.17	16.27	16.25	16.40	0-1	0
	1	0	16.09	16.07	16.18	16.21	16.24		0
	1	12	16.10	16.05	16.22	16.25	16.31		0
	1	24	16.05	15.99	16.11	16.19	16.36	0-2	0
	12	0	16.20	16.19	16.24	16.24	16.41		0
	12	6	16.22	16.22	16.33	16.28	16.44		0
64QAM	12	13	16.21	16.12	16.27	16.21	16.37	0-2	0
	25	0	16.21	16.15	16.26	16.28	16.42		0
	1	0	15.98	15.95	16.11	16.13	16.30	0-2	0
	1	12	15.92	16.09	16.22	16.21	16.41		0
	1	24	16.01	16.05	16.18	16.15	16.36		0
	12	0	16.21	16.01	16.16	16.16	16.34	0-3	0
12	6	15.98	16.03	16.17	16.17	16.39	0		
12	13	16.00	15.96	16.17	16.12	16.28	0		
256QAM	25	0	16.06	15.98	16.16	16.15	16.34	0-3	0
	1	0	16.08	16.17	16.21	16.13	16.32		0
	1	12	16.16	16.29	16.20	16.30	16.43		0
	1	24	16.25	16.14	16.15	16.34	16.38	0-5	0
	12	0	16.22	16.19	16.30	16.28	16.45		0
	12	6	16.27	16.20	16.33	16.29	16.47		0
	12	13	16.23	16.21	16.25	16.23	16.37	0	
	25	0	16.26	16.18	16.29	16.27	16.44	0	

Table I-91
LTE Band 41 PC3 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	15.46	15.35	14.99	14.83	14.85	0	0	
	1	36	15.51	15.34	14.94	14.73	14.90		0	
	1	74	15.40	15.31	14.88	14.75	14.86		0	
	36	0	15.55	15.43	14.98	14.89	14.92	0-1	0	
	36	18	15.49	15.39	15.03	14.85	14.98		0	
	36	37	15.48	15.36	15.00	14.82	15.00		0	
16QAM	75	0	15.46	15.39	15.00	14.82	14.90	0-1	0	
	1	0	15.30	15.11	14.92	14.68	14.90		0	
	1	36	15.41	15.00	15.02	14.70	14.95		0	
	1	74	15.37	14.98	14.81	14.60	14.89	0-2	0	
	36	0	15.42	15.32	15.02	14.73	14.83		0	
	36	18	15.36	15.28	15.02	14.81	14.90		0	
64QAM	36	37	15.37	15.20	14.99	14.80	14.89	0-2	0	
	75	0	15.35	15.27	14.98	14.79	14.90		0	
	1	0	15.40	15.32	14.98	14.90	14.94		0-2	0
	1	36	15.36	15.11	14.99	14.89	14.91	0		
	1	74	15.22	15.28	14.87	14.84	15.03	0		
	36	0	15.42	15.35	15.01	14.77	14.83	0-3	0	
256QAM	36	18	15.39	15.33	15.02	14.80	14.92		0	
	36	37	15.37	15.24	15.01	14.79	14.89		0	
	75	0	15.36	15.31	14.98	14.81	14.90	0-3	0	
	1	0	15.41	15.26	14.92	14.69	14.84		0-5	0
	1	36	15.37	15.17	14.92	14.73	14.83			0
	1	74	15.27	15.15	14.86	14.69	14.85	0		
36	0	15.41	15.30	15.02	14.73	14.78	0			
36	18	15.31	15.32	15.03	14.80	14.86	0			
36	37	15.32	15.19	14.95	14.75	14.81	0			
75	0	15.30	15.27	14.98	14.80	14.82	0			

Table I-92
LTE Band 41 PC3 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
			Conducted Power [dBm]							
QPSK	1	0	15.46	15.56	15.40	15.18	15.12	0	0	
	1	25	15.57	15.57	15.46	15.24	15.20		0	
	1	49	15.48	15.48	15.32	15.11	15.09		0	
	25	0	15.64	15.53	15.41	15.24	15.16	0-1	0	
	25	12	15.65	15.57	15.45	15.28	15.18		0	
	25	25	15.64	15.47	15.41	15.26	15.20		0	
16QAM	50	0	15.56	15.53	15.41	15.25	15.16	0-1	0	
	1	0	15.54	15.39	15.32	15.03	14.96		0	
	1	25	15.53	15.41	15.28	15.04	14.99		0	
	1	49	15.53	15.29	15.27	15.05	14.86	0-2	0	
	25	0	15.51	15.40	15.26	15.09	14.98		0	
	25	12	15.45	15.40	15.29	15.10	15.00		0	
64QAM	25	25	15.42	15.33	15.30	15.09	15.00	0-2	0	
	50	0	15.41	15.41	15.29	15.07	14.96		0	
	1	0	15.10	15.06	15.03	14.93	15.02	0-2	0	
	1	25	15.12	15.02	15.02	14.95	15.03		0	
	1	49	15.03	15.00	14.96	15.02	14.87		0	
	25	0	14.99	15.06	15.09	15.03	15.02	0-3	0	
25	12	14.95	15.07	15.11	15.04	15.04	0			
25	25	14.90	15.10	15.10	15.02	15.01	0			
256QAM	50	0	14.91	15.07	15.09	15.01	15.02	0-3	0	
	1	0	15.51	15.44	15.16	15.03	14.95		0-5	0
	1	25	15.49	15.39	15.15	15.05	14.98			0
	1	49	15.34	15.26	15.17	14.95	14.79	0		
	25	0	15.51	15.39	15.29	15.06	14.96	0		
	25	12	15.47	15.40	15.33	15.11	14.98	0		
	25	25	15.44	15.31	15.27	15.08	14.98		0	
	50	0	15.45	15.38	15.29	15.10	14.96		0	

Table I-93
LTE Band 41 PC3 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
Conducted Power [dBm]									
QPSK	1	0	15.46	15.34	15.24	15.18	15.00	0	0
	1	12	15.57	15.48	15.36	15.29	15.12		0
	1	24	15.48	15.47	15.35	15.23	15.06		0
	12	0	15.64	15.48	15.40	15.25	15.16	0-1	0
	12	6	15.67	15.54	15.42	15.29	15.19		0
	12	13	15.62	15.51	15.39	15.23	15.17		0
	25	0	15.56	15.52	15.41	15.19	15.14		0
16QAM	1	0	15.41	15.28	15.16	14.90	14.94	0-1	0
	1	12	15.49	15.47	15.26	15.10	14.96		0
	1	24	15.41	15.30	15.22	15.04	14.94		0
	12	0	15.55	15.35	15.21	15.13	14.94	0-2	0
	12	6	15.55	15.40	15.25	15.14	14.96		0
	12	13	15.51	15.37	15.20	15.11	14.92		0
	25	0	15.42	15.35	15.25	15.09	14.98		0
64QAM	1	0	15.01	14.97	15.00	14.98	15.02	0-2	0
	1	12	15.10	14.95	15.06	15.03	15.01		0
	1	24	15.05	14.97	15.03	15.02	15.00		0
	12	0	14.99	15.02	15.08	15.00	15.03	0-3	0
	12	6	14.96	15.05	15.12	15.02	15.06		0
	12	13	14.95	15.02	15.09	15.00	15.04		0
	25	0	14.87	15.05	15.08	15.02	15.04		0
256QAM	1	0	15.45	15.32	15.09	15.02	14.87	0-5	0
	1	12	15.70	15.42	15.31	15.01	14.97		0
	1	24	15.54	15.40	15.13	14.96	14.76		0
	12	0	15.50	15.42	15.27	15.08	14.96		0
	12	6	15.56	15.45	15.32	15.14	14.99		0
	12	13	15.43	15.41	15.26	15.07	14.98		0
	25	0	15.41	15.40	15.26	15.07	14.96		0

Table I-94
LTE Band 41 PC3 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth										
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)			
Conducted Power [dBm]										
QPSK	1	0	13.50	13.46	13.18	13.17	13.12	0	0	
	1	36	13.59	13.49	13.26	13.18	13.12		0	
	1	74	13.42	13.41	13.15	13.15	13.09		0	
	36	0	13.61	13.56	13.38	13.22	13.21	0-1	0	
	36	18	13.76	13.59	13.36	13.20	13.23		0	
	36	37	13.65	13.48	13.34	13.18	13.21		0	
16QAM	75	0	13.60	13.55	13.34	13.18	13.21	0-1	0	
	1	0	13.51	13.41	13.47	13.20	12.95		0	
	1	36	13.56	13.27	13.46	13.25	12.98		0	
	1	74	13.51	13.21	13.34	13.18	12.90	0-2	0	
	36	0	13.58	13.57	13.38	13.20	13.21		0	
	36	18	13.60	13.56	13.38	13.17	13.20		0	
64QAM	36	37	13.54	13.50	13.35	13.16	13.20	0-2	0	
	75	0	13.58	13.55	13.34	13.18	13.19		0	
	1	0	13.26	13.48	13.42	13.13	13.15		0-3	0
	1	36	13.22	13.40	13.32	13.02	12.99	0		
	1	74	13.22	13.39	13.30	12.95	12.93	0		
	36	0	13.24	13.44	13.37	13.10	13.06	0-3	0	
36	18	13.24	13.31	13.35	13.05	13.02	0			
36	37	13.21	13.33	13.30	12.99	13.01	0			
256QAM	75	0	13.27	13.32	13.32	13.05	13.03	0-3	0	
	1	0	13.19	13.37	13.29	13.08	13.03		0-5	0
	1	36	13.21	13.32	13.26	12.99	12.91			0
	1	74	13.14	13.24	13.16	12.93	12.97	0-5		0
	36	0	13.27	13.47	13.39	13.12	13.07		0	
	36	18	13.26	13.34	13.36	13.03	13.04		0	
256QAM	36	37	13.21	13.33	13.30	12.98	13.02	0-5	0	
	75	0	13.30	13.35	13.37	13.05	13.05		0	

Table I-95
LTE Band 41 PC3 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.74	13.68	13.45	13.31	13.39	0	0
	1	25	13.72	13.73	13.44	13.31	13.37		0
	1	49	13.68	13.62	13.32	13.25	13.33		0
	25	0	13.73	13.68	13.48	13.30	13.34	0-1	0
	25	12	13.73	13.70	13.50	13.33	13.34		0
	25	25	13.68	13.60	13.47	13.32	13.35		0
16QAM	50	0	13.71	13.69	13.50	13.30	13.32	0-1	0
	1	0	13.75	13.70	13.61	13.36	13.46		0
	1	25	13.70	13.68	13.60	13.34	13.39		0
	1	49	13.70	13.67	13.50	13.34	13.34	0-2	0
	25	0	13.72	13.70	13.55	13.37	13.35		0
	25	12	13.72	13.70	13.55	13.38	13.38		0
64QAM	25	25	13.66	13.64	13.53	13.38	13.36	0-2	0
	50	0	13.71	13.66	13.49	13.32	13.35		0
	1	0	13.41	13.61	13.42	13.22	13.20		0-2
	1	25	13.42	13.64	13.46	13.14	13.18	0	
	1	49	13.48	13.46	13.33	13.09	13.06	0-3	
	25	0	13.41	13.53	13.42	13.13	13.17		0
256QAM	25	12	13.46	13.47	13.38	13.15	13.17		0-3
	25	25	13.41	13.45	13.42	13.10	13.15	0	
	50	0	13.41	13.43	13.37	13.13	13.14	0	
	1	0	13.28	13.53	13.32	13.19	13.08	0-5	0
	1	25	13.34	13.43	13.35	13.07	13.11		0
	1	49	13.22	13.33	13.25	12.95	12.93		0
25	0	13.33	13.52	13.39	13.16	13.15	0		
25	12	13.39	13.49	13.42	13.16	13.16	0		
	25	25	13.38	13.42	13.37	13.12	13.13		0
	50	0	13.38	13.44	13.43	13.14	13.16		0

Table I-96
LTE Band 41 PC3 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.66	13.55	13.44	13.31	13.18	0	0
	1	12	13.70	13.59	13.48	13.37	13.25		0
	1	24	13.66	13.58	13.47	13.36	13.22		0
	12	0	13.72	13.68	13.51	13.34	13.32	0-1	0
	12	6	13.75	13.70	13.50	13.33	13.36		0
	12	13	13.72	13.69	13.47	13.32	13.32		0
16QAM	25	0	13.70	13.68	13.47	13.32	13.33	0-1	0
	1	0	13.71	13.56	13.34	13.33	13.22		0
	1	12	13.70	13.66	13.34	13.30	13.26		0
	1	24	13.68	13.65	13.35	13.31	13.25	0-2	0
	12	0	13.66	13.66	13.54	13.40	13.41		0
	12	6	13.75	13.67	13.57	13.40	13.42		0
64QAM	12	13	13.74	13.67	13.52	13.38	13.39	0-2	0
	25	0	13.72	13.68	13.47	13.30	13.31		0
	1	0	13.51	13.69	13.67	13.38	13.43		0-2
	1	12	13.46	13.74	13.67	13.45	13.50	0	
	1	24	13.44	13.66	13.69	13.45	13.38	0	
	12	0	13.38	13.71	13.70	13.42	13.42	0-3	0
12	6	13.44	13.66	13.72	13.41	13.40	0		
12	13	13.41	13.72	13.67	13.35	13.41	0		
256QAM	25	0	13.40	13.69	13.69	13.40	13.39	0-3	0
	1	0	13.33	13.71	13.63	13.30	13.29		0
	1	12	13.35	13.67	13.69	13.33	13.33		0-5
	1	24	13.37	13.64	13.59	13.27	13.33	0	
	12	0	13.36	13.75	13.69	13.42	13.46	0	
	12	6	13.38	13.68	13.72	13.46	13.46	0	
12	13	13.37	13.65	13.69	13.39	13.40	0-5	0	
25	0	13.35	13.64	13.68	13.37	13.42		0	

I.1.12 LTE Band 48

Table I-97
LTE Band 48 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)			
			Conducted Power [dBm]						
QPSK	1	0	12.84	12.81	12.84	12.88	0	0	
	1	36	12.94	12.87	12.91	12.94		0	
	1	74	12.96	12.90	12.94	12.91		0	
	36	0	13.02	12.99	12.92	12.98		0	
	36	18	13.03	13.02	13.01	13.03	0-1	0	
	36	37	13.08	13.03	13.03	13.04		0	
	75	0	13.04	13.05	13.01	13.04		0	
	1	0	12.95	12.84	12.78	13.01		0	
16QAM	1	36	13.10	12.90	12.80	13.11	0-1	0	
	1	74	13.02	12.92	12.78	13.02		0	
	36	0	13.05	13.00	12.93	12.98		0	
	36	18	13.05	13.01	13.03	13.05		0	
	36	37	13.10	13.07	13.04	13.06	0-2	0	
	75	0	13.05	13.03	13.03	13.05		0	
	1	0	12.88	12.88	12.74	12.92		0	
	1	36	13.00	12.90	12.98	12.98		0	
64QAM	1	74	12.98	12.92	12.89	12.91	0-2	0	
	36	0	13.08	13.06	12.99	13.00		0	
	36	18	13.11	13.09	13.06	13.09	0-3	0	
	36	37	13.13	13.11	13.09	13.10		0	
	75	0	13.10	13.08	13.09	13.10		0	
	1	0	12.82	12.87	12.79	12.81		0	
	256QAM	1	36	12.94	12.87	12.86	12.94	0-5	0
		1	74	13.03	13.05	12.92	12.97		0
36		0	12.96	12.95	12.89	12.90	0		
36		18	12.98	12.99	12.88	12.88	0		
36		37	12.93	13.04	12.98	12.97	0		
75		0	12.90	12.97	12.90	12.86	0		

Table I-98
LTE Band 48 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.13	13.09	13.14	13.12	0	0
	1	25	13.19	13.14	13.20	13.19		0
	1	49	13.16	13.12	13.16	13.12		0
	25	0	13.16	13.15	13.08	13.08		0
	25	12	13.18	13.17	13.08	13.11	0-1	0
	25	25	13.17	13.17	13.16	13.19		0
	50	0	13.17	13.15	13.07	13.08		0
16QAM	1	0	13.13	13.02	12.92	13.11	0-1	0
	1	25	13.12	13.07	12.98	13.16		0
	1	49	13.17	13.01	12.99	13.07		0
	25	0	13.14	13.08	13.03	13.07		0
	25	12	13.14	13.13	13.06	13.08	0-2	0
	25	25	13.15	13.13	13.14	13.11		0
	50	0	13.14	13.11	13.03	13.05		0
64QAM	1	0	13.04	13.13	13.07	13.01	0-2	0
	1	25	13.08	13.20	13.14	13.05		0
	1	49	13.01	13.15	13.11	13.04		0
	25	0	13.23	13.16	13.09	13.09		0-3
	25	12	13.26	13.21	13.11	13.10	0	
	25	25	13.22	13.23	13.17	13.15	0	
	50	0	13.21	13.18	13.06	13.10	0	
256QAM	1	0	13.08	13.11	12.95	12.95	0-5	0
	1	25	13.07	13.06	13.06	13.04		0
	1	49	13.04	13.11	12.95	12.96		0
	25	0	13.13	13.09	13.06	13.02		0
	25	12	13.16	13.13	13.15	13.13		0
	25	25	13.21	13.13	13.13	13.10		0
	50	0	13.16	13.15	13.20	13.06		0

Table I-99
LTE Band 48 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.12	13.01	12.97	13.14	0	0
	1	12	13.21	13.12	13.06	13.18		0
	1	24	13.18	13.08	13.04	13.17		0
	12	0	13.19	13.13	13.04	13.17	0-1	0
	12	6	13.22	13.19	13.15	13.21		0
	12	13	13.20	13.16	13.11	13.16		0
	25	0	13.18	13.14	13.04	13.16		0
16QAM	1	0	13.10	12.97	12.96	13.09	0-1	0
	1	12	13.14	13.08	13.04	13.19		0
	1	24	13.14	13.03	13.02	13.17		0
	12	0	13.18	13.12	13.03	13.19	0-2	0
	12	6	13.26	13.14	13.16	13.20		0
	12	13	13.21	13.12	13.12	13.15		0
	25	0	13.18	13.12	13.02	13.17		0
64QAM	1	0	13.10	13.07	13.02	13.07	0-2	0
	1	12	13.18	12.99	13.12	13.17		0
	1	24	13.13	13.03	13.11	13.07		0
	12	0	13.21	13.14	13.03	13.15	0-3	0
	12	6	13.25	13.18	13.17	13.20		0
	12	13	13.20	13.15	13.10	13.13		0
	25	0	13.21	13.15	13.07	13.20		0
256QAM	1	0	13.10	13.00	13.05	12.94	0-5	0
	1	12	13.16	13.10	13.19	13.02		0
	1	24	13.22	13.08	13.09	12.98		0
	12	0	13.14	13.11	13.09	13.11		0
	12	6	13.17	13.14	13.13	13.12		0
	12	13	13.17	13.11	13.10	13.13		0
	25	0	13.18	13.10	13.07	13.13		0

Table I-100
LTE Band 48 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.29	13.17	13.29	13.39	0	0
	1	36	13.30	13.20	13.37	13.54		0
	1	74	13.34	13.18	13.39	13.42		0
	36	0	13.36	13.33	13.33	13.53	0-1	0
	36	18	13.38	13.33	13.35	13.58		0
	36	37	13.37	13.37	13.49	13.65		0
	75	0	13.39	13.32	13.44	13.54		0
16QAM	1	0	13.12	13.39	13.13	13.51	0-1	0
	1	36	13.21	13.41	13.36	13.66		0
	1	74	13.12	13.44	13.28	13.51		0
	36	0	13.39	13.33	13.37	13.56	0-2	0
	36	18	13.39	13.34	13.34	13.59		0
	36	37	13.43	13.38	13.48	13.70		0
	75	0	13.39	13.36	13.49	13.60		0
64QAM	1	0	13.36	13.17	13.45	13.48	0-2	0
	1	36	13.39	13.35	13.41	13.58		0
	1	74	13.49	13.34	13.42	13.47		0
	36	0	13.37	13.34	13.40	13.57	0-3	0
	36	18	13.44	13.36	13.39	13.62		0
	36	37	13.44	13.40	13.52	13.68		0
	75	0	13.42	13.38	13.51	13.60		0
256QAM	1	0	13.30	13.09	13.14	13.39	0-5	0
	1	36	13.23	13.03	13.27	13.48		0
	1	74	13.22	13.36	13.43	13.49		0
	36	0	13.35	13.23	13.25	13.47		0
	36	18	13.30	13.20	13.26	13.46		0
	36	37	13.32	13.25	13.42	13.57		0
	75	0	13.32	13.19	13.32	13.48		0

Table I-101
LTE Band 48 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)			
			Conducted Power [dBm]						
QPSK	1	0	13.19	13.20	13.26	13.39	0	0	
	1	25	13.22	13.20	13.35	13.41		0	
	1	49	13.17	13.17	13.34	13.33		0	
	25	0	13.20	13.17	13.23	13.37		0	
	25	12	13.23	13.18	13.34	13.39	0-1	0	
	25	25	13.24	13.19	13.37	13.43		0	
	50	0	13.19	13.17	13.31	13.38		0	
	1	0	13.17	13.11	13.06	13.38		0	
16QAM	1	25	13.20	13.23	13.34	13.39	0-1	0	
	1	49	13.19	13.24	13.19	13.40		0	
	25	0	13.21	13.17	13.21	13.38		0	
	25	12	13.29	13.23	13.32	13.41		0	
	25	25	13.24	13.23	13.34	13.46	0-2	0	
	50	0	13.23	13.19	13.31	13.38		0	
	1	0	13.25	13.25	13.33	13.51		0	
	1	25	13.28	13.23	13.38	13.54		0	
64QAM	1	49	13.30	13.22	13.20	13.48	0-2	0	
	25	0	13.26	13.20	13.24	13.42		0	
	25	12	13.31	13.23	13.36	13.43		0	
	25	25	13.28	13.25	13.35	13.49		0	
	50	0	13.27	13.22	13.36	13.46	0-3	0	
	1	0	13.09	13.06	12.98	13.30		0	
	1	25	13.25	13.00	13.22	13.30		0	
	1	49	13.03	12.94	13.24	13.24		0	
256QAM	25	0	13.24	13.12	13.15	13.23	0-5	0	
	25	12	13.26	13.12	13.18	13.33		0	
	25	25	13.20	13.09	13.23	13.38		0	
	50	0	13.17	13.06	13.23	13.30		0	

Table I-102
LTE Band 48 Measured P_{Limit} Antenna 2a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)			
			Conducted Power [dBm]						
QPSK	1	0	13.19	13.03	13.15	13.43	0	0	
	1	12	13.25	13.17	13.30	13.52		0	
	1	24	13.22	13.10	13.26	13.47		0	
	12	0	13.24	13.20	13.24	13.49		0	
	12	6	13.27	13.20	13.29	13.54	0-1	0	
	12	13	13.21	13.21	13.32	13.48		0	
	25	0	13.21	13.19	13.27	13.50		0	
	1	0	13.10	13.06	13.29	13.47		0	
16QAM	1	12	13.25	13.22	13.31	13.46	0-1	0	
	1	24	13.18	13.17	13.23	13.56		0	
	12	0	13.28	13.16	13.24	13.53		0	
	12	6	13.27	13.18	13.35	13.50		0	
	12	13	13.23	13.17	13.31	13.50	0-2	0	
	25	0	13.27	13.18	13.25	13.52		0	
	1	0	13.26	13.27	13.34	13.47		0	
	1	12	13.23	13.30	13.43	13.57		0	
64QAM	1	24	13.40	13.26	13.50	13.51	0-2	0	
	12	0	13.19	13.14	13.30	13.58		0	
	12	6	13.43	13.36	13.37	13.60		0	
	12	13	13.38	13.36	13.43	13.58		0	
	25	0	13.25	13.19	13.28	13.51	0-3	0	
	1	0	13.22	13.17	13.09	13.24		0	
	1	12	13.25	13.15	13.20	13.34		0	
	1	24	13.26	13.23	13.12	13.40		0	
256QAM	12	0	13.25	13.14	13.24	13.41	0-5	0	
	12	6	13.32	13.15	13.22	13.41		0	
	12	13	13.23	13.13	13.22	13.36		0	
	25	0	13.32	13.17	13.27	13.41		0	

Table I-103
LTE Band 48 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.67	13.54	13.56	13.80	0	0
	1	36	13.66	13.52	13.60	13.84		0
	1	74	13.60	13.50	13.64	13.83		0
	36	0	13.78	13.71	13.72	13.95	0-1	0
	36	18	13.71	13.68	13.73	13.93		0
	36	37	13.74	13.61	13.83	14.04		0
	75	0	13.72	13.71	13.74	13.96		0
16QAM	1	0	13.70	13.59	13.68	13.85	0-1	0
	1	36	13.38	13.62	13.68	13.94		0
	1	74	13.64	13.55	13.71	13.91		0
	36	0	13.80	13.72	13.72	13.96	0-2	0
	36	18	13.73	13.70	13.70	13.96		0
	36	37	13.74	13.61	13.84	14.05		0
	75	0	13.73	13.71	13.75	13.92		0
64QAM	1	0	13.73	13.58	13.51	13.86	0-2	0
	1	36	13.76	13.54	13.64	13.86		0
	1	74	13.73	13.46	13.68	13.91		0
	36	0	13.77	13.57	13.54	13.84	0-3	0
	36	18	13.80	13.57	13.66	13.86		0
	36	37	13.70	13.48	13.70	13.98		0
	75	0	13.72	13.49	13.66	13.89		0
256QAM	1	0	13.60	13.48	13.43	13.66	0-5	0.1
	1	36	13.65	13.47	13.54	13.67		0.1
	1	74	13.63	13.40	13.66	13.86		0.1
	36	0	13.75	13.55	13.54	13.82		0.1
	36	18	13.73	13.54	13.64	13.83		0.1
	36	37	13.72	13.47	13.68	13.91		0.1
	75	0	13.69	13.50	13.65	13.86		0.1

Table I-104
LTE Band 48 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.85	13.79	13.80	14.07	0	0
	1	25	13.87	13.77	13.90	14.10		0
	1	49	13.82	13.70	13.84	14.07		0
	25	0	13.92	13.83	13.84	14.06	0-1	0
	25	12	13.95	13.85	13.90	14.08		0
	25	25	13.87	13.82	13.94	14.15		0
	50	0	13.87	13.84	13.94	14.05		0
16QAM	1	0	13.85	13.79	13.83	14.07	0-1	0
	1	25	13.87	13.76	13.88	14.08		0
	1	49	13.79	13.76	13.82	14.13		0
	25	0	13.94	13.83	13.85	14.08	0-2	0
	25	12	13.97	13.86	13.89	14.10		0
	25	25	13.86	13.81	13.96	14.17		0
	50	0	13.88	13.83	13.94	14.11		0
64QAM	1	0	13.93	13.82	13.78	14.06	0-2	0
	1	25	13.96	13.76	13.89	14.09		0
	1	49	13.87	13.72	13.79	14.05		0
	25	0	13.93	13.73	13.72	13.96	0-3	0
	25	12	13.85	13.74	13.74	14.00		0
	25	25	13.87	13.63	13.82	14.02		0
	50	0	13.87	13.72	13.73	13.97		0
256QAM	1	0	13.86	13.62	13.58	13.91	0-5	0.1
	1	25	13.73	13.63	13.70	13.96		0.1
	1	49	13.65	13.52	13.63	13.97		0.1
	25	0	13.88	13.71	13.67	13.95		0.1
	25	12	13.84	13.69	13.69	13.95		0.1
	25	25	13.80	13.61	13.78	14.03		0.1
	50	0	13.80	13.67	13.71	13.95		0.1

Table I-105
LTE Band 48 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	13.80	13.70	13.81	14.06	0	0
	1	12	13.88	13.77	13.88	14.09		0
	1	24	13.83	13.71	13.85	14.06		0
	12	0	13.91	13.83	13.82	14.15	0-1	0
	12	6	13.95	13.83	13.96	14.16		0
	12	13	13.89	13.76	13.91	14.15		0
	25	0	13.90	13.80	13.91	14.15		0
16QAM	1	0	13.81	13.71	13.77	14.01	0-1	0
	1	12	13.89	13.77	13.92	14.12		0
	1	24	13.83	13.72	13.81	14.07		0
	12	0	13.91	13.82	13.84	14.13	0-2	0
	12	6	13.92	13.84	13.95	14.17		0
	12	13	13.91	13.78	13.91	14.12		0
	25	0	13.92	13.82	13.93	14.13		0
64QAM	1	0	13.87	13.70	13.75	14.00	0-2	0
	1	12	13.98	13.75	13.87	14.13		0
	1	24	13.87	13.74	13.86	14.04		0
	12	0	13.91	13.73	13.71	14.03	0-3	0
	12	6	13.96	13.69	13.85	14.09		0
	12	13	13.91	13.60	13.79	14.02		0
	25	0	13.89	13.61	13.81	14.03		0
256QAM	1	0	13.72	13.56	13.60	13.89	0-5	0.1
	1	12	13.79	13.70	13.72	13.93		0.1
	1	24	13.75	13.54	13.71	13.91		0.1
	12	0	13.87	13.68	13.69	14.02		0.1
	12	6	13.92	13.63	13.75	14.04		0.1
	12	13	13.85	13.59	13.76	13.97		0.1
	25	0	13.87	13.57	13.75	14.02		0.1

Table I-106
LTE Band 48 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.59	12.48	12.66	12.96	0	0
	1	36	12.63	12.59	12.73	13.02		0
	1	74	12.67	12.58	12.76	12.93		0
	36	0	12.68	12.68	12.72	13.04	0-1	0
	36	18	12.70	12.67	12.82	13.10		0
	36	37	12.73	12.70	12.85	13.12		0
	75	0	12.70	12.80	12.81	13.02		0
16QAM	1	0	12.54	12.58	12.64	13.01	0-1	0
	1	36	12.56	12.66	12.69	13.17		0
	1	74	12.61	12.64	12.70	13.13		0
	36	0	12.67	12.67	12.72	13.04	0-2	0
	36	18	12.69	12.69	12.84	13.13		0
	36	37	12.71	12.73	12.83	13.12		0
	75	0	12.72	12.72	12.85	13.04		0
64QAM	1	0	12.56	12.61	12.60	13.00	0-2	0
	1	36	12.57	12.62	12.74	13.07		0
	1	74	12.60	12.57	12.71	13.05		0
	36	0	12.68	12.68	12.73	13.08	0-3	0
	36	18	12.71	12.67	12.83	13.14		0
	36	37	12.76	12.71	12.84	13.15		0
	75	0	12.72	12.70	12.86	13.07		0
256QAM	1	0	12.62	12.54	12.52	12.94	0-5	0
	1	36	12.64	12.50	12.63	12.98		0
	1	74	12.60	12.56	12.74	13.07		0
	36	0	12.73	12.59	12.62	12.94		0
	36	18	12.67	12.53	12.65	13.06		0
	36	37	12.71	12.56	12.75	13.04		0
	75	0	12.67	12.53	12.76	12.98		0

Table I-107
LTE Band 48 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)			
			Conducted Power [dBm]						
QPSK	1	0	12.82	12.72	12.64	12.90	0	0	
	1	25	12.95	12.75	12.71	12.94		0	
	1	49	12.81	12.66	12.67	12.89		0	
	25	0	12.90	12.76	12.63	12.85		0	
	25	12	12.94	12.81	12.65	12.88	0-1	0	
	25	25	12.85	12.69	12.72	12.92		0	
	50	0	12.86	12.78	12.71	12.85		0	
	1	0	12.75	12.71	12.67	12.83		0	
16QAM	1	25	12.78	12.71	12.71	12.90	0-1	0	
	1	49	12.76	12.70	12.69	12.84		0	
	25	0	12.88	12.62	12.58	12.82		0	
	25	12	12.92	12.67	12.61	12.85		0	
	25	25	12.83	12.58	12.68	12.91	0-2	0	
	50	0	12.83	12.74	12.67	12.82		0	
	1	0	12.80	12.78	12.54	12.77		0	
	1	25	12.82	12.75	12.57	12.89		0	
64QAM	1	49	12.72	12.77	12.56	12.83	0-2	0	
	25	0	12.90	12.67	12.62	12.85		0	
	25	12	12.92	12.68	12.54	12.89		0	
	25	25	12.87	12.58	12.61	12.94		0	
	50	0	12.82	12.76	12.70	12.85	0-3	0	
	1	0	12.76	12.76	12.41	12.79		0	
	1	25	12.82	12.77	12.53	12.89		0	
	1	49	12.80	12.62	12.50	12.84		0	
256QAM	25	0	12.86	12.66	12.42	12.80	0-5	0	
	25	12	12.91	12.66	12.47	12.84		0	
	25	25	12.84	12.58	12.55	12.89		0	
	50	0	12.82	12.76	12.45	12.81		0	

Table I-108
LTE Band 48 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.87	12.65	12.68	12.79	0	0
	1	12	12.92	12.72	12.72	12.86		0
	1	24	12.93	12.70	12.73	12.84		0
	12	0	12.94	12.74	12.64	12.93		0
	12	6	12.95	12.81	12.78	12.97	0-1	0
	12	13	12.92	12.74	12.71	12.89		0
	25	0	12.94	12.75	12.72	12.90		0
16QAM	1	0	12.81	12.63	12.64	12.79	0-1	0
	1	12	12.96	12.62	12.77	12.93		0
	1	24	12.93	12.59	12.71	12.84		0
	12	0	12.92	12.70	12.65	12.83		0
	12	6	12.91	12.78	12.79	12.89	0-2	0
	12	13	12.90	12.71	12.75	12.86		0
	25	0	12.91	12.71	12.67	12.89		0
64QAM	1	0	12.90	12.58	12.64	12.76	0-2	0
	1	12	12.92	12.64	12.59	12.82		0
	1	24	12.84	12.57	12.62	12.87		0
	12	0	12.88	12.70	12.65	12.94		0
	12	6	12.89	12.76	12.71	12.97	0-3	0
	12	13	12.87	12.69	12.73	12.90		0
	25	0	12.93	12.73	12.69	12.94		0
256QAM	1	0	12.88	12.59	12.63	12.73	0-5	0
	1	12	12.91	12.65	12.81	12.79		0
	1	24	12.94	12.66	12.72	12.76		0
	12	0	12.93	12.67	12.56	12.89		0
	12	6	12.93	12.72	12.69	12.87		0
	12	13	12.89	12.67	12.59	12.86		0
	25	0	12.89	12.69	12.62	12.87		0

I.2 NR Lower Bandwidth RF Conducted Powers

Note: Some bands do not support non-overlapping channels. Per FCC Guidance, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

I.2.1 NR Band n71

Table I-109
NR Band n71 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.93	0	0.0
	1	40	19.95		0.0
	1	77	19.98		0.0
	36	0	19.75	0-0.5	0.0
	36	22	19.81	0	0.0
	36	43	19.85	0-0.5	0.0
	75	0	19.80		0.0
DFT-s-OFDM QPSK	1	1	19.97	0	0.0
	1	40	19.88		0.0
	1	77	19.91		0.0
	36	0	19.77	0-1	0.0
	36	22	19.80	0	0.0
	36	43	19.87	0-1	0.0
	75	0	19.79		0.0
DFT-s-OFDM 16QAM	1	1	19.92	0-1	0.0
CP-OFDM QPSK	1	1	20.02	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 62 of 177

Table I-110
NR Band n71 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.99	19.93	19.94	0	0.0
	1	26	20.00	19.95	20.02		0.0
	1	50	19.94	20.02	19.91		0.0
	25	0	19.90	19.80	19.88	0-0.5	0.0
	25	14	19.87	19.89	19.81	0	0.0
	25	27	19.85	19.82	19.83	0-0.5	0.0
	50	0	19.88	19.86	19.84		0.0
DFT-s-OFDM QPSK	1	1	19.98	19.96	20.01	0	0.0
	1	26	20.01	20.01	19.97		0.0
	1	50	20.00	19.97	19.94		0.0
	25	0	19.94	19.81	19.92	0-1	0.0
	25	14	19.92	19.88	19.87	0	0.0
	25	27	19.87	19.85	19.84	0-1	0.0
	50	0	19.90	19.87	19.86		0.0
DFT-s-OFDM 16QAM	1	1	20.10	19.94	20.05	0-1	0.0
CP-OFDM QPSK	1	1	19.83	20.04	19.84	0-1.5	0.0

Table I-111
NR Band n71 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	20.08	19.97	20.01	0	0.0
	1	13	20.06	20.04	20.04		0.0
	1	23	20.01	20.03	19.95		0.0
	12	0	20.00	19.94	20.01	0-0.5	0.0
	12	7	19.99	20.02	20.02	0	0.0
	12	13	20.04	19.97	19.94	0-0.5	0.0
	25	0	19.98	19.92	19.93		0.0
DFT-s-OFDM QPSK	1	1	20.06	19.95	20.02	0	0.0
	1	13	19.98	20.03	20.01		0.0
	1	23	20.04	20.01	19.97		0.0
	12	0	20.02	19.94	19.96	0-1	0.0
	12	7	20.03	19.93	20.03	0	0.0
	12	13	19.98	19.97	19.98	0-1	0.0
	25	0	20.03	19.96	19.99		0.0
DFT-s-OFDM 16QAM	1	1	20.02	19.92	20.17	0-1	0.0
CP-OFDM QPSK	1	1	20.07	19.98	19.82	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 63 of 177

Table I-112
NR Band n71 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.72	0	0.0
	1	40	19.61		0.0
	1	77	19.73		0.0
	36	0	19.64	0-0.5	0.0
	36	22	19.53	0	0.0
	36	43	19.59	0-0.5	0.0
	75	0	19.55		0.0
DFT-s-OFDM QPSK	1	1	19.76	0	0.0
	1	40	19.61		0.0
	1	77	19.67		0.0
	36	0	19.65	0-1	0.0
	36	22	19.60	0	0.0
	36	43	19.65	0-1	0.0
	75	0	19.62		0.0
DFT-s-OFDM 16QAM	1	1	19.72	0-1	0.0
CP-OFDM QPSK	1	1	19.58	0-1.5	0.0

Table I-113
NR Band n71 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.74	19.72	19.76	0	0.0
	1	26	19.71	19.67	19.72		0.0
	1	50	19.72	19.77	19.64		0.0
	25	0	19.69	19.56	19.64	0-0.5	0.0
	25	14	19.65	19.58	19.62	0	0.0
	25	27	19.65	19.61	19.56	0-0.5	0.0
	50	0	19.68	19.58	19.60		0.0
DFT-s-OFDM QPSK	1	1	19.72	19.71	19.73	0	0.0
	1	26	19.75	19.66	19.68		0.0
	1	50	19.63	19.70	19.67		0.0
	25	0	19.72	19.62	19.70	0-1	0.0
	25	14	19.71	19.54	19.64	0	0.0
	25	27	19.67	19.59	19.59	0-1	0.0
	50	0	19.58	19.57	19.64		0.0
DFT-s-OFDM 16QAM	1	1	19.92	19.63	19.94	0-1	0.0
CP-OFDM QPSK	1	1	19.66	19.72	19.62	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 64 of 177

Table I-114
NR Band n71 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.75	19.51	19.72	0	0.0
	1	13	19.72	19.62	19.66		0.0
	1	23	19.65	19.61	19.63		0.0
	12	0	19.71	19.53	19.62	0-0.5	0.0
	12	7	19.74	19.52	19.61	0	0.0
	12	13	19.71	19.53	19.57	0-0.5	0.0
	25	0	19.64	19.52	19.54		0.0
DFT-s-OFDM QPSK	1	1	19.74	19.67	19.66	0	0.0
	1	13	19.73	19.72	19.68		0.0
	1	23	19.71	19.73	19.62		0.0
	12	0	19.73	19.67	19.61	0-1	0.0
	12	7	19.70	19.63	19.67	0	0.0
	12	13	19.68	19.58	19.60	0-1	0.0
	25	0	19.70	19.53	19.62		0.0
DFT-s-OFDM 16QAM	1	1	19.80	19.51	19.73	0-1	0.0
CP-OFDM QPSK	1	1	19.67	19.70	19.54	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 65 of 177

I.2.2 NR Band n12

Table I-115
NR Band n12 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	20.20	0	0.0
	1	26	20.19		0.0
	1	50	19.92		0.0
	25	0	20.04	0-0.5	0.0
	25	14	20.02	0	0.0
	25	27	20.00	0-0.5	0.0
	50	0	20.05		0.0
DFT-s-OFDM QPSK	1	1	20.22	0	0.0
	1	26	20.08		0.0
	1	50	19.95		0.0
	25	0	20.08	0-1	0.0
	25	14	20.06	0	0.0
	25	27	20.00	0-1	0.0
	50	0	20.05		0.0
DFT-s-OFDM 16QAM	1	1	20.38	0-1	0.0
CP-OFDM QPSK	1	1	19.95	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 66 of 177

Table I-116
NR Band n12 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	20.21	20.05	19.88	0	0.0
	1	13	20.17	20.16	19.81		0.0
	1	23	20.17	19.99	19.86		0.0
	12	0	20.14	20.07	19.82	0-0.5	0.0
	12	7	20.16	20.02	19.83	0	0.0
	12	13	20.08	19.97	19.77	0-0.5	0.0
	25	0	20.02	19.93	19.72		0.0
DFT-s-OFDM QPSK	1	1	20.15	20.03	19.88	0	0.0
	1	13	20.12	20.12	19.85		0.0
	1	23	20.09	19.98	19.84		0.0
	12	0	20.09	20.02	19.80	0-1	0.0
	12	7	20.12	20.07	19.82	0	0.0
	12	13	19.99	19.94	19.80	0-1	0.0
	25	0	20.04	19.97	19.78		0.0
DFT-s-OFDM 16QAM	1	1	20.29	20.28	20.12	0-1	0.0
CP-OFDM QPSK	1	1	19.91	19.85	19.63	0-1.5	0.0

Table I-117
NR Band n12 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.06	0	0.0
	1	26	19.16		0.0
	1	50	19.05		0.0
	25	0	19.01	0-0.5	0.0
	25	14	19.05	0	0.0
	25	27	19.01	0-0.5	0.0
	50	0	18.95		0.0
DFT-s-OFDM QPSK	1	1	19.04	0	0.0
	1	26	19.15		0.0
	1	50	19.02		0.0
	25	0	19.03	0-1	0.0
	25	14	19.02	0	0.0
	25	27	19.01	0-1	0.0
	50	0	18.95		0.0
DFT-s-OFDM 16QAM	1	1	18.96	0-1	0.0
CP-OFDM QPSK	1	1	19.06	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 67 of 177

Table I-118
NR Band n12 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.14	19.19	19.15	0	0.0
	1	13	19.08	19.17	19.05		0.0
	1	23	19.12	19.13	19.07		0.0
	12	0	19.11	19.12	19.10	0-0.5	0.0
	12	7	19.04	19.15	19.08	0	0.0
	12	13	19.01	19.07	19.03	0-0.5	0.0
	25	0	19.00	19.05	18.98		0.0
DFT-s-OFDM QPSK	1	1	19.10	19.18	19.13	0	0.0
	1	13	19.08	19.22	19.08		0.0
	1	23	19.09	19.18	19.05		0.0
	12	0	19.13	19.08	19.14	0-1	0.0
	12	7	19.09	19.17	19.07	0	0.0
	12	13	19.11	19.14	19.08	0-1	0.0
	25	0	19.04	19.12	19.02		0.0
DFT-s-OFDM 16QAM	1	1	19.33	19.32	19.38	0-1	0.0
CP-OFDM QPSK	1	1	18.95	19.01	18.94	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 68 of 177

I.2.3 NR Band 14

Table I-119
NR Band n14 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.72	19.90	0	0.0
	1	13	19.77	19.85		0.0
	1	23	19.91	19.73		0.0
	12	0	19.90	19.88	0-0.5	0.0
	12	7	19.82	19.87	0	0.0
	12	13	19.83	19.73	0-0.5	0.0
	25	0	19.69	19.70		0.0
DFT-s-OFDM QPSK	1	1	19.88	19.94	0	0.0
	1	13	19.87	19.78		0.0
	1	23	19.66	19.70		0.0
	12	0	19.76	19.85	0-1	0.0
	12	7	19.71	19.78	0	0.0
	12	13	19.67	19.65	0-1	0.0
	25	0	19.74	19.76		0.0
DFT-s-OFDM 16QAM	1	1	20.07	19.95	0-1	0.0
CP-OFDM QPSK	1	1	19.78	19.83	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 69 of 177

Table I-120
NR Band n14 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	19.95	19.85	0	0.0
	1	13	19.82	19.75		0.0
	1	23	19.75	19.72		0.0
	12	0	19.82	19.79	0-0.5	0.0
	12	7	19.82	19.76	0	0.0
	12	13	19.75	19.68	0-0.5	0.0
	25	0	19.71	19.67		0.0
DFT-s-OFDM QPSK	1	1	19.93	19.85	0	0.0
	1	13	19.76	19.70		0.0
	1	23	19.78	19.75		0.0
	12	0	19.85	19.82	0-1	0.0
	12	7	19.87	19.77	0	0.0
	12	13	19.74	19.68	0-1	0.0
	25	0	19.82	19.71		0.0
DFT-s-OFDM 16QAM	1	1	20.10	20.01	0-1	0.0
CP-OFDM QPSK	1	1	19.68	19.72	0-1.5	0.0

I.2.4 NR Band n5

Table I-121
NR Band n5 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	17.73	0	0.0
	1	40	17.72		0.0
	1	77	17.80		0.0
	36	0	17.63	0-0.5	0.0
	36	22	17.52	0	0.0
	36	43	17.62	0-0.5	0.0
	75	0	17.61		0.0
DFT-s-OFDM QPSK	1	1	17.72	0	0.0
	1	40	17.80		0.0
	1	77	17.66		0.0
	36	0	17.65	0-1	0.0
	36	22	17.59	0	0.0
	36	43	17.61	0-1	0.0
	75	0	17.58		0.0
DFT-s-OFDM 16QAM	1	1	17.71	0-1	0.0
CP-OFDM QPSK	1	1	17.76	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 71 of 177

Table I-122
NR Band n5 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	17.60	0	0.0
	1	26	17.65		0.0
	1	50	17.60		0.0
	25	0	17.56	0-0.5	0.0
	25	14	17.52	0	0.0
	25	27	17.63	0-0.5	0.0
	50	0	17.60		0.0
DFT-s-OFDM QPSK	1	1	17.77	0	0.0
	1	26	17.60		0.0
	1	50	17.56		0.0
	25	0	17.58	0-1	0.0
	25	14	17.60	0	0.0
	25	27	17.63	0-1	0.0
	50	0	17.67		0.0
DFT-s-OFDM 16QAM	1	1	17.81	0-1	0.0
CP-OFDM QPSK	1	1	17.51	0-1.5	0.0

Table I-123
NR Band n5 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	17.77	17.66	17.64	0	0.0
	1	13	17.58	17.60	17.67		0.0
	1	23	17.64	17.59	17.52		0.0
	12	0	17.64	17.57	17.48	0-0.5	0.0
	12	7	17.74	17.57	17.48	0	0.0
	12	13	17.70	17.68	17.54	0-0.5	0.0
	25	0	17.63	17.49	17.41		0.0
DFT-s-OFDM QPSK	1	1	17.74	17.59	17.69	0	0.0
	1	13	17.76	17.66	17.49		0.0
	1	23	17.79	17.74	17.60		0.0
	12	0	17.73	17.62	17.56	0-1	0.0
	12	7	17.67	17.51	17.54	0	0.0
	12	13	17.75	17.64	17.51	0-1	0.0
	25	0	17.71	17.56	17.49		0.0
DFT-s-OFDM 16QAM	1	1	17.96	17.73	17.96	0-1	0.0
CP-OFDM QPSK	1	1	17.63	17.63	17.45	0-1.5	0.0

Table I-124

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 72 of 177

NR Band n5 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.52	0	0.0
	1	40	18.38		0.0
	1	77	18.27		0.0
	36	0	18.44	0-0.5	0.0
	36	22	18.33	0	0.0
	36	43	18.30	0-0.5	0.0
	75	0	18.36		0.0
DFT-s-OFDM QPSK	1	1	18.55	0	0.0
	1	40	18.39		0.0
	1	77	18.34		0.0
	36	0	18.45	0-1	0.0
	36	22	18.38	0	0.0
	36	43	18.34	0-1	0.0
	75	0	18.41		0.0
DFT-s-OFDM 16QAM	1	1	18.81	0-1	0.0
CP-OFDM QPSK	1	1	18.38	0-1.5	0.0

Table I-125

NR Band n5 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.42	0	0.0
	1	26	18.38		0.0
	1	50	18.17		0.0
	25	0	18.39	0-0.5	0.0
	25	14	18.32	0	0.0
	25	27	18.22	0-0.5	0.0
	50	0	18.25		0.0
DFT-s-OFDM QPSK	1	1	18.49	0	0.0
	1	26	18.44		0.0
	1	50	18.17		0.0
	25	0	18.39	0-1	0.0
	25	14	18.38	0	0.0
	25	27	18.25	0-1	0.0
	50	0	18.26		0.0
DFT-s-OFDM 16QAM	1	1	18.64	0-1	0.0
CP-OFDM QPSK	1	1	18.22	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 73 of 177

Table I-126
NR Band n5 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n5							
5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.63	18.42	18.23	0	0.0
	1	13	18.55	18.27	18.12		0.0
	1	23	18.59	18.28	18.12		0.0
	12	0	18.53	18.37	18.11	0-0.5	0.0
	12	7	18.52	18.38	18.08	0	0.0
	12	13	18.49	18.23	18.14	0-0.5	0.0
	25	0	18.44	18.28	18.04		0.0
DFT-s-OFDM QPSK	1	1	18.69	18.49	18.18	0	0.0
	1	13	18.62	18.36	18.10		0.0
	1	23	18.60	18.31	18.15		0.0
	12	0	18.58	18.45	18.16	0-1	0.0
	12	7	18.48	18.40	18.11	0	0.0
	12	13	18.51	18.26	18.13	0-1	0.0
	25	0	18.49	18.36	18.13		0.0
DFT-s-OFDM 16QAM	1	1	18.54	18.66	18.49	0-1	0.0
CP-OFDM QPSK	1	1	18.67	18.27	18.02	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 74 of 177

I.2.5 NR Band n26

Table I-127
NR Band n26 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n26							
5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158600 (816.5 MHz)	341496 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	17.74	17.78	17.84	0	0.0
	1	13	17.78	17.81	17.79		0.0
	1	23	17.76	17.86	17.81		0.0
	12	0	17.71	17.81	17.80	0-0.5	0.0
	12	7	17.74	17.81	17.78	0	0.0
	12	13	17.65	17.78	17.72	0-0.5	0.0
	25	0	17.63	17.78	17.71		0.0
DFT-s-OFDM QPSK	1	1	17.75	17.84	17.83	0	0.0
	1	13	17.74	17.82	17.79		0.0
	1	23	17.64	17.80	17.83		0.0
	12	0	17.79	17.85	17.78	0-1	0.0
	12	7	17.77	17.84	17.80	0	0.0
	12	13	17.73	17.77	17.76	0-1	0.0
	25	0	17.72	17.80	17.80		0.0
DFT-s-OFDM 16QAM	1	1	17.99	18.00	18.02	0-1	0.0
CP-OFDM QPSK	1	1	17.62	17.57	17.55	0-1.5	0.0

Table I-128
NR Band n26 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	18.38	18.40	18.24	0	0.0
	1	13	18.29	18.24	18.28		0.0
	1	23	18.30	18.25	18.22		0.0
	12	0	18.36	18.28	18.23	0-0.5	0.0
	12	7	18.32	18.30	18.25	0	0.0
	12	13	18.28	18.27	18.19	0-0.5	0.0
	25	0	18.23	18.18	18.18		0.0
DFT-s-OFDM QPSK	1	1	18.40	18.35	18.28	0	0.0
	1	13	18.29	18.31	18.22		0.0
	1	23	18.34	18.30	18.22		0.0
	12	0	18.32	18.31	18.25	0-1	0.0
	12	7	18.34	18.29	18.23	0	0.0
	12	13	18.32	18.30	18.20	0-1	0.0
	25	0	18.33	18.29	18.22		0.0
DFT-s-OFDM 16QAM	1	1	18.64	18.51	18.50	0-1	0.0
CP-OFDM QPSK	1	1	18.11	18.06	18.10	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by:
DUT Type: Tablet Device		Technical Manager
APPENDIX I: Page 75 of 177		

I.2.6 NR Band n66

Table I-129
NR Band n66 Measured P_{Limit} Antenna 1 - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.25	0	0.0
	1	80	16.24		0.0
	1	158	16.19		0.0
	80	0	16.13	0-0.5	0.0
	80	40	16.17	0	0.0
	80	80	16.21	0-0.5	0.0
	160	0	16.18		0.0
DFT-s-OFDM QPSK	1	1	16.27	0	0.0
	1	80	16.24		0.0
	1	158	16.28		0.0
	80	0	16.18	0-1	0.0
	80	40	16.08	0	0.0
	80	80	16.21	0-1	0.0
	160	0	16.21		0.0
DFT-s-OFDM 16QAM	1	1	16.07	0-1	0.0
CP-OFDM QPSK	1	1	16.25	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 76 of 177

Table I-130
NR Band n66 Measured P_{Limit} Antenna 1 - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.33	16.35	16.22	0	0.0
	1	53	16.26	16.20	16.17		0.0
	1	104	16.43	16.21	16.18		0.0
	50	0	16.23	16.26	16.18	0-0.5	0.0
	50	28	16.25	16.23	16.10	0	0.0
	50	56	16.27	16.21	16.12	0-0.5	0.0
	100	0	16.25	16.23	16.17		0.0
DFT-s-OFDM QPSK	1	1	16.37	16.34	16.21	0	0.0
	1	53	16.30	16.22	16.14		0.0
	1	104	16.42	16.30	16.22		0.0
	50	0	16.28	16.24	16.15	0-1	0.0
	50	28	16.26	16.24	16.10	0	0.0
	50	56	16.25	16.21	16.11	0-1	0.0
	100	0	16.26	16.22	16.16		0.0
DFT-s-OFDM 16QAM	1	1	16.20	16.52	16.42	0-1	0.0
CP-OFDM QPSK	1	1	16.32	16.15	16.12	0-1.5	0.0

Table I-131
NR Band n66 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.32	16.31	16.21	0	0.0
	1	40	16.24	16.22	16.15		0.0
	1	77	16.35	16.29	16.25		0.0
	36	0	16.23	16.21	16.10	0-0.5	0.0
	36	22	16.20	16.19	16.04	0	0.0
	36	43	16.23	16.21	16.07	0-0.5	0.0
	75	0	16.20	16.23	16.10		0.0
DFT-s-OFDM QPSK	1	1	16.31	16.31	16.24	0	0.0
	1	40	16.26	16.22	16.19		0.0
	1	77	16.38	16.31	16.28		0.0
	36	0	16.26	16.23	16.11	0-1	0.0
	36	22	16.21	16.20	16.11	0	0.0
	36	43	16.26	16.21	16.10	0-1	0.0
	75	0	16.24	16.24	16.10		0.0
DFT-s-OFDM 16QAM	1	1	16.52	16.48	16.13	0-1	0.0
CP-OFDM QPSK	1	1	16.07	16.15	16.14	0-1.5	0.0

Table I-132
NR Band n66 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.29	16.28	16.25	0	0.0
	1	26	16.36	16.31	16.27		0.0
	1	50	16.37	16.27	16.22		0.0
	25	0	16.26	16.24	16.17	0-0.5	0.0
	25	14	16.30	16.27	16.18	0	0.0
	25	27	16.25	16.23	16.13	0-0.5	0.0
	50	0	16.29	16.25	16.16		0.0
DFT-s-OFDM QPSK	1	1	16.33	16.32	16.25	0	0.0
	1	26	16.36	16.35	16.31		0.0
	1	50	16.33	16.36	16.24		0.0
	25	0	16.27	16.21	16.16	0-1	0.0
	25	14	16.30	16.25	16.17	0	0.0
	25	27	16.25	16.24	16.20	0-1	0.0
	50	0	16.26	16.27	16.18		0.0
DFT-s-OFDM 16QAM	1	1	16.49	16.52	16.45	0-1	0.0
CP-OFDM QPSK	1	1	16.16	16.12	16.05	0-1.5	0.0

Table I-133
NR Band n66 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.28	16.24	16.07	0	0.0
	1	13	16.31	16.34	16.12		0.0
	1	23	16.23	16.22	16.10		0.0
	12	0	16.20	16.19	16.06	0-0.5	0.0
	12	7	16.25	16.28	16.07	0	0.0
	12	13	16.21	16.26	16.05	0-0.5	0.0
	25	0	16.20	16.20	16.00		0.0
DFT-s-OFDM QPSK	1	1	16.31	16.25	16.06	0	0.0
	1	13	16.32	16.31	16.09		0.0
	1	23	16.35	16.25	16.11		0.0
	12	0	16.22	16.27	16.04	0-1	0.0
	12	7	16.25	16.28	16.02	0	0.0
	12	13	16.19	16.16	16.05	0-1	0.0
	25	0	16.22	16.20	16.03		0.0
DFT-s-OFDM 16QAM	1	1	16.12	16.49	16.30	0-1	0.0
CP-OFDM QPSK	1	1	16.29	16.01	15.85	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 78 of 177

Table I-134
NR Band n66 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.33	0	0.0
	1	80	14.28		0.0
	1	158	14.27		0.0
	80	0	14.26	0-0.5	0.0
	80	40	14.25	0	0.0
	80	80	14.32	0-0.5	0.0
	160	0	14.29		0.0
DFT-s-OFDM QPSK	1	1	14.30	0	0.0
	1	80	14.34		0.0
	1	158	14.36		0.0
	80	0	14.31	0-1	0.0
	80	40	14.29	0	0.0
	80	80	14.34	0-1	0.0
	160	0	14.28		0.0
DFT-s-OFDM 16QAM	1	1	14.25	0-1	0.0
CP-OFDM QPSK	1	1	14.33	0-1.5	0.0

Table I-135
NR Band n66 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.30	14.31	14.32	0	0.0
	1	53	14.29	14.33	14.24		0.0
	1	104	14.37	14.37	14.30		0.0
	50	0	14.27	14.29	14.25	0-0.5	0.0
	50	28	14.30	14.28	14.28	0	0.0
	50	56	14.32	14.33	14.30	0-0.5	0.0
	100	0	14.29	14.30	14.26		0.0
DFT-s-OFDM QPSK	1	1	14.37	14.31	14.30	0	0.0
	1	53	14.32	14.27	14.27		0.0
	1	104	14.41	14.34	14.34		0.0
	50	0	14.32	14.33	14.29	0-1	0.0
	50	28	14.28	14.30	14.28	0	0.0
	50	56	14.34	14.31	14.27	0-1	0.0
	100	0	14.28	14.28	14.29		0.0
DFT-s-OFDM 16QAM	1	1	14.40	14.43	14.47	0-1	0.0
CP-OFDM QPSK	1	1	14.26	14.22	14.27	0-1.5	0.0

Table I-136
NR Band n66 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.30	14.29	14.30	0	0.0
	1	40	14.27	14.26	14.27		0.0
	1	77	14.35	14.31	14.29		0.0
	36	0	14.26	14.27	14.27	0-0.5	0.0
	36	22	14.27	14.23	14.22	0	0.0
	36	43	14.35	14.28	14.25	0-0.5	0.0
	75	0	14.32	14.25	14.26		0.0
DFT-s-OFDM QPSK	1	1	14.28	14.31	14.32	0	0.0
	1	40	14.31	14.30	14.33		0.0
	1	77	14.35	14.33	14.29		0.0
	36	0	14.26	14.27	14.31	0-1	0.0
	36	22	14.29	14.23	14.27	0	0.0
	36	43	14.32	14.29	14.28	0-1	0.0
	75	0	14.28	14.23	14.26		0.0
DFT-s-OFDM 16QAM	1	1	14.48	14.40	14.41	0-1	0.0
CP-OFDM QPSK	1	1	14.25	14.27	14.14	0-1.5	0.0

Table I-137
NR Band n66 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.27	14.26	14.29	0	0.0
	1	26	14.29	14.30	14.32		0.0
	1	50	14.33	14.28	14.31		0.0
	25	0	14.30	14.26	14.21	0-0.5	0.0
	25	14	14.31	14.21	14.28	0	0.0
	25	27	14.29	14.30	14.27	0-0.5	0.0
	50	0	14.25	14.26	14.25		0.0
DFT-s-OFDM QPSK	1	1	14.31	14.28	14.31	0	0.0
	1	26	14.32	14.32	14.34		0.0
	1	50	14.35	14.28	14.30		0.0
	25	0	14.28	14.27	14.24	0-1	0.0
	25	14	14.29	14.26	14.28	0	0.0
	25	27	14.34	14.31	14.25	0-1	0.0
	50	0	14.24	14.23	14.25		0.0
DFT-s-OFDM 16QAM	1	1	14.37	14.34	14.22	0-1	0.0
CP-OFDM QPSK	1	1	14.27	14.21	14.25	0-1.5	0.0

Table I-138

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 80 of 177

NR Band n66 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.32	14.28	14.29	0	0.0
	1	13	14.34	14.32	14.33		0.0
	1	23	14.31	14.27	14.31		0.0
	12	0	14.28	14.25	14.32	0-0.5	0.0
	12	7	14.29	14.28	14.34	0	0.0
	12	13	14.32	14.27	14.35	0-0.5	0.0
	25	0	14.25	14.26	14.25		0.0
DFT-s-OFDM QPSK	1	1	14.30	14.26	14.32	0	0.0
	1	13	14.33	14.28	14.30		0.0
	1	23	14.35	14.31	14.29		0.0
	12	0	14.29	14.27	14.31	0-1	0.0
	12	7	14.31	14.30	14.34	0	0.0
	12	13	14.32	14.31	14.27	0-1	0.0
	25	0	14.25	14.23	14.26		0.0
DFT-s-OFDM 16QAM	1	1	14.44	14.37	14.43	0-1	0.0
CP-OFDM QPSK	1	1	14.14	14.15	14.07	0-1.5	0.0

Table I-139

NR Band n66 Measured P_{Limit} Antenna 3 - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.92	0	0.0
	1	80	15.91		0.0
	1	158	15.93		0.0
	80	0	15.84	0-0.5	0.0
	80	40	15.82	0	0.0
	80	80	15.92	0-0.5	0.0
	160	0	15.93		0.0
DFT-s-OFDM QPSK	1	1	15.97	0	0.0
	1	80	15.91		0.0
	1	158	15.91		0.0
	80	0	15.86	0-1	0.0
	80	40	15.82	0	0.0
	80	80	15.94	0-1	0.0
	160	0	15.85		0.0
DFT-s-OFDM 16QAM	1	1	15.82	0-1	0.0
CP-OFDM QPSK	1	1	15.85	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 81 of 177

Table I-140
NR Band n66 Measured P_{Limit} Antenna 3 - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.97	15.95	15.96	0	0.0
	1	53	15.83	15.85	15.88		0.0
	1	104	15.94	15.94	15.93		0.0
	50	0	15.84	15.83	15.90	0-0.5	0.0
	50	28	15.89	15.86	15.85	0	0.0
	50	56	15.88	15.85	15.87	0-0.5	0.0
	100	0	15.89	15.84	15.83		0.0
DFT-s-OFDM QPSK	1	1	15.96	15.94	15.96	0	0.0
	1	53	15.93	15.89	15.90		0.0
	1	104	15.94	15.97	15.99		0.0
	50	0	15.89	15.84	15.86	0-1	0.0
	50	28	15.87	15.85	15.88	0	0.0
	50	56	15.86	15.87	15.86	0-1	0.0
	100	0	15.89	15.85	15.92		0.0
DFT-s-OFDM 16QAM	1	1	16.16	16.15	16.10	0-1	0.0
CP-OFDM QPSK	1	1	15.79	15.82	15.69	0-1.5	0.0

Table I-141
NR Band n66 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.98	15.91	15.92	0	0.0
	1	40	15.95	15.86	15.84		0.0
	1	77	16.01	15.95	15.93		0.0
	36	0	15.91	15.85	15.84	0-0.5	0.0
	36	22	15.89	15.82	15.80	0	0.0
	36	43	15.94	15.81	15.85	0-0.5	0.0
	75	0	15.93	15.82	15.84		0.0
DFT-s-OFDM QPSK	1	1	15.99	15.91	15.98	0	0.0
	1	40	15.92	15.90	15.82		0.0
	1	77	16.02	15.91	15.97		0.0
	36	0	15.91	15.89	15.84	0-1	0.0
	36	22	15.93	15.85	15.84	0	0.0
	36	43	15.96	15.87	15.87	0-1	0.0
	75	0	15.97	15.90	15.89		0.0
DFT-s-OFDM 16QAM	1	1	16.19	16.14	16.17	0-1	0.0
CP-OFDM QPSK	1	1	15.78	15.76	15.72	0-1.5	0.0

Table I-142
NR Band n66 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.89	15.97	15.99	0	0.0
	1	26	15.92	15.95	15.92		0.0
	1	50	15.84	15.90	15.91		0.0
	25	0	15.80	15.78	15.86	0-0.5	0.0
	25	14	15.82	15.79	15.83	0	0.0
	25	27	15.83	15.80	15.85	0-0.5	0.0
	50	0	15.80	15.81	15.82		0.0
DFT-s-OFDM QPSK	1	1	15.91	15.92	15.93	0	0.0
	1	26	15.89	15.96	15.94		0.0
	1	50	15.88	15.93	15.94		0.0
	25	0	15.83	15.87	15.86	0-1	0.0
	25	14	15.85	15.87	15.88	0	0.0
	25	27	15.83	15.84	15.85	0-1	0.0
	50	0	15.82	15.83	15.87		0.0
DFT-s-OFDM 16QAM	1	1	16.05	16.03	16.15	0-1	0.0
CP-OFDM QPSK	1	1	15.68	15.74	15.75	0-1.5	0.0

Table I-143
NR Band n66 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.89	15.96	15.90	0	0.0
	1	13	15.92	15.92	15.85		0.0
	1	23	15.85	15.91	15.91		0.0
	12	0	15.84	15.83	15.84	0-0.5	0.0
	12	7	15.88	15.89	15.95	0	0.0
	12	13	15.85	15.87	15.86	0-0.5	0.0
	25	0	15.78	15.82	15.84		0.0
DFT-s-OFDM QPSK	1	1	15.83	15.84	15.88	0	0.0
	1	13	15.90	15.93	15.93		0.0
	1	23	15.92	15.92	15.92		0.0
	12	0	15.85	15.85	15.85	0-1	0.0
	12	7	15.90	15.90	15.89	0	0.0
	12	13	15.88	15.89	15.85	0-1	0.0
	25	0	15.87	15.84	15.88		0.0
DFT-s-OFDM 16QAM	1	1	16.13	16.10	16.21	0-1	0.0
CP-OFDM QPSK	1	1	15.70	15.77	15.72	0-1.5	0.0

Table I-144
NR Band n66 Measured P_{Limit} Antenna 4b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.34	0	0.0
	1	80	13.32		0.0
	1	158	13.27		0.0
	80	0	13.29	0-0.5	0.0
	80	40	13.22	0	0.0
	80	80	13.24	0-0.5	0.0
	160	0	13.36		0.0
DFT-s-OFDM QPSK	1	1	13.38	0	0.0
	1	80	13.34		0.0
	1	158	13.32		0.0
	80	0	13.31	0-1	0.0
	80	40	13.29	0	0.0
	80	80	13.27	0-1	0.0
	160	0	13.25		0.0
DFT-s-OFDM 16QAM	1	1	13.20	0-1	0.0
CP-OFDM QPSK	1	1	13.24	0-1.5	0.0

Table I-145
NR Band n66 Measured P_{Limit} Antenna 4b - 20 MHz Bandwidth

NR Band n66							
20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.23	13.20	13.18	0	0.0
	1	53	13.20	13.13	13.15		0.0
	1	104	13.24	13.24	13.20		0.0
	50	0	13.18	13.10	13.16	0-0.5	0.0
	50	28	13.22	13.08	13.12	0	0.0
	50	56	13.23	13.09	13.09	0-0.5	0.0
	100	0	13.20	13.07	13.15		0.0
DFT-s-OFDM QPSK	1	1	13.22	13.24	13.21	0	0.0
	1	53	13.27	13.14	13.12		0.0
	1	104	13.31	13.26	13.16		0.0
	50	0	13.23	13.16	13.14	0-1	0.0
	50	28	13.22	13.10	13.12	0	0.0
	50	56	13.20	13.05	13.09	0-1	0.0
	100	0	13.19	13.05	13.07		0.0
DFT-s-OFDM 16QAM	1	1	13.31	13.27	13.29	0-1	0.0
CP-OFDM QPSK	1	1	13.11	13.08	13.10	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 84 of 177

Table I-146
NR Band n66 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.23	13.26	13.20	0	0.0
	1	40	13.20	13.17	13.14		0.0
	1	77	13.26	13.21	13.13		0.0
	36	0	13.20	13.16	13.07	0-0.5	0.0
	36	22	13.11	13.07	13.08	0	0.0
	36	43	13.22	13.14	13.10	0-0.5	0.0
	75	0	13.19	13.16	13.12		0.0
DFT-s-OFDM QPSK	1	1	13.27	13.24	13.32	0	0.0
	1	40	13.23	13.12	13.14		0.0
	1	77	13.32	13.23	13.24		0.0
	36	0	13.24	13.21	13.15	0-1	0.0
	36	22	13.20	13.11	13.11	0	0.0
	36	43	13.24	13.16	13.10	0-1	0.0
	75	0	13.14	13.13	13.09		0.0
DFT-s-OFDM 16QAM	1	1	13.36	13.42	13.47	0-1	0.0
CP-OFDM QPSK	1	1	13.17	13.18	13.14	0-1.5	0.0

Table I-147
NR Band n66 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.34	13.31	13.30	0	0.0
	1	26	13.36	13.34	13.22		0.0
	1	50	13.37	13.30	13.28		0.0
	25	0	13.26	13.26	13.24	0-0.5	0.0
	25	14	13.28	13.27	13.16	0	0.0
	25	27	13.34	13.23	13.17	0-0.5	0.0
	50	0	13.26	13.26	13.20		0.0
DFT-s-OFDM QPSK	1	1	13.34	13.33	13.29	0	0.0
	1	26	13.37	13.34	13.35		0.0
	1	50	13.32	13.31	13.27		0.0
	25	0	13.31	13.22	13.23	0-1	0.0
	25	14	13.28	13.27	13.20	0	0.0
	25	27	13.34	13.23	13.21	0-1	0.0
	50	0	13.27	13.25	13.19		0.0
DFT-s-OFDM 16QAM	1	1	13.44	13.44	13.41	0-1	0.0
CP-OFDM QPSK	1	1	13.07	13.26	13.17	0-1.5	0.0

Table I-148
NR Band n66 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.33	13.35	13.27	0	0.0
	1	13	13.34	13.36	13.23		0.0
	1	23	13.32	13.20	13.24		0.0
	12	0	13.25	13.27	13.22	0-0.5	0.0
	12	7	13.36	13.25	13.16	0	0.0
	12	13	13.25	13.24	13.20	0-0.5	0.0
	25	0	13.23	13.22	13.12		0.0
DFT-s-OFDM QPSK	1	1	13.31	13.32	13.26	0	0.0
	1	13	13.34	13.29	13.28		0.0
	1	23	13.38	13.26	13.27		0.0
	12	0	13.37	13.23	13.21	0-1	0.0
	12	7	13.26	13.18	13.19	0	0.0
	12	13	13.30	13.24	13.21	0-1	0.0
	25	0	13.28	13.27	13.14		0.0
DFT-s-OFDM 16QAM	1	1	13.46	13.44	13.41	0-1	0.0
CP-OFDM QPSK	1	1	13.18	13.16	13.07	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 86 of 177

I.2.7 NR Band n70

Table I-149
NR Band n70 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.26	0	0.0
	1	26	16.21		0.0
	1	50	16.27		0.0
	25	0	16.21	0-0.5	0.0
	25	14	16.22	0	0.0
	25	27	16.22	0-0.5	0.0
	50	0	16.20		0.0
DFT-s-OFDM QPSK	1	1	16.27	0	0.0
	1	26	16.31		0.0
	1	50	16.25		0.0
	25	0	16.22	0-1	0.0
	25	14	16.21	0	0.0
	25	27	16.20	0-1	0.0
	50	0	16.21		0.0
DFT-s-OFDM 16QAM	1	1	16.49	0-1	0.0
CP-OFDM QPSK	1	1	16.13	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 87 of 177

Table I-150
NR Band n70 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.28	16.23	0	0.0
	1	13	16.26	16.26		0.0
	1	23	16.33	16.25		0.0
	12	0	16.21	16.25	0-0.5	0.0
	12	7	16.26	16.25	0	0.0
	12	13	16.25	16.21	0-0.5	0.0
	25	0	16.21	16.23		0.0
DFT-s-OFDM QPSK	1	1	16.26	16.30	0	0.0
	1	13	16.25	16.31		0.0
	1	23	16.31	16.29		0.0
	12	0	16.19	16.30	0-1	0.0
	12	7	16.18	16.22	0	0.0
	12	13	16.24	16.25	0-1	0.0
	25	0	16.21	16.25		0.0
DFT-s-OFDM 16QAM	1	1	16.49	16.48	0-1	0.0
CP-OFDM QPSK	1	1	16.05	16.15	0-1.5	0.0

Table I-151
NR Band n70 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.70	0	0.0
	1	26	14.82		0.0
	1	50	14.71		0.0
	25	0	14.63	0-0.5	0.0
	25	14	14.65	0	0.0
	25	27	14.68	0-0.5	0.0
	50	0	14.71		0.0
DFT-s-OFDM QPSK	1	1	14.73	0	0.0
	1	26	14.74		0.0
	1	50	14.75		0.0
	25	0	14.67	0-1	0.0
	25	14	14.69	0	0.0
	25	27	14.72	0-1	0.0
	50	0	14.70		0.0
DFT-s-OFDM 16QAM	1	1	14.60	0-1	0.0
CP-OFDM QPSK	1	1	14.70	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 88 of 177

Table I-152
NR Band n70 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.81	14.71	0	0.0
	1	13	14.75	14.72		0.0
	1	23	14.68	14.69		0.0
	12	0	14.67	14.62	0-0.5	0.0
	12	7	14.68	14.71	0	0.0
	12	13	14.68	14.70	0-0.5	0.0
25	0	14.69	14.62	0.0		
DFT-s-OFDM QPSK	1	1	14.76	14.69	0	0.0
	1	13	14.81	14.68		0.0
	1	23	14.74	14.68		0.0
	12	0	14.70	14.68	0-1	0.0
	12	7	14.71	14.66	0	0.0
	12	13	14.71	14.74	0-1	0.0
25	0	14.67	14.72	0.0		
DFT-s-OFDM 16QAM	1	1	14.97	14.91	0-1	0.0
CP-OFDM QPSK	1	1	14.51	14.53	0-1.5	0.0

Table I-153
NR Band n70 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.81	0	0.0
	1	26	15.83		0.0
	1	50	15.71		0.0
	25	0	15.72	0-0.5	0.0
	25	14	15.71	0	0.0
	25	27	15.70	0-0.5	0.0
	50	0	15.73		0.0
DFT-s-OFDM QPSK	1	1	15.82	0	0.0
	1	26	15.82		0.0
	1	50	15.75		0.0
	25	0	15.71	0-1	0.0
	25	14	15.69	0	0.0
	25	27	15.72	0-1	0.0
	50	0	15.70		0.0
DFT-s-OFDM 16QAM	1	1	15.70	0-1	0.0
CP-OFDM QPSK	1	1	15.72	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 89 of 177

Table I-154
NR Band n70 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	15.85	15.88	0	0.0
	1	13	15.84	15.81		0.0
	1	23	15.81	15.85		0.0
	12	0	15.85	15.80	0-0.5	0.0
	12	7	15.83	15.80	0	0.0
	12	13	15.81	15.84	0-0.5	0.0
	25	0	15.82	15.80		0.0
DFT-s-OFDM QPSK	1	1	15.90	15.85	0	0.0
	1	13	15.89	15.84		0.0
	1	23	15.85	15.86		0.0
	12	0	15.80	15.85	0-1	0.0
	12	7	15.81	15.78	0	0.0
	12	13	15.85	15.84	0-1	0.0
	25	0	15.82	15.81		0.0
DFT-s-OFDM 16QAM	1	1	16.08	16.11	0-1	0.0
CP-OFDM QPSK	1	1	15.65	15.63	0-1.5	0.0

Table I-155
NR Band n70 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.38	0	0.0
	1	26	13.39		0.0
	1	50	13.37		0.0
	25	0	13.27	0-0.5	0.0
	25	14	13.38	0	0.0
	25	27	13.36	0-0.5	0.0
	50	0	13.37		0.0
DFT-s-OFDM QPSK	1	1	13.38	0	0.0
	1	26	13.38		0.0
	1	50	13.42		0.0
	25	0	13.26	0-1	0.0
	25	14	13.34	0	0.0
	25	27	13.38	0-1	0.0
	50	0	13.37		0.0
DFT-s-OFDM 16QAM	1	1	13.25	0-1	0.0
CP-OFDM QPSK	1	1	13.36	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 90 of 177

Table I-156
NR Band n70 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.38	13.40	0	0.0
	1	13	13.34	13.37		0.0
	1	23	13.40	13.39		0.0
	12	0	13.35	13.34	0-0.5	0.0
	12	7	13.36	13.35	0	0.0
	12	13	13.37	13.32	0-0.5	0.0
	25	0	13.29	13.38		0.0
DFT-s-OFDM QPSK	1	1	13.39	13.42	0	0.0
	1	13	13.38	13.38		0.0
	1	23	13.39	13.41		0.0
	12	0	13.36	13.31	0-1	0.0
	12	7	13.33	13.39	0	0.0
	12	13	13.35	13.42	0-1	0.0
	25	0	13.33	13.36		0.0
DFT-s-OFDM 16QAM	1	1	13.55	13.67	0-1	0.0
CP-OFDM QPSK	1	1	13.25	13.31	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 91 of 177

I.2.8 NR Band n25

Table I-157
NR Band n25 Measured P_{Limit} Antenna 1 - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.85	0	0.0
	1	80	16.79		0.0
	1	158	16.77		0.0
	80	0	16.75	0-0.5	0.0
	80	40	16.73	0	0.0
	80	80	16.70	0-0.5	0.0
	160	0	16.72		0.0
DFT-s-OFDM QPSK	1	1	16.87	0	0.0
	1	80	16.85		0.0
	1	158	16.81		0.0
	80	0	16.72	0-1	0.0
	80	40	16.73	0	0.0
	80	80	16.69	0-1	0.0
	160	0	16.74		0.0
DFT-s-OFDM 16QAM	1	1	16.72	0-1	0.0
CP-OFDM QPSK	1	1	16.81	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 92 of 177

Table I-158
NR Band n25 Measured P_{Limit} Antenna 1 - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.82	0	0.0
	1	67	16.75		0.0
	1	131	16.71		0.0
	64	0	16.75	0-0.5	0.0
	64	35	16.71	0	0.0
	64	69	16.71	0-0.5	0.0
	128	0	16.71		0.0
DFT-s-OFDM QPSK	1	1	16.84	0	0.0
	1	67	16.76		0.0
	1	131	16.74		0.0
	64	0	16.70	0-1	0.0
	64	35	16.73	0	0.0
	64	69	16.71	0-1	0.0
	128	0	16.70		0.0
DFT-s-OFDM 16QAM	1	1	17.05	0-1	0.0
CP-OFDM QPSK	1	1	16.73	0-1.5	0.0

Table I-159
NR Band n25 Measured P_{Limit} Antenna 1 - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.91	16.94	16.89	0	0.0
	1	53	16.92	16.91	16.82		0.0
	1	104	16.92	16.87	16.72		0.0
	50	0	16.88	16.83	16.80	0-0.5	0.0
	50	28	16.89	16.84	16.77	0	0.0
	50	56	16.87	16.82	16.75	0-0.5	0.0
	100	0	16.92	16.85	16.80		0.0
DFT-s-OFDM QPSK	1	1	16.96	16.91	16.87	0	0.0
	1	53	16.97	16.94	16.82		0.0
	1	104	16.98	16.91	16.71		0.0
	50	0	16.90	16.85	16.78	0-1	0.0
	50	28	16.89	16.83	16.75	0	0.0
	50	56	16.89	16.82	16.75	0-1	0.0
	100	0	16.88	16.86	16.76		0.0
DFT-s-OFDM 16QAM	1	1	17.19	17.15	17.10	0-1	0.0
CP-OFDM QPSK	1	1	16.81	16.76	16.72	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 93 of 177

Table I-160
NR Band n25 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

NR Band n25							
15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.96	16.72	16.51	0	0.0
	1	40	16.89	16.59	16.55		0.0
	1	77	16.68	16.61	16.49		0.0
	36	0	16.58	16.51	16.41	0-0.5	0.0
	36	22	16.50	16.47	16.37	0	0.0
	36	43	16.55	16.48	16.42	0-0.5	0.0
	75	0	16.56	16.50	16.44		0.0
DFT-s-OFDM QPSK	1	1	16.99	16.89	16.83	0	0.0
	1	40	16.65	16.56	16.50		0.0
	1	77	16.73	16.58	16.51		0.0
	36	0	16.61	16.53	16.49	0-1	0.0
	36	22	16.60	16.50	16.44	0	0.0
	36	43	16.57	16.51	16.43	0-1	0.0
	75	0	16.58	16.51	16.47		0.0
DFT-s-OFDM 16QAM	1	1	16.92	16.87	16.81	0-1	0.0
CP-OFDM QPSK	1	1	16.57	16.50	16.41	0-1.5	0.0

Table I-161
NR Band n25 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n25							
10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.81	16.75	16.71	0	0.0
	1	26	16.80	16.79	16.65		0.0
	1	50	16.77	16.75	16.66		0.0
	25	0	16.79	16.84	16.62	0-0.5	0.0
	25	14	16.79	16.79	16.61	0	0.0
	25	27	16.77	16.74	16.62	0-0.5	0.0
	50	0	16.78	16.81	16.64		0.0
DFT-s-OFDM QPSK	1	1	16.88	16.82	16.71	0	0.0
	1	26	16.86	16.91	16.72		0.0
	1	50	16.77	16.78	16.68		0.0
	25	0	16.82	16.85	16.65	0-1	0.0
	25	14	16.80	16.83	16.67	0	0.0
	25	27	16.78	16.74	16.62	0-1	0.0
	50	0	16.78	16.84	16.64		0.0
DFT-s-OFDM 16QAM	1	1	16.98	16.99	16.91	0-1	0.0
CP-OFDM QPSK	1	1	16.66	16.57	16.52	0-1.5	0.0

Table I-162
NR Band n25 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.89	16.85	16.68	0	0.0
	1	13	16.78	16.79	16.70		0.0
	1	23	16.92	16.84	16.65		0.0
	12	0	16.78	16.77	16.64	0-0.5	0.0
	12	7	16.82	16.86	16.68	0	0.0
	12	13	16.79	16.73	16.63	0-0.5	0.0
	25	0	16.77	16.73	16.62		0.0
DFT-s-OFDM QPSK	1	1	16.91	16.88	16.62	0	0.0
	1	13	16.84	16.78	16.68		0.0
	1	23	16.89	16.77	16.65		0.0
	12	0	16.82	16.88	16.68	0-1	0.0
	12	7	16.82	16.81	16.60	0	0.0
	12	13	16.86	16.71	16.62	0-1	0.0
	25	0	16.82	16.83	16.66		0.0
DFT-s-OFDM 16QAM	1	1	17.13	17.12	16.82	0-1	0.0
CP-OFDM QPSK	1	1	16.71	16.63	16.46	0-1.5	0.0

Table I-163
NR Band n25 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.40	0	0.0
	1	80	14.36		0.0
	1	158	14.45		0.0
	80	0	14.32	0-0.5	0.0
	80	40	14.30	0	0.0
	80	80	14.37	0-0.5	0.0
	160	0	14.38		0.0
DFT-s-OFDM QPSK	1	1	14.42	0	0.0
	1	80	14.42		0.0
	1	158	14.45		0.0
	80	0	14.36	0-1	0.0
	80	40	14.35	0	0.0
	80	80	14.42	0-1	0.0
	160	0	14.37		0.0
DFT-s-OFDM 16QAM	1	1	14.58	0-1	0.0
CP-OFDM QPSK	1	1	14.32	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 95 of 177

Table I-164
NR Band n25 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.35	0	0.0
	1	67	14.33		0.0
	1	131	14.38		0.0
	64	0	14.33	0-0.5	0.0
	64	35	14.31	0	0.0
	64	69	14.30	0-0.5	0.0
	128	0	14.29		0.0
DFT-s-OFDM QPSK	1	1	14.42	0	0.0
	1	67	14.33		0.0
	1	131	14.35		0.0
	64	0	14.33	0-1	0.0
	64	35	14.31	0	0.0
	64	69	14.30	0-1	0.0
	128	0	14.28		0.0
DFT-s-OFDM 16QAM	1	1	14.57	0-1	0.0
CP-OFDM QPSK	1	1	14.11	0-1.5	0.0

Table I-165
NR Band n25 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.34	14.40	14.29	0	0.0
	1	53	14.34	14.37	14.30		0.0
	1	104	14.37	14.34	14.35		0.0
	50	0	14.39	14.30	14.26	0-0.5	0.0
	50	28	14.34	14.30	14.23	0	0.0
	50	56	14.33	14.32	14.26	0-0.5	0.0
	100	0	14.38	14.35	14.24		0.0
DFT-s-OFDM QPSK	1	1	14.35	14.39	14.28	0	0.0
	1	53	14.43	14.42	14.38		0.0
	1	104	14.41	14.35	14.29		0.0
	50	0	14.34	14.33	14.31	0-1	0.0
	50	28	14.35	14.27	14.25	0	0.0
	50	56	14.34	14.31	14.24	0-1	0.0
	100	0	14.39	14.36	14.26		0.0
DFT-s-OFDM 16QAM	1	1	14.64	14.58	14.55	0-1	0.0
CP-OFDM QPSK	1	1	14.30	14.14	14.25	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 96 of 177

Table I-166
NR Band n25 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.41	14.37	14.39	0	0.0
	1	40	14.36	14.40	14.34		0.0
	1	77	14.40	14.38	14.31		0.0
	36	0	14.34	14.32	14.22	0-0.5	0.0
	36	22	14.30	14.23	14.23	0	0.0
	36	43	14.33	14.25	14.20	0-0.5	0.0
	75	0	14.36	14.26	14.27		0.0
DFT-s-OFDM QPSK	1	1	14.49	14.41	14.38	0	0.0
	1	40	14.36	14.37	14.34		0.0
	1	77	14.46	14.40	14.32		0.0
	36	0	14.38	14.32	14.21	0-1	0.0
	36	22	14.32	14.28	14.22	0	0.0
	36	43	14.36	14.30	14.24	0-1	0.0
	75	0	14.32	14.27	14.27		0.0
DFT-s-OFDM 16QAM	1	1	14.68	14.58	14.53	0-1	0.0
CP-OFDM QPSK	1	1	14.27	14.17	14.16	0-1.5	0.0

Table I-167
NR Band n25 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.31	14.39	14.36	0	0.0
	1	26	14.32	14.42	14.30		0.0
	1	50	14.38	14.41	14.31		0.0
	25	0	14.30	14.34	14.37	0-0.5	0.0
	25	14	14.32	14.36	14.32	0	0.0
	25	27	14.29	14.39	14.37	0-0.5	0.0
50	0	14.27	14.41	14.38	0.0		
DFT-s-OFDM QPSK	1	1	14.32	14.42	14.35	0	0.0
	1	26	14.33	14.41	14.39		0.0
	1	50	14.31	14.35	14.36		0.0
	25	0	14.35	14.41	14.37	0-1	0.0
	25	14	14.28	14.38	14.37	0	0.0
	25	27	14.33	14.39	14.32	0-1	0.0
50	0	14.35	14.37	14.36	0.0		
DFT-s-OFDM 16QAM	1	1	14.53	14.60	14.60	0-1	0.0
CP-OFDM QPSK	1	1	14.15	14.23	14.25	0-1.5	0.0

Table I-168
NR Band n25 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.35	14.30	14.20	0	0.0
	1	13	14.22	14.21	14.23		0.0
	1	23	14.33	14.35	14.26		0.0
	12	0	14.21	14.28	14.22	0-0.5	0.0
	12	7	14.22	14.25	14.28	0	0.0
	12	13	14.23	14.23	14.22	0-0.5	0.0
	25	0	14.20	14.27	14.20		0.0
DFT-s-OFDM QPSK	1	1	14.34	14.36	14.27	0	0.0
	1	13	14.25	14.34	14.23		0.0
	1	23	14.27	14.33	14.23		0.0
	12	0	14.25	14.25	14.17	0-1	0.0
	12	7	14.22	14.28	14.21	0	0.0
	12	13	14.24	14.30	14.20	0-1	0.0
	25	0	14.25	14.25	14.22		0.0
DFT-s-OFDM 16QAM	1	1	14.52	14.55	14.37	0-1	0.0
CP-OFDM QPSK	1	1	14.04	14.18	13.98	0-1.5	0.0

Table I-169
NR Band n25 Measured P_{Limit} Antenna 3 - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.55	0	0.0
	1	80	16.53		0.0
	1	158	16.51		0.0
	80	0	16.46	0-0.5	0.0
	80	40	16.45	0	0.0
	80	80	16.43	0-0.5	0.0
	160	0	16.48		0.0
DFT-s-OFDM QPSK	1	1	16.57	0	0.0
	1	80	16.58		0.0
	1	158	16.55		0.0
	80	0	16.44	0-1	0.0
	80	40	16.44	0	0.0
	80	80	16.41	0-1	0.0
	160	0	16.44		0.0
DFT-s-OFDM 16QAM	1	1	16.37	0-1	0.0
CP-OFDM QPSK	1	1	16.42	0-1.5	0.0

Table I-170
NR Band n25 Measured P_{Limit} Antenna 3 - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.52	0	0.0
	1	67	16.50		0.0
	1	131	16.45		0.0
	64	0	16.47	0-0.5	0.0
	64	35	16.45	0	0.0
	64	69	16.44	0-0.5	0.0
	128	0	16.47		0.0
DFT-s-OFDM QPSK	1	1	16.54	0	0.0
	1	67	16.52		0.0
	1	131	16.50		0.0
	64	0	16.41	0-1	0.0
	64	35	16.43		0.0
	64	69	16.41	0-1	0.0
	128	0	16.45		0.0
DFT-s-OFDM 16QAM	1	1	16.71	0-1	0.0
CP-OFDM QPSK	1	1	16.36	0-1.5	0.0

Table I-171
NR Band n25 Measured P_{Limit} Antenna 3 - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.46	16.47	16.45	0	0.0
	1	53	16.43	16.51	16.42		0.0
	1	104	16.51	16.50	16.44		0.0
	50	0	16.39	16.45	16.42	0-0.5	0.0
	50	28	16.38	16.47	16.41	0	0.0
	50	56	16.47	16.41	16.39	0-0.5	0.0
	100	0	16.48	16.47	16.42		0.0
DFT-s-OFDM QPSK	1	1	16.44	16.51	16.50	0	0.0
	1	53	16.43	16.52	16.52		0.0
	1	104	16.56	16.55	16.46		0.0
	50	0	16.40	16.46	16.40	0-1	0.0
	50	28	16.38	16.45	16.38	0	0.0
	50	56	16.47	16.46	16.40	0-1	0.0
	100	0	16.52	16.46	16.42		0.0
DFT-s-OFDM 16QAM	1	1	16.65	16.75	16.70	0-1	0.0
CP-OFDM QPSK	1	1	16.32	16.38	16.33	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 99 of 177

Table I-172
NR Band n25 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.52	16.61	16.52	0	0.0
	1	40	16.50	16.53	16.47		0.0
	1	77	16.55	16.48	16.50		0.0
	36	0	16.38	16.45	16.35	0-0.5	0.0
	36	22	16.33	16.40	16.33	0	0.0
	36	43	16.41	16.39	16.36	0-0.5	0.0
	75	0	16.38	16.46	16.40		0.0
DFT-s-OFDM QPSK	1	1	16.57	16.65	16.50	0	0.0
	1	40	16.55	16.57	16.47		0.0
	1	77	16.59	16.58	16.52		0.0
	36	0	16.40	16.45	16.42	0-1	0.0
	36	22	16.39	16.42	16.39	0	0.0
	36	43	16.38	16.43	16.42	0-1	0.0
	75	0	16.41	16.47	16.43		0.0
DFT-s-OFDM 16QAM	1	1	16.73	16.80	16.70	0-1	0.0
CP-OFDM QPSK	1	1	16.33	16.42	16.31	0-1.5	0.0

Table I-173
NR Band n25 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.35	16.42	16.21	0	0.0
	1	26	16.33	16.37	16.30		0.0
	1	50	16.30	16.41	16.28		0.0
	25	0	16.38	16.40	16.26	0-0.5	0.0
	25	14	16.32	16.37	16.22	0	0.0
	25	27	16.27	16.41	16.24	0-0.5	0.0
	50	0	16.34	16.40	16.22		0.0
DFT-s-OFDM QPSK	1	1	16.41	16.41	16.32	0	0.0
	1	26	16.47	16.45	16.31		0.0
	1	50	16.33	16.43	16.29		0.0
	25	0	16.34	16.48	16.26	0-1	0.0
	25	14	16.39	16.42	16.26	0	0.0
	25	27	16.38	16.41	16.24	0-1	0.0
	50	0	16.35	16.42	16.28		0.0
DFT-s-OFDM 16QAM	1	1	16.60	16.65	16.58	0-1	0.0
CP-OFDM QPSK	1	1	16.25	16.26	16.17	0-1.5	0.0

Table I-174
NR Band n25 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.31	16.49	16.31	0	0.0
	1	13	16.34	16.44	16.17		0.0
	1	23	16.43	16.40	16.25		0.0
	12	0	16.39	16.41	16.25	0-0.5	0.0
	12	7	16.38	16.38	16.25	0	0.0
	12	13	16.40	16.42	16.22	0-0.5	0.0
	25	0	16.32	16.35	16.19		0.0
DFT-s-OFDM QPSK	1	1	16.47	16.50	16.28	0	0.0
	1	13	16.40	16.39	16.24		0.0
	1	23	16.45	16.50	16.31		0.0
	12	0	16.40	16.37	16.25	0-1	0.0
	12	7	16.34	16.38	16.23	0	0.0
	12	13	16.40	16.36	16.27	0-1	0.0
	25	0	16.38	16.41	16.23		0.0
DFT-s-OFDM 16QAM	1	1	16.64	16.74	16.56	0-1	0.0
CP-OFDM QPSK	1	1	16.30	16.20	16.07	0-1.5	0.0

Table I-175
NR Band n25 Measured P_{Limit} Antenna 4b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.26	0	0.0
	1	80	12.24		0.0
	1	158	12.21		0.0
	80	0	12.25	0-0.5	0.0
	80	40	12.22	0	0.0
	80	80	12.26	0-0.5	0.0
	160	0	12.28		0.0
DFT-s-OFDM QPSK	1	1	12.35	0	0.0
	1	80	12.33		0.0
	1	158	12.28		0.0
	80	0	12.29	0-1	0.0
	80	40	12.23	0	0.0
	80	80	12.24	0-1	0.0
	160	0	12.28		0.0
DFT-s-OFDM 16QAM	1	1	12.45	0-1	0.0
CP-OFDM QPSK	1	1	12.14	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 101 of 177

Table I-176
NR Band n25 Measured P_{Limit} Antenna 4b - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.29	0	0.0
	1	67	12.23		0.0
	1	131	12.27		0.0
	64	0	12.13	0-0.5	0.0
	64	35	12.12	0	0.0
	64	69	12.10	0-0.5	0.0
	128	0	12.14		0.0
DFT-s-OFDM QPSK	1	1	12.21	0	0.0
	1	67	12.25		0.0
	1	131	12.26		0.0
	64	0	12.10	0-1	0.0
	64	35	12.15	0	0.0
	64	69	12.10	0-1	0.0
	128	0	12.13		0.0
DFT-s-OFDM 16QAM	1	1	12.06	0-1	0.0
CP-OFDM QPSK	1	1	12.27	0-1.5	0.0

Table I-177
NR Band n25 Measured P_{Limit} Antenna 4b - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.20	12.21	12.17	0	0.0
	1	53	12.23	12.16	12.13		0.0
	1	104	12.17	12.16	12.09		0.0
	50	0	12.14	12.19	12.11	0-0.5	0.0
	50	28	12.15	12.14	12.12	0	0.0
	50	56	12.18	12.12	12.09	0-0.5	0.0
	100	0	12.16	12.15	12.11		0.0
DFT-s-OFDM QPSK	1	1	12.24	12.24	12.18	0	0.0
	1	53	12.28	12.23	12.14		0.0
	1	104	12.19	12.19	12.18		0.0
	50	0	12.18	12.16	12.10	0-1	0.0
	50	28	12.19	12.14	12.09	0	0.0
	50	56	12.20	12.13	12.06	0-1	0.0
	100	0	12.18	12.20	12.10		0.0
DFT-s-OFDM 16QAM	1	1	12.46	12.45	12.40	0-1	0.0
CP-OFDM QPSK	1	1	12.10	12.12	12.03	0-1.5	0.0

Table I-178
NR Band n25 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.30	12.25	12.20	0	0.0
	1	40	12.19	12.15	12.15		0.0
	1	77	12.23	12.21	12.14		0.0
	36	0	12.19	12.10	12.08	0-0.5	0.0
	36	22	12.18	12.09	12.06	0	0.0
	36	43	12.14	12.11	12.07	0-0.5	0.0
	75	0	12.17	12.08	12.10		0.0
DFT-s-OFDM QPSK	1	1	12.32	12.27	12.21	0	0.0
	1	40	12.22	12.23	12.16		0.0
	1	77	12.28	12.21	12.16		0.0
	36	0	12.22	12.16	12.12	0-1	0.0
	36	22	12.20	12.15	12.08	0	0.0
	36	43	12.15	12.14	12.09	0-1	0.0
	75	0	12.17	12.13	12.12		0.0
DFT-s-OFDM 16QAM	1	1	12.46	12.48	12.48	0-1	0.0
CP-OFDM QPSK	1	1	12.12	12.15	12.04	0-1.5	0.0

Table I-179
NR Band n25 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.28	12.25	12.19	0	0.0
	1	26	12.33	12.20	12.16		0.0
	1	50	12.28	12.17	12.13		0.0
	25	0	12.27	12.20	12.18	0-0.5	0.0
	25	14	12.24	12.21	12.14	0	0.0
	25	27	12.23	12.18	12.12	0-0.5	0.0
	50	0	12.26	12.21	12.16		0.0
DFT-s-OFDM QPSK	1	1	12.31	12.24	12.24	0	0.0
	1	26	12.25	12.29	12.16		0.0
	1	50	12.28	12.32	12.16		0.0
	25	0	12.22	12.24	12.13	0-1	0.0
	25	14	12.24	12.23	12.16	0	0.0
	25	27	12.26	12.22	12.18	0-1	0.0
	50	0	12.25	12.25	12.13		0.0
DFT-s-OFDM 16QAM	1	1	12.48	12.39	12.31	0-1	0.0
CP-OFDM QPSK	1	1	12.05	12.08	12.11	0-1.5	0.0

Table I-180
NR Band n25 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.34	12.33	12.12	0	0.0
	1	13	12.24	12.25	12.07		0.0
	1	23	12.30	12.27	12.14		0.0
	12	0	12.25	12.19	12.12	0-0.5	0.0
	12	7	12.22	12.19	12.09	0	0.0
	12	13	12.21	12.18	12.11	0-0.5	0.0
	25	0	12.20	12.14	12.10		0.0
DFT-s-OFDM QPSK	1	1	12.33	12.35	12.15	0	0.0
	1	13	12.28	12.23	12.08		0.0
	1	23	12.31	12.24	12.21		0.0
	12	0	12.23	12.22	12.17	0-1	0.0
	12	7	12.22	12.17	12.06	0	0.0
	12	13	12.27	12.20	12.11	0-1	0.0
	25	0	12.23	12.19	12.14		0.0
DFT-s-OFDM 16QAM	1	1	12.49	12.50	12.37	0-1	0.0
CP-OFDM QPSK	1	1	12.02	12.06	11.98	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 104 of 177

I.2.9 NR Band n30

Table I-181
NR Band n30 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.57	0	0.0
	1	13	13.62		0.0
	1	23	13.55		0.0
	12	0	13.49	0-0.5	0.0
	12	7	13.52	0	0.0
	12	13	13.53	0-0.5	0.0
	25	0	13.49		0.0
DFT-s-OFDM QPSK	1	1	13.62	0	0.0
	1	13	13.56		0.0
	1	23	13.55		0.0
	12	0	13.53	0-1	0.0
	12	7	13.52	0	0.0
	12	13	13.56	0-1	0.0
	25	0	13.55		0.0
DFT-s-OFDM 16QAM	1	1	13.45	0-1	0.0
CP-OFDM QPSK	1	1	13.53	0-1.5	0.0

Table I-182
NR Band n30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.70	0	0.0
	1	13	13.73		0.0
	1	23	13.65		0.0
	12	0	13.56	0-0.5	0.0
	12	7	13.69	0	0.0
	12	13	13.67	0-0.5	0.0
	25	0	13.66		0.0
DFT-s-OFDM QPSK	1	1	13.67	0	0.0
	1	13	13.81		0.0
	1	23	13.66		0.0
	12	0	13.62	0-1	0.0
	12	7	13.69	0	0.0
	12	13	13.68	0-1	0.0
	25	0	13.70		0.0
DFT-s-OFDM 16QAM	1	1	13.54	0-1	0.0
CP-OFDM QPSK	1	1	13.65	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by:
DUT Type: Tablet Device		Technical Manager
		APPENDIX I: Page 105 of 177

Table I-183
NR Band n30 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.86	0	0.0
	1	13	14.97		0.0
	1	23	14.98		0.0
	12	0	14.85	0-0.5	0.0
	12	7	14.92	0	0.0
	12	13	14.77	0-0.5	0.0
	25	0	14.81		0.0
DFT-s-OFDM QPSK	1	1	14.86	0	0.0
	1	13	14.90		0.0
	1	23	14.89		0.0
	12	0	14.94	0-1	0.0
	12	7	15.00	0	0.0
	12	13	14.80	0-1	0.0
	25	0	14.92		0.0
DFT-s-OFDM 16QAM	1	1	15.03	0-1	0.0
CP-OFDM QPSK	1	1	14.93	0-1.5	0.0

Table I-184
NR Band n30 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.83	0	0.0
	1	13	12.02		0.0
	1	23	12.01		0.0
	12	0	11.88	0-0.5	0.0
	12	7	11.91	0	0.0
	12	13	11.89	0-0.5	0.0
	25	0	11.86		0.0
DFT-s-OFDM QPSK	1	1	11.91	0	0.0
	1	13	11.90		0.0
	1	23	11.93		0.0
	12	0	11.91	0-1	0.0
	12	7	11.93	0	0.0
	12	13	11.90	0-1	0.0
	25	0	11.91		0.0
DFT-s-OFDM 16QAM	1	1	12.10	0-1	0.0
CP-OFDM QPSK	1	1	11.64	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 106 of 177

I.2.10 NR Band n7

Table I-185
NR Band n7 Measured P_{Limit} Antenna 1 - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.58	0	0.0
	1	80	13.62		0.0
	1	158	13.65		0.0
	80	0	13.54	0-0.5	0.0
	80	40	13.57	0	0.0
	80	80	13.56	0-0.5	0.0
	160	0	13.62		0.0
DFT-s-OFDM QPSK	1	1	13.57	0	0.0
	1	80	13.69		0.0
	1	158	13.64		0.0
	80	0	13.55	0-1	0.0
	80	40	13.58	0	0.0
	80	80	13.56	0-1	0.0
	160	0	13.64		0.0
DFT-s-OFDM 16QAM	1	1	13.84	0-1	0.0
CP-OFDM QPSK	1	1	13.47	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 107 of 177

Table I-186
NR Band n7 Measured P_{Limit} Antenna 1 - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.74	0	0.0
	1	67	13.68		0.0
	1	131	13.71		0.0
	64	0	13.59	0-0.5	0.0
	64	35	13.64	0	0.0
	64	69	13.59	0-0.5	0.0
	128	0	13.63		0.0
DFT-s-OFDM QPSK	1	1	13.79	0	0.0
	1	67	13.75		0.0
	1	131	13.76		0.0
	64	0	13.65	0-1	0.0
	64	35	13.64	0	0.0
	64	69	13.62	0-1	0.0
	128	0	13.61		0.0
DFT-s-OFDM 16QAM	1	1	13.62	0-1	0.0
CP-OFDM QPSK	1	1	13.68	0-1.5	0.0

Table I-187
NR Band n7 Measured P_{Limit} Antenna 1 - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.68	13.63	13.65	0	0.0
	1	53	13.67	13.59	13.68		0.0
	1	104	13.62	13.62	13.73		0.0
	50	0	13.65	13.57	13.61	0-0.5	0.0
	50	28	13.66	13.52	13.64	0	0.0
	50	56	13.65	13.53	13.64	0-0.5	0.0
100	0	13.64	13.58	13.63	0.0		
DFT-s-OFDM QPSK	1	1	13.75	13.66	13.68	0	0.0
	1	53	13.71	13.71	13.74		0.0
	1	104	13.69	13.68	13.71		0.0
	50	0	13.65	13.61	13.66	0-1	0.0
	50	28	13.67	13.60	13.63	0	0.0
	50	56	13.68	13.57	13.67	0-1	0.0
100	0	13.62	13.58	13.63	0.0		
DFT-s-OFDM 16QAM	1	1	13.89	13.54	13.86	0-1	0.0
CP-OFDM QPSK	1	1	13.58	13.65	13.52	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 108 of 177

Table I-188
NR Band n7 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.56	13.61	13.63	0	0.0
	1	40	13.51	13.68	13.62		0.0
	1	77	13.50	13.62	13.64		0.0
	36	0	13.56	13.53	13.59	0-0.5	0.0
	36	22	13.52	13.55	13.60	0	0.0
	36	43	13.49	13.55	13.59	0-0.5	0.0
	75	0	13.49	13.56	13.56		0.0
DFT-s-OFDM QPSK	1	1	13.68	13.60	13.61	0	0.0
	1	40	13.58	13.65	13.64		0.0
	1	77	13.61	13.61	13.61		0.0
	36	0	13.56	13.58	13.57	0-1	0.0
	36	22	13.52	13.60	13.57	0	0.0
	36	43	13.52	13.59	13.59	0-1	0.0
	75	0	13.50	13.56	13.61		0.0
DFT-s-OFDM 16QAM	1	1	13.88	13.90	13.92	0-1	0.0
CP-OFDM QPSK	1	1	13.38	13.45	13.48	0-1.5	0.0

Table I-189
NR Band n7 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.57	13.60	13.70	0	0.0
	1	26	13.53	13.66	13.75		0.0
	1	50	13.52	13.62	13.66		0.0
	25	0	13.53	13.54	13.60	0-0.5	0.0
	25	14	13.50	13.58	13.64	0	0.0
	25	27	13.51	13.54	13.64	0-0.5	0.0
	50	0	13.56	13.53	13.65		0.0
DFT-s-OFDM QPSK	1	1	13.58	13.59	13.72	0	0.0
	1	26	13.62	13.67	13.70		0.0
	1	50	13.65	13.60	13.69		0.0
	25	0	13.54	13.54	13.68	0-1	0.0
	25	14	13.56	13.55	13.67	0	0.0
	25	27	13.51	13.59	13.67	0-1	0.0
	50	0	13.51	13.56	13.69		0.0
DFT-s-OFDM 16QAM	1	1	13.79	13.74	13.92	0-1	0.0
CP-OFDM QPSK	1	1	13.33	13.41	13.44	0-1.5	0.0

Table I-190
NR Band n7 Measured P_{Limit} Antenna 1 - 5 MHz Bandwidth

NR Band n7							
5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.56	13.60	13.59	0	0.0
	1	13	13.59	13.58	13.65		0.0
	1	23	13.62	13.53	13.64		0.0
	12	0	13.51	13.49	13.48	0-0.5	0.0
	12	7	13.52	13.48	13.65	0	0.0
	12	13	13.56	13.57	13.69	0-0.5	0.0
	25	0	13.55	13.50	13.57		0.0
DFT-s-OFDM QPSK	1	1	13.54	13.54	13.55	0	0.0
	1	13	13.58	13.58	13.59		0.0
	1	23	13.69	13.51	13.66		0.0
	12	0	13.51	13.48	13.50	0-1	0.0
	12	7	13.57	13.54	13.63	0	0.0
	12	13	13.62	13.56	13.65	0-1	0.0
	25	0	13.50	13.51	13.54		0.0
DFT-s-OFDM 16QAM	1	1	13.71	13.82	13.74	0-1	0.0
CP-OFDM QPSK	1	1	13.35	13.21	13.40	0-1.5	0.0

Table I-191
NR Band n7 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.96	0	0.0
	1	80	13.87		0.0
	1	158	13.98		0.0
	80	0	13.88	0-0.5	0.0
	80	40	13.81	0	0.0
	80	80	13.85	0-0.5	0.0
	160	0	13.85		0.0
DFT-s-OFDM QPSK	1	1	13.88	0	0.0
	1	80	13.85		0.0
	1	158	13.91		0.0
	80	0	13.87	0-1	0.0
	80	40	13.80	0	0.0
	80	80	13.86	0-1	0.0
	160	0	13.84		0.0
DFT-s-OFDM 16QAM	1	1	13.95	0-1	0.0
CP-OFDM QPSK	1	1	14.08	0-1.5	0.0

Table I-192
NR Band n7 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.96	0	0.0
	1	67	14.00		0.0
	1	131	13.83		0.0
	64	0	13.85	0-0.5	0.0
	64	35	13.89	0	0.0
	64	69	13.85	0-0.5	0.0
	128	0	13.90		0.0
DFT-s-OFDM QPSK	1	1	13.98	0	0.0
	1	67	13.92		0.0
	1	131	13.95		0.0
	64	0	13.89	0-1	0.0
	64	35	13.89	0	0.0
	64	69	13.86	0-1	0.0
	128	0	13.94		0.0
DFT-s-OFDM 16QAM	1	1	14.23	0-1	0.0
CP-OFDM QPSK	1	1	13.81	0-1.5	0.0

Table I-193
NR Band n7 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.94	14.01	13.94	0	0.0
	1	53	13.93	13.94	13.85		0.0
	1	104	14.02	13.89	13.94		0.0
	50	0	13.93	13.92	13.93	0-0.5	0.0
	50	28	13.91	13.91	13.89	0	0.0
	50	56	13.93	13.93	13.87	0-0.5	0.0
	100	0	13.97	13.93	13.90		0.0
DFT-s-OFDM QPSK	1	1	13.98	13.90	13.88	0	0.0
	1	53	13.95	14.05	13.95		0.0
	1	104	14.05	14.12	14.01		0.0
	50	0	13.96	13.97	13.88	0-1	0.0
	50	28	13.95	13.94	13.85	0	0.0
	50	56	13.93	13.92	13.92	0-1	0.0
	100	0	13.92	13.92	13.93		0.0
DFT-s-OFDM 16QAM	1	1	14.12	14.13	14.14	0-1	0.0
CP-OFDM QPSK	1	1	13.84	13.89	13.74	0-1.5	0.0

Table I-194
NR Band n7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.94	13.90	13.94	0	0.0
	1	40	14.01	14.02	13.96		0.0
	1	77	13.87	13.91	13.96		0.0
	36	0	13.92	13.93	13.86	0-0.5	0.0
	36	22	13.83	13.92	13.83	0	0.0
	36	43	13.85	13.91	13.93	0-0.5	0.0
	75	0	13.86	13.95	13.86		0.0
DFT-s-OFDM QPSK	1	1	13.93	14.05	13.95	0	0.0
	1	40	13.90	14.05	14.03		0.0
	1	77	13.97	14.03	13.89		0.0
	36	0	13.94	13.91	13.89	0-1	0.0
	36	22	13.88	13.88	13.95	0	0.0
	36	43	13.90	13.83	13.98	0-1	0.0
	75	0	13.84	13.96	13.98		0.0
DFT-s-OFDM 16QAM	1	1	14.15	14.23	14.13	0-1	0.0
CP-OFDM QPSK	1	1	13.83	13.93	13.87	0-1.5	0.0

Table I-195
NR Band n7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.84	13.87	13.85	0	0.0
	1	26	13.76	13.75	13.88		0.0
	1	50	13.81	13.84	13.78		0.0
	25	0	13.73	13.78	13.83	0-0.5	0.0
	25	14	13.78	13.82	13.82	0	0.0
	25	27	13.75	13.81	13.82	0-0.5	0.0
	50	0	13.76	13.80	13.89		0.0
DFT-s-OFDM QPSK	1	1	13.78	13.81	13.86	0	0.0
	1	26	13.83	13.92	13.87		0.0
	1	50	13.68	14.02	13.94		0.0
	25	0	13.82	13.79	13.88	0-1	0.0
	25	14	13.79	13.78	13.90	0	0.0
	25	27	13.80	13.80	13.92	0-1	0.0
	50	0	13.76	13.79	13.84		0.0
DFT-s-OFDM 16QAM	1	1	13.92	14.05	13.94	0-1	0.0
CP-OFDM QPSK	1	1	13.64	13.57	13.81	0-1.5	0.0

Table I-196
NR Band n7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.78	13.86	13.82	0	0.0
	1	13	13.70	13.90	13.94		0.0
	1	23	13.84	13.88	13.87		0.0
	12	0	13.68	13.75	13.80	0-0.5	0.0
	12	7	13.69	13.77	13.78	0	0.0
	12	13	13.85	13.81	13.81	0-0.5	0.0
	25	0	13.65	13.73	13.75		0.0
DFT-s-OFDM QPSK	1	1	13.80	13.79	13.82	0	0.0
	1	13	13.84	13.80	13.78		0.0
	1	23	13.89	13.81	13.84		0.0
	12	0	13.75	13.63	13.72	0-1	0.0
	12	7	13.84	13.78	13.81	0	0.0
	12	13	13.88	13.83	13.82	0-1	0.0
	25	0	13.68	13.70	13.75		0.0
DFT-s-OFDM 16QAM	1	1	14.00	13.97	13.89	0-1	0.0
CP-OFDM QPSK	1	1	13.65	13.78	13.72	0-1.5	0.0

Table I-197
NR Band n7 Measured P_{Limit} Antenna 3 - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.19	0	0.0
	1	80	16.10		0.0
	1	158	16.06		0.0
	80	0	16.03	0-0.5	0.0
	80	40	16.02	0	0.0
	80	80	16.05	0-0.5	0.0
	160	0	16.05		0.0
DFT-s-OFDM QPSK	1	1	16.21	0	0.0
	1	80	16.15		0.0
	1	158	16.05		0.0
	80	0	16.00	0-1	0.0
	80	40	16.03	0	0.0
	80	80	16.04	0-1	0.0
	160	0	16.02		0.0
DFT-s-OFDM 16QAM	1	1	16.37	0-1	0.0
CP-OFDM QPSK	1	1	16.14	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 113 of 177

Table I-198
NR Band n7 Measured P_{Limit} Antenna 3 - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.13	0	0.0
	1	67	16.10		0.0
	1	131	16.24		0.0
	64	0	16.02	0-0.5	0.0
	64	35	16.03	0	0.0
	64	69	16.04	0-0.5	0.0
	128	0	16.03		0.0
DFT-s-OFDM QPSK	1	1	16.21	0	0.0
	1	67	16.09		0.0
	1	131	16.22		0.0
	64	0	16.08	0-1	0.0
	64	35	16.07	0	0.0
	64	69	16.06	0-1	0.0
	128	0	16.05		0.0
DFT-s-OFDM 16QAM	1	1	16.04	0-1	0.0
CP-OFDM QPSK	1	1	16.21	0-1.5	0.0

Table I-199
NR Band n7 Measured P_{Limit} Antenna 3 - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.24	16.10	16.02	0	0.0
	1	53	16.22	16.13	16.05		0.0
	1	104	16.08	16.12	16.04		0.0
	50	0	16.16	16.05	15.98	0-0.5	0.0
	50	28	16.20	16.06	15.99	0	0.0
	50	56	16.12	16.08	15.98	0-0.5	0.0
	100	0	16.15	16.09	15.95		0.0
DFT-s-OFDM QPSK	1	1	16.25	16.12	16.02	0	0.0
	1	53	16.24	16.14	16.01		0.0
	1	104	16.15	16.11	16.06		0.0
	50	0	16.14	16.05	15.96	0-1	0.0
	50	28	16.19	16.07	15.98	0	0.0
	50	56	16.10	16.06	15.99	0-1	0.0
	100	0	16.17	16.05	15.98		0.0
DFT-s-OFDM 16QAM	1	1	16.49	16.32	16.30	0-1	0.0
CP-OFDM QPSK	1	1	16.11	16.03	15.90	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 114 of 177

Table I-200
NR Band n7 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.20	16.12	16.03	0	0.0
	1	40	16.21	16.15	16.08		0.0
	1	77	16.18	16.15	16.15		0.0
	36	0	16.15	16.06	15.98	0-0.5	0.0
	36	22	16.10	16.00	15.95	0	0.0
	36	43	16.18	16.03	16.00	0-0.5	0.0
	75	0	16.13	16.06	15.97		0.0
DFT-s-OFDM QPSK	1	1	16.29	16.18	16.04	0	0.0
	1	40	16.31	16.15	16.06		0.0
	1	77	16.21	16.20	16.12		0.0
	36	0	16.19	16.06	15.99	0-1	0.0
	36	22	16.15	16.07	16.00	0	0.0
	36	43	16.19	16.11	16.01	0-1	0.0
	75	0	16.18	16.08	16.01		0.0
DFT-s-OFDM 16QAM	1	1	16.45	16.33	16.31	0-1	0.0
CP-OFDM QPSK	1	1	16.12	16.07	15.95	0-1.5	0.0

Table I-201
NR Band n7 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.18	16.12	15.99	0	0.0
	1	26	16.22	16.13	16.02		0.0
	1	50	16.20	16.08	15.98		0.0
	25	0	16.15	16.06	15.88	0-0.5	0.0
	25	14	16.11	16.04	15.87	0	0.0
	25	27	16.16	16.05	15.92	0-0.5	0.0
	50	0	16.17	16.04	15.89		0.0
DFT-s-OFDM QPSK	1	1	16.19	16.14	15.95	0	0.0
	1	26	16.28	16.15	15.96		0.0
	1	50	16.21	16.07	16.00		0.0
	25	0	16.17	16.08	15.91	0-1	0.0
	25	14	16.21	16.05	15.88	0	0.0
	25	27	16.15	16.08	15.86	0-1	0.0
	50	0	16.16	16.07	15.88		0.0
DFT-s-OFDM 16QAM	1	1	16.40	16.30	16.14	0-1	0.0
CP-OFDM QPSK	1	1	16.16	16.00	15.88	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 115 of 177

Table I-202
NR Band n7 Measured P_{Limit} Antenna 3 - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	16.16	16.10	16.01	0	0.0
	1	13	16.28	16.14	16.03		0.0
	1	23	16.25	16.11	16.02		0.0
	12	0	16.07	16.01	15.89	0-0.5	0.0
	12	7	16.22	16.07	15.97	0	0.0
	12	13	16.20	16.10	15.99	0-0.5	0.0
	25	0	16.08	16.02	15.90		0.0
DFT-s-OFDM QPSK	1	1	16.12	16.08	15.95	0	0.0
	1	13	16.26	16.14	16.02		0.0
	1	23	16.21	16.11	16.01		0.0
	12	0	16.08	16.05	15.93	0-1	0.0
	12	7	16.21	16.10	15.96	0	0.0
	12	13	16.17	16.11	15.95	0-1	0.0
	25	0	16.16	16.07	15.94		0.0
DFT-s-OFDM 16QAM	1	1	16.30	16.28	16.13	0-1	0.0
CP-OFDM QPSK	1	1	16.10	16.01	15.90	0-1.5	0.0

Table I-203
NR Band n7 Measured P_{Limit} Antenna 4b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.75	0	0.0
	1	80	12.64		0.0
	1	158	12.75		0.0
	80	0	12.64	0-0.5	0.0
	80	40	12.56	0	0.0
	80	80	12.63	0-0.5	0.0
	160	0	12.69		0.0
DFT-s-OFDM QPSK	1	1	12.74	0	0.0
	1	80	12.62		0.0
	1	158	12.75		0.0
	80	0	12.63	0-1	0.0
	80	40	12.50	0	0.0
	80	80	12.56	0-1	0.0
	160	0	12.69		0.0
DFT-s-OFDM 16QAM	1	1	12.90	0-1	0.0
CP-OFDM QPSK	1	1	12.61	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 116 of 177

Table I-204
NR Band n7 Measured P_{Limit} Antenna 4b - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.62	0	0.0
	1	67	12.61		0.0
	1	131	12.66		0.0
	64	0	12.57	0-0.5	0.0
	64	35	12.53	0	0.0
	64	69	12.54	0-0.5	0.0
	128	0	12.55		0.0
DFT-s-OFDM QPSK	1	1	12.61	0	0.0
	1	67	12.60		0.0
	1	131	12.67		0.0
	64	0	12.58	0-1	0.0
	64	35	12.53	0	0.0
	64	69	12.58	0-1	0.0
	128	0	12.59		0.0
DFT-s-OFDM 16QAM	1	1	12.85	0-1	0.0
CP-OFDM QPSK	1	1	12.50	0-1.5	0.0

Table I-205
NR Band n7 Measured P_{Limit} Antenna 4b - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.62	12.61	12.62	0	0.0
	1	53	12.66	12.60	12.75		0.0
	1	104	12.69	12.55	12.72		0.0
	50	0	12.66	12.56	12.67	0-0.5	0.0
	50	28	12.69	12.51	12.66	0	0.0
	50	56	12.65	12.53	12.70	0-0.5	0.0
	100	0	12.58	12.55	12.70		0.0
DFT-s-OFDM QPSK	1	1	12.65	12.60	12.75	0	0.0
	1	53	12.71	12.58	12.76		0.0
	1	104	12.63	12.63	12.78		0.0
	50	0	12.61	12.54	12.72	0-1	0.0
	50	28	12.58	12.52	12.74	0	0.0
	50	56	12.60	12.54	12.73	0-1	0.0
	100	0	12.64	12.51	12.71		0.0
DFT-s-OFDM 16QAM	1	1	12.86	12.90	12.92	0-1	0.0
CP-OFDM QPSK	1	1	12.57	12.56	12.60	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 117 of 177

Table I-206
NR Band n7 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.58	12.60	12.66	0	0.0
	1	40	12.54	12.55	12.64		0.0
	1	77	12.56	12.56	12.68		0.0
	36	0	12.54	12.51	12.58	0-0.5	0.0
	36	22	12.50	12.52	12.57	0	0.0
	36	43	12.53	12.51	12.57	0-0.5	0.0
	75	0	12.54	12.53	12.60		0.0
DFT-s-OFDM QPSK	1	1	12.68	12.58	12.61	0	0.0
	1	40	12.61	12.63	12.65		0.0
	1	77	12.64	12.62	12.67		0.0
	36	0	12.55	12.58	12.58	0-1	0.0
	36	22	12.53	12.51	12.60	0	0.0
	36	43	12.52	12.57	12.64	0-1	0.0
	75	0	12.53	12.55	12.59		0.0
DFT-s-OFDM 16QAM	1	1	12.87	12.84	12.87	0-1	0.0
CP-OFDM QPSK	1	1	12.47	12.41	12.51	0-1.5	0.0

Table I-207
NR Band n7 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.62	12.55	12.58	0	0.0
	1	26	12.58	12.57	12.62		0.0
	1	50	12.62	12.52	12.64		0.0
	25	0	12.61	12.50	12.56	0-0.5	0.0
	25	14	12.53	12.52	12.62	0	0.0
	25	27	12.57	12.48	12.51	0-0.5	0.0
	50	0	12.58	12.47	12.58		0.0
DFT-s-OFDM QPSK	1	1	12.52	12.53	12.62	0	0.0
	1	26	12.63	12.66	12.67		0.0
	1	50	12.64	12.65	12.65		0.0
	25	0	12.54	12.54	12.61	0-1	0.0
	25	14	12.58	12.52	12.57	0	0.0
	25	27	12.58	12.55	12.59	0-1	0.0
	50	0	12.60	12.54	12.60		0.0
DFT-s-OFDM 16QAM	1	1	12.88	12.78	12.81	0-1	0.0
CP-OFDM QPSK	1	1	12.41	12.40	12.46	0-1.5	0.0

Table I-208
NR Band n7 Measured P_{Limit} Antenna 4b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.57	12.52	12.54	0	0.0
	1	13	12.61	12.55	12.64		0.0
	1	23	12.56	12.57	12.61		0.0
	12	0	12.50	12.50	12.56	0-0.5	0.0
	12	7	12.63	12.52	12.62	0	0.0
	12	13	12.60	12.62	12.61	0-0.5	0.0
	25	0	12.51	12.54	12.57		0.0
DFT-s-OFDM QPSK	1	1	12.65	12.60	12.61	0	0.0
	1	13	12.57	12.57	12.66		0.0
	1	23	12.66	12.63	12.64		0.0
	12	0	12.57	12.56	12.54	0-1	0.0
	12	7	12.62	12.54	12.52	0	0.0
	12	13	12.66	12.55	12.65	0-1	0.0
	25	0	12.67	12.52	12.56		0.0
DFT-s-OFDM 16QAM	1	1	12.88	12.79	12.82	0-1	0.0
CP-OFDM QPSK	1	1	12.46	12.38	12.44	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 119 of 177

I.2.11 NR Band 41 PC2

Table I-209
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 90 MHz

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.76	12.74	0	0.0
	1	123	12.72	12.70		0.0
	1	243	12.80	13.00		0.0
	120	0	12.69	12.64	0-0.5	0.0
	120	63	12.67	12.63	0	0.0
	120	125	12.68	12.72	0-0.5	0.0
	243	0	12.71	12.67		0.0
DFT-s-OFDM QPSK	1	1	12.77	12.72	0	0.0
	1	123	12.74	12.64		0.0
	1	243	12.82	13.06		0.0
	120	0	12.66	12.67	0-1	0.0
	120	63	12.67	12.62	0	0.0
	120	125	12.71	12.76	0-1	0.0
	243	0	12.70	12.69		0.0
DFT-s-OFDM 16QAM	1	1	12.65	12.91	0-1	0.0
CP-OFDM QPSK	1	1	12.74	12.53	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 120 of 177

Table I-210
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 80 MHz

NR Band n41 80 MHz Bandwidth						
Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.95	12.74	0	0.0
	1	109	12.88	12.71		0.0
	1	215	12.94	12.91		0.0
	108	0	12.69	12.70	0-0.5	0.0
	108	55	12.67	12.67	0	0.0
	108	109	12.66	12.72	0-0.5	0.0
	216	0	12.70	12.64		0.0
DFT-s-OFDM QPSK	1	1	12.74	12.67	0	0.0
	1	109	12.69	12.72		0.0
	1	215	12.75	13.02		0.0
	108	0	12.70	12.68	0-1	0.0
	108	55	12.66	12.65	0	0.0
	108	109	12.68	12.72	0-1	0.0
	216	0	12.69	12.66		0.0
DFT-s-OFDM 16QAM	1	1	12.97	12.86	0-1	0.0
CP-OFDM QPSK	1	1	12.61	12.54	0-1.5	0.0

Table I-211
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 70 MHz

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.93	12.88	0	0.0
	1	95	12.91	12.83		0.0
	1	187	12.90	12.76		0.0
	90	0	12.94	12.79	0-0.5	0.0
	90	50	12.84	12.84	0	0.0
	90	99	12.88	12.73	0-0.5	0.0
	180	0	12.83	12.77		0.0
DFT-s-OFDM QPSK	1	1	12.98	12.82	0	0.0
	1	95	12.96	12.81		0.0
	1	187	12.91	12.74		0.0
	90	0	12.89	12.76	0-1	0.0
	90	50	12.84	12.78	0	0.0
	90	99	12.76	12.74	0-1	0.0
	180	0	12.81	12.77		0.0
DFT-s-OFDM 16QAM	1	1	13.01	12.93	0-1	0.0
CP-OFDM QPSK	1	1	12.83	12.86	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 121 of 177

Table I-212
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 60 MHz

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.70	12.74	12.68	0	0.0
	1	81	12.75	12.80	12.70		0.0
	1	160	12.74	12.68	12.97		0.0
	81	0	12.70	12.75	12.65	0-0.5	0.0
	81	41	12.64	12.70	12.67	0	0.0
	81	81	12.77	12.68	12.80	0-0.5	0.0
	162	0	12.64	12.71	12.66		0.0
DFT-s-OFDM QPSK	1	1	12.71	12.71	12.68	0	0.0
	1	81	12.77	12.88	12.70		0.0
	1	160	12.72	12.69	12.96		0.0
	81	0	12.66	12.74	12.64	0-1	0.0
	81	41	12.70	12.70	12.66	0	0.0
	81	81	12.75	12.72	12.83	0-1	0.0
	162	0	12.74	12.73	12.69		0.0
DFT-s-OFDM 16QAM	1	1	12.98	13.02	12.85	0-1	0.0
CP-OFDM QPSK	1	1	12.55	12.61	12.55	0-1.5	0.0

Table I-213
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 50 MHz

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.78	12.86	12.69	0	0.0
	1	67	12.74	12.84	12.77		0.0
	1	131	12.79	12.77	13.07		0.0
	64	0	12.70	12.79	12.68	0-0.5	0.0
	64	35	12.66	12.80	12.79	0	0.0
	64	69	12.80	12.78	12.85	0-0.5	0.0
	128	0	12.77	12.76	12.78		0.0
DFT-s-OFDM QPSK	1	1	12.77	12.83	12.75	0	0.0
	1	67	12.76	12.90	12.84		0.0
	1	131	12.80	12.83	13.05		0.0
	64	0	12.72	12.80	12.69	0-1	0.0
	64	35	12.80	12.84	12.78	0	0.0
	64	69	12.74	12.79	12.91	0-1	0.0
	128	0	12.70	12.76	12.79		0.0
DFT-s-OFDM 16QAM	1	1	13.02	13.05	12.93	0-1	0.0
CP-OFDM QPSK	1	1	12.67	12.63	12.59	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 122 of 177

Table I-214
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 40 MHz

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.92	12.88	12.81	12.78	0	0.0
	1	53	12.81	12.79	12.66	12.72		0.0
	1	104	12.92	12.91	12.82	13.03		0.0
	50	0	12.78	12.76	12.68	12.70	0-0.5	0.0
	50	28	12.84	12.75	12.66	12.76	0	0.0
	50	56	12.84	12.81	12.72	12.88	0-0.5	0.0
	100	0	12.84	12.75	12.67	12.78		0.0
DFT-s-OFDM QPSK	1	1	12.95	12.90	12.88	12.77	0	0.0
	1	53	12.88	12.78	12.70	12.76		0.0
	1	104	12.95	12.99	12.82	13.08		0.0
	50	0	12.81	12.72	12.64	12.69	0-1	0.0
	50	28	12.81	12.77	12.67	12.77	0	0.0
	50	56	12.84	12.81	12.76	12.94	0-1	0.0
	100	0	12.83	12.77	12.69	12.80		0.0
DFT-s-OFDM 16QAM	1	1	13.10	13.09	13.14	13.03	0-1	0.0
CP-OFDM QPSK	1	1	12.84	12.76	12.75	12.77	0-1.5	0.0

Table I-215
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 30 MHz

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.84	12.84	12.85	12.75	12.81	0	0.0
	1	39	12.85	12.78	12.86	12.66	12.77		0.0
	1	76	12.94	12.97	12.88	12.79	13.06		0.0
	36	0	12.85	12.78	12.81	12.62	12.74	0-0.5	0.0
	36	21	12.87	12.81	12.82	12.62	12.76	0	0.0
	36	42	12.90	12.84	12.80	12.67	12.94	0-0.5	0.0
	75	0	12.89	12.83	12.87	12.62	12.79		0.0
DFT-s-OFDM QPSK	1	1	12.87	12.85	12.87	12.78	12.88	0	0.0
	1	39	12.83	12.81	12.87	12.67	12.81		0.0
	1	76	12.95	12.97	12.89	12.77	13.04		0.0
	36	0	12.74	12.79	12.80	12.67	12.73	0-1	0.0
	36	21	12.85	12.78	12.81	12.63	12.77	0	0.0
	36	42	12.91	12.83	12.83	12.68	12.92	0-1	0.0
	75	0	12.87	12.83	12.83	12.67	12.83		0.0
DFT-s-OFDM 16QAM	1	1	13.09	13.06	13.06	12.97	13.08	0-1	0.0
CP-OFDM QPSK	1	1	12.80	12.78	12.73	12.68	12.74	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 123 of 177

Table I-216
NR Band n41 PC2 Measured P_{limit} Antenna 1 - 20 MHz

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.81	12.71	12.66	12.62	12.62	0	0.0
	1	26	12.77	12.72	12.66	12.63	12.71		0.0
	1	49	12.79	12.68	12.72	12.60	12.79		0.0
	25	0	12.72	12.61	12.62	12.52	12.68	0-0.5	0.0
	25	13	12.71	12.62	12.64	12.60	12.78	0	0.0
	25	26	12.72	12.60	12.64	12.54	12.77	0-0.5	0.0
	50	0	12.70	12.60	12.63	12.57	12.75		0.0
DFT-s-OFDM QPSK	1	1	12.78	12.68	12.65	12.63	12.64	0	0.0
	1	26	12.73	12.66	12.62	12.60	12.71		0.0
	1	49	12.73	12.70	12.75	12.64	12.90		0.0
	25	0	12.76	12.70	12.68	12.60	12.75	0-1	0.0
	25	13	12.73	12.62	12.64	12.58	12.79	0	0.0
	25	26	12.74	12.63	12.68	12.54	12.80	0-1	0.0
	50	0	12.75	12.66	12.64	12.56	12.81		0.0
DFT-s-OFDM 16QAM	1	1	12.92	12.88	12.82	12.81	12.88	0-1	0.0
CP-OFDM QPSK	1	1	12.63	12.56	12.55	12.57	12.55	0-1.5	0.0

Table I-217
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 90 MHz

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	509004 (2545.02 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.20	14.13	0	0.0
	1	123	14.05	14.25		0.0
	1	243	14.19	14.56		0.0
	120	0	14.06	14.08	0-0.5	0.0
	120	63	14.05	14.23	0	0.0
	120	125	14.07	14.31	0-0.5	0.0
	243	0	14.05	14.21		0.0
DFT-s-OFDM QPSK	1	1	14.20	14.10	0	0.0
	1	123	14.04	14.26		0.0
	1	243	14.23	14.59		0.0
	120	0	14.13	14.12	0-1	0.0
	120	63	14.07	14.20	0	0.0
	120	125	14.05	14.29	0-1	0.0
	243	0	14.07	14.20		0.0
DFT-s-OFDM 16QAM	1	1	14.47	14.35	0-1	0.0
CP-OFDM QPSK	1	1	14.06	14.02	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 124 of 177

Table I-218
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 80 MHz

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.05	14.08	0	0.0
	1	109	13.93	14.04		0.0
	1	215	13.94	14.31		0.0
	108	0	14.02	13.99	0-0.5	0.0
	108	55	13.97	14.07	0	0.0
	108	109	13.95	14.14	0-0.5	0.0
	216	0	13.98	14.08		0.0
DFT-s-OFDM QPSK	1	1	14.04	14.04	0	0.0
	1	109	14.02	14.11		0.0
	1	215	14.06	14.35		0.0
	108	0	13.99	14.03	0-1	0.0
	108	55	14.01	14.06	0	0.0
	108	109	13.93	14.15	0-1	0.0
	216	0	13.98	14.10		0.0
DFT-s-OFDM 16QAM	1	1	14.30	14.29	0-1	0.0
CP-OFDM QPSK	1	1	13.95	13.98	0-1.5	0.0

Table I-219
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 70 MHz

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.10	14.13	0	0.0
	1	95	14.14	14.11		0.0
	1	187	14.09	14.12		0.0
	90	0	14.11	14.15	0-0.5	0.0
	90	50	14.00	14.11	0	0.0
	90	99	13.96	14.07	0-0.5	0.0
	180	0	13.94	14.03		0.0
DFT-s-OFDM QPSK	1	1	14.12	14.05	0	0.0
	1	95	14.10	14.08		0.0
	1	187	13.97	14.12		0.0
	90	0	13.99	13.96	0-1	0.0
	90	50	13.95	13.92	0	0.0
	90	99	14.03	14.08	0-1	0.0
	180	0	14.07	14.08		0.0
DFT-s-OFDM 16QAM	1	1	14.36	14.31	0-1	0.0
CP-OFDM QPSK	1	1	14.01	13.96	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 125 of 177

Table I-220
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 60 MHz

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.13	14.08	14.05	0	0.0
	1	81	14.08	14.19	14.19		0.0
	1	160	14.04	14.09	14.35		0.0
	81	0	14.11	14.08	14.08	0-0.5	0.0
	81	41	14.05	14.12	14.16	0	0.0
	81	81	14.02	14.18	14.24	0-0.5	0.0
162	0	14.04	14.05	14.13	0.0		
DFT-s-OFDM QPSK	1	1	14.16	14.05	14.05	0	0.0
	1	81	14.08	14.18	14.24		0.0
	1	160	14.03	14.09	14.37		0.0
	81	0	14.08	14.05	14.10	0-1	0.0
	81	41	14.01	14.10	14.14	0	0.0
	81	81	14.01	14.17	14.27	0-1	0.0
162	0	14.02	14.06	14.16	0.0		
DFT-s-OFDM 16QAM	1	1	14.40	14.23	14.30	0-1	0.0
CP-OFDM QPSK	1	1	14.01	13.98	13.99	0-1.5	0.0

Table I-221
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 50 MHz

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.20	14.15	14.17	0	0.0
	1	67	14.12	14.23	14.25		0.0
	1	131	14.11	14.32	14.48		0.0
	64	0	14.10	14.05	14.16	0-0.5	0.0
	64	35	14.05	14.21	14.21	0	0.0
	64	69	14.07	14.20	14.29	0-0.5	0.0
	128	0	14.06	14.11	14.23		0.0
DFT-s-OFDM QPSK	1	1	14.21	14.17	14.21	0	0.0
	1	67	14.18	14.25	14.27		0.0
	1	131	14.21	14.31	14.53		0.0
	64	0	14.16	14.13	14.17	0-1	0.0
	64	35	14.12	14.20	14.25	0	0.0
	64	69	14.10	14.20	14.29	0-1	0.0
	128	0	14.16	14.10	14.23		0.0
DFT-s-OFDM 16QAM	1	1	14.54	14.45	14.43	0-1	0.0
CP-OFDM QPSK	1	1	14.10	14.06	14.19	0-1.5	0.0

Table I-222
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 40 MHz

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.30	14.17	14.31	14.31	0	0.0
	1	53	14.16	14.06	14.15	14.20		0.0
	1	104	14.23	14.28	14.25	14.50		0.0
	50	0	14.12	14.05	14.20	14.21	0-0.5	0.0
	50	28	14.12	14.03	14.14	14.23	0	0.0
	50	56	14.14	14.15	14.20	14.41	0-0.5	0.0
	100	0	14.15	14.03	14.16	14.30		0.0
DFT-s-OFDM QPSK	1	1	14.35	14.18	14.36	14.34	0	0.0
	1	53	14.12	14.06	14.18	14.27		0.0
	1	104	14.23	14.27	14.29	14.54		0.0
	50	0	14.14	14.02	14.17	14.23	0-1	0.0
	50	28	14.08	14.04	14.13	14.24	0	0.0
	50	56	14.10	14.15	14.18	14.41	0-1	0.0
	100	0	14.15	14.04	14.18	14.33		0.0
DFT-s-OFDM 16QAM	1	1	14.54	14.35	14.57	14.56	0-1	0.0
CP-OFDM QPSK	1	1	14.18	14.02	14.23	14.24	0-1.5	0.0

Table I-223
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 30 MHz

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.33	14.20	14.23	14.33	14.41	0	0.0
	1	39	14.20	14.12	14.24	14.34	14.39		0.0
	1	76	14.32	14.27	14.40	14.48	14.66		0.0
	36	0	14.26	14.09	14.08	14.22	14.31	0-0.5	0.0
	36	21	14.20	14.09	14.25	14.30	14.39	0	0.0
	36	42	14.25	14.15	14.29	14.32	14.55	0-0.5	0.0
	75	0	14.24	14.10	14.28	14.29	14.42		0.0
DFT-s-OFDM QPSK	1	1	14.32	14.25	14.26	14.41	14.44	0	0.0
	1	39	14.25	14.17	14.27	14.35	14.46		0.0
	1	76	14.27	14.30	14.43	14.50	14.75		0.0
	36	0	14.23	14.16	14.24	14.23	14.40	0-1	0.0
	36	21	14.19	14.12	14.29	14.30	14.38	0	0.0
	36	42	14.26	14.22	14.34	14.31	14.57	0-1	0.0
	75	0	14.21	14.17	14.29	14.33	14.43		0.0
DFT-s-OFDM 16QAM	1	1	14.51	14.44	14.45	14.61	14.60	0-1	0.0
CP-OFDM QPSK	1	1	14.22	14.09	14.11	14.17	14.26	0-1.5	0.0

Table I-224
NR Band n41 PC2 Measured P_{limit} Antenna 2b - 20 MHz

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	14.20	14.08	14.03	14.09	14.21	0	0.0
	1	26	14.10	14.02	14.10	14.08	14.32		0.0
	1	49	14.09	14.03	14.11	14.13	14.50		0.0
	25	0	14.12	13.95	14.05	14.08	14.24	0-0.5	0.0
	25	13	14.12	13.95	14.07	14.02	14.35	0	0.0
	25	26	14.14	13.96	14.09	14.09	14.38	0-0.5	0.0
	50	0	14.13	13.96	14.09	14.04	14.34		0.0
DFT-s-OFDM QPSK	1	1	14.21	14.01	14.07	14.10	14.24	0	0.0
	1	26	14.13	14.00	14.12	14.09	14.39		0.0
	1	49	14.17	14.02	14.13	14.22	14.51		0.0
	25	0	14.11	14.04	14.08	14.15	14.28	0-1	0.0
	25	13	14.12	13.94	14.07	14.06	14.32	0	0.0
	25	26	14.10	13.95	14.12	14.14	14.41	0-1	0.0
	50	0	14.12	13.99	14.09	14.08	14.33		0.0
DFT-s-OFDM 16QAM	1	1	14.37	14.26	14.25	14.34	14.44	0-1	0.0
CP-OFDM QPSK	1	1	14.04	13.93	14.02	13.97	14.12	0-1.5	0.0

Table I-225
NR Band n41 PC2 Measured P_{Limit} Antenna 3 - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.44	13.40	0	0.0
	1	123	13.47	13.41		0.0
	1	243	13.46	13.54		0.0
	120	0	13.40	13.47	0-0.5	0.0
	120	63	13.46	13.39	0	0.0
	120	125	13.41	13.45	0-0.5	0.0
	243	0	13.49	13.38		0.0
DFT-s-OFDM QPSK	1	1	13.42	13.41	0	0.0
	1	123	13.43	13.42		0.0
	1	243	13.47	13.58		0.0
	120	0	13.45	13.44	0-1	0.0
	120	63	13.41	13.40	0	0.0
	120	125	13.42	13.45	0-1	0.0
	243	0	13.48	13.41		0.0
DFT-s-OFDM 16QAM	1	1	13.65	13.60	0-1	0.0
CP-OFDM QPSK	1	1	13.28	13.24	0-1.5	0.0

Table I-226
NR Band n41 PC2 Measured P_{Limit} Antenna 3 - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.40	13.39	0	0.0
	1	109	13.45	13.33		0.0
	1	215	13.39	13.47		0.0
	108	0	13.38	13.43	0-0.5	0.0
	108	55	13.45	13.37	0	0.0
	108	109	13.40	13.40	0-0.5	0.0
	216	0	13.45	13.40		0.0
DFT-s-OFDM QPSK	1	1	13.39	13.38	0	0.0
	1	109	13.47	13.38		0.0
	1	215	13.48	13.51		0.0
	108	0	13.40	13.45	0-1	0.0
	108	55	13.41	13.35	0	0.0
	108	109	13.40	13.44	0-1	0.0
	216	0	13.49	13.36		0.0
DFT-s-OFDM 16QAM	1	1	13.63	13.61	0-1	0.0
CP-OFDM QPSK	1	1	13.28	13.25	0-1.5	0.0

Table I-227
NR Band n41 PC2 Measured P_{limit} Antenna 3 - 70 MHz

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.42	13.42	0	0.0
	1	95	13.40	13.43		0.0
	1	187	13.36	13.46		0.0
	90	0	13.39	13.40	0-0.5	0.0
	90	50	13.36	13.41	0	0.0
	90	99	13.40	13.50	0-0.5	0.0
	180	0	13.45	13.47		0.0
DFT-s-OFDM QPSK	1	1	13.48	13.54	0	0.0
	1	95	13.39	13.46		0.0
	1	187	13.53	13.51		0.0
	90	0	13.40	13.45	0-1	0.0
	90	50	13.34	13.39	0	0.0
	90	99	13.41	13.54	0-1	0.0
	180	0	13.40	13.41		0.0
DFT-s-OFDM 16QAM	1	1	13.72	13.72	0-1	0.0
CP-OFDM QPSK	1	1	13.31	13.29	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 129 of 177

Table I-228
NR Band n41 PC2 Measured P_{Limit} Antenna 3 - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.55	13.51	13.48	0	0.0
	1	81	13.52	13.45	13.42		0.0
	1	160	13.51	13.48	13.52		0.0
	81	0	13.49	13.44	13.43	0-0.5	0.0
	81	41	13.48	13.43	13.35	0	0.0
	81	81	13.50	13.48	13.37	0-0.5	0.0
162	0	13.53	13.41	13.40	0.0		
DFT-s-OFDM QPSK	1	1	13.52	13.45	13.46	0	0.0
	1	81	13.55	13.46	13.44		0.0
	1	160	13.51	13.50	13.55		0.0
	81	0	13.49	13.42	13.37	0-1	0.0
	81	41	13.50	13.40	13.39	0	0.0
	81	81	13.47	13.50	13.37	0-1	0.0
162	0	13.54	13.41	13.37	0.0		
DFT-s-OFDM 16QAM	1	1	13.79	13.70	13.70	0-1	0.0
CP-OFDM QPSK	1	1	13.48	13.35	13.37	0-1.5	0.0

Table I-229
NR Band n41 PC2 Measured P_{Limit} Antenna 3 - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.57	13.52	13.40	0	0.0
	1	67	13.54	13.45	13.42		0.0
	1	131	13.58	13.60	13.58		0.0
	64	0	13.48	13.42	13.39	0-0.5	0.0
	64	35	13.44	13.39	13.38	0	0.0
	64	69	13.47	13.49	13.39	0-0.5	0.0
128	0	13.49	13.39	13.36	0.0		
DFT-s-OFDM QPSK	1	1	13.59	13.51	13.49	0	0.0
	1	67	13.51	13.46	13.41		0.0
	1	131	13.57	13.63	13.60		0.0
	64	0	13.48	13.40	13.38	0-1	0.0
	64	35	13.45	13.39	13.37	0	0.0
	64	69	13.44	13.52	13.36	0-1	0.0
128	0	13.48	13.40	13.38	0.0		
DFT-s-OFDM 16QAM	1	1	13.76	13.68	13.71	0-1	0.0
CP-OFDM QPSK	1	1	13.37	13.38	13.31	0-1.5	0.0

Table I-230
NR Band n41 PC2 Measured P_{Limit} Antenna 3 - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.49	13.59	13.48	13.53	0	0.0
	1	53	13.46	13.41	13.42	13.47		0.0
	1	104	13.60	13.57	13.57	13.64		0.0
	50	0	13.38	13.42	13.38	13.45	0-0.5	0.0
	50	28	13.34	13.39	13.40	13.46	0	0.0
	50	56	13.53	13.46	13.54	13.52	0-0.5	0.0
	100	0	13.40	13.39	13.44	13.51		0.0
DFT-s-OFDM QPSK	1	1	13.61	13.62	13.58	13.55	0	0.0
	1	53	13.48	13.52	13.55	13.48		0.0
	1	104	13.56	13.61	13.62	13.69		0.0
	50	0	13.43	13.47	13.41	13.44	0-1	0.0
	50	28	13.41	13.49	13.38	13.47	0	0.0
	50	56	13.56	13.50	13.48	13.53	0-1	0.0
	100	0	13.43	13.45	13.43	13.50		0.0
DFT-s-OFDM 16QAM	1	1	13.79	13.75	13.76	13.77	0-1	0.0
CP-OFDM QPSK	1	1	13.45	13.51	13.43	13.49	0-1.5	0.0

Table I-231
NR Band n41 PC2 Measured P_{Limit} Antenna 3 - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.52	13.42	13.50	13.55	13.54	0	0.0
	1	39	13.44	13.45	13.46	13.45	13.47		0.0
	1	76	13.57	13.56	13.65	13.62	13.60		0.0
	36	0	13.43	13.37	13.39	13.38	13.47	0-0.5	0.0
	36	21	13.44	13.37	13.38	13.44	13.45	0	0.0
	36	42	13.46	13.45	13.46	13.46	13.51	0-0.5	0.0
	75	0	13.48	13.43	13.41	13.43	13.47		0.0
DFT-s-OFDM QPSK	1	1	13.51	13.50	13.48	13.57	13.58	0	0.0
	1	39	13.50	13.44	13.45	13.49	13.52		0.0
	1	76	13.59	13.60	13.66	13.57	13.62		0.0
	36	0	13.45	13.40	13.40	13.46	13.46	0-1	0.0
	36	21	13.44	13.38	13.41	13.44	13.45	0	0.0
	36	42	13.48	13.44	13.45	13.45	13.52	0-1	0.0
	75	0	13.48	13.43	13.41	13.46	13.49		0.0
DFT-s-OFDM 16QAM	1	1	13.71	13.70	13.72	13.76	13.77	0-1	0.0
CP-OFDM QPSK	1	1	13.34	13.36	13.32	13.37	13.42	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 131 of 177

Table I-232
NR Band n41 PC2 Measured P_{Limit} Antenna 3 - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	13.60	13.57	13.52	13.47	13.45	0	0.0
	1	26	13.61	13.52	13.50	13.39	13.51		0.0
	1	49	13.61	13.50	13.48	13.54	13.52		0.0
	25	0	13.56	13.49	13.46	13.39	13.41	0-0.5	0.0
	25	13	13.53	13.46	13.43	13.36	13.49	0	0.0
	25	26	13.54	13.44	13.42	13.42	13.50	0-0.5	0.0
	50	0	13.55	13.47	13.42	13.37	13.45		0.0
DFT-s-OFDM QPSK	1	1	13.59	13.54	13.49	13.43	13.47	0	0.0
	1	26	13.59	13.49	13.47	13.40	13.48		0.0
	1	49	13.60	13.58	13.52	13.52	13.51		0.0
	25	0	13.52	13.50	13.43	13.38	13.38	0-1	0.0
	25	13	13.53	13.47	13.42	13.34	13.39	0	0.0
	25	26	13.55	13.48	13.48	13.42	13.51	0-1	0.0
	50	0	13.53	13.45	13.47	13.35	13.40		0.0
DFT-s-OFDM 16QAM	1	1	13.74	13.71	13.70	13.60	13.63	0-1	0.0
CP-OFDM QPSK	1	1	13.30	13.45	13.34	13.31	13.26	0-1.5	0.0

Table I-233
NR Band n41 PC2 Measured P_{Limit} Antenna 4b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Channel						
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.83	11.59	0	0.0
	1	123	11.75	11.51		0.0
	1	243	11.72	11.62		0.0
	120	0	11.80	11.61	0-0.5	0.0
	120	63	11.72	11.53	0	0.0
	120	125	11.68	11.53	0-0.5	0.0
	243	0	11.75	11.52		0.0
DFT-s-OFDM QPSK	1	1	11.81	11.65	0	0.0
	1	123	11.83	11.52		0.0
	1	243	11.80	11.59		0.0
	120	0	11.78	11.62	0-1	0.0
	120	63	11.78	11.53	0	0.0
	120	125	11.72	11.53	0-1	0.0
	243	0	11.77	11.51		0.0
DFT-s-OFDM 16QAM	1	1	12.01	11.82	0-1	0.0
CP-OFDM QPSK	1	1	11.72	11.55	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 132 of 177

Table I-234
NR Band n41 PC2 Measured P_{Limit} Antenna 4b - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.91	11.73	0	0.0
	1	109	11.92	11.65		0.0
	1	215	11.90	11.65		0.0
	108	0	11.91	11.74	0-0.5	0.0
	108	55	11.92	11.64	0	0.0
	108	109	11.84	11.69	0-0.5	0.0
	216	0	11.90	11.66		0.0
DFT-s-OFDM QPSK	1	1	11.96	11.72	0	0.0
	1	109	11.88	11.64		0.0
	1	215	11.89	11.72		0.0
	108	0	11.92	11.70	0-1	0.0
	108	55	11.88	11.64	0	0.0
	108	109	11.85	11.70	0-1	0.0
	216	0	11.89	11.65		0.0
DFT-s-OFDM 16QAM	1	1	12.18	11.97	0-1	0.0
CP-OFDM QPSK	1	1	11.79	11.65	0-1.5	0.0

Table I-235
NR Band n41 PC2 Measured P_{limit} Antenna 4b - 70 MHz

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.80	11.76	0	0.0
	1	95	11.76	11.74		0.0
	1	187	11.79	11.72		0.0
	90	0	11.70	11.69	0-0.5	0.0
	90	50	11.69	11.66	0	0.0
	90	99	11.68	11.64	0-0.5	0.0
	180	0	11.65	11.71		0.0
DFT-s-OFDM QPSK	1	1	11.77	11.74	0	0.0
	1	95	11.78	11.72		0.0
	1	187	11.79	11.63		0.0
	90	0	11.84	11.77	0-1	0.0
	90	50	11.80	11.76	0	0.0
	90	99	11.79	11.64	0-1	0.0
	180	0	11.81	11.62		0.0
DFT-s-OFDM 16QAM	1	1	11.92	11.87	0-1	0.0
CP-OFDM QPSK	1	1	11.76	11.68	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 133 of 177

Table I-236
NR Band n41 PC2 Measured P_{Limit} Antenna 4b - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.02	11.88	11.75	0	0.0
	1	81	12.05	11.83	11.63		0.0
	1	160	11.92	11.81	11.65		0.0
	81	0	11.95	11.85	11.65	0-0.5	0.0
	81	41	12.04	11.75	11.58	0	0.0
	81	81	11.94	11.85	11.57	0-0.5	0.0
	162	0	12.04	11.87	11.65		0.0
DFT-s-OFDM QPSK	1	1	12.05	11.95	11.75	0	0.0
	1	81	12.07	11.81	11.70		0.0
	1	160	11.98	11.80	11.64		0.0
	81	0	11.92	11.85	11.61	0-1	0.0
	81	41	11.94	11.79	11.57	0	0.0
	81	81	11.90	11.84	11.56	0-1	0.0
	162	0	11.98	11.92	11.62		0.0
DFT-s-OFDM 16QAM	1	1	12.13	12.18	11.99	0-1	0.0
CP-OFDM QPSK	1	1	11.91	11.72	11.57	0-1.5	0.0

Table I-237
NR Band n41 PC2 Measured P_{Limit} Antenna 4b - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.06	11.87	11.68	0	0.0
	1	67	12.05	11.80	11.64		0.0
	1	131	11.99	11.87	11.71		0.0
	64	0	11.99	11.80	11.59	0-0.5	0.0
	64	35	11.94	11.76	11.58	0	0.0
	64	69	11.92	11.85	11.55	0-0.5	0.0
	128	0	11.94	11.77	11.60		0.0
DFT-s-OFDM QPSK	1	1	12.10	11.98	11.72	0	0.0
	1	67	12.06	11.82	11.63		0.0
	1	131	11.97	11.88	11.65		0.0
	64	0	11.99	11.82	11.58	0-1	0.0
	64	35	11.90	11.74	11.56	0	0.0
	64	69	11.90	11.85	11.57	0-1	0.0
	128	0	11.92	11.81	11.59		0.0
DFT-s-OFDM 16QAM	1	1	12.23	12.20	11.90	0-1	0.0
CP-OFDM QPSK	1	1	11.94	11.80	11.57	0-1.5	0.0

Table I-238
NR Band n41 PC2 Measured P_{Limit} Antenna 4b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.05	11.95	11.86	11.70	0	0.0
	1	53	11.91	11.85	11.74	11.62		0.0
	1	104	12.02	11.91	11.76	11.77		0.0
	50	0	11.86	11.87	11.67	11.65	0-0.5	0.0
	50	28	11.90	11.86	11.76	11.64	0	0.0
	50	56	11.93	11.88	11.75	11.69	0-0.5	0.0
	100	0	11.90	11.84	11.75	11.66		0.0
DFT-s-OFDM QPSK	1	1	12.08	11.99	11.84	11.75	0	0.0
	1	53	11.95	11.88	11.77	11.61		0.0
	1	104	12.05	11.98	11.85	11.82		0.0
	50	0	11.93	11.84	11.67	11.65	0-1	0.0
	50	28	11.93	11.83	11.76	11.64	0	0.0
	50	56	11.97	11.87	11.73	11.70	0-1	0.0
	100	0	11.94	11.83	11.74	11.68		0.0
DFT-s-OFDM 16QAM	1	1	12.25	12.20	12.05	11.95	0-1	0.0
CP-OFDM QPSK	1	1	11.90	11.81	11.71	11.61	0-1.5	0.0

Table I-239
NR Band n41 PC2 Measured P_{Limit} Antenna 4b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	12.10	12.01	11.87	11.82	11.72	0	0.0
	1	39	12.01	11.85	11.79	11.70	11.69		0.0
	1	76	12.08	12.01	11.92	11.82	11.74		0.0
	36	0	12.00	11.94	11.78	11.70	11.65	0-0.5	0.0
	36	21	11.99	11.89	11.80	11.65	11.59	0	0.0
	36	42	12.02	12.01	11.89	11.71	11.67	0-0.5	0.0
	75	0	12.00	11.96	11.76	11.70	11.64		0.0
DFT-s-OFDM QPSK	1	1	12.10	12.11	11.86	11.85	11.75	0	0.0
	1	39	12.02	11.93	11.78	11.74	11.65		0.0
	1	76	12.15	12.07	11.94	11.88	11.80		0.0
	36	0	11.98	11.92	11.72	11.70	11.65	0-1	0.0
	36	21	11.97	11.93	11.71	11.65	11.61	0	0.0
	36	42	12.05	11.99	11.83	11.75	11.66	0-1	0.0
	75	0	12.02	11.99	11.76	11.68	11.67		0.0
DFT-s-OFDM 16QAM	1	1	12.37	12.25	12.05	12.02	11.95	0-1	0.0
CP-OFDM QPSK	1	1	11.97	11.87	11.71	11.68	11.57	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 135 of 177

Table I-240
NR Band n41 PC2 Measured P_{Limit} Antenna 4b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.95	11.90	11.85	11.67	11.55	0	0.0
	1	26	11.94	11.88	11.87	11.72	11.68		0.0
	1	49	11.92	11.87	11.79	11.69	11.66		0.0
	25	0	11.90	11.84	11.80	11.60	11.53	0-0.5	0.0
	25	13	11.89	11.81	11.74	11.67	11.57	0	0.0
	25	26	11.90	11.86	11.76	11.61	11.60	0-0.5	0.0
	50	0	11.92	11.85	11.77	11.55	11.54		0.0
DFT-s-OFDM QPSK	1	1	11.95	11.90	11.84	11.71	11.60	0	0.0
	1	26	11.97	11.87	11.77	11.70	11.63		0.0
	1	49	11.95	11.89	11.82	11.68	11.69		0.0
	25	0	11.89	11.86	11.80	11.60	11.51	0-1	0.0
	25	13	11.89	11.84	11.76	11.64	11.55	0	0.0
	25	26	11.91	11.85	11.75	11.64	11.61	0-1	0.0
	50	0	11.88	11.82	11.76	11.60	11.59		0.0
DFT-s-OFDM 16QAM	1	1	12.21	12.11	12.05	11.91	11.75	0-1	0.0
CP-OFDM QPSK	1	1	11.79	11.75	11.65	11.47	11.41	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 136 of 177

I.2.12 NR Band n77 DoD PC2

Table I-241
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 1 - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.23	0	0.0
	1	123	11.24		0.0
	1	243	11.16		0.0
	120	0	11.20	0-0.5	0.0
	120	63	11.22	0	0.0
	120	125	11.16	0-0.5	0.0
	243	0	11.19		0.0
DFT-s-OFDM QPSK	1	1	11.24	0	0.0
	1	123	11.28		0.0
	1	243	11.27		0.0
	120	0	11.25	0-1	0.0
	120	63	11.21	0	0.0
	120	125	11.14	0-1	0.0
	243	0	11.18		0.0
DFT-s-OFDM 16QAM	1	1	11.42	0-1	0.0
CP-OFDM QPSK	1	1	11.12	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 137 of 177

Table I-242
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 1 - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.15	0	0.0
	1	109	11.19		0.0
	1	215	11.06		0.0
	108	0	11.18	0-0.5	0.0
	108	55	11.17	0	0.0
	108	109	11.13	0-0.5	0.0
	216	0	11.14		0.0
DFT-s-OFDM QPSK	1	1	11.14	0	0.0
	1	109	11.21		0.0
	1	215	11.10		0.0
	108	0	11.16	0-1	0.0
	108	55	11.17	0	0.0
	108	109	11.12	0-1	0.0
	216	0	11.14		0.0
DFT-s-OFDM 16QAM	1	1	11.32	0-1	0.0
CP-OFDM QPSK	1	1	10.95	0-1.5	0.0

Table I-243
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 1 - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.17	0	0.0
	1	95	11.18		0.0
	1	187	11.04		0.0
	90	0	11.18	0-0.5	0.0
	90	50	11.20	0	0.0
	90	99	11.13	0-0.5	0.0
	180	0	11.15		0.0
DFT-s-OFDM QPSK	1	1	11.25	0	0.0
	1	95	11.24		0.0
	1	187	11.11		0.0
	90	0	11.24	0-1	0.0
	90	50	11.19	0	0.0
	90	99	11.12	0-1	0.0
	180	0	11.15		0.0
DFT-s-OFDM 16QAM	1	1	11.44	0-1	0.0
CP-OFDM QPSK	1	1	11.05	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 138 of 177

Table I-244
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 1 - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.20	0	0.0
	1	81	11.27		0.0
	1	160	11.13		0.0
	81	0	11.23	0-0.5	0.0
	81	41	11.20	0	0.0
	81	81	11.15	0-0.5	0.0
	162	0	11.19		0.0
DFT-s-OFDM QPSK	1	1	11.26	0	0.0
	1	81	11.32		0.0
	1	160	11.12		0.0
	81	0	11.21	0-1	0.0
	81	41	11.22	0	0.0
	81	81	11.14	0-1	0.0
	162	0	11.18		0.0
DFT-s-OFDM 16QAM	1	1	11.48	0-1	0.0
CP-OFDM QPSK	1	1	11.11	0-1.5	0.0

Table I-245
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 1 - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631668 (3475.02 MHz)	635000 (3525 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.24	11.30	0	0.0
	1	67	11.18	11.10		0.0
	1	131	11.19	11.01		0.0
	64	0	11.20	11.15	0-0.5	0.0
	64	35	11.14	11.08	0	0.0
	64	69	11.12	11.01	0-0.5	0.0
	128	0	11.15	11.08		0.0
DFT-s-OFDM QPSK	1	1	11.25	11.31	0	0.0
	1	67	11.16	11.13		0.0
	1	131	11.20	11.00		0.0
	64	0	11.15	11.19	0-1	0.0
	64	35	11.12	11.06	0	0.0
	64	69	11.11	11.01	0-1	0.0
	128	0	11.16	11.07		0.0
DFT-s-OFDM 16QAM	1	1	11.47	11.56	0-1	0.0
CP-OFDM QPSK	1	1	11.11	11.16	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 139 of 177

Table I-246
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 1 - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631334 (3470.01 MHz)	635332 (3529.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.31	11.35	0	0.0
	1	53	11.19	11.15		0.0
	1	104	11.36	11.23		0.0
	50	0	11.23	11.22	0-0.5	0.0
	50	28	11.19	11.11	0	0.0
	50	56	11.21	11.12	0-0.5	0.0
	100	0	11.20	11.18		0.0
DFT-s-OFDM QPSK	1	1	11.30	11.34	0	0.0
	1	53	11.21	11.16		0.0
	1	104	11.38	11.28		0.0
	50	0	11.24	11.21	0-1	0.0
	50	28	11.18	11.14	0	0.0
	50	56	11.24	11.17	0-1	0.0
	100	0	11.20	11.16		0.0
DFT-s-OFDM 16QAM	1	1	11.52	11.60	0-1	0.0
CP-OFDM QPSK	1	1	11.16	11.23	0-1.5	0.0

Table I-247
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 1 - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631000 (3465 MHz)	633334 (3500.01 MHz)	635666 (3534.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.25	11.31	11.27	0	0.0
	1	39	11.21	11.22	11.12		0.0
	1	76	11.28	11.24	11.15		0.0
	36	0	11.23	11.20	11.15	0-0.5	0.0
	36	21	11.17	11.19	11.07	0	0.0
	36	42	11.21	11.20	11.06	0-0.5	0.0
	75	0	11.20	11.22	11.13		0.0
DFT-s-OFDM QPSK	1	1	11.32	11.36	11.25	0	0.0
	1	39	11.22	11.26	11.12		0.0
	1	76	11.31	11.28	11.22		0.0
	36	0	11.21	11.26	11.22	0-1	0.0
	36	21	11.11	11.17	11.07	0	0.0
	36	42	11.20	11.21	11.10	0-1	0.0
	75	0	11.21	11.22	11.15		0.0
DFT-s-OFDM 16QAM	1	1	11.55	11.58	11.18	0-1	0.0
CP-OFDM QPSK	1	1	11.19	11.22	11.21	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 140 of 177

Table I-248
NR Band n77 DoD Measured P_{Limit} Antenna 1 - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630668 (3460.02 MHz)	633334 (3500.01 MHz)	636000 (3540 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.27	11.38	11.22	0	0.0
	1	26	11.27	11.35	11.17		0.0
	1	49	11.35	11.32	11.18		0.0
	25	0	11.24	11.27	11.17	0-0.5	0.0
	25	13	11.21	11.27	11.10	0	0.0
	25	26	11.23	11.24	11.11	0-0.5	0.0
	50	0	11.24	11.24	11.09		0.0
DFT-s-OFDM QPSK	1	1	11.29	11.32	11.25	0	0.0
	1	26	11.26	11.31	11.19		0.0
	1	49	11.41	11.34	11.23		0.0
	25	0	11.26	11.28	11.15	0-1	0.0
	25	13	11.22	11.24	11.08	0	0.0
	25	26	11.26	11.28	11.12	0-1	0.0
	50	0	11.21	11.30	11.14		0.0
DFT-s-OFDM 16QAM	1	1	11.57	11.58	11.44	0-1	0.0
CP-OFDM QPSK	1	1	11.18	11.24	11.10	0-1.5	0.0

Table I-249
NR Band n77 DoD Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630500 (3457.5 MHz)	633334 (3500.01 MHz)	636166 (3542.49 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.06	11.34	11.04	0	0.0
	1	19	11.16	11.09	11.08		0.0
	1	36	11.12	11.20	11.12		0.0
	18	0	11.07	10.97	11.01	0-0.5	0.0
	18	10	11.04	10.98	10.99	0	0.0
	18	20	11.08	11.00	11.03	0-0.5	0.0
	36	0	11.01	10.97	11.01		0.0
DFT-s-OFDM QPSK	1	1	10.96	11.12	11.07	0	0.0
	1	19	10.88	11.02	11.04		0.0
	1	36	11.00	11.18	11.12		0.0
	18	0	10.86	11.07	11.00	0-1	0.0
	18	10	10.99	11.04	10.98	0	0.0
	18	20	11.06	11.12	11.08	0-1	0.0
	36	0	11.01	11.02	10.95		0.0
DFT-s-OFDM 16QAM	1	1	11.02	11.26	11.21	0-1	0.0
CP-OFDM QPSK	1	1	11.12	11.01	11.03	0-1.5	0.0

Table I-250
NR Band n77 DoD Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630334 (3455.01 MHz)	633334 (3500.01 MHz)	636332 (3544.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.03	11.07	11.02	0	0.0
	1	12	10.99	11.04	11.15		0.0
	1	22	11.10	11.13	11.11		0.0
	12	0	10.93	11.00	11.03	0-0.5	0.0
	12	6	10.92	11.04	11.02	0	0.0
	12	12	10.91	11.01	11.06	0-0.5	0.0
	24	0	10.94	11.00	11.04		0.0
DFT-s-OFDM QPSK	1	1	11.05	11.07	11.14	0	0.0
	1	12	11.03	11.03	11.08		0.0
	1	22	11.08	11.13	11.07		0.0
	12	0	10.92	10.97	11.01	0-1	0.0
	12	6	10.97	11.01	10.97	0	0.0
	12	12	11.00	11.04	11.02	0-1	0.0
	24	0	10.94	11.00	10.99		0.0
DFT-s-OFDM 16QAM	1	1	11.16	11.25	11.22	0-1	0.0
CP-OFDM QPSK	1	1	10.96	10.96	10.97	0-1.5	0.0

Table I-251
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
			Channel		
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.26	0	0.0
	1	123	11.03		0.0
	1	243	10.96		0.0
	120	0	11.06	0-0.5	0.0
	120	63	11.00	0	0.0
	120	125	10.96	0-0.5	0.0
	243	0	11.02		0.0
DFT-s-OFDM QPSK	1	1	11.25	0	0.0
	1	123	11.05		0.0
	1	243	10.95		0.0
	120	0	11.08	0-1	0.0
	120	63	11.01	0	0.0
	120	125	10.99	0-1	0.0
	243	0	11.05		0.0
DFT-s-OFDM 16QAM	1	1	11.21	0-1	0.0
CP-OFDM QPSK	1	1	11.25	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 142 of 177

Table I-252
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.10	0	0.0
	1	109	11.01		0.0
	1	215	10.85		0.0
	108	0	11.06	0-0.5	0.0
	108	55	11.00	0	0.0
	108	109	10.97	0-0.5	0.0
	216	0	11.02		0.0
DFT-s-OFDM QPSK	1	1	11.15	0	0.0
	1	109	11.02		0.0
	1	215	10.92		0.0
	108	0	11.08	0-1	0.0
	108	55	11.02	0	0.0
	108	109	10.99	0-1	0.0
	216	0	11.02		0.0
DFT-s-OFDM 16QAM	1	1	11.35	0-1	0.0
CP-OFDM QPSK	1	1	11.03	0-1.5	0.0

Table I-253
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.16	0	0.0
	1	95	11.05		0.0
	1	187	10.89		0.0
	90	0	11.05	0-0.5	0.0
	90	50	11.01	0	0.0
	90	99	10.98	0-0.5	0.0
	180	0	11.03		0.0
DFT-s-OFDM QPSK	1	1	11.15	0	0.0
	1	95	11.06		0.0
	1	187	10.82		0.0
	90	0	11.07	0-1	0.0
	90	50	11.01	0	0.0
	90	99	11.00	0-1	0.0
	180	0	10.98		0.0
DFT-s-OFDM 16QAM	1	1	11.38	0-1	0.0
CP-OFDM QPSK	1	1	11.03	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 143 of 177

Table I-254
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.17	0	0.0
	1	81	11.03		0.0
	1	160	10.92		0.0
	81	0	11.12	0-0.5	0.0
	81	41	11.00	0	0.0
	81	81	10.93	0-0.5	0.0
	162	0	10.96		0.0
DFT-s-OFDM QPSK	1	1	11.21	0	0.0
	1	81	11.09		0.0
	1	160	10.97		0.0
	81	0	11.08	0-1	0.0
	81	41	10.96	0	0.0
	81	81	10.91	0-1	0.0
	162	0	11.00		0.0
DFT-s-OFDM 16QAM	1	1	11.43	0-1	0.0
CP-OFDM QPSK	1	1	11.12	0-1.5	0.0

Table I-255
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631668 (3475.02 MHz)	635000 (3525 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.25	11.02	0	0.0
	1	67	11.12	10.97		0.0
	1	131	10.92	10.88		0.0
	64	0	11.15	10.95	0-0.5	0.0
	64	35	11.04	10.89	0	0.0
	64	69	11.01	10.88	0-0.5	0.0
	128	0	11.06	10.92		0.0
DFT-s-OFDM QPSK	1	1	11.24	11.12	0	0.0
	1	67	11.12	10.95		0.0
	1	131	10.97	10.92		0.0
	64	0	11.14	10.94	0-1	0.0
	64	35	11.04	10.91	0	0.0
	64	69	11.02	10.84	0-1	0.0
	128	0	11.10	10.90		0.0
DFT-s-OFDM 16QAM	1	1	11.49	11.30	0-1	0.0
CP-OFDM QPSK	1	1	11.15	10.94	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 144 of 177

Table I-256
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631334 (3470.01 MHz)	635332 (3529.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.31	11.15	0	0.0
	1	53	11.01	10.88		0.0
	1	104	11.13	11.05		0.0
	50	0	11.18	11.01	0-0.5	0.0
	50	28	11.09	10.98	0	0.0
	50	56	11.02	10.93	0-0.5	0.0
	100	0	11.14	11.00		0.0
DFT-s-OFDM QPSK	1	1	11.35	11.16	0	0.0
	1	53	11.14	10.99		0.0
	1	104	11.15	11.07		0.0
	50	0	11.17	11.01	0-1	0.0
	50	28	11.10	10.95	0	0.0
	50	56	11.04	10.90	0-1	0.0
	100	0	11.16	10.96		0.0
DFT-s-OFDM 16QAM	1	1	11.58	11.43	0-1	0.0
CP-OFDM QPSK	1	1	11.23	11.08	0-1.5	0.0

Table I-257
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631000 (3465 MHz)	633334 (3500.01 MHz)	635666 (3534.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.35	11.15	11.11	0	0.0
	1	39	11.10	11.02	10.82		0.0
	1	76	11.12	11.04	10.85		0.0
	36	0	11.24	11.03	10.94	0-0.5	0.0
	36	21	11.14	11.00	10.91	0	0.0
	36	42	11.11	11.02	10.93	0-0.5	0.0
	75	0	11.23	11.03	10.92		0.0
DFT-s-OFDM QPSK	1	1	11.31	11.17	11.09	0	0.0
	1	39	11.22	11.04	10.91		0.0
	1	76	11.19	11.07	10.90		0.0
	36	0	11.21	11.06	11.04	0-1	0.0
	36	21	11.14	10.95	10.85	0	0.0
	36	42	11.09	11.02	10.94	0-1	0.0
	75	0	11.22	11.03	10.94		0.0
DFT-s-OFDM 16QAM	1	1	11.54	11.35	11.30	0-1	0.0
CP-OFDM QPSK	1	1	11.28	11.04	10.94	0-1.5	0.0

Table I-258

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 145 of 177

NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630668 (3460.02 MHz)	633334 (3500.01 MHz)	636000 (3540 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.27	11.19	11.12	0	0.0
	1	26	11.20	11.15	11.00		0.0
	1	49	11.25	11.22	11.02		0.0
	25	0	11.30	11.12	11.05	0-0.5	0.0
	25	13	11.28	11.10	11.02	0	0.0
	25	26	11.18	11.09	11.06	0-0.5	0.0
	50	0	11.27	11.12	11.03		0.0
DFT-s-OFDM QPSK	1	1	11.38	11.16	11.13	0	0.0
	1	26	11.20	11.12	10.97		0.0
	1	49	11.22	11.17	11.00		0.0
	25	0	11.26	11.08	11.01	0-1	0.0
	25	13	11.24	11.09	11.05	0	0.0
	25	26	11.15	11.11	11.03	0-1	0.0
	50	0	11.28	11.12	10.96		0.0
DFT-s-OFDM 16QAM	1	1	11.60	11.36	11.38	0-1	0.0
CP-OFDM QPSK	1	1	11.19	11.04	10.95	0-1.5	0.0

Table I-259

NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630500 (3457.5 MHz)	633334 (3500.01 MHz)	636166 (3542.49 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.22	11.13	11.14	0	0.0
	1	19	11.17	11.16	11.09		0.0
	1	36	11.12	11.15	11.13		0.0
	18	0	11.23	11.12	11.05	0-0.5	0.0
	18	10	11.25	11.00	11.08	0	0.0
	18	20	11.14	11.11	11.06	0-0.5	0.0
	36	0	11.11	11.14	11.09		0.0
DFT-s-OFDM QPSK	1	1	11.26	11.12	11.07	0	0.0
	1	19	11.23	11.18	11.03		0.0
	1	36	11.20	11.15	11.00		0.0
	18	0	11.22	11.20	11.01	0-1	0.0
	18	10	11.18	11.16	11.02	0	0.0
	18	20	11.19	11.18	11.03	0-1	0.0
	36	0	11.16	11.15	11.05		0.0
DFT-s-OFDM 16QAM	1	1	11.58	11.46	11.27	0-1	0.0
CP-OFDM QPSK	1	1	11.21	11.13	11.00	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by:
		Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 146 of 177

Table I-260
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630334 (3455.01 MHz)	633334 (3500.01 MHz)	636332 (3544.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.31	11.26	11.06	0	0.0
	1	12	11.32	11.21	11.11		0.0
	1	22	11.25	11.19	11.05		0.0
	12	0	11.22	11.18	11.04	0-0.5	0.0
	12	6	11.26	11.13	11.03	0	0.0
	12	12	11.24	11.12	11.00	0-0.5	0.0
	24	0	11.22	11.14	10.95		0.0
DFT-s-OFDM QPSK	1	1	11.29	11.27	11.17	0	0.0
	1	12	11.24	11.22	11.11		0.0
	1	22	11.20	11.23	11.09		0.0
	12	0	11.19	11.25	11.03	0-1	0.0
	12	6	11.18	11.14	11.02	0	0.0
	12	12	11.21	11.16	11.01	0-1	0.0
	24	0	11.20	11.15	10.97		0.0
DFT-s-OFDM 16QAM	1	1	11.64	11.33	11.21	0-1	0.0
CP-OFDM QPSK	1	1	11.23	11.17	10.96	0-1.5	0.0

Table I-261
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
			Channel		
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.38	0	0.0
	1	123	11.22		0.0
	1	243	11.07		0.0
	120	0	11.22	0-0.5	0.0
	120	63	11.20	0	0.0
	120	125	11.04	0-0.5	0.0
	243	0	11.17		0.0
DFT-s-OFDM QPSK	1	1	11.43	0	0.0
	1	123	11.24		0.0
	1	243	11.15		0.0
	120	0	11.27	0-1	0.0
	120	63	11.22	0	0.0
	120	125	11.07	0-1	0.0
	243	0	11.20		0.0
DFT-s-OFDM 16QAM	1	1	11.63	0-1	0.0
CP-OFDM QPSK	1	1	11.23	0-1.5	0.0

Table I-262
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.40	0	0.0
	1	109	11.20		0.0
	1	215	11.01		0.0
	108	0	11.25	0-0.5	0.0
	108	55	11.18	0	0.0
	108	109	11.03	0-0.5	0.0
	216	0	11.17		0.0
DFT-s-OFDM QPSK	1	1	11.42	0	0.0
	1	109	11.19		0.0
	1	215	11.09		0.0
	108	0	11.26	0-1	0.0
	108	55	11.18	0	0.0
	108	109	11.02	0-1	0.0
	216	0	11.17		0.0
DFT-s-OFDM 16QAM	1	1	11.60	0-1	0.0
CP-OFDM QPSK	1	1	11.31	0-1.5	0.0

Table I-263
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.44	0	0.0
	1	95	11.26		0.0
	1	187	11.10		0.0
	90	0	11.27	0-0.5	0.0
	90	50	11.22	0	0.0
	90	99	11.22	0-0.5	0.0
	180	0	11.22		0.0
DFT-s-OFDM QPSK	1	1	11.51	0	0.0
	1	95	11.27		0.0
	1	187	11.13		0.0
	90	0	11.27	0-1	0.0
	90	50	11.22	0	0.0
	90	99	11.19	0-1	0.0
	180	0	11.24		0.0
DFT-s-OFDM 16QAM	1	1	11.37	0-1	0.0
CP-OFDM QPSK	1	1	11.45	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 148 of 177

Table I-264
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.45	0	0.0
	1	81	11.28		0.0
	1	160	11.20		0.0
	81	0	11.38	0-0.5	0.0
	81	41	11.20	0	0.0
	81	81	11.19	0-0.5	0.0
	162	0	11.22		0.0
DFT-s-OFDM QPSK	1	1	11.42	0	0.0
	1	81	11.35		0.0
	1	160	11.23		0.0
	81	0	11.37	0-1	0.0
	81	41	11.25	0	0.0
	81	81	11.16	0-1	0.0
	162	0	11.22		0.0
DFT-s-OFDM 16QAM	1	1	11.61	0-1	0.0
CP-OFDM QPSK	1	1	11.28	0-1.5	0.0

Table I-265
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631668 (3475.02 MHz)	635000 (3525 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.45	11.33	0	0.0
	1	67	11.35	11.19		0.0
	1	131	11.23	11.06		0.0
	64	0	11.38	11.22	0-0.5	0.0
	64	35	11.35	11.16	0	0.0
	64	69	11.28	11.15	0-0.5	0.0
	128	0	11.33	11.15		0.0
DFT-s-OFDM QPSK	1	1	11.46	11.35	0	0.0
	1	67	11.35	11.18		0.0
	1	131	11.22	11.03		0.0
	64	0	11.34	11.25	0-1	0.0
	64	35	11.33	11.18	0	0.0
	64	69	11.27	11.15	0-1	0.0
	128	0	11.29	11.16		0.0
DFT-s-OFDM 16QAM	1	1	11.67	11.55	0-1	0.0
CP-OFDM QPSK	1	1	11.28	11.26	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 149 of 177

Table I-266
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631334 (3470.01 MHz)	635332 (3529.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.51	11.39	0	0.0
	1	53	11.39	11.14		0.0
	1	104	11.42	11.27		0.0
	50	0	11.44	11.27	0-0.5	0.0
	50	28	11.38	11.15	0	0.0
	50	56	11.41	11.17	0-0.5	0.0
	100	0	11.45	11.17		0.0
DFT-s-OFDM QPSK	1	1	11.55	11.48	0	0.0
	1	53	11.44	11.18		0.0
	1	104	11.49	11.33		0.0
	50	0	11.43	11.30	0-1	0.0
	50	28	11.40	11.13	0	0.0
	50	56	11.38	11.17	0-1	0.0
	100	0	11.40	11.14		0.0
DFT-s-OFDM 16QAM	1	1	11.78	11.65	0-1	0.0
CP-OFDM QPSK	1	1	11.38	11.28	0-1.5	0.0

Table I-267
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631000 (3465 MHz)	633334 (3500.01 MHz)	635666 (3534.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.52	11.40	11.24	0	0.0
	1	39	11.38	11.27	11.12		0.0
	1	76	11.49	11.31	11.21		0.0
	36	0	11.41	11.31	11.16	0-0.5	0.0
	36	21	11.34	11.25	11.08	0	0.0
	36	42	11.39	11.29	11.14	0-0.5	0.0
	75	0	11.40	11.29	11.13		0.0
DFT-s-OFDM QPSK	1	1	11.53	11.42	11.26	0	0.0
	1	39	11.40	11.33	11.16		0.0
	1	76	11.46	11.35	11.24		0.0
	36	0	11.39	11.33	11.17	0-1	0.0
	36	21	11.36	11.22	11.08	0	0.0
	36	42	11.43	11.26	11.14	0-1	0.0
	75	0	11.37	11.28	11.15		0.0
DFT-s-OFDM 16QAM	1	1	11.68	11.63	11.51	0-1	0.0
CP-OFDM QPSK	1	1	11.36	11.24	11.14	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 150 of 177

Table I-268
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630668 (3460.02 MHz)	633334 (3500.01 MHz)	636000 (3540 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.52	11.44	11.30	0	0.0
	1	26	11.47	11.38	11.23		0.0
	1	49	11.57	11.40	11.24		0.0
	25	0	11.46	11.35	11.22	0-0.5	0.0
	25	13	11.44	11.35	11.18	0	0.0
	25	26	11.45	11.33	11.21	0-0.5	0.0
	50	0	11.47	11.33	11.18		0.0
DFT-s-OFDM QPSK	1	1	11.54	11.41	11.28	0	0.0
	1	26	11.48	11.38	11.22		0.0
	1	49	11.59	11.43	11.25		0.0
	25	0	11.46	11.34	11.20	0-1	0.0
	25	13	11.45	11.31	11.15	0	0.0
	25	26	11.44	11.32	11.18	0-1	0.0
	50	0	11.45	11.31	11.18		0.0
DFT-s-OFDM 16QAM	1	1	11.74	11.62	11.51	0-1	0.0
CP-OFDM QPSK	1	1	11.37	11.28	11.17	0-1.5	0.0

Table I-269
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630500 (3457.5 MHz)	633334 (3500.01 MHz)	636166 (3542.49 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.50	11.46	11.36	0	0.0
	1	19	11.46	11.40	11.33		0.0
	1	36	11.44	11.43	11.32		0.0
	18	0	11.42	11.39	11.31	0-0.5	0.0
	18	10	11.46	11.33	11.30	0	0.0
	18	20	11.49	11.38	11.34	0-0.5	0.0
	36	0	11.47	11.37	11.31		0.0
DFT-s-OFDM QPSK	1	1	11.51	11.42	11.39	0	0.0
	1	19	11.55	11.40	11.37		0.0
	1	36	11.52	11.41	11.24		0.0
	18	0	11.49	11.36	11.23	0-1	0.0
	18	10	11.42	11.33	11.25	0	0.0
	18	20	11.40	11.31	11.22	0-1	0.0
	36	0	11.41	11.30	11.26		0.0
DFT-s-OFDM 16QAM	1	1	11.73	11.66	11.41	0-1	0.0
CP-OFDM QPSK	1	1	11.43	11.32	11.30	0-1.5	0.0

Table I-270
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630334 (3455.01 MHz)	633334 (3500.01 MHz)	636332 (3544.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.49	11.41	11.36	0	0.0
	1	12	11.44	11.38	11.34		0.0
	1	22	11.40	11.39	11.33		0.0
	12	0	11.39	11.36	11.35	0-0.5	0.0
	12	6	11.35	11.35	11.30	0	0.0
	12	12	11.38	11.33	11.27	0-0.5	0.0
	24	0	11.36	11.30	11.24		0.0
DFT-s-OFDM QPSK	1	1	11.44	11.40	11.25	0	0.0
	1	12	11.42	11.32	11.23		0.0
	1	22	11.41	11.34	11.25		0.0
	12	0	11.40	11.33	11.28	0-1	0.0
	12	6	11.37	11.30	11.31	0	0.0
	12	12	11.33	11.31	11.30	0-1	0.0
	24	0	11.31	11.35	11.24		0.0
DFT-s-OFDM 16QAM	1	1	11.71	11.59	11.52	0-1	0.0
CP-OFDM QPSK	1	1	11.36	11.34	11.27	0-1.5	0.0

Table I-271
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
			Channel		
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.85	0	0.0
	1	123	10.78		0.0
	1	243	10.76		0.0
	120	0	10.80	0-0.5	0.0
	120	63	10.75	0	0.0
	120	125	10.76	0-0.5	0.0
	243	0	10.73		0.0
DFT-s-OFDM QPSK	1	1	10.94	0	0.0
	1	123	10.87		0.0
	1	243	10.80		0.0
	120	0	10.82	0-1	0.0
	120	63	10.75	0	0.0
	120	125	10.76	0-1	0.0
	243	0	10.72		0.0
DFT-s-OFDM 16QAM	1	1	10.88	0-1	0.0
CP-OFDM QPSK	1	1	10.92	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 152 of 177

Table I-272
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.84	0	0.0
	1	109	10.71		0.0
	1	215	10.70		0.0
	108	0	10.83	0-0.5	0.0
	108	55	10.72	0	0.0
	108	109	10.73	0-0.5	0.0
	216	0	10.73		0.0
DFT-s-OFDM QPSK	1	1	10.91	0	0.0
	1	109	10.77		0.0
	1	215	10.69		0.0
	108	0	10.82	0-1	0.0
	108	55	10.73	0	0.0
	108	109	10.74	0-1	0.0
	216	0	10.74		0.0
DFT-s-OFDM 16QAM	1	1	11.14	0-1	0.0
CP-OFDM QPSK	1	1	10.75	0-1.5	0.0

Table I-273
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.89	0	0.0
	1	95	10.73		0.0
	1	187	10.62		0.0
	90	0	10.84	0-0.5	0.0
	90	50	10.72	0	0.0
	90	99	10.77	0-0.5	0.0
	180	0	10.79		0.0
DFT-s-OFDM QPSK	1	1	10.91	0	0.0
	1	95	10.74		0.0
	1	187	10.63		0.0
	90	0	10.83	0-1	0.0
	90	50	10.73	0	0.0
	90	99	10.74	0-1	0.0
	180	0	10.72		0.0
DFT-s-OFDM 16QAM	1	1	11.16	0-1	0.0
CP-OFDM QPSK	1	1	10.78	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 153 of 177

Table I-274
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.96	0	0.0
	1	81	10.91		0.0
	1	160	10.74		0.0
	81	0	10.83	0-0.5	0.0
	81	41	10.82	0	0.0
	81	81	10.73	0-0.5	0.0
	162	0	10.80		0.0
DFT-s-OFDM QPSK	1	1	10.97	0	0.0
	1	81	10.95		0.0
	1	160	10.78		0.0
	81	0	10.86	0-1	0.0
	81	41	10.85	0	0.0
	81	81	10.70	0-1	0.0
	162	0	10.83		0.0
DFT-s-OFDM 16QAM	1	1	11.19	0-1	0.0
CP-OFDM QPSK	1	1	10.78	0-1.5	0.0

Table I-275
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631668 (3475.02 MHz)	635000 (3525 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.92	10.88	0	0.0
	1	67	10.85	10.76		0.0
	1	131	10.77	10.70		0.0
	64	0	10.90	10.78	0-0.5	0.0
	64	35	10.83	10.69	0	0.0
	64	69	10.71	10.67	0-0.5	0.0
	128	0	10.82	10.73		0.0
DFT-s-OFDM QPSK	1	1	10.97	10.91	0	0.0
	1	67	10.81	10.78		0.0
	1	131	10.81	10.71		0.0
	64	0	10.92	10.73	0-1	0.0
	64	35	10.78	10.72	0	0.0
	64	69	10.71	10.69	0-1	0.0
	128	0	10.82	10.71		0.0
DFT-s-OFDM 16QAM	1	1	11.21	11.12	0-1	0.0
CP-OFDM QPSK	1	1	10.78	10.94	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 154 of 177

Table I-276
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631334 (3470.01 MHz)	635332 (3529.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.99	10.90	0	0.0
	1	53	10.79	10.78		0.0
	1	104	10.97	10.78		0.0
	50	0	10.95	10.83	0-0.5	0.0
	50	28	10.87	10.77	0	0.0
	50	56	10.85	10.71	0-0.5	0.0
	100	0	10.88	10.80		0.0
DFT-s-OFDM QPSK	1	1	11.06	10.91	0	0.0
	1	53	10.82	10.82		0.0
	1	104	10.95	10.85		0.0
	50	0	10.96	10.81	0-1	0.0
	50	28	10.80	10.74	0	0.0
	50	56	10.81	10.70	0-1	0.0
	100	0	10.83	10.78		0.0
DFT-s-OFDM 16QAM	1	1	11.25	11.23	0-1	0.0
CP-OFDM QPSK	1	1	10.92	10.82	0-1.5	0.0

Table I-277
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	631000 (3465 MHz)	633334 (3500.01 MHz)	635666 (3534.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.92	10.86	10.87	0	0.0
	1	39	10.85	10.81	10.73		0.0
	1	76	10.86	10.80	10.72		0.0
	36	0	10.89	10.84	10.78	0-0.5	0.0
	36	21	10.86	10.79	10.73	0	0.0
	36	42	10.81	10.71	10.72	0-0.5	0.0
	75	0	10.90	10.83	10.76		0.0
DFT-s-OFDM QPSK	1	1	10.98	10.96	10.89	0	0.0
	1	39	10.92	10.83	10.81		0.0
	1	76	10.84	10.84	10.74		0.0
	36	0	10.87	10.79	10.77	0-1	0.0
	36	21	10.85	10.77	10.72	0	0.0
	36	42	10.81	10.73	10.70	0-1	0.0
	75	0	10.89	10.85	10.75		0.0
DFT-s-OFDM 16QAM	1	1	11.23	11.11	11.07	0-1	0.0
CP-OFDM QPSK	1	1	10.82	10.79	10.70	0-1.5	0.0

Table I-278
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630668 (3460.02 MHz)	633334 (3500.01 MHz)	636000 (3540 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.96	10.87	10.88	0	0.0
	1	26	10.85	10.81	10.64		0.0
	1	49	10.96	10.74	10.66		0.0
	25	0	10.88	10.81	10.75	0-0.5	0.0
	25	13	10.87	10.78	10.70	0	0.0
	25	26	10.88	10.73	10.66	0-0.5	0.0
	50	0	10.89	10.83	10.72		0.0
DFT-s-OFDM QPSK	1	1	10.91	10.89	10.80	0	0.0
	1	26	10.90	10.78	10.67		0.0
	1	49	10.94	10.83	10.74		0.0
	25	0	10.88	10.81	10.75	0-1	0.0
	25	13	10.84	10.81	10.71	0	0.0
	25	26	10.87	10.82	10.65	0-1	0.0
	50	0	10.90	10.84	10.74		0.0
DFT-s-OFDM 16QAM	1	1	11.16	11.12	11.04	0-1	0.0
CP-OFDM QPSK	1	1	10.75	10.72	10.65	0-1.5	0.0

Table I-279
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630500 (3457.5 MHz)	633334 (3500.01 MHz)	636166 (3542.49 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.82	10.83	10.84	0	0.0
	1	19	10.76	10.76	10.77		0.0
	1	36	10.84	10.77	10.73		0.0
	18	0	10.78	10.75	10.72	0-0.5	0.0
	18	10	10.75	10.78	10.70	0	0.0
	18	20	10.77	10.73	10.72	0-0.5	0.0
	36	0	10.80	10.74	10.79		0.0
DFT-s-OFDM QPSK	1	1	10.81	10.83	10.87	0	0.0
	1	19	10.74	10.80	10.83		0.0
	1	36	10.82	10.78	10.80		0.0
	18	0	10.77	10.71	10.75	0-1	0.0
	18	10	10.76	10.76	10.76	0	0.0
	18	20	10.79	10.80	10.74	0-1	0.0
	36	0	10.72	10.74	10.72		0.0
DFT-s-OFDM 16QAM	1	1	11.04	10.97	10.98	0-1	0.0
CP-OFDM QPSK	1	1	10.70	10.77	10.68	0-1.5	0.0

Table I-280
NR Band n77 DoD PC2 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	630334 (3455.01 MHz)	633334 (3500.01 MHz)	636332 (3544.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.76	10.70	10.63	0	0.0
	1	12	10.70	10.64	10.67		0.0
	1	22	10.73	10.66	10.81		0.0
	12	0	10.69	10.62	10.70	0-0.5	0.0
	12	6	10.64	10.74	10.67	0	0.0
	12	12	10.65	10.67	10.61	0-0.5	0.0
	24	0	10.62	10.63	10.63		0.0
DFT-s-OFDM QPSK	1	1	10.82	10.74	10.67	0	0.0
	1	12	10.65	10.72	10.70		0.0
	1	22	10.71	10.80	10.80		0.0
	12	0	10.66	10.63	10.67	0-1	0.0
	12	6	10.64	10.66	10.66	0	0.0
	12	12	10.66	10.73	10.72	0-1	0.0
	24	0	10.63	10.76	10.65		0.0
DFT-s-OFDM 16QAM	1	1	10.79	10.85	10.81	0-1	0.0
CP-OFDM QPSK	1	1	10.58	10.55	10.57	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 157 of 177

I.2.13 NR Band n77 C PC2

Table I-281
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649668 (3745.02 MHz)	656000 (3840 MHz)	662332 (3934.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.04	11.19	11.06	0	0.0
	1	123	11.17	11.12	10.82		0.0
	1	243	11.08	11.12	10.65		0.0
	120	0	11.08	11.11	10.88	0-0.5	0.0
	120	63	11.06	11.11	10.77	0	0.0
	120	125	10.99	11.03	10.70	0-0.5	0.0
	243	0	11.02	11.07	10.80		0.0
DFT-s-OFDM QPSK	1	1	11.07	11.14	11.06	0	0.0
	1	123	11.31	11.10	10.83		0.0
	1	243	11.19	11.07	10.71		0.0
	120	0	11.10	11.12	10.90	0-1	0.0
	120	63	11.11	11.08	10.76	0	0.0
	120	125	11.08	11.01	10.68	0-1	0.0
	243	0	11.06	11.05	10.82		0.0
DFT-s-OFDM 16QAM	1	1	10.93	11.35	11.25	0-1	0.0
CP-OFDM QPSK	1	1	10.98	11.07	10.94	0-1.5	0.0

Table I-282
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649334 (3740.01 MHz)	656000 (3840 MHz)	662666 (3939.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.27	11.38	11.34	0	0.0
	1	109	11.47	11.38	11.05		0.0
	1	215	11.39	11.34	10.92		0.0
	108	0	11.32	11.40	11.14	0-0.5	0.0
	108	55	11.42	11.33	11.01	0	0.0
	108	109	11.33	11.30	10.92	0-0.5	0.0
	216	0	11.39	11.35	11.04		0.0
DFT-s-OFDM QPSK	1	1	11.28	11.49	11.35	0	0.0
	1	109	11.48	11.44	11.01		0.0
	1	215	11.37	11.40	10.97		0.0
	108	0	11.32	11.41	11.14	0-1	0.0
	108	55	11.38	11.37	11.03	0	0.0
	108	109	11.35	11.31	10.94	0-1	0.0
	216	0	11.36	11.34	11.07		0.0
DFT-s-OFDM 16QAM	1	1	11.49	11.66	11.59	0-1	0.0
CP-OFDM QPSK	1	1	11.04	11.37	11.17	0-1.5	0.0

Table I-283
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649000 (3735 MHz)	653666 (3804.99 MHz)	658334 (3875.01 MHz)	663000 (3945 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.37	11.47	11.40	11.28	0	0.0
	1	95	11.47	11.40	11.36	11.02		0.0
	1	187	11.37	11.34	11.18	10.87		0.0
	90	0	11.27	11.46	11.36	11.11	0-0.5	0.0
	90	50	11.33	11.38	11.35	10.98	0	0.0
	90	99	11.32	11.32	11.25	10.92	0-0.5	0.0
	180	0	11.35	11.38	11.29	11.02		0.0
DFT-s-OFDM QPSK	1	1	11.38	11.56	11.46	11.30	0	0.0
	1	95	11.44	11.40	11.40	11.00		0.0
	1	187	11.35	11.33	11.18	10.92		0.0
	90	0	11.27	11.41	11.36	11.08	0-1	0.0
	90	50	11.35	11.38	11.34	11.00	0	0.0
	90	99	11.33	11.33	11.25	10.92	0-1	0.0
	180	0	11.34	11.38	11.33	11.02		0.0
	DFT-s-OFDM 16QAM	1	1	11.57	11.72	11.65	11.53	0-1
CP-OFDM QPSK	1	1	11.24	11.25	11.35	11.29	0-1.5	0.0

Table I-284
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648668 (3730.02 MHz)	653556 (3803.34 MHz)	658444 (3876.66 MHz)	663332 (3949.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.50	11.48	11.30	11.02	0	0.0
	1	81	11.26	11.38	11.34	10.88		0.0
	1	160	11.26	11.28	11.13	10.84		0.0
	81	0	11.30	11.41	11.25	10.93	0-0.5	0.0
	81	41	11.25	11.34	11.22	10.83	0	0.0
	81	81	11.25	11.23	11.18	10.84	0-0.5	0.0
	162	0	11.29	11.37	11.16	10.91		0.0
DFT-s-OFDM QPSK	1	1	11.50	11.45	11.30	11.14	0	0.0
	1	81	11.33	11.42	11.31	10.91		0.0
	1	160	11.32	11.29	11.21	10.91		0.0
	81	0	11.30	11.42	11.37	10.97	0-1	0.0
	81	41	11.24	11.37	11.15	10.88	0	0.0
	81	81	11.23	11.26	11.17	10.84	0-1	0.0
	162	0	11.29	11.37	11.15	10.90		0.0
DFT-s-OFDM 16QAM	1	1	11.71	11.69	11.51	11.35	0-1	0.0
CP-OFDM QPSK	1	1	11.23	11.24	11.20	10.98	0-1.5	0.0

Table I-285
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648334 (3725.01 MHz)	652166 (3782.49 MHz)	656000 (3840 MHz)	659834 (3897.51 MHz)	663666 (3954.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.52	11.50	11.43	11.43	11.20	0	0.0
	1	67	11.35	11.52	11.48	11.31	11.00		0.0
	1	131	11.26	11.42	11.49	11.22	11.05		0.0
	64	0	11.35	11.47	11.48	11.32	11.02	0-0.5	0.0
	64	35	11.27	11.43	11.42	11.24	10.97	0	0.0
	64	69	11.21	11.37	11.37	11.17	10.98	0-0.5	0.0
	128	0	11.24	11.40	11.43	11.24	11.00		0.0
DFT-s-OFDM QPSK	1	1	11.58	11.50	11.54	11.46	11.19	0	0.0
	1	67	11.33	11.43	11.50	11.31	11.02		0.0
	1	131	11.22	11.49	11.53	11.18	11.07		0.0
	64	0	11.27	11.49	11.29	11.25	10.96	0-1	0.0
	64	35	11.30	11.40	11.40	11.25	10.94	0	0.0
	64	69	11.24	11.38	11.35	11.11	11.00	0-1	0.0
	128	0	11.28	11.43	11.41	11.24	11.02		0.0
DFT-s-OFDM 16QAM	1	1	11.74	11.73	11.42	11.64	11.33	0-1	0.0
CP-OFDM QPSK	1	1	11.40	11.34	11.46	11.29	11.08	0-1.5	0.0

Table I-286
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648000 (3720 MHz)	651200 (3768 MHz)	654400 (3816 MHz)	657600 (3864 MHz)	660800 (3912 MHz)	664000 (3960 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.59	11.49	11.46	11.52	11.52	11.15	0	0.0
	1	53	11.40	11.35	11.32	11.29	11.21	11.03		0.0
	1	104	11.39	11.43	11.33	11.40	11.20	11.22		0.0
	50	0	11.42	11.44	11.42	11.35	11.31	11.00	0-0.5	0.0
	50	28	11.34	11.41	11.30	11.24	11.20	10.98	0	0.0
	50	56	11.31	11.36	11.26	11.24	11.15	11.04	0-0.5	0.0
	100	0	11.40	11.40	11.30	11.25	11.22	11.00		0.0
DFT-s-OFDM QPSK	1	1	11.62	11.58	11.54	11.53	11.52	11.10	0	0.0
	1	53	11.45	11.43	11.34	11.33	11.27	11.06		0.0
	1	104	11.44	11.43	11.40	11.42	11.15	11.23		0.0
	50	0	11.39	11.46	11.38	11.43	11.28	11.00	0-1	0.0
	50	28	11.40	11.40	11.30	11.31	11.15	11.04	0	0.0
	50	56	11.34	11.36	11.28	11.33	11.12	11.10	0-1	0.0
	100	0	11.34	11.41	11.32	11.33	11.19	11.10		0.0
DFT-s-OFDM 16QAM	1	1	11.85	11.73	11.74	11.78	11.65	11.32	0-1	0.0
CP-OFDM QPSK	1	1	11.48	11.39	11.41	11.35	11.38	10.99	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 160 of 177

Table I-287
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647668 (3715.02 MHz)	651000 (3765 MHz)	654334 (3815.01 MHz)	657666 (3864.99 MHz)	661000 (3915 MHz)	664332 (3964.98 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.40	11.34	11.36	11.24	11.14	10.87	0	0.0
	1	39	11.20	11.35	11.21	11.21	11.01	10.85		0.0
	1	76	11.20	11.38	11.18	11.23	10.99	10.90		0.0
	36	0	11.30	11.33	11.24	11.21	11.06	10.80	0-0.5	0.0
	36	21	11.22	11.35	11.21	11.16	10.99	10.74	0	0.0
	36	42	11.16	11.35	11.15	11.20	10.95	10.79	0-0.5	0.0
75	0	11.27	11.37	11.28	11.21	11.03	10.78	0.0		
DFT-s-OFDM QPSK	1	1	11.47	11.39	11.35	11.22	11.18	10.93	0	0.0
	1	39	11.34	11.32	11.27	11.22	11.06	10.90		0.0
	1	76	11.25	11.44	11.24	11.23	10.96	10.85		0.0
	36	0	11.34	11.50	11.40	11.34	11.07	10.85	0-1	0.0
	36	21	11.22	11.30	11.15	11.18	10.97	10.75	0	0.0
	36	42	11.22	11.34	11.20	11.15	10.95	10.79	0-1	0.0
	75	0	11.24	11.33	11.23	11.13	11.02	10.82		0.0
DFT-s-OFDM 16QAM	1	1	11.33	11.60	11.66	11.51	11.42	11.15	0-1	0.0
CP-OFDM QPSK	1	1	11.38	11.28	11.34	11.02	11.00	10.83	0-1.5	0.0

Table I-288
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647334 (3710.01 MHz)	650800 (3762 MHz)	654266 (3813.99 MHz)	657734 (3866.01 MHz)	661200 (3918 MHz)	664666 (3969.99 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.43	11.16	11.22	11.12	10.98	10.80	0	0.0
	1	26	11.18	11.22	11.18	11.08	10.93	10.71		0.0
	1	49	11.22	11.29	11.06	11.12	10.98	10.90		0.0
	25	0	11.27	11.18	11.20	11.04	10.91	10.78	0-0.5	0.0
	25	13	11.19	11.14	11.14	11.02	10.88	10.71	0	0.0
	25	26	11.14	11.19	11.15	11.01	10.80	10.74	0-0.5	0.0
50	0	11.19	11.16	11.12	11.05	10.85	10.70	0.0		
DFT-s-OFDM QPSK	1	1	11.38	11.20	11.20	11.13	11.01	10.87	0	0.0
	1	26	11.27	11.30	11.15	11.09	10.92	10.70		0.0
	1	49	11.20	11.20	11.12	11.05	11.00	10.82		0.0
	25	0	11.27	11.14	11.14	11.09	10.90	10.84	0-1	0.0
	25	13	11.20	11.17	11.12	11.02	10.86	10.68	0	0.0
	25	26	11.21	11.20	11.12	11.07	10.79	10.71	0-1	0.0
50	0	11.25	11.14	11.15	11.05	10.84	10.73	0.0		
DFT-s-OFDM 16QAM	1	1	11.52	11.38	11.38	11.43	11.25	11.03	0-1	0.0
CP-OFDM QPSK	1	1	11.33	11.01	11.13	11.00	10.96	10.81	0-1.5	0.0

Table I-289
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647168 (3707.52 MHz)	650700 (3760.5 MHz)	654234 (3813.51 MHz)	657766 (3866.49 MHz)	661300 (3919.5 MHz)	664832 (3972.48 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.19	11.24	11.22	11.25	11.11	10.87	0	0.0
	1	19	11.15	11.18	11.20	11.18	11.10	10.91		0.0
	1	36	11.18	11.21	11.23	11.08	11.20	10.94		0.0
	18	0	11.13	11.11	11.27	11.15	11.07	10.84	0-0.5	0.0
	18	10	11.22	11.12	11.18	11.19	11.04	10.85	0	0.0
	18	20	11.14	11.20	11.10	11.14	11.01	10.83	0-0.5	0.0
	36	0	11.10	11.10	11.18	11.15	11.00	10.82		0.0
DFT-s-OFDM QPSK	1	1	11.25	11.17	11.22	11.15	11.21	11.08	0	0.0
	1	19	11.18	11.28	11.14	11.12	11.17	10.87		0.0
	1	36	11.16	11.27	11.08	11.29	11.03	10.92		0.0
	18	0	11.17	11.20	11.04	11.20	10.92	10.84	0-1	0.0
	18	10	11.20	11.15	11.05	11.18	10.99	10.85	0	0.0
	18	20	11.16	11.19	11.09	11.16	11.08	10.90	0-1	0.0
	36	0	11.12	11.18	11.08	11.11	11.01	10.90		0.0
DFT-s-OFDM 16QAM	1	1	11.33	11.37	11.31	11.37	11.28	11.08	0-1	0.0
CP-OFDM QPSK	1	1	11.18	11.08	11.01	11.16	10.95	11.00	0-1.5	0.0

Table I-290
NR Band n77 C PC2 Measured P_{Limit} Antenna 1 - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647000 (3705 MHz)	650600 (3759 MHz)	654200 (3813 MHz)	657800 (3867 MHz)	661400 (3921 MHz)	665000 (3975 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.17	11.17	10.98	11.02	10.96	10.95	0	0.0
	1	12	11.20	11.21	11.18	11.05	11.01	10.85		0.0
	1	22	11.05	11.12	11.11	11.11	11.04	10.82		0.0
	12	0	11.11	11.06	11.03	10.92	10.93	10.67	0-0.5	0.0
	12	6	11.00	11.05	11.01	11.02	10.90	10.57	0	0.0
	12	12	11.01	11.03	11.04	10.96	10.89	10.70	0-0.5	0.0
	24	0	10.99	11.06	10.98	11.00	11.02	10.68		0.0
DFT-s-OFDM QPSK	1	1	11.00	11.06	11.23	11.07	10.98	10.87	0	0.0
	1	12	11.16	11.08	11.25	11.16	11.04	10.70		0.0
	1	22	10.98	11.20	11.08	11.10	11.01	10.64		0.0
	12	0	10.97	11.05	11.02	11.06	10.95	10.90	0-1	0.0
	12	6	11.00	10.99	11.15	11.09	10.90	10.66	0	0.0
	12	12	10.90	11.07	11.10	11.01	10.94	10.64	0-1	0.0
	24	0	11.11	11.06	11.04	11.07	11.01	10.80		0.0
DFT-s-OFDM 16QAM	1	1	11.20	11.25	11.33	11.28	11.20	11.06	0-1	0.0
CP-OFDM QPSK	1	1	10.85	11.16	10.94	11.18	10.88	10.81	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 162 of 177

Table I-291
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649668 (3745.02 MHz)	656000 (3840 MHz)	662332 (3934.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.30	11.40	11.29	0	0.0
	1	123	11.45	11.41	11.26		0.0
	1	243	11.38	11.35	11.16		0.0
	120	0	11.35	11.41	11.23	0-0.5	0.0
	120	63	11.36	11.38	11.20	0	0.0
	120	125	11.29	11.29	11.10	0-0.5	0.0
243	0	11.34	11.33	11.23	0.0		
DFT-s-OFDM QPSK	1	1	11.32	11.46	11.28	0	0.0
	1	123	11.45	11.40	11.24		0.0
	1	243	11.38	11.37	11.22		0.0
	120	0	11.35	11.41	11.26	0-1	0.0
	120	63	11.32	11.35	11.21	0	0.0
	120	125	11.33	11.30	11.10	0-1	0.0
	243	0	11.31	11.34	11.21		0.0
DFT-s-OFDM 16QAM	1	1	11.53	11.66	11.50	0-1	0.0
CP-OFDM QPSK	1	1	11.18	11.28	11.18	0-1.5	0.0

Table I-292
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649334 (3740.01 MHz)	656000 (3840 MHz)	662666 (3939.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.32	11.42	11.31	0	0.0
	1	109	11.36	11.30	11.17		0.0
	1	215	11.34	11.25	11.02		0.0
	108	0	11.31	11.37	11.24	0-0.5	0.0
	108	55	11.32	11.34	11.14	0	0.0
	108	109	11.37	11.24	11.04	0-0.5	0.0
216	0	11.27	11.31	11.13	0.0		
DFT-s-OFDM QPSK	1	1	11.34	11.37	11.29	0	0.0
	1	109	11.42	11.33	11.23		0.0
	1	215	11.35	11.28	11.07		0.0
	108	0	11.29	11.36	11.20	0-1	0.0
	108	55	11.33	11.33	11.13	0	0.0
	108	109	11.35	11.22	11.04	0-1	0.0
	216	0	11.26	11.32	11.14		0.0
DFT-s-OFDM 16QAM	1	1	11.49	11.57	11.42	0-1	0.0
CP-OFDM QPSK	1	1	11.19	11.22	11.18	0-1.5	0.0

Table I-293
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649000 (3735 MHz)	653666 (3804.99 MHz)	658334 (3875.01 MHz)	663000 (3945 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.40	11.45	11.19	11.14	0	0.0
	1	95	11.38	11.39	11.20	11.06		0.0
	1	187	11.25	11.17	11.05	10.96		0.0
	90	0	11.26	11.41	11.10	11.07	0-0.5	0.0
	90	50	11.27	11.32	11.12	10.99	0	0.0
	90	99	11.25	11.31	11.04	10.92	0-0.5	0.0
	180	0	11.25	11.35	11.11	11.04		0.0
DFT-s-OFDM QPSK	1	1	11.33	11.43	11.24	11.15	0	0.0
	1	95	11.41	11.36	11.12	11.07		0.0
	1	187	11.28	11.19	10.98	10.92		0.0
	90	0	11.28	11.43	11.11	11.09	0-1	0.0
	90	50	11.31	11.36	11.09	11.00	0	0.0
	90	99	11.25	11.26	11.06	10.91	0-1	0.0
	180	0	11.27	11.34	11.08	11.02		0.0
DFT-s-OFDM 16QAM	1	1	11.58	11.73	11.37	11.35	0-1	0.0
CP-OFDM QPSK	1	1	11.29	11.33	10.84	11.06	0-1.5	0.0

Table I-294
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648668 (3730.02 MHz)	653556 (3803.34 MHz)	658444 (3876.66 MHz)	663332 (3949.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.42	11.40	11.22	10.98	0	0.0
	1	81	11.44	11.30	11.13	10.96		0.0
	1	160	11.40	11.18	11.14	10.94		0.0
	81	0	11.34	11.31	11.20	11.00	0-0.5	0.0
	81	41	11.33	11.29	11.10	10.92	0	0.0
	81	81	11.32	11.28	11.04	10.91	0-0.5	0.0
162	0	11.33	11.30	11.11	10.95	0.0		
DFT-s-OFDM QPSK	1	1	11.43	11.35	11.23	11.00	0	0.0
	1	81	11.43	11.38	11.21	10.96		0.0
	1	160	11.37	11.21	11.09	10.93		0.0
	81	0	11.38	11.31	11.16	10.98	0-1	0.0
	81	41	11.34	11.28	11.09	10.93	0	0.0
	81	81	11.32	11.29	11.05	10.93	0-1	0.0
162	0	11.33	11.31	11.13	10.92	0.0		
DFT-s-OFDM 16QAM	1	1	11.29	11.60	11.02	11.34	0-1	0.0
CP-OFDM QPSK	1	1	11.36	11.30	11.20	10.90	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 164 of 177

Table I-295
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648334 (3725.01 MHz)	652166 (3782.49 MHz)	656000 (3840 MHz)	659834 (3897.51 MHz)	663666 (3954.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.49	11.40	11.36	11.18	11.27	0	0.0
	1	67	11.41	11.40	11.11	11.04	11.11		0.0
	1	131	11.28	11.33	11.20	11.02	11.17		0.0
	64	0	11.33	11.37	11.18	11.06	11.07	0-0.5	0.0
	64	35	11.28	11.34	11.06	10.98	11.02	0	0.0
	64	69	11.26	11.26	11.01	10.97	11.06	0-0.5	0.0
	128	0	11.30	11.36	11.10	11.00	11.05		0.0
DFT-s-OFDM QPSK	1	1	11.52	11.45	11.36	11.19	11.22	0	0.0
	1	67	11.42	11.34	11.17	11.01	11.02		0.0
	1	131	11.28	11.37	11.12	11.00	11.22		0.0
	64	0	11.30	11.34	11.17	11.09	11.10	0-1	0.0
	64	35	11.27	11.31	11.09	10.97	11.01	0	0.0
	64	69	11.29	11.25	11.04	10.96	11.01	0-1	0.0
	128	0	11.31	11.32	11.08	11.00	11.06		0.0
DFT-s-OFDM 16QAM	1	1	11.62	11.64	11.55	11.42	11.45	0-1	0.0
CP-OFDM QPSK	1	1	11.35	11.37	11.11	11.12	11.12	0-1.5	0.0

Table I-296
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 40 MHz Bandwidth

NR Band n77										
40 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648000 (3720 MHz)	651200 (3768 MHz)	654400 (3816 MHz)	657600 (3864 MHz)	660800 (3912 MHz)	664000 (3960 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.71	11.60	11.44	11.28	11.26	11.33	0	0.0
	1	53	11.34	11.42	11.27	11.12	11.08	11.09		0.0
	1	104	11.56	11.32	11.15	11.10	11.06	11.36		0.0
	50	0	11.41	11.39	11.28	11.09	11.09	11.11	0-0.5	0.0
	50	28	11.31	11.25	11.24	11.06	11.05	11.04	0	0.0
	50	56	11.39	11.24	11.09	11.04	11.04	11.09	0-0.5	0.0
100	0	11.37	11.34	11.25	11.13	11.03	11.07	0.0		
DFT-s-OFDM QPSK	1	1	11.72	11.62	11.45	11.27	11.30	11.32	0	0.0
	1	53	11.40	11.40	11.28	11.17	11.11	11.14		0.0
	1	104	11.57	11.42	11.16	11.15	11.06	11.30		0.0
	50	0	11.41	11.38	11.30	11.14	11.12	11.10	0-1	0.0
	50	28	11.31	11.28	11.18	11.08	11.03	11.03	0	0.0
	50	56	11.34	11.26	11.14	11.05	11.08	11.08	0-1	0.0
100	0	11.36	11.33	11.18	11.13	11.06	11.05	0.0		
DFT-s-OFDM 16QAM	1	1	11.98	11.44	11.68	11.58	11.46	11.55	0-1	0.0
CP-OFDM QPSK	1	1	11.52	11.51	11.24	11.12	11.15	11.16	0-1.5	0.0

Table I-297
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n77										
30 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647668 (3715.02 MHz)	651000 (3765 MHz)	654334 (3815.01 MHz)	657666 (3864.99 MHz)	661000 (3915 MHz)	664332 (3964.98 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.55	11.29	11.31	11.14	10.95	11.05	0	0.0
	1	39	11.38	11.35	11.14	10.94	10.94	11.00		0.0
	1	76	11.39	11.30	11.08	11.03	10.92	11.03		0.0
	36	0	11.43	11.32	11.22	10.94	10.88	10.95	0-0.5	0.0
	36	21	11.33	11.26	11.15	10.88	10.89	10.91	0	0.0
	36	42	11.31	11.23	11.07	10.92	10.87	10.95	0-0.5	0.0
	75	0	11.37	11.31	11.12	10.91	10.93	10.96		0.0
DFT-s-OFDM QPSK	1	1	11.54	11.31	11.35	11.18	10.97	11.15	0	0.0
	1	39	11.44	11.35	11.20	10.95	10.95	11.02		0.0
	1	76	11.42	11.30	11.15	11.02	10.97	11.06		0.0
	36	0	11.38	11.34	11.29	11.05	11.04	11.05	0-1	0.0
	36	21	11.36	11.25	11.13	10.95	10.93	10.91	0	0.0
	36	42	11.31	11.28	11.10	10.90	10.95	10.96	0-1	0.0
	75	0	11.37	11.33	11.15	10.90	10.99	10.95		0.0
DFT-s-OFDM 16QAM	1	1	11.76	11.52	11.53	11.30	11.14	11.26	0-1	0.0
CP-OFDM QPSK	1	1	11.52	11.28	11.12	10.90	10.75	10.96	0-1.5	0.0

Table I-298
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647334 (3710.01 MHz)	650800 (3762 MHz)	654266 (3813.99 MHz)	657734 (3866.01 MHz)	661200 (3918 MHz)	664666 (3969.99 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.69	11.45	11.38	11.10	11.08	11.36	0	0.0
	1	26	11.57	11.40	11.35	11.21	11.20	11.27		0.0
	1	49	11.47	11.41	11.31	11.10	11.15	11.33		0.0
	25	0	11.61	11.33	11.30	11.01	11.14	11.25	0-0.5	0.0
	25	13	11.56	11.26	11.24	11.16	11.15	11.22	0	0.0
	25	26	11.48	11.30	11.28	11.15	11.13	11.26	0-0.5	0.0
	50	0	11.54	11.29	11.27	11.14	11.15	11.24		0.0
DFT-s-OFDM QPSK	1	1	11.69	11.41	11.40	11.24	11.12	11.32	0	0.0
	1	26	11.60	11.35	11.41	11.17	11.18	11.23		0.0
	1	49	11.57	11.44	11.36	11.17	11.17	11.34		0.0
	25	0	11.57	11.35	11.30	11.12	11.16	11.21	0-1	0.0
	25	13	11.55	11.33	11.21	11.13	11.12	11.24	0	0.0
	25	26	11.50	11.30	11.25	11.08	11.11	11.24	0-1	0.0
	50	0	11.55	11.27	11.27	11.16	11.16	11.25		0.0
DFT-s-OFDM 16QAM	1	1	11.85	11.62	11.24	11.33	11.30	11.58	0-1	0.0
CP-OFDM QPSK	1	1	11.58	11.24	11.38	11.05	10.97	11.15	0-1.5	0.0

Table I-299
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n77										
15 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647168 (3707.52 MHz)	650700 (3760.5 MHz)	654234 (3813.51 MHz)	657766 (3866.49 MHz)	661300 (3919.5 MHz)	664832 (3972.48 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.73	11.25	11.35	11.11	11.06	11.28	0	0.0
	1	19	11.60	11.23	11.36	11.13	11.04	11.26		0.0
	1	36	11.66	11.20	11.33	11.02	11.00	11.31		0.0
	18	0	11.54	11.24	11.30	11.15	11.03	11.30	0-0.5	0.0
	18	10	11.60	11.19	11.24	11.13	11.11	11.24	0	0.0
	18	20	11.59	11.25	11.25	11.19	11.16	11.22	0-0.5	0.0
36	0	11.52	11.20	11.22	11.07	11.13	11.20	0.0		
DFT-s-OFDM QPSK	1	1	11.71	11.35	11.32	11.09	11.12	11.21	0	0.0
	1	19	11.65	11.32	11.38	11.16	11.00	11.13		0.0
	1	36	11.64	11.30	11.36	11.15	11.14	11.11		0.0
	18	0	11.53	11.28	11.30	11.10	11.17	11.28	0-1	0.0
	18	10	11.55	11.24	11.31	11.05	11.14	11.23	0	0.0
	18	20	11.50	11.26	11.41	11.12	11.16	11.25	0-1	0.0
36	0	11.53	11.19	11.43	11.17	11.15	11.24	0.0		
DFT-s-OFDM 16QAM	1	1	11.91	11.58	11.61	11.36	11.52	11.39	0-1	0.0
CP-OFDM QPSK	1	1	11.54	11.30	11.29	11.19	11.10	11.21	0-1.5	0.0

Table I-300
NR Band n77 C PC2 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n77										
10 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647000 (3705 MHz)	650600 (3759 MHz)	654200 (3813 MHz)	657800 (3867 MHz)	661400 (3921 MHz)	665000 (3975 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.59	11.23	11.33	11.10	11.07	11.23	0	0.0
	1	12	11.56	11.22	11.31	11.11	11.11	11.21		0.0
	1	22	11.50	11.20	11.24	11.13	11.04	11.24		0.0
	12	0	11.52	11.16	11.26	11.09	11.03	11.26	0-0.5	0.0
	12	6	11.61	11.19	11.20	11.08	11.02	11.21	0	0.0
	12	12	11.50	11.13	11.23	11.04	11.05	11.20	0-0.5	0.0
	24	0	11.51	11.20	11.20	11.00	11.00	11.19		0.0
DFT-s-OFDM QPSK	1	1	11.62	11.24	11.30	11.10	11.06	11.24	0	0.0
	1	12	11.65	11.22	11.32	11.16	11.04	11.17		0.0
	1	22	11.53	11.24	11.26	11.10	11.16	11.13		0.0
	12	0	11.54	11.16	11.27	11.06	11.11	11.14	0-1	0.0
	12	6	11.58	11.19	11.24	11.08	11.15	11.16	0	0.0
	12	12	11.60	11.14	11.25	11.15	11.18	11.12	0-1	0.0
	24	0	11.51	11.18	11.22	11.16	11.02	11.15		0.0
DFT-s-OFDM 16QAM	1	1	11.84	11.46	11.37	11.29	11.21	11.25	0-1	0.0
CP-OFDM QPSK	1	1	11.55	11.21	11.28	11.14	11.13	11.18	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 167 of 177

Table I-301
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649668 (3745.02 MHz)	656000 (3840 MHz)	662332 (3934.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.51	11.47	11.68	0	0.0
	1	123	11.60	11.50	11.55		0.0
	1	243	11.60	11.58	11.47		0.0
	120	0	11.52	11.46	11.54	0-0.5	0.0
	120	63	11.58	11.47	11.52	0	0.0
	120	125	11.52	11.49	11.45	0-0.5	0.0
243	0	11.54	11.50	11.56	0.0		
DFT-s-OFDM QPSK	1	1	11.50	11.48	11.64	0	0.0
	1	123	11.65	11.58	11.65		0.0
	1	243	11.65	11.56	11.48		0.0
	120	0	11.56	11.46	11.51	0-1	0.0
	120	63	11.56	11.45	11.53	0	0.0
	120	125	11.51	11.51	11.42	0-1	0.0
	243	0	11.50	11.45	11.54		0.0
DFT-s-OFDM 16QAM	1	1	11.68	11.75	11.89	0-1	0.0
CP-OFDM QPSK	1	1	11.24	11.35	11.42	0-1.5	0.0

Table I-302
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649334 (3740.01 MHz)	656000 (3840 MHz)	662666 (3939.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.47	11.55	11.61	0	0.0
	1	109	11.57	11.49	11.51		0.0
	1	215	11.55	11.47	11.44		0.0
	108	0	11.44	11.46	11.50	0-0.5	0.0
	108	55	11.48	11.46	11.49	0	0.0
	108	109	11.57	11.48	11.43	0-0.5	0.0
	216	0	11.46	11.45	11.50		0.0
DFT-s-OFDM QPSK	1	1	11.48	11.52	11.66	0	0.0
	1	109	11.61	11.50	11.55		0.0
	1	215	11.55	11.49	11.46		0.0
	108	0	11.45	11.46	11.54	0-1	0.0
	108	55	11.44	11.43	11.49	0	0.0
	108	109	11.50	11.50	11.39	0-1	0.0
	216	0	11.46	11.46	11.49		0.0
DFT-s-OFDM 16QAM	1	1	11.62	11.76	11.86	0-1	0.0
CP-OFDM QPSK	1	1	11.36	11.41	11.44	0-1.5	0.0

Table I-303
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649000 (3735 MHz)	653666 (3804.99 MHz)	658334 (3875.01 MHz)	663000 (3945 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.50	11.51	11.49	11.61	0	0.0
	1	95	11.62	11.44	11.61	11.50		0.0
	1	187	11.50	11.37	11.53	11.37		0.0
	90	0	11.43	11.48	11.46	11.60	0-0.5	0.0
	90	50	11.48	11.46	11.51	11.49	0	0.0
	90	99	11.52	11.39	11.45	11.43	0-0.5	0.0
180	0	11.49	11.43	11.52	11.51	0.0		
DFT-s-OFDM QPSK	1	1	11.54	11.54	11.52	11.67	0	0.0
	1	95	11.67	11.47	11.56	11.49		0.0
	1	187	11.55	11.43	11.45	11.45		0.0
	90	0	11.40	11.44	11.46	11.58	0-1	0.0
	90	50	11.44	11.45	11.53	11.50	0	0.0
	90	99	11.53	11.42	11.48	11.40	0-1	0.0
180	0	11.46	11.47	11.56	11.51	0.0		
DFT-s-OFDM 16QAM	1	1	11.72	11.70	11.72	11.86	0-1	0.0
CP-OFDM QPSK	1	1	11.41	11.41	11.34	11.49	0-1.5	0.0

Table I-304
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648668 (3730.02 MHz)	653556 (3803.34 MHz)	658444 (3876.66 MHz)	663332 (3949.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.61	11.49	11.50	11.52	0	0.0
	1	81	11.54	11.52	11.40	11.35		0.0
	1	160	11.54	11.54	11.43	11.42		0.0
	81	0	11.52	11.51	11.47	11.34	0-0.5	0.0
	81	41	11.48	11.48	11.48	11.28	0	0.0
	81	81	11.51	11.48	11.42	11.34	0-0.5	0.0
162	0	11.50	11.50	11.47	11.33	0.0		
DFT-s-OFDM QPSK	1	1	11.62	11.56	11.51	11.49	0	0.0
	1	81	11.53	11.55	11.50	11.36		0.0
	1	160	11.57	11.55	11.45	11.45		0.0
	81	0	11.53	11.54	11.52	11.37	0-1	0.0
	81	41	11.47	11.50	11.47	11.28	0	0.0
	81	81	11.49	11.47	11.43	11.35	0-1	0.0
162	0	11.52	11.53	11.48	11.31	0.0		
DFT-s-OFDM 16QAM	1	1	11.84	11.74	11.72	11.74	0-1	0.0
CP-OFDM QPSK	1	1	11.50	11.48	11.47	11.34	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 169 of 177

Table I-305
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648334 (3725.01 MHz)	652166 (3782.49 MHz)	656000 (3840 MHz)	659834 (3897.51 MHz)	663666 (3954.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.64	11.45	11.52	11.35	11.45	0	0.0
	1	67	11.47	11.48	11.48	11.29	11.24		0.0
	1	131	11.40	11.51	11.44	11.44	11.20		0.0
	64	0	11.45	11.48	11.42	11.30	11.22	0-0.5	0.0
	64	35	11.39	11.45	11.41	11.24	11.15	0	0.0
	64	69	11.38	11.38	11.36	11.29	11.12	0-0.5	0.0
	128	0	11.43	11.43	11.40	11.25	11.18		0.0
DFT-s-OFDM QPSK	1	1	11.67	11.50	11.15	11.35	11.42	0	0.0
	1	67	11.42	11.50	11.18	11.26	11.16		0.0
	1	131	11.39	11.49	11.22	11.29	11.26		0.0
	64	0	11.49	11.44	11.44	11.37	11.44	0-1	0.0
	64	35	11.41	11.46	11.19	11.15	11.15	0	0.0
	64	69	11.37	11.39	11.12	11.16	11.10	0-1	0.0
	128	0	11.44	11.45	11.19	11.18	11.19		0.0
DFT-s-OFDM 16QAM	1	1	11.88	11.64	11.52	11.54	11.57	0-1	0.0
CP-OFDM QPSK	1	1	11.56	11.39	11.18	11.24	11.22	0-1.5	0.0

Table I-306
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648000 (3720 MHz)	651200 (3768 MHz)	654400 (3816 MHz)	657600 (3864 MHz)	660800 (3912 MHz)	664000 (3960 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.72	11.50	11.50	11.63	11.66	11.58	0	0.0
	1	53	11.44	11.37	11.30	11.52	11.45	11.38		0.0
	1	104	11.48	11.46	11.51	11.51	11.49	11.62		0.0
	50	0	11.55	11.41	11.53	11.44	11.51	11.47	0-0.5	0.0
	50	28	11.39	11.39	11.49	11.41	11.41	11.42	0	0.0
	50	56	11.35	11.40	11.45	11.36	11.49	11.44	0-0.5	0.0
100	0	11.47	11.40	11.50	11.38	11.46	11.46	0.0		
DFT-s-OFDM QPSK	1	1	11.75	11.54	11.67	11.47	11.67	11.70	0	0.0
	1	53	11.51	11.30	11.50	11.37	11.51	11.47		0.0
	1	104	11.47	11.35	11.46	11.46	11.61	11.67		0.0
	50	0	11.57	11.48	11.45	11.41	11.55	11.54	0-1	0.0
	50	28	11.44	11.26	11.42	11.10	11.45	11.42	0	0.0
	50	56	11.46	11.23	11.37	11.18	11.51	11.43	0-1	0.0
100	0	11.47	11.30	11.44	11.20	11.42	11.45	0.0		
DFT-s-OFDM 16QAM	1	1	11.90	11.69	11.89	11.64	11.90	11.85	0-1	0.0
CP-OFDM OPSK	1	1	11.52	11.51	11.62	11.30	11.66	11.42	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 170 of 177

Table I-307
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647668 (3715.02 MHz)	651000 (3765 MHz)	654334 (3815.01 MHz)	657666 (3864.99 MHz)	661000 (3915 MHz)	664332 (3964.98 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.64	11.24	11.39	11.38	11.39	11.55	0	0.0
	1	39	11.50	11.26	11.29	11.40	11.46	11.37		0.0
	1	76	11.45	11.40	11.30	11.36	11.52	11.46		0.0
	36	0	11.54	11.20	11.33	11.41	11.41	11.36	0-0.5	0.0
	36	21	11.42	11.25	11.30	11.34	11.42	11.34	0	0.0
	36	42	11.39	11.26	11.33	11.32	11.45	11.32	0-0.5	0.0
	75	0	11.45	11.25	11.31	11.38	11.37	11.36		0.0
DFT-s-OFDM QPSK	1	1	11.76	11.21	11.42	11.40	11.45	11.50	0	0.0
	1	39	11.53	11.30	11.34	11.42	11.57	11.46		0.0
	1	76	11.51	11.40	11.39	11.33	11.50	11.45		0.0
	36	0	11.53	11.25	11.38	11.40	11.44	11.36	0-1	0.0
	36	21	11.49	11.22	11.26	11.38	11.41	11.31	0	0.0
	36	42	11.50	11.28	11.30	11.35	11.43	11.32	0-1	0.0
	75	0	11.49	11.26	11.31	11.39	11.35	11.36		0.0
DFT-s-OFDM 16QAM	1	1	11.91	11.44	11.66	11.53	11.68	11.77	0-1	0.0
CP-OFDM QPSK	1	1	11.59	11.10	11.39	11.09	11.39	11.37	0-1.5	0.0

Table I-308
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647334 (3710.01 MHz)	650800 (3762 MHz)	654266 (3813.99 MHz)	657734 (3866.01 MHz)	661200 (3918 MHz)	664666 (3969.99 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.91	11.24	11.55	11.42	11.44	11.59	0	0.0
	1	26	11.72	11.33	11.50	11.43	11.68	11.44		0.0
	1	49	11.77	11.40	11.54	11.51	11.54	11.57		0.0
	25	0	11.79	11.28	11.53	11.38	11.56	11.52	0-0.5	0.0
	25	13	11.73	11.35	11.45	11.42	11.49	11.46	0	0.0
	25	26	11.68	11.37	11.50	11.38	11.54	11.48	0-0.5	0.0
50	0	11.71	11.32	11.46	11.37	11.51	11.50	0.0		
DFT-s-OFDM QPSK	1	1	11.83	11.27	11.60	11.40	11.52	11.54	0	0.0
	1	26	11.76	11.38	11.49	11.42	11.56	11.52		0.0
	1	49	11.68	11.44	11.54	11.46	11.52	11.56		0.0
	25	0	11.74	11.27	11.48	11.38	11.51	11.50	0-1	0.0
	25	13	11.75	11.31	11.49	11.38	11.56	11.50	0	0.0
	25	26	11.67	11.38	11.45	11.42	11.55	11.50	0-1	0.0
50	0	11.75	11.29	11.47	11.41	11.48	11.51	0.0		
DFT-s-OFDM 16QAM	1	1	12.09	11.50	11.68	11.63	11.72	11.73	0-1	0.0
CP-OFDM QPSK	1	1	11.78	11.13	11.48	11.09	11.22	11.40	0-1.5	0.0

Table I-309
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647168 (3707.52 MHz)	650700 (3760.5 MHz)	654234 (3813.51 MHz)	657766 (3866.49 MHz)	661300 (3919.5 MHz)	664832 (3972.48 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.92	11.50	11.62	11.77	11.72	11.66	0	0.0
	1	19	11.81	11.46	11.60	11.75	11.63	11.64		0.0
	1	36	11.74	11.44	11.58	11.68	11.52	11.53		0.0
	18	0	11.72	11.42	11.59	11.63	11.55	11.54	0-0.5	0.0
	18	10	11.63	11.41	11.54	11.60	11.53	11.55	0	0.0
	18	20	11.76	11.43	11.46	11.61	11.50	11.50	0-0.5	0.0
	36	0	11.66	11.44	11.57	11.59	11.54	11.51		0.0
DFT-s-OFDM QPSK	1	1	11.86	11.48	11.42	11.52	11.57	11.46	0	0.0
	1	19	11.84	11.40	11.44	11.54	11.50	11.49		0.0
	1	36	11.81	11.38	11.46	11.51	11.46	11.43		0.0
	18	0	11.71	11.37	11.40	11.53	11.44	11.42	0-1	0.0
	18	10	11.72	11.30	11.48	11.58	11.43	11.44	0	0.0
	18	20	11.64	11.32	11.51	11.61	11.40	11.47	0-1	0.0
	36	0	11.63	11.40	11.53	11.54	11.47	11.50		0.0
DFT-s-OFDM 16QAM	1	1	12.11	11.68	11.72	11.73	11.65	11.61	0-1	0.0
CP-OFDM QPSK	1	1	11.70	11.36	11.51	11.60	11.52	11.54	0-1.5	0.0

Table I-310
NR Band n77 C PC2 Measured P_{Limit} Antenna 3 - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647000 (3705 MHz)	650600 (3759 MHz)	654200 (3813 MHz)	657800 (3867 MHz)	661400 (3921 MHz)	665000 (3975 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	11.59	11.13	11.41	11.31	11.62	11.55	0	0.0
	1	12	11.52	11.11	11.40	11.32	11.60	11.53		0.0
	1	22	11.51	11.10	11.36	11.30	11.54	11.52		0.0
	12	0	11.48	11.12	11.35	11.26	11.53	11.50	0-0.5	0.0
	12	6	11.46	11.14	11.32	11.25	11.50	11.43	0	0.0
	12	12	11.42	11.10	11.33	11.23	11.51	11.44	0-0.5	0.0
	24	0	11.47	11.19	11.36	11.20	11.55	11.46		0.0
DFT-s-OFDM QPSK	1	1	11.58	11.18	11.44	11.36	11.61	11.39	0	0.0
	1	12	11.46	11.14	11.46	11.34	11.51	11.38		0.0
	1	22	11.51	11.15	11.42	11.31	11.53	11.41		0.0
	12	0	11.40	11.13	11.40	11.22	11.47	11.40	0-1	0.0
	12	6	11.39	11.12	11.36	11.26	11.45	11.38	0	0.0
	12	12	11.41	11.16	11.38	11.25	11.41	11.33	0-1	0.0
	24	0	11.40	11.11	11.37	11.20	11.42	11.32		0.0
DFT-s-OFDM 16QAM	1	1	11.75	11.36	11.61	11.49	11.72	11.50	0-1	0.0
CP-OFDM QPSK	1	1	11.43	11.14	11.36	11.28	11.44	11.30	0-1.5	0.0

Table I-311
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649668 (3745.02 MHz)	656000 (3840 MHz)	662332 (3934.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.53	10.79	10.81	0	0.0
	1	123	10.74	10.88	10.67		0.0
	1	243	10.86	10.84	10.58		0.0
	120	0	10.69	10.82	10.73	0-0.5	0.0
	120	63	10.73	10.83	10.67	0	0.0
	120	125	10.72	10.81	10.59	0-0.5	0.0
	243	0	10.71	10.79	10.64		0.0
DFT-s-OFDM QPSK	1	1	10.56	10.87	10.86	0	0.0
	1	123	10.87	10.88	10.71		0.0
	1	243	10.79	10.85	10.64		0.0
	120	0	10.68	10.86	10.71	0-1	0.0
	120	63	10.77	10.84	10.62	0	0.0
	120	125	10.74	10.79	10.57	0-1	0.0
	243	0	10.74	10.79	10.64		0.0
DFT-s-OFDM 16QAM	1	1	10.72	11.05	11.02	0-1	0.0
CP-OFDM QPSK	1	1	10.49	10.71	10.61	0-1.5	0.0

Table I-312
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 80 MHz Bandwidth

NR Band n77							
80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649334 (3740.01 MHz)	656000 (3840 MHz)	662666 (3939.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.64	10.95	10.86	0	0.0
	1	109	10.86	10.95	10.71		0.0
	1	215	10.88	10.86	10.61		0.0
	108	0	10.70	10.93	10.75	0-0.5	0.0
	108	55	10.86	10.91	10.66	0	0.0
	108	109	10.80	10.87	10.61	0-0.5	0.0
	216	0	10.75	10.92	10.68		0.0
DFT-s-OFDM QPSK	1	1	10.71	10.96	10.87	0	0.0
	1	109	10.92	10.99	10.70		0.0
	1	215	10.86	10.90	10.69		0.0
	108	0	10.71	10.97	10.74	0-1	0.0
	108	55	10.76	10.93	10.68	0	0.0
	108	109	10.83	10.85	10.64	0-1	0.0
	216	0	10.82	10.90	10.70		0.0
DFT-s-OFDM 16QAM	1	1	10.88	11.08	11.07	0-1	0.0
CP-OFDM QPSK	1	1	10.70	10.89	10.81	0-1.5	0.0

Table I-313
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	649000 (3735 MHz)	653666 (3804.99 MHz)	658334 (3875.01 MHz)	663000 (3945 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.76	10.85	10.99	10.87	0	0.0
	1	95	10.82	10.93	10.82	10.65		0.0
	1	187	10.75	10.86	10.70	10.60		0.0
	90	0	10.67	10.90	10.89	10.71	0-0.5	0.0
	90	50	10.74	10.89	10.84	10.62	0	0.0
	90	99	10.78	10.81	10.74	10.58	0-0.5	0.0
180	0	10.65	10.85	10.84	10.65	0.0		
DFT-s-OFDM QPSK	1	1	10.74	10.84	10.98	10.88	0	0.0
	1	95	10.84	10.88	10.83	10.65		0.0
	1	187	10.75	10.85	10.74	10.58		0.0
	90	0	10.68	10.87	10.93	10.70	0-1	0.0
	90	50	10.69	10.87	10.83	10.60	0	0.0
	90	99	10.74	10.84	10.75	10.55	0-1	0.0
180	0	10.72	10.87	10.84	10.64	0.0		
DFT-s-OFDM 16QAM	1	1	10.88	10.87	11.15	11.05	0-1	0.0
CP-OFDM QPSK	1	1	10.61	10.59	10.88	10.75	0-1.5	0.0

Table I-314
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648668 (3730.02 MHz)	653556 (3803.34 MHz)	658444 (3876.66 MHz)	663332 (3949.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.84	10.89	10.94	10.92	0	0.0
	1	81	10.78	10.95	10.89	10.73		0.0
	1	160	10.85	10.97	10.86	10.81		0.0
	81	0	10.81	10.92	10.97	10.84	0-0.5	0.0
	81	41	10.79	10.91	10.89	10.76	0	0.0
	81	81	10.80	10.93	10.87	10.76	0-0.5	0.0
	162	0	10.83	10.91	10.94	10.80		0.0
DFT-s-OFDM QPSK	1	1	10.77	10.90	10.89	10.87	0	0.0
	1	81	10.84	10.94	11.02	10.73		0.0
	1	160	10.93	10.84	10.91	10.73		0.0
	81	0	10.79	10.92	10.96	10.83	0-1	0.0
	81	41	10.78	10.83	10.87	10.68	0	0.0
	81	81	10.81	10.86	10.88	10.67	0-1	0.0
	162	0	10.80	10.85	10.89	10.71		0.0
DFT-s-OFDM 16QAM	1	1	10.88	10.69	11.15	11.13	0-1	0.0
CP-OFDM QPSK	1	1	10.74	10.88	10.80	10.82	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 174 of 177

Table I-315
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 50 MHz Bandwidth

NR Band n77									
50 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648334 (3725.01 MHz)	652166 (3782.49 MHz)	656000 (3840 MHz)	659834 (3897.51 MHz)	663666 (3954.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.88	10.65	10.91	10.98	10.90	0	0.0
	1	67	10.76	10.86	10.89	10.90	10.71		0.0
	1	131	10.70	10.90	11.05	10.88	10.82		0.0
	64	0	10.77	10.77	10.88	10.96	10.75	0-0.5	0.0
	64	35	10.70	10.84	10.87	10.92	10.64	0	0.0
	64	69	10.71	10.80	10.86	10.82	10.68	0-0.5	0.0
	128	0	10.73	10.81	10.88	10.89	10.73		0.0
DFT-s-OFDM QPSK	1	1	10.88	10.78	10.88	10.99	11.01	0	0.0
	1	67	10.81	10.86	10.85	10.85	10.74		0.0
	1	131	10.72	10.86	11.05	10.88	10.80		0.0
	64	0	10.76	10.76	10.89	10.97	10.77	0-1	0.0
	64	35	10.70	10.82	10.87	10.90	10.75	0	0.0
	64	69	10.64	10.80	10.85	10.81	10.66	0-1	0.0
	128	0	10.71	10.83	10.87	10.85	10.74		0.0
DFT-s-OFDM 16QAM	1	1	10.89	10.85	10.83	11.25	11.13	0-1	0.0
CP-OFDM QPSK	1	1	10.70	10.67	10.76	10.80	10.89	0-1.5	0.0

Table I-316
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	648000 (3720 MHz)	651200 (3768 MHz)	654400 (3816 MHz)	657600 (3864 MHz)	660800 (3912 MHz)	664000 (3960 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.96	10.69	10.86	10.94	10.85	10.83	0	0.0
	1	53	10.74	10.61	10.81	10.70	10.69	10.64		0.0
	1	104	10.70	10.66	10.90	10.71	10.72	10.82		0.0
	50	0	10.78	10.58	10.84	10.81	10.71	10.65	0-0.5	0.0
	50	28	10.70	10.61	10.82	10.74	10.67	10.57	0	0.0
	50	56	10.68	10.61	10.80	10.69	10.66	10.72	0-0.5	0.0
	100	0	10.64	10.62	10.81	10.74	10.69	10.66		0.0
DFT-s-OFDM QPSK	1	1	11.00	10.78	10.87	10.94	10.92	10.84	0	0.0
	1	53	10.78	10.65	10.86	10.79	10.77	10.67		0.0
	1	104	10.76	10.78	10.90	10.80	10.70	10.91		0.0
	50	0	10.78	10.67	10.84	10.92	10.84	10.63	0-1	0.0
	50	28	10.67	10.62	10.80	10.72	10.76	10.59	0	0.0
	50	56	10.65	10.62	10.80	10.74	10.70	10.70	0-1	0.0
	100	0	10.70	10.66	10.83	10.75	10.78	10.61		0.0
DFT-s-OFDM 16QAM	1	1	11.19	10.87	11.12	11.13	11.16	10.95	0-1	0.0
CP-OFDM QPSK	1	1	10.90	10.69	10.78	10.80	10.81	10.68	0-1.5	0.0

Table I-317
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647668 (3715.02 MHz)	651000 (3765 MHz)	654334 (3815.01 MHz)	657666 (3864.99 MHz)	661000 (3915 MHz)	664332 (3964.98 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.88	10.53	10.62	10.71	10.67	10.65	0	0.0
	1	39	10.71	10.59	10.63	10.65	10.65	10.53		0.0
	1	76	10.67	10.63	10.77	10.69	10.60	10.69		0.0
	36	0	10.76	10.54	10.62	10.72	10.66	10.49	0-0.5	0.0
	36	21	10.70	10.52	10.63	10.65	10.59	10.50	0	0.0
	36	42	10.70	10.53	10.68	10.67	10.63	10.58	0-0.5	0.0
75	0	10.71	10.53	10.74	10.65	10.64	10.51	0.0		
DFT-s-OFDM QPSK	1	1	10.88	10.50	10.73	10.74	10.70	10.72	0	0.0
	1	39	10.81	10.62	10.75	10.70	10.65	10.60		0.0
	1	76	10.67	10.65	10.79	10.72	10.64	10.72		0.0
	36	0	10.74	10.57	10.68	10.78	10.72	10.54	0-1	0.0
	36	21	10.72	10.52	10.55	10.62	10.61	10.48	0	0.0
	36	42	10.68	10.57	10.63	10.65	10.60	10.60	0-1	0.0
	75	0	10.68	10.57	10.60	10.73	10.62	10.52		0.0
DFT-s-OFDM 16QAM	1	1	11.19	10.81	10.85	11.06	10.92	10.87	0-1	0.0
CP-OFDM QPSK	1	1	10.76	10.44	10.60	10.61	10.50	10.45	0-1.5	0.0

Table I-318
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647334 (3710.01 MHz)	650800 (3762 MHz)	654266 (3813.99 MHz)	657734 (3866.01 MHz)	661200 (3918 MHz)	664666 (3969.99 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.96	10.52	10.91	10.78	10.85	10.78	0	0.0
	1	26	10.85	10.66	10.82	10.83	10.79	10.73		0.0
	1	49	10.89	10.65	10.90	10.83	10.66	10.70		0.0
	25	0	10.90	10.59	10.88	10.80	10.77	10.68	0-0.5	0.0
	25	13	10.86	10.60	10.86	10.76	10.77	10.65	0	0.0
	25	26	10.86	10.64	10.94	10.79	10.76	10.70	0-0.5	0.0
50	0	10.88	10.59	10.90	10.79	10.77	10.70	0.0		
DFT-s-OFDM QPSK	1	1	10.90	10.58	10.88	10.83	10.82	10.84	0	0.0
	1	26	10.86	10.66	10.93	10.83	10.89	10.69		0.0
	1	49	10.92	10.65	10.94	10.95	10.83	10.77		0.0
	25	0	10.86	10.51	10.78	10.76	10.71	10.64	0-1	0.0
	25	13	10.86	10.60	10.86	10.78	10.73	10.71	0	0.0
	25	26	10.87	10.77	10.94	10.77	10.78	10.70	0-1	0.0
50	0	10.87	10.81	10.85	10.83	10.82	10.66	0.0		
DFT-s-OFDM 16QAM	1	1	11.23	11.10	11.09	10.77	11.08	11.02	0-1	0.0
CP-OFDM QPSK	1	1	10.78	10.61	10.62	10.72	10.74	10.70	0-1.5	0.0

FCC ID: BCGA2764	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX I: Page 176 of 177

Table I-319
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647168 (3707.52 MHz)	650700 (3760.5 MHz)	654234 (3813.51 MHz)	657766 (3866.49 MHz)	661300 (3919.5 MHz)	664832 (3972.48 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.68	10.57	10.58	10.74	10.80	10.80	0	0.0
	1	19	10.71	10.67	10.61	10.80	10.82	10.56		0.0
	1	36	10.66	10.68	10.71	10.79	10.77	10.42		0.0
	18	0	10.48	10.58	10.72	10.71	10.73	10.53	0-0.5	0.0
	18	10	10.51	10.57	10.64	10.68	10.74	10.50	0	0.0
	18	20	10.59	10.61	10.65	10.78	10.76	10.54	0-0.5	0.0
	36	0	10.51	10.74	10.67	10.70	10.75	10.48		0.0
DFT-s-OFDM QPSK	1	1	10.73	10.71	10.80	10.82	10.86	10.61	0	0.0
	1	19	10.67	10.63	10.71	10.77	10.80	10.75		0.0
	1	36	10.65	10.67	10.72	10.82	10.84	10.60		0.0
	18	0	10.47	10.56	10.60	10.67	10.71	10.53	0-1	0.0
	18	10	10.52	10.54	10.57	10.68	10.72	10.64	0	0.0
	18	20	10.54	10.69	10.62	10.73	10.78	10.46	0-1	0.0
	36	0	10.47	10.57	10.72	10.71	10.70	10.48		0.0
DFT-s-OFDM 16QAM	1	1	10.81	10.90	10.80	10.90	10.84	10.83	0-1	0.0
CP-OFDM QPSK	1	1	10.67	10.49	10.88	10.78	10.76	10.61	0-1.5	0.0

Table I-320
NR Band n77 C PC2 Measured P_{Limit} Antenna 4b - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	647000 (3705 MHz)	650600 (3759 MHz)	654200 (3813 MHz)	657800 (3867 MHz)	661400 (3921 MHz)	665000 (3975 MHz)		
			Conducted Power [dBm]							
DFT-s-OFDM $\pi/2$ BPSK	1	1	10.62	10.42	10.67	10.77	10.80	10.71	0	0.0
	1	12	10.84	10.45	10.84	10.80	10.71	10.44		0.0
	1	22	10.74	10.47	10.64	10.55	10.74	10.58		0.0
	12	0	10.46	10.50	10.73	10.74	10.63	10.34	0-0.5	0.0
	12	6	10.38	10.56	10.77	10.64	10.57	10.37	0	0.0
	12	12	10.45	10.45	10.69	10.67	10.52	10.53	0-0.5	0.0
	24	0	10.66	10.45	10.70	10.64	10.60	10.40		0.0
DFT-s-OFDM QPSK	1	1	10.72	10.55	10.84	10.58	10.77	10.53	0	0.0
	1	12	10.63	10.67	10.81	10.63	10.73	10.55		0.0
	1	22	10.62	10.62	10.78	10.68	10.55	10.61		0.0
	12	0	10.40	10.45	10.74	10.61	10.71	10.50	0-1	0.0
	12	6	10.60	10.52	10.77	10.63	10.60	10.54	0	0.0
	12	12	10.51	10.37	10.80	10.67	10.67	10.48	0-1	0.0
	24	0	10.52	10.58	10.70	10.65	10.65	10.49		0.0
DFT-s-OFDM 16QAM	1	1	10.70	10.84	10.71	10.74	10.78	10.53	0-1	0.0
CP-OFDM QPSK	1	1	10.45	10.71	10.80	10.71	10.66	10.64	0-1.5	0.0