




Figure 73 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 74 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 75 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 76 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 77 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 78 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth




Figure 79 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 80 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                           |                          |   |
|------------------------|---------------------------|--------------------------|---|
| Mode:                  | ePA $\pi/4$ DQPSK (8-DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | Beamforming               | DCCF (dB):               | - |
| Active Port(s):        | A+B (Core 0 + Core 1)     | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit (kHz)  |
|----------------------|----------------------|-------|---|---|--------------|
|                      | A                    | B     | C | D |              |
| 5733                 | 1.035                | 1.020 | - | - | $\geq 500.0$ |
| 5789                 | 1.005                | 1.020 | - | - | $\geq 500.0$ |
| 5844                 | 0.960                | 1.020 | - | - | $\geq 500.0$ |

**Table 35 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5733                 | 4.635               | 4.635 | - | - | -           |
| 5789                 | 4.635               | 4.650 | - | - | -           |
| 5844                 | 4.635               | 4.635 | - | - | -           |

**Table 36 - 99% Bandwidth Results**




Figure 81 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 82 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 83 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 84 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 85 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 86 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 87 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 88 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 89 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 90 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth




Figure 91 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 92 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | iPA GFSK (DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO           | DCCF (dB):               | - |
| Active Port(s):        | A (Core 0)     | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (kHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5162                 | 1.248                 | - | - | - | ≥500.0      |
| 5204                 | 1.248                 | - | - | - | ≥500.0      |
| 5245                 | 1.248                 | - | - | - | ≥500.0      |

**Table 37 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (kHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5162                 | 1.000               | - | - | - | -           |
| 5204                 | 0.996               | - | - | - | -           |
| 5245                 | 1.000               | - | - | - | -           |

**Table 38 - 99% Bandwidth Results**




Figure 93 - Core 0 (A) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 94 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 95 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | iPA GFSK (DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO           | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)     | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|-----------------------|-------|---|---|-------------|
|                      | A                     | B     | C | D |             |
| 5162                 | -                     | 1.248 | - | - | ≥500.0      |
| 5204                 | -                     | 1.248 | - | - | ≥500.0      |
| 5245                 | -                     | 1.248 | - | - | ≥500.0      |

**Table 39 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5162                 | -                   | 0.992 | - | - | -           |
| 5204                 | -                   | 1.024 | - | - | -           |
| 5245                 | -                   | 0.992 | - | - | -           |

**Table 40 - 99% Bandwidth Results**




Figure 96 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 97 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 98 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |



| DUT Configuration      |                       |                          |   |
|------------------------|-----------------------|--------------------------|---|
| Mode:                  | iPA GFSK (DH5)        | Duty Cycle (%):          | - |
| Antenna Configuration: | Beamforming           | DCCF (dB):               | - |
| Active Port(s):        | A+B (Core 0 + Core 1) | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|-----------------------|-------|---|---|-------------|
|                      | A                     | B     | C | D |             |
| 5162                 | 1.252                 | 1.185 | - | - | ≥500.0      |
| 5204                 | 1.248                 | 1.180 | - | - | ≥500.0      |
| 5245                 | 1.248                 | 1.185 | - | - | ≥500.0      |

**Table 41 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5162                 | 1.000               | 0.885 | - | - | -           |
| 5204                 | 1.000               | 0.884 | - | - | -           |
| 5245                 | 1.000               | 0.882 | - | - | -           |

**Table 42 - 99% Bandwidth Results**






Figure 101 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 102 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 103 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth




Figure 104 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration      |                           |                          |   |
|------------------------|---------------------------|--------------------------|---|
| Mode:                  | iPA $\pi/4$ DQPSK (4-DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO                      | DCCF (dB):               | - |
| Active Port(s):        | A (Core 0)                | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (kHz)  |
|----------------------|-----------------------|---|---|---|--------------|
|                      | A                     | B | C | D |              |
| 5162                 | 2.816                 | - | - | - | $\geq 500.0$ |
| 5204                 | 2.808                 | - | - | - | $\geq 500.0$ |
| 5245                 | 2.808                 | - | - | - | $\geq 500.0$ |

**Table 43 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (kHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5162                 | 2.384               | - | - | - | -           |
| 5204                 | 2.392               | - | - | - | -           |
| 5245                 | 2.376               | - | - | - | -           |

**Table 44 - 99% Bandwidth Results**




Figure 105 - Core 0 (A) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 106 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 107 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration      |                           |                          |   |
|------------------------|---------------------------|--------------------------|---|
| Mode:                  | iPA $\pi/4$ DQPSK (8-DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO                      | DCCF (dB):               | - |
| Active Port(s):        | A (Core 0)                | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (kHz)  |
|----------------------|-----------------------|---|---|---|--------------|
|                      | A                     | B | C | D |              |
| 5162                 | 5.325                 | - | - | - | $\geq 500.0$ |
| 5204                 | 5.310                 | - | - | - | $\geq 500.0$ |
| 5245                 | 5.310                 | - | - | - | $\geq 500.0$ |

**Table 45 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (kHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5162                 | 4.650               | - | - | - | -           |
| 5204                 | 4.650               | - | - | - | -           |
| 5245                 | 4.650               | - | - | - | -           |

**Table 46 - 99% Bandwidth Results**




Figure 108 - Core 0 (A) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 109 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 110 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |



| DUT Configuration      |                           |                          |   |
|------------------------|---------------------------|--------------------------|---|
| Mode:                  | iPA $\pi/4$ DQPSK (4-DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO                      | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)                | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |       |   |   | Limit (kHz)  |
|----------------------|-----------------------|-------|---|---|--------------|
|                      | A                     | B     | C | D |              |
| 5162                 | -                     | 2.808 | - | - | $\geq 500.0$ |
| 5204                 | -                     | 2.808 | - | - | $\geq 500.0$ |
| 5245                 | -                     | 2.808 | - | - | $\geq 500.0$ |

**Table 47 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5162                 | -                   | 2.384 | - | - | -           |
| 5204                 | -                   | 2.376 | - | - | -           |
| 5245                 | -                   | 2.376 | - | - | -           |

**Table 48 - 99% Bandwidth Results**






Figure 113 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration      |                           |                          |   |
|------------------------|---------------------------|--------------------------|---|
| Mode:                  | iPA $\pi/4$ DQPSK (8-DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO                      | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)                | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |       |   |   | Limit (kHz)  |
|----------------------|-----------------------|-------|---|---|--------------|
|                      | A                     | B     | C | D |              |
| 5162                 | -                     | 5.310 | - | - | $\geq 500.0$ |
| 5204                 | -                     | 5.310 | - | - | $\geq 500.0$ |
| 5245                 | -                     | 5.325 | - | - | $\geq 500.0$ |

**Table 49 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5162                 | -                   | 4.635 | - | - | -           |
| 5204                 | -                   | 4.635 | - | - | -           |
| 5245                 | -                   | 4.635 | - | - | -           |

**Table 50 - 99% Bandwidth Results**




Figure 114 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 115 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 116 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration      |                           |                          |   |
|------------------------|---------------------------|--------------------------|---|
| Mode:                  | iPA $\pi/4$ DQPSK (4-DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | Beamforming               | DCCF (dB):               | - |
| Active Port(s):        | A+B (Core 0 + Core 1)     | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |       |   |   | Limit (kHz)  |
|----------------------|-----------------------|-------|---|---|--------------|
|                      | A                     | B     | C | D |              |
| 5162                 | 2.808                 | 2.816 | - | - | $\geq 500.0$ |
| 5204                 | 2.808                 | 2.816 | - | - | $\geq 500.0$ |
| 5245                 | 2.816                 | 2.816 | - | - | $\geq 500.0$ |

**Table 51 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5162                 | 2.376               | 2.384 | - | - | -           |
| 5204                 | 2.384               | 2.384 | - | - | -           |
| 5245                 | 2.392               | 2.384 | - | - | -           |

**Table 52 - 99% Bandwidth Results**




Figure 117 - Core 0 (A) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 118 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 119 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 120 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 121 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth




Figure 122 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.1 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration      |                           |                          |   |
|------------------------|---------------------------|--------------------------|---|
| Mode:                  | iPA $\pi/4$ DQPSK (8-DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | Beamforming               | DCCF (dB):               | - |
| Active Port(s):        | A+B (Core 0 + Core 1)     | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |       |   |   | Limit (kHz)  |
|----------------------|-----------------------|-------|---|---|--------------|
|                      | A                     | B     | C | D |              |
| 5162                 | 5.325                 | 5.310 | - | - | $\geq 500.0$ |
| 5204                 | 5.325                 | 5.325 | - | - | $\geq 500.0$ |
| 5245                 | 5.340                 | 5.325 | - | - | $\geq 500.0$ |

**Table 53 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5162                 | 4.650               | 4.635 | - | - | -           |
| 5204                 | 4.635               | 4.635 | - | - | -           |
| 5245                 | 4.650               | 4.635 | - | - | -           |

**Table 54 - 99% Bandwidth Results**




Figure 123 - Core 0 (A) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 124 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 125 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 126 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 127 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth




Figure 128 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | iPA GFSK (DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO           | DCCF (dB):               | - |
| Active Port(s):        | A (Core 0)     | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |   |   |   | Limit (kHz) |
|----------------------|----------------------|---|---|---|-------------|
|                      | A                    | B | C | D |             |
| 5733                 | 0.568                | - | - | - | ≥500.0      |
| 5789                 | 0.568                | - | - | - | ≥500.0      |
| 5844                 | 0.568                | - | - | - | ≥500.0      |

**Table 55 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (kHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5733                 | 0.992               | - | - | - | -           |
| 5789                 | 0.992               | - | - | - | -           |
| 5844                 | 0.992               | - | - | - | -           |

**Table 56 - 99% Bandwidth Results**




Figure 129 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 130 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 131 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 132 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 133 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 134 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | iPA GFSK (DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO           | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)     | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|----------------------|-------|---|---|-------------|
|                      | A                    | B     | C | D |             |
| 5733                 | -                    | 0.572 | - | - | ≥500.0      |
| 5789                 | -                    | 0.568 | - | - | ≥500.0      |
| 5844                 | -                    | 0.568 | - | - | ≥500.0      |

**Table 57 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5733                 | -                   | 0.988 | - | - | -           |
| 5789                 | -                   | 0.992 | - | - | -           |
| 5844                 | -                   | 0.988 | - | - | -           |

**Table 58 - 99% Bandwidth Results**




Figure 135 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 136 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 137 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 138 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 139 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 140 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                       |                          |   |
|------------------------|-----------------------|--------------------------|---|
| Mode:                  | iPA GFSK (DH5)        | Duty Cycle (%):          | - |
| Antenna Configuration: | Beamforming           | DCCF (dB):               | - |
| Active Port(s):        | A+B (Core 0 + Core 1) | Peak Antenna Gain (dBi): | - |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|----------------------|-------|---|---|-------------|
|                      | A                    | B     | C | D |             |
| 5733                 | 0.588                | 0.588 | - | - | ≥500.0      |
| 5789                 | 0.588                | 0.588 | - | - | ≥500.0      |
| 5844                 | 0.588                | 0.588 | - | - | ≥500.0      |

**Table 59 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |       |   |   | Limit (kHz) |
|----------------------|---------------------|-------|---|---|-------------|
|                      | A                   | B     | C | D |             |
| 5733                 | 1.016               | 1.020 | - | - | -           |
| 5789                 | 1.016               | 1.017 | - | - | -           |
| 5844                 | 1.020               | 1.014 | - | - | -           |

**Table 60 - 99% Bandwidth Results**




Figure 141 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 142 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 143 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 144 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 145 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 146 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 147 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 148 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 149 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 150 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth




Figure 151 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 152 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth