



FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 203 of 450




element



Plot 7-518. ISED PSD SDM Primary Antenna WF5B (160MHz BW 11ax Index 37 – RU52 – Ch.50(L))




Plot 7-521. ISED PSD SDM Primary Antenna 4a (160MHz BW 11ax Index 52 – RU52 – Ch.50(L))



Plot 7-519. ISED PSD SDM Primary Antenna 4a (160MHz BW 11ax Index 37 – RU52 – Ch.50(L))



Plot 7-522. ISED PSD CDD Primary Antenna WF5B (160MHz BW 11ax – RU996x2 – Ch.50)



Plot 7-520. ISED PSD SDM Primary Antenna WF5B (160MHz BW 11ax Index 52 – RU52 – Ch.50(L))



Plot 7-523. ISED PSD CDD Primary Antenna 4a (160MHz BW 11ax – RU996x2 – Ch.50)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 204 of 450

Summed CDD/SDM Diversity Power Spectral Density Measurements

Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 4a Power Density [dBm/500kHz]	Antenna 2a Power Density [dBm/500kHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]	
Band 1	5180	36	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	5.96	5.13	8.58	11.0	-5.87
					26	4	25/29.4 (MCS11)	4.81	4.06	7.46	11.0	-6.95
					26	8	25/29.4 (MCS11)	5.56	5.30	8.44	11.0	-5.70
	5200	40	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	5.25	5.20	8.24	11.0	-5.80
					26	4	25/29.4 (MCS11)	4.19	4.05	7.13	11.0	-6.95
					26	8	25/29.4 (MCS11)	5.48	4.78	8.15	11.0	-6.22
	5240	48	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	5.16	5.27	8.22	11.0	-5.73
					26	4	25/29.4 (MCS11)	4.37	4.65	7.52	11.0	-6.35
					26	8	25/29.4 (MCS11)	4.85	5.22	8.05	11.0	-5.78
	5190	38	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	5.56	5.53	8.55	11.0	-5.47
					26	8	25/29.4 (MCS11)	6.28	5.34	8.84	11.0	-5.67
					26	17	25/29.4 (MCS11)	6.49	5.33	8.96	11.0	-5.67
	5230	46	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	5.99	5.81	8.91	11.0	-5.19
					26	8	25/29.4 (MCS11)	6.18	7.21	9.73	11.0	-3.79
					26	17	25/29.4 (MCS11)	6.59	5.97	9.30	11.0	-5.03
	5210	42	ax (80MHz)	CDD	26	0	25/29.4 (MCS11)	5.57	5.92	8.76	11.0	-5.09
					26	18	25/29.4 (MCS11)	4.27	4.49	7.39	11.0	-6.51
					26	36	25/29.4 (MCS11)	5.31	5.47	8.40	11.0	-5.53

Table 7-195. Bands 1 Power Spectral Density Measurements CDD Diversity (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 205 of 450

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 4a Power Density [dBm/500kHz]	Antenna 2a Power Density [dBm/500kHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1/2A	5250	50 (L) 50 (U)	ax (160MHz)	CDD	52	37	50/58.8 (MCS11)	4.21	3.67	6.96	11.0	-7.33
					52	52	50/58.8 (MCS11)	3.82	4.06	6.95	11.0	-6.94
					52	52	50/58.8 (MCS11)	5.14	3.90	7.58	11.0	-7.10
	5260	52	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	5.46	5.96	8.73	11.0	-5.04
					52	38	50/58.8 (MCS11)	5.90	5.61	8.77	11.0	-5.39
					52	40	50/58.8 (MCS11)	5.50	4.92	8.23	11.0	-6.08
	5300	60	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	6.90	5.98	9.47	11.0	-5.02
					52	38	50/58.8 (MCS11)	5.51	5.43	8.48	11.0	-5.57
					52	40	50/58.8 (MCS11)	5.92	5.21	8.59	11.0	-5.80
Band 2A	5320	64	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	5.55	5.22	8.40	11.0	-5.78
					52	38	50/58.8 (MCS11)	5.40	5.39	8.40	11.0	-5.62
					52	40	50/58.8 (MCS11)	5.55	5.25	8.41	11.0	-5.75
	5270	54	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	6.10	6.08	9.10	11.0	-4.93
					52	40	50/58.8 (MCS11)	7.44	6.26	9.90	11.0	-4.75
					52	44	50/58.8 (MCS11)	5.78	5.95	8.88	11.0	-5.05
	5310	62	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	5.59	6.01	8.82	11.0	-4.99
					52	40	50/58.8 (MCS11)	5.90	6.05	8.99	11.0	-4.95
					52	44	50/58.8 (MCS11)	5.73	5.39	8.57	11.0	-5.61
Band 2C	5290	58	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	6.10	6.56	9.34	11.0	-4.44
					52	44	50/58.8 (MCS11)	5.82	5.99	8.92	11.0	-5.01
					52	52	50/58.8 (MCS11)	5.82	5.22	8.54	11.0	-5.78
	5500	100	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	5.84	5.68	8.77	11.0	-5.32
					52	38	50/58.8 (MCS11)	5.79	5.47	8.64	11.0	-5.54
					52	40	50/58.8 (MCS11)	5.20	5.26	8.24	11.0	-5.74
	5580	116	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	5.36	5.31	8.34	11.0	-5.69
					52	38	50/58.8 (MCS11)	5.44	5.14	8.30	11.0	-5.87
					52	40	50/58.8 (MCS11)	4.93	5.39	8.17	11.0	-5.62
	5720	144	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	4.88	5.68	8.31	11.0	-5.32
					52	38	50/58.8 (MCS11)	5.94	6.17	9.07	11.0	-4.83
					52	40	50/58.8 (MCS11)	5.63	5.51	8.58	11.0	-5.49
	5510	102	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	6.29	6.10	9.21	11.0	-4.90
					52	40	50/58.8 (MCS11)	6.53	6.06	9.31	11.0	-4.94
					52	44	50/58.8 (MCS11)	5.92	5.69	8.81	11.0	-5.31
	5550	110	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	5.80	5.71	8.76	11.0	-5.29
					52	40	50/58.8 (MCS11)	5.85	6.35	9.12	11.0	-4.65
					52	44	50/58.8 (MCS11)	5.48	5.48	8.49	11.0	-5.52
	5710	142	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	4.47	5.23	7.88	11.0	-5.77
					52	40	50/58.8 (MCS11)	5.03	5.64	8.35	11.0	-5.36
					52	44	50/58.8 (MCS11)	5.29	5.80	8.56	11.0	-5.20
	5530	106	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	6.42	6.00	9.22	11.0	-5.00
					52	44	50/58.8 (MCS11)	5.57	5.42	8.51	11.0	-5.58
					52	52	50/58.8 (MCS11)	5.00	5.38	8.20	11.0	-5.62
	5610*	122	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	5.68	5.43	8.57	11.0	-5.57
					52	44	50/58.8 (MCS11)	4.71	5.14	7.94	11.0	-5.86
					52	52	50/58.8 (MCS11)	5.16	5.01	8.10	11.0	-5.99
	5690	138	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	4.93	5.00	7.98	11.0	-6.00
					52	44	50/58.8 (MCS11)	5.62	5.98	8.81	11.0	-5.03
					52	52	50/58.8 (MCS11)	4.53	5.36	7.97	11.0	-5.64
5570*	114 (L)	114 (U)	ax (160MHz)	CDD	52	37	50/58.8 (MCS11)	4.51	2.92	6.80	11.0	-8.08
					52	44	50/58.8 (MCS11)	2.40	2.83	5.63	11.0	-8.17
					52	52	50/58.8 (MCS11)	3.95	2.22	6.18	11.0	-8.78

Table 7-196. Bands 2A, 2C Power Spectral Density Measurements CDD Diversity (RU52)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 206 of 450 V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 4a Power Density [dBm/500kHz]	Antenna 2a Power Density [dBm/500kHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.48	3.32	6.41	11.0	-7.68
	5200	40	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.75	4.85	7.81	11.0	-6.15
	5240	48	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.76	4.75	7.76	11.0	-6.26
	5190	38	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-1.48	-1.74	1.40	11.0	-12.74
	5230	46	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	4.45	3.97	7.23	11.0	-7.03
	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-4.49	-5.07	-1.76	11.0	-16.07
Band 1/2A	5250	50	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-9.21	-9.14	-6.16	11.0	-20.14
	5260	52	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.54	4.91	7.74	11.0	-6.09
	5300	60	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.39	4.70	7.56	11.0	-6.30
	5320	64	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.49	3.23	6.37	11.0	-7.77
	5270	54	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	4.19	3.84	7.03	11.0	-7.16
	5310	62	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-1.79	-2.17	1.04	11.0	-13.17
Band 2A	5290	58	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.55	-4.22	-0.86	11.0	-15.22
	5500	100	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	2.12	2.10	5.12	11.0	-8.90
	5580	116	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.87	4.39	7.15	11.0	-6.61
	5720	144	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.92	4.80	7.87	11.0	-6.20
	5510	102	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-2.62	-1.67	0.89	11.0	-12.67
	5550	110	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	1.90	1.87	4.90	11.0	-9.13
Band 2C	5710	142	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	3.02	3.20	6.12	11.0	-7.81
	5530	106	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-5.77	-5.85	-2.80	11.0	-16.85
	5610*	122	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-0.70	-1.90	1.76	11.0	-12.90
	5690	138	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-0.18	0.26	3.06	11.0	-10.74
	5570*	114	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-11.69	-11.57	-8.62	11.0	-22.57


Table 7-197. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (Fully-loaded RU)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 207 of 450




Plot 7-524. PSD CDD Diversity Antenna WF5B (20MHz BW 11ax Index 0 – RU26 – Ch.40)



Plot 7-527. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-525. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 0 – RU26 – Ch.40)



Plot 7-528. PSD CDD Diversity Antenna WF5B (20MHz BW 11ax Index 8– RU26 – Ch.40)







Plot 7-526. PSD CDD Diversity Antenna WF5B (20MHz BW 11ax Index 4 – RU26 – Ch.40)




Plot 7-529. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 8 – RU26 – Ch.40)


FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 208 of 450




FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 209 of 450




Plot 7-536. PSD CDD Diversity Antenna WF5B (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-539. PSD CDD Diversity Antenna 2a (40MHz BW 11ax – RU484 – Ch.46)




Plot 7-537. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 17 – RU26 – Ch.46)



Plot 7-540. PSD CDD Diversity Antenna WF5B (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-538. PSD CDD Diversity Antenna WF5B (40MHz BW 11ax – RU484 – Ch.46)




Plot 7-541. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 0 – RU26 – Ch.42)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 210 of 450


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-542. PSD CDD Diversity Antenna WF5B (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-545. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-543. PSD CDD Diversity Antenna 2a (80MHz BW 11ax Index 18 – RU26 – Ch.42)



Plot 7-546. PSD CDD Diversity Antenna WF5B (80MHz BW 11ax – RU996 – Ch.42)



Plot 7-544. PSD CDD Diversity Antenna WF5B (80MHz BW 11ax Index 36 – RU26 – Ch.42)




Plot 7-547. PSD CDD Diversity Antenna 2a (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2837 IC: 579C-A2837		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 211 of 450


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




element




Plot 7-548. PSD CDD Diversity Antenna WF5B (160MHz BW 11ax Index 37 – RU52 – Ch.50 (L))




Plot 7-551. PSD CDD Diversity Antenna 2a (160MHz BW 11ax Index 52 – RU52 – Ch.50 (L))




Plot 7-549. PSD CDD Diversity Antenna 2a (160MHz BW 11ax Index 37 – RU52 – Ch.50 (L))



Plot 7-552. PSD CDD Diversity Antenna WF5B (160MHz BW 11ax Index 52 – RU52 – Ch.50 (U))






STATUS






PW 1.7-550-PCP-CPD Bi-directional Antenna 2x (100MHz - PW 11-001-00-52 - PW52 - GL-52 (U))


FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 212 of 450




FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 213 of 450




FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 214 of 450




Plot 7-566. PSD CDD Diversity Antenna WF5B (40MHz BW 11ax Index 40 – RU52 – Ch.54)




Plot 7-569. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 44 – RU52 – Ch.54)




Plot 7-567. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 40 – RU52 – Ch.54)



Plot 7-570. PSD CDD Diversity Antenna WF5B (40MHz BW 11ax – RU484 – Ch.54)







Plot 7-568. PSD CDD Diversity Antenna WF5B (40MHz BW 11ax Index 44 – RU52 – Ch.54)









Plot 7-571. PSD CDD Diversity Antenna 2a (40MHz BW 11ax – RU484 – Ch.54)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 215 of 450


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 216 of 450




FCC ID: BCGA2837 IC: 579C-A2837		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 217 of 450




Plot 7-584. PSD CDD Diversity Antenna WF5B (20MHz BW 11ax Index 40 – RU52 – Ch.116)




Plot 7-587. PSD CDD Diversity Antenna 2a (20MHz BW 11ax – RU242 – Ch.116)




Plot 7-585. PSD CDD Diversity Antenna 2a (20MHz BW 11ax Index 40 – RU52 – Ch.116)



Plot 7-588. PSD CDD Diversity Antenna WF5B (40MHz BW 11ax Index 37 – RU52 – Ch.110)



Plot 7-586. PSD CDD Diversity Antenna WF5B (20MHz BW 11ax – RU242 – Ch.116)



Plot 7-589. PSD CDD Diversity Antenna 2a (40MHz BW 11ax Index 37 – RU52 – Ch.110)

FCC ID: BCGA2837 IC: 579C-A2837		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 218 of 450