



RU242

Plot 7-726. RSE above 1GHz Antenna 2a (11ax – Ch.36 – RU242)

Mode: 11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-68.76	11.14	49.38	68.20	-18.82
15540.00	Average	H	-	-	-81.97	17.36	42.39	53.98	-11.59
15540.00	Peak	H	-	-	-69.37	17.36	54.99	73.98	-18.99

Table 7-263. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 299 of 450



Plot 7-727. RSE above 1GHz Antenna 2a (11ax – Ch.40 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10400.00	Peak	H	-	-	-69.25	11.20	48.95	68.20	-19.25
* 15600.00	Average	H	-	-	-81.76	17.11	42.35	53.98	-11.63
* 15600.00	Peak	H	-	-	-70.05	17.11	54.06	73.98	-19.92

Table 7-264. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 300 of 450



Plot 7-728. RSE above 1GHz Antenna 2a (11ax – Ch.48 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	H	-	-	-68.64	11.30	49.66	68.20	-18.54
* 15720.00	Average	H	-	-	-82.13	16.73	41.60	53.98	-12.38
* 15720.00	Peak	H	-	-	-70.93	16.73	52.80	73.98	-21.18

Table 7-265. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 301 of 450




Plot 7-729. RSE above 1GHz Antenna 2a (11ax – Ch.52 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10520.00	Peak	H	-	-	-69.22	11.56	49.34	68.20	-18.86
* 15780.00	Average	H	-	-	-81.68	18.02	43.34	53.98	-10.64
* 15780.00	Peak	H	-	-	-70.37	18.02	54.65	73.98	-19.33

Table 7-266. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 302 of 450



Plot 7-730. RSE above 1GHz Antenna 2a (11ax – Ch.56 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10560.00	Peak	H	-	-	-68.82	11.38	49.56	68.20	-18.64
* 15840.00	Average	H	-	-	-82.13	18.10	42.97	53.98	-11.01
* 15840.00	Peak	H	-	-	-70.24	18.10	54.86	73.98	-19.12

Table 7-267. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 303 of 450



Plot 7-731. RSE above 1GHz Antenna 2a (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 10640.00	Average	H	-	-	-80.64	11.16	37.52	53.98	-16.46
* 10640.00	Peak	H	-	-	-69.17	11.16	48.99	73.98	-24.99
* 15960.00	Average	H	-	-	-81.52	17.77	43.25	53.98	-10.73
* 15960.00	Peak	H	-	-	-70.10	17.77	54.67	73.98	-19.31

Table 7-268. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 304 of 450




Plot 7-732. RSE above 1GHz Antenna 2a (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-80.95	12.29	38.34	53.98	-15.64
* 11000.00	Peak	H	-	-	-69.62	12.29	49.67	73.98	-24.31
16500.00	Peak	H	-	-	-70.47	19.35	55.88	68.20	-12.32

Table 7-269. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 305 of 450



Plot 7-733. RSE above 1GHz Antenna 2a (11ax – Ch.116 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11160.00	Average	H	-	-	-80.65	11.50	37.85	53.98	-16.13
* 11160.00	Peak	H	-	-	-69.03	11.50	49.47	73.98	-24.51
16740.00	Peak	H	-	-	-71.28	20.48	56.20	68.20	-12.00

Table 7-270. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 306 of 450




Plot 7-734. RSE above 1GHz Antenna 2a (11ax – Ch.140 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-80.66	12.15	38.49	53.98	-15.49
* 11440.00	Peak	H	-	-	-69.28	12.15	49.87	73.98	-24.11
17160.00	Peak	H	-	-	-70.64	21.58	57.94	68.20	-10.26

Table 7-271. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 307 of 450




Plot 7-735. RSE above 1GHz Antenna 2a (11ax – Ch.149 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-80.84	11.97	38.13	53.98	-15.85
* 11490.00	Peak	H	-	-	-68.97	11.97	50.00	73.98	-23.98
17235.00	Peak	H	-	-	-70.52	20.94	57.42	68.20	-10.78

Table 7-272. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 308 of 450




Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11570.00	Average	H	-	-	-81.07	12.07	38.00	53.98	-15.98
* 11570.00	Peak	H	-	-	-69.12	12.07	49.95	73.98	-24.03
17355.00	Peak	H	-	-	-71.45	21.01	56.56	68.20	-11.64

Table 7-273. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 309 of 450


Plot 7-737. RSE above 1GHz Antenna 2a (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11650.00	Average	H	-	-	-81.47	11.97	37.50	53.98	-16.48
* 11650.00	Peak	H	-	-	-69.40	11.97	49.57	73.98	-24.41
17475.00	Peak	H	-	-	-70.57	21.83	58.26	68.20	-9.94

Table 7-274. Radiated Measurements Antenna 2a (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 310 of 450

7.6.4 CDD Primary Radiated Spurious Emissions

RU26/RU52




Plot 7-738. RSE above 1GHz CDD Primary (11ax – Ch.36 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-68.70	11.14	49.44	68.20	-18.76
* 15540.00	Average	H	-	-	-81.71	17.36	42.65	53.98	-11.33
* 15540.00	Peak	H	-	-	-70.25	17.36	54.11	73.98	-19.87

Table 7-275. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 311 of 450



Plot 7-739. RSE above 1GHz CDD Primary (11ax – Ch.40 – RU26)



Plot 7-740. RSE 18 GHz - 40GHz CDD Primary (11ax Ch.40 — RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 312 of 450




Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	
10400.00	Peak	H	-	-	-69.32	11.20	48.88	68.20	-19.32	
*	15600.00	Average	H	-	-	-81.75	17.11	42.36	53.98	-11.62
*	15600.00	Peak	H	-	-	-70.32	17.11	53.79	73.98	-20.19

Table 7-276. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 313 of 450




Plot 7-741. RSE above 1GHz CDD Primary (11ax – Ch.48 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	H	-	-	-68.92	11.30	49.38	68.20	-18.82
* 15720.00	Average	H	-	-	-82.11	16.73	41.62	53.98	-12.36
* 15720.00	Peak	H	-	-	-70.18	16.73	53.55	73.98	-20.43

Table 7-277. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 314 of 450





Plot 7-742. RSE above 1GHz CDD Primary (11ax – Ch.52 – RU52)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 38
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10520.00	Peak	H	-	-	-66.69	9.98	50.29	68.20	-17.91
15780.00	Average	H	-	-	-79.82	17.97	45.15	53.98	-8.83
15780.00	Peak	H	-	-	-68.64	17.97	56.33	73.98	-17.65

Table 7-278. Radiated Measurements CDD Primary (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 315 of 450



FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 316 of 450




Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 38
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	
10560.00	Peak	H	-	-	-66.42	9.85	50.43	68.20	-17.77	
*	15840.00	Average	H	-	-	-79.39	17.99	45.60	53.98	-8.38
*	15840.00	Peak	H	-	-	-68.04	17.99	56.95	73.98	-17.03

Table 7-279. Radiated Measurements CDD Primary (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 317 of 450



Plot 7-745. RSE above 1GHz CDD Primary (11ax – Ch.64 – RU52)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 38
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 10640.00	Average	H	-	-	-78.22	9.81	38.59	53.98	-15.39
* 10640.00	Peak	H	-	-	-66.03	9.81	50.78	73.98	-23.20
* 15960.00	Average	H	-	-	-80.11	18.46	45.35	53.98	-8.63
* 15960.00	Peak	H	-	-	-69.16	18.46	56.30	73.98	-17.68

Table 7-280. Radiated Measurements CDD Primary (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 318 of 450





Plot 7-746. RSE above 1GHz CDD Primary (11ax – Ch.100 – RU52)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 38
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11000.00	Average	H	-	-	-78.60	10.85	39.25	53.98	-14.73
* 11000.00	Peak	H	-	-	-66.93	10.85	50.92	73.98	-23.06
16500.00	Peak	H	-	-	-69.07	19.94	57.87	68.20	-10.33

Table 7-281. Radiated Measurements CDD Primary (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 319 of 450



FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 320 of 450




Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 38
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11160.00	Average	H	-	-78.17	10.56	39.39	53.98	-14.59
*	11160.00	Peak	H	-	-66.70	10.56	50.86	73.98	-23.12
*	16740.00	Peak	H	-	-69.57	19.80	57.23	68.20	-10.97

Table 7-282. Radiated Measurements CDD Primary (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 321 of 450

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-749. RSE above 1GHz CDD Primary (11ax – Ch.144 – RU52)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 38
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-78.44	11.17	39.73	53.98	-14.25
* 11440.00	Peak	H	-	-	-66.26	11.17	51.91	73.98	-22.07
17160.00	Peak	H	-	-	-69.54	20.54	58.00	68.20	-10.20

Table 7-283. Radiated Measurements CDD Primary (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 322 of 450




Plot 7-750. RSE above 1GHz CDD Primary (11ax – Ch.149 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11490.00	Average	H	-	-	-81.08	11.97	37.89	53.98	-16.09
* 11490.00	Peak	H	-	-	-69.41	11.97	49.56	73.98	-24.42
17235.00	Peak	H	-	-	-70.71	20.94	57.23	68.20	-10.97

Table 7-284. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 323 of 450



Plot 7-751. RSE above 1GHz CDD Primary (11ax – Ch.157 – RU26)



Plot 7-752. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.157 — RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 324 of 450




Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11570.00	Average	H	-	-81.01	12.07	38.06	53.98	-15.92
*	11570.00	Peak	H	-	-68.89	12.07	50.18	73.98	-23.80
*	17355.00	Peak	H	-	-71.54	21.01	56.47	68.20	-11.73

Table 7-285. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 325 of 450




Plot 7-753. RSE above 1GHz CDD Primary (11ax – Ch.165 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11650.00	Average	H	-	-	-81.43	11.97	37.54	53.98	-16.44
* 11650.00	Peak	H	-	-	-69.80	11.97	49.17	73.98	-24.81
17475.00	Peak	H	-	-	-71.01	21.83	57.82	68.20	-10.38

Table 7-286. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 326 of 450


RU242

Plot 7-754. RSE above 1GHz CDD Primary (11ax – Ch.36 – RU242)

Mode: 11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-69.19	11.14	48.95	68.20	-19.25
* 15540.00	Average	H	-	-	-81.76	17.36	42.60	53.98	-11.38
* 15540.00	Peak	H	-	-	-70.55	17.36	53.81	73.98	-20.17

Table 7-287. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 327 of 450



Plot 7-755. RSE above 1GHz CDD Primary (11ax – Ch.40 – RU242)



Plot 7-756. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.40 — RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 328 of 450




Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	
10400.00	Peak	H	-	-	-68.77	11.20	49.43	68.20	-18.77	
*	15600.00	Average	H	-	-	-82.05	17.11	42.06	53.98	-11.92
*	15600.00	Peak	H	-	-	-70.53	17.11	53.58	73.98	-20.40

Table 7-288. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 329 of 450



Plot 7-757. RSE above 1GHz CDD Primary (11ax – Ch.48 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	H	-	-	-68.20	11.30	50.10	68.20	-18.10
* 15720.00	Average	H	-	-	-82.00	16.73	41.73	53.98	-12.25
* 15720.00	Peak	H	-	-	-70.42	16.73	53.31	73.98	-20.67

Table 7-289. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 330 of 450




Plot 7-758. RSE above 1GHz CDD Primary (11ax – Ch.52 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	
10520.00	Peak	H	-	-	-69.20	11.56	49.36	68.20	-18.84	
15780.00	Average	H	-	-	-81.64	18.02	43.38	53.98	-10.60	
*	15780.00	Peak	H	-	-	-70.24	18.02	54.78	73.98	-19.20

Table 7-290. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 331 of 450



Plot 7-759. RSE above 1GHz CDD Primary (11ax – Ch.56 – RU242)



Plot 7-760. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.56 — RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 332 of 450

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	
10560.00	Peak	H	-	-	-69.22	11.38	49.16	68.20	-19.04	
*	15840.00	Average	H	-	-	-81.53	18.10	43.57	53.98	-10.41
*	15840.00	Peak	H	-	-	-70.20	18.10	54.90	73.98	-19.08

Table 7-291. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 333 of 450

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-761. RSE above 1GHz CDD Primary (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-80.72	11.16	37.44	53.98	-16.54
* 10640.00	Peak	H	-	-	-69.05	11.16	49.11	73.98	-24.87
* 15960.00	Average	H	-	-	-81.55	17.77	43.22	53.98	-10.76
* 15960.00	Peak	H	-	-	-69.63	17.77	55.14	73.98	-18.84

Table 7-292. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 334 of 450




Plot 7-762. RSE above 1GHz CDD Primary (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11000.00	Average	H	-	-	-81.33	12.29	37.96	53.98	-16.02
* 11000.00	Peak	H	-	-	-69.31	12.29	49.98	73.98	-24.00
16500.00	Peak	H	-	-	-70.27	19.35	56.08	68.20	-12.12

Table 7-293. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 335 of 450



Plot 7-763. RSE above 1GHz CDD Primary (11ax – Ch.116 – RU242)



Plot 7-764. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.116 — RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 336 of 450




Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11160.00	Average	H	-	-80.75	11.50	37.75	53.98	-16.23
*	11160.00	Peak	H	-	-68.98	11.50	49.52	73.98	-24.46
*	16740.00	Peak	H	-	-71.20	20.48	56.28	68.20	-11.92

Table 7-294. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 337 of 450




Plot 7-765. RSE above 1GHz CDD Primary (11ax – Ch.144 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11440.00	Average	H	-	-	-80.64	12.15	38.51	53.98	-15.47
* 11440.00	Peak	H	-	-	-69.18	12.15	49.97	73.98	-24.01
17160.00	Peak	H	-	-	-70.71	21.58	57.87	68.20	-10.33

Table 7-295. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 338 of 450




Plot 7-766. RSE above 1GHz CDD Primary (11ax – Ch.149 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11490.00	Average	H	-	-	-80.93	11.97	38.04	53.98	-15.94
* 11490.00	Peak	H	-	-	-69.52	11.97	49.45	73.98	-24.53
17235.00	Peak	H	-	-	-70.31	20.94	57.63	68.20	-10.57

Table 7-296. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 339 of 450



Plot 7-767. RSE above 1GHz CDD Primary (11ax – Ch.157 – RU242)



Plot 7-768. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.157 — RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 340 of 450

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11570.00	Average	H	-	-	-81.13	12.07	37.94	53.98	-16.04
* 11570.00	Peak	H	-	-	-69.49	12.07	49.58	73.98	-24.40
17355.00	Peak	H	-	-	-71.27	21.01	56.74	68.20	-11.46

Table 7-297. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 341 of 450

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-769. RSE above 1GHz CDD Primary (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11650.00	Average	H	-	-	-81.28	11.97	37.69	53.98	-16.29
* 11650.00	Peak	H	-	-	-69.34	11.97	49.63	73.98	-24.35
17475.00	Peak	H	-	-	-70.23	21.83	58.60	68.20	-9.60

Table 7-298. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 342 of 450

7.6.5 CDD Diversity Radiated Spurious Emission

RU26/RU52




Plot 7-770. RSE above 1GHz CDD Diversity (11ax – Ch.36 – RU26)

Mode:	<u>802.11ax (20MHz BW)</u>
Data Rate:	<u>MCS0</u>
RU Index:	<u>4</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>5180MHz</u>
Channel:	<u>36</u>


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-68.46	11.14	49.68	68.20	-18.52
*	Average	H	-	-	-81.87	17.36	42.49	53.98	-11.49
*	Peak	H	-	-	-70.42	17.36	53.94	73.98	-20.04

Table 7-299. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 343 of 450



Plot 7-771. RSE above 1GHz CDD Diversity (11ax – Ch.40 – RU26)



Plot 7-772. RSE 18 GHz - 40GHz CDD Diversity (11ax Ch.40 — RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 344 of 450

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10400.00	Peak	H	-	-	-68.81	11.20	49.39	68.20	-18.81
* 15600.00	Average	H	-	-	-82.09	17.11	42.02	53.98	-11.96
* 15600.00	Peak	H	-	-	-69.96	17.11	54.15	73.98	-19.83

Table 7-300. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 345 of 450

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-773. RSE above 1GHz CDD Diversity (11ax – Ch.48 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	H	-	-	-69.22	11.30	49.08	68.20	-19.12
* 15720.00	Average	H	-	-	-82.11	16.73	41.62	53.98	-12.36
* 15720.00	Peak	H	-	-	-71.02	16.73	52.71	73.98	-21.27

Table 7-301. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 346 of 450




Plot 7-774. RSE above 1GHz CDD Diversity (11ax – Ch.52 – RU52)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 38
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10520.00	Peak	H	-	-	-66.73	9.98	50.25	68.20	-17.95
* 15780.00	Average	H	-	-	-79.82	17.97	45.15	53.98	-8.83
* 15780.00	Peak	H	-	-	-68.96	17.97	56.01	73.98	-17.97

Table 7-302. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 347 of 450



Plot 7-775. RSE above 1GHz CDD Diversity (11ax – Ch.56 – RU52)



Plot 7-776. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.56 — RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 348 of 450




Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 38
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	
10560.00	Peak	H	-	-	-66.28	9.85	50.57	68.20	-17.63	
*	15840.00	Average	H	-	-	-79.80	17.99	45.19	53.98	-8.79
*	15840.00	Peak	H	-	-	-68.81	17.99	56.18	73.98	-17.80

Table 7-303. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 349 of 450



Plot 7-777. RSE above 1GHz CDD Diversity (11ax – Ch.64 – RU52)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 38
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-78.18	9.81	38.63	53.98	-15.35
* 10640.00	Peak	H	-	-	-66.32	9.81	50.49	73.98	-23.49
* 15960.00	Average	H	-	-	-80.00	18.46	45.46	53.98	-8.52
* 15960.00	Peak	H	-	-	-69.39	18.46	56.07	73.98	-17.91

Table 7-304. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 350 of 450




Plot 7-778. RSE above 1GHz CDD Diversity (11ax – Ch.100 – RU52)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 38
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-78.01	10.85	39.84	53.98	-14.14
* 11000.00	Peak	H	-	-	-66.99	10.85	50.86	73.98	-23.12
16500.00	Peak	H	-	-	-69.38	19.94	57.56	68.20	-10.64

Table 7-305. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 351 of 450



Plot 7-779. RSE above 1GHz CDD Diversity (11ax – Ch.116 – RU52)



Plot 7-780. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.116 — RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 352 of 450



Mode: 802.11ax (20MHz BW)
Data Rate: MCS0
RU Index: 38
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11160.00	Average	H	-	-78.25	10.56	39.31	53.98	-14.67
*	11160.00	Peak	H	-	-66.50	10.56	51.06	73.98	-22.92
*	16740.00	Peak	H	-	-69.45	19.80	57.35	68.20	-10.85

Table 7-306. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 353 of 450

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

V 10.5 12/15/2021



Plot 7-781. RSE above 1GHz CDD Diversity (11ax – Ch.144 – RU52)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS0
 RU Index: 38
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-78.25	11.17	39.92	53.98	-14.06
* 11440.00	Peak	H	-	-	-66.53	11.17	51.64	73.98	-22.34
17160.00	Peak	H	-	-	-69.45	20.54	58.09	68.20	-10.11

Table 7-307. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA2837 IC: 579C-A2837	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270068-23.BCG	Test Dates: 11/28/2023 - 3/21/2024	EUT Type: Tablet Device	Page 354 of 450