







Plot 7-57. 26dB BW & 99% OBW Antenna WF7a (80MHz BW 802.11ac – Ch. 58, MCS9)




Plot 7-60. 26dB BW & 99% OBW Antenna WF7a (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)




Plot 7-58. 26dB BW & 99% OBW Antenna WF7a (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)



Plot 7-61. 26dB BW & 99% OBW Antenna WF7a (40MHz BW 802.11n – Ch. 110) , MCS7)



Plot 7-59. 26dB BW & 99% OBW Antenna WF7a (20MHz BW 802.11n – Ch. 116, MCS7)




Plot 7-62. 26dB BW & 99% OBW Antenna WF7a (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 33 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-63. 26dB BW & 99% OBW Antenna WF7a (80MHz BW 802.11ac – Ch. 122, MCS9)



Plot 7-65. 26dB BW & 99% OBW Antenna WF7a (160MHz BW 802.11ac – Ch. 114, MCS9)



Plot 7-64. 26dB BW & 99% OBW Antenna WF7a (80MHz BW 802.11ax(SU) – Ch. 122, MCS11)



Plot 7-66. 26dB BW & 99% OBW Antenna WF7a (160MHz BW 802.11ac – Ch. 114, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device		Page 34 of 547

7.2.2 Antenna WF7b 26dB & 99% Bandwidth Measurements

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	17.82	21.37
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	17.75	21.19
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	17.74	21.09
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	19.12	22.24
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	19.05	21.33
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	19.05	21.26
	5190	38	n (40MHz)	40/40.5 (MCS2)	36.48	42.06
	5230	46	n (40MHz)	40/40.5 (MCS2)	36.25	41.23
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	38.03	44.73
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	37.97	41.62
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	75.61	82.49
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	77.32	85.18
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	153.70	165.00
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	156.18	165.00
Band 2A	5260	52	n (20MHz)	19.5/21.7 (MCS2)	17.75	21.12
	5300	60	n (20MHz)	19.5/21.7 (MCS2)	17.76	20.91
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	17.83	21.50
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	19.06	21.27
	5300	60	ax (SU) (20MHz)	24/25.8 (MCS2)	19.05	21.28
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	19.15	23.04
	5270	54	n (40MHz)	40/40.5 (MCS2)	36.25	40.90
	5310	62	n (40MHz)	40/40.5 (MCS2)	36.52	44.52
	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	37.95	41.49
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	38.10	45.81
	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	75.65	83.42
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	77.29	85.28
Band 2C	5500	100	n (20MHz)	19.5/21.7 (MCS2)	17.86	21.74
	5580	116	n (20MHz)	19.5/21.7 (MCS2)	17.73	21.00
	5720	144	n (20MHz)	19.5/21.7 (MCS2)	17.78	21.03
	5500	100	ax (SU) (20MHz)	24/25.8 (MCS2)	19.14	21.97
	5580	116	ax (SU) (20MHz)	24/25.8 (MCS2)	19.06	21.23
	5720	144	ax (SU) (20MHz)	24/25.8 (MCS2)	19.09	21.18
	5510	102	n (40MHz)	40/40.5 (MCS2)	36.53	42.34
	5550	110	n (40MHz)	40/40.5 (MCS2)	36.30	40.91
	5710	142	n (40MHz)	40/40.5 (MCS2)	36.35	41.01
	5510	102	ax (SU) (40MHz)	49/51.6 (MCS2)	38.07	44.82
	5550	110	ax (SU) (40MHz)	49/51.6 (MCS2)	37.96	41.46
	5710	142	ax (SU) (40MHz)	49/51.6 (MCS2)	37.95	41.82
	5530	106	ac (80MHz)	87.8/97.5 (MCS2)	75.74	83.79
	5690	138	ac (80MHz)	87.8/97.5 (MCS2)	75.42	81.08
	5530	106	ax (SU) (80MHz)	102/108.1 (MCS2)	77.28	85.28
	5690	138	ax (SU) (80MHz)	102/108.1 (MCS2)	77.21	81.85
	5570	114	ac (160MHz)	87.8/97.5 (MCS2)	154.25	164.90
	5570	114	ax (SU) (160MHz)	102/108.1 (MCS2)	156.39	166.10

Table 7-5. Conducted Bandwidth Measurements Antenna WF7b (Low Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 35 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	17.81	21.03
	5200	40	n (20MHz)	39/43.3 (MCS4)	17.72	20.88
	5240	48	n (20MHz)	39/43.3 (MCS4)	17.76	20.66
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	19.07	21.31
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	19.02	21.34
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	19.04	21.08
	5190	38	n (40MHz)	81/90 (MCS4)	36.35	41.27
	5230	46	n (40MHz)	81/90 (MCS4)	36.34	41.04
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	38.06	46.00
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	37.92	41.53
	5210	42	ac (80MHz)	175.5/195 (MCS4)	75.57	81.15
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	77.24	81.98
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	153.72	164.40
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	155.88	165.30
Band 2A	5260	52	n (20MHz)	39/43.3 (MCS4)	17.76	20.78
	5300	60	n (20MHz)	39/43.3 (MCS4)	17.75	20.95
	5320	64	n (20MHz)	39/43.3 (MCS4)	17.81	20.93
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	19.04	21.31
	5300	60	ax (SU) (20MHz)	49/51.6 (MCS4)	19.05	21.35
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	19.10	23.77
	5270	54	n (40MHz)	81/90 (MCS4)	36.28	41.09
	5310	62	n (40MHz)	81/90 (MCS4)	36.39	41.44
	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	37.98	41.42
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	38.04	46.62
	5290	58	ac (80MHz)	175.5/195 (MCS4)	75.55	83.16
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	77.28	82.15
Band 2C	5500	100	n (20MHz)	39/43.3 (MCS4)	17.81	20.96
	5580	116	n (20MHz)	39/43.3 (MCS4)	17.73	20.82
	5720	144	n (20MHz)	39/43.3 (MCS4)	17.74	20.87
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	19.09	21.44
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	19.04	21.21
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	19.04	21.37
	5510	102	n (40MHz)	81/90 (MCS4)	36.40	41.20
	5550	110	n (40MHz)	81/90 (MCS4)	36.35	40.99
	5710	142	n (40MHz)	81/90 (MCS4)	36.31	40.92
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	38.05	47.93
	5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	37.93	41.40
	5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	37.93	41.46
	5530	106	ac (80MHz)	175.5/195 (MCS4)	75.65	80.86
	5690	138	ac (80MHz)	175.5/195 (MCS4)	75.64	80.77
	5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	77.30	81.85
	5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	77.25	81.66
	5570	114	ac (160MHz)	175.5/195 (MCS4)	154.19	165.10
	5570	114	ax (SU) (160MHz)	204/216.2 (MCS4)	156.26	165.70

Table 7-6. Conducted Bandwidth Measurements Antenna WF7b (Mid Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 36 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	17.85	21.11
	5200	40	n (20MHz)	65/72.2 (MCS7)	17.88	20.94
	5240	48	n (20MHz)	65/72.2 (MCS7)	17.89	21.08
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	19.02	21.13
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	19.06	21.18
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	19.07	21.34
	5190	38	n (40MHz)	135/150 (MCS7)	36.53	41.54
	5230	46	n (40MHz)	135/150 (MCS7)	36.61	41.58
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	37.89	41.21
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	37.95	44.56
	5210	42	ac (80MHz)	390/433.3 (MCS9)	75.83	81.53
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	77.05	81.64
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	154.72	165.20
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	155.80	165.90
Band 2A	5260	52	n (20MHz)	65/72.2 (MCS7)	17.88	20.95
	5300	60	n (20MHz)	65/72.2 (MCS7)	17.88	21.13
	5320	64	n (20MHz)	65/72.2 (MCS7)	17.88	21.14
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	19.06	21.48
	5300	60	ax (SU) (20MHz)	135/143.4 (MCS11)	19.07	21.33
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	19.04	21.21
	5270	54	n (40MHz)	135/150 (MCS7)	36.62	41.39
	5310	62	n (40MHz)	135/150 (MCS7)	36.53	41.20
	5270	54	ax (SU) (40MHz)	271/286 (MCS11)	37.92	41.48
	5310	62	ax (SU) (40MHz)	271/286 (MCS11)	37.92	41.23
	5290	58	ac (80MHz)	390/433.3 (MCS9)	75.84	81.80
	5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	77.17	82.01
Band 2C	5500	100	n (20MHz)	65/72.2 (MCS7)	17.89	21.09
	5580	116	n (20MHz)	65/72.2 (MCS7)	17.88	21.11
	5720	144	n (20MHz)	65/72.2 (MCS7)	17.89	21.02
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	19.04	21.25
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	19.03	21.31
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	19.04	21.13
	5510	102	n (40MHz)	135/150 (MCS7)	36.53	41.42
	5550	110	n (40MHz)	135/150 (MCS7)	36.55	41.52
	5710	142	n (40MHz)	135/150 (MCS7)	36.52	41.45
	5510	102	ax (SU) (40MHz)	271/286 (MCS11)	37.97	41.27
	5550	110	ax (SU) (40MHz)	271/286 (MCS11)	37.91	41.35
	5710	142	ax (SU) (40MHz)	271/286 (MCS11)	37.96	41.37
	5530	106	ac (80MHz)	390/433.3 (MCS9)	75.99	81.88
	5690	138	ac (80MHz)	390/433.3 (MCS9)	75.88	82.03
	5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	77.13	82.13
	5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	77.19	82.02
	5570	114	ac (160MHz)	390/433.3 (MCS9)	155.15	165.70
	5570	114	ax (SU) (160MHz)	567/600.5 (MCS11)	156.12	165.80


Table 7-7. Conducted Bandwidth Measurements Antenna WF7b (High Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 37 of 547

V 10.5 12/15/2021




Plot 7-67. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11n – Ch. 40, MCS2)




Plot 7-70. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)




Plot 7-68. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)



Plot 7-71. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ac – Ch. 42, MCS2)



Plot 7-69. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11n – Ch. 46, MCS2)




Plot 7-72. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 38 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-73. 26dB BW & 99% OBW Antenna WF7b (160MHz BW 802.11ac – Ch. 50, MCS2)




Plot 7-74. 26dB BW & 99% OBW Antenna WF7b (160MHz BW 802.11ac – Ch. 50, MCS2)




Plot 7-75. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11n – Ch. 60, MCS2)



Plot 7-76. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11ax(SU) – Ch. 60, MCS2)



Plot 7-77. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11n – Ch. 54, MCS2)




Plot 7-78. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11ax(SU) – Ch. 54, MCS2)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 39 of 547




Plot 7-79. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ac - Ch. 58, MCS2)




Plot 7-82. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11ax(SU) - Ch. 116, MCS2)




Plot 7-80. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ax(SU) - Ch. 58, MCS2)



Plot 7-83. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11n - Ch. 110, MCS2)



Plot 7-81. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11n - Ch. 116, MCS2)




Plot 7-84. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11ax(SU) - Ch. 110, MCS2)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 40 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-85. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ac – Ch. 122, MCS2)



Plot 7-88. 26dB BW & 99% OBW Antenna WF7b (160MHz BW 802.11ac – Ch. 114, MCS2)



Plot 7-86. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ax(SU) – Ch. 122, MCS2)



Plot 7-87. 26dB BW & 99% OBW Antenna WF7b (160MHz BW 802.11ac – Ch. 114, MCS2)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 41 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-89. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11n – Ch. 40, MCS4)



Plot 7-92. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11ax(SU) – Ch. 46, MCS4)




Plot 7-90. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11ax(SU) – Ch. 40, MCS4)



Plot 7-93. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ac – Ch. 42, MCS4)



Plot 7-91. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11n – Ch. 46, MCS4)




Plot 7-94. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ax(SU) – Ch. 42, MCS4)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 42 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-95. 26dB BW & 99% OBW Antenna WF7b (160MHz BW 802.11ac – Ch. 50, MCS4)




Plot 7-98. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11ax(SU) – Ch. 60, MCS4)




Plot 7-96. 26dB BW & 99% OBW Antenna WF7b (160MHz BW 802.11ac – Ch. 50, MCS4)



Plot 7-99. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11n – Ch. 54, MCS4)



Plot 7-97. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11n – Ch. 60, MCS4)



Plot 7-100. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11ax(SU) – Ch. 54, MCS4)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 43 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-101. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ac – Ch. 58, MCS4)




Plot 7-104. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11ax(SU) – Ch. 116, MCS4)




Plot 7-102. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ax(SU) – Ch. 58, MCS4)



Plot 7-105. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11n – Ch. 110, MCS4)



Plot 7-103. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11n – Ch. 116, MCS4)



Plot 7-106. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11ax(SU) – Ch. 110, MCS4)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 44 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-107. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ac – Ch. 122, MCS4)



Plot 7-110. 26dB BW & 99% OBW Antenna WF7b (160MHz BW 802.11ac – Ch. 114, MCS4)




Plot 7-108. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ax(SU) – Ch. 122, MCS4)




Plot 7-109. 26dB BW & 99% OBW Antenna WF7b (160MHz BW 802.11ac – Ch. 114, MCS4)

FCC ID: BCGA2898 IC: 579C-A2898	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 45 of 547


V 10.5 12/15/2021




Plot 7-111. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11n – Ch. 40, MCS7)




Plot 7-114. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11ax(SU) – Ch. 46, MCS11)




Plot 7-112. 26dB BW & 99% OBW Antenna WF7b (20MHz BW 802.11ax(SU) – Ch. 40, MCS11)



Plot 7-115. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ac – Ch. 42, MCS9)



Plot 7-113. 26dB BW & 99% OBW Antenna WF7b (40MHz BW 802.11n – Ch. 46, MCS7)



Plot 7-116. 26dB BW & 99% OBW Antenna WF7b (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 46 of 547