







Plot 7-295. PSD Antenna WF7a (160MHz BW 802.11ac – Ch. 114, MCS4)




Plot 7-298. PSD Antenna WF7a (20MHz BW 802.11ax(SU) – Ch. 40, MCS11)




Plot 7-296. PSD Antenna WF7a (160MHz BW 802.11ax(SU) – Ch. 114, MCS4)



Plot 7-299. PSD Antenna WF7a (40MHz BW 802.11n – Ch. 46, MCS7)




Plot 7-297. PSD Antenna WF7a (20MHz BW 802.11n – Ch. 40, MCS7)




Plot 7-300. PSD Antenna WF7a (40MHz BW 802.11ax(SU) – Ch. 46, MCS11)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 152 of 547




Plot 7-301. PSD Antenna WF7a (80MHz BW 802.11ac – Ch. 42, MCS9)




Plot 7-304. PSD Antenna WF7a (160MHz BW 802.11ax(SU) – Ch. 50, MCS11)




Plot 7-302. PSD Antenna WF7a (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)



Plot 7-305. PSD Antenna WF7a (20MHz BW 802.11n – Ch. 60, MCS7)



Plot 7-303. PSD Antenna WF7a (160MHz BW 802.11ac – Ch. 50, MCS9)




Plot 7-306. PSD Antenna WF7a (20MHz BW 802.11ax(SU) – Ch. 60, MCS11)


FCC ID: BCGA2898 IC: 579C-A2898	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 153 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-307. PSD Antenna WF7a (40MHz BW 802.11n – Ch. 54, MCS7)




Plot 7-310. PSD Antenna WF7a (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)




Plot 7-308. PSD Antenna WF7a (40MHz BW 802.11ax(SU) – Ch. 54, MCS11)



Plot 7-311. PSD Antenna WF7a (20MHz BW 802.11n – Ch. 116, MCS7)




Plot 7-309. PSD Antenna WF7a (80MHz BW 802.11ac – Ch. 58, MCS9)




Plot 7-312. PSD Antenna WF7a (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 154 of 547




Plot 7-313. PSD Antenna WF7a (40MHz BW 802.11n – Ch. 110, MCS7)




Plot 7-316. PSD Antenna WF7a (80MHz BW 802.11ax(SU) – Ch. 122, MCS11)




Plot 7-314. PSD Antenna WF7a (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)



Plot 7-317. PSD Antenna WF7a (160MHz BW 802.11ac – Ch. 114, MCS9)



Plot 7-315. PSD Antenna WF7a (80MHz BW 802.11ac – Ch. 122, MCS9)



Plot 7-318. PSD Antenna WF7a (160MHz BW 802.11ax(SU) – Ch. 114, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 155 of 547

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	19.5/21.7 (MCS2)	6.47	30.0	-23.54
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	6.25	30.0	-23.75
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	6.42	30.0	-23.58
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	4.64	30.0	-25.36
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	4.80	30.0	-25.21
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	5.15	30.0	-24.86
	5755	151	n (40MHz)	40/40.5 (MCS2)	3.42	30.0	-26.58
	5795	159	n (40MHz)	40/40.5 (MCS2)	2.86	30.0	-27.14
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	1.85	30.0	-28.15
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	1.67	30.0	-28.33
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	-0.35	30.0	-30.35
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.49	30.0	-32.49

Table 7-203. Band 3 Power Spectral Density Measurements Antenna WF7a (Low Data Rate)

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	39/43.3 (MCS4)	6.70	30.0	-23.30
	5785	157	n (20MHz)	39/43.3 (MCS4)	6.23	30.0	-23.77
	5825	165	n (20MHz)	39/43.3 (MCS4)	6.67	30.0	-23.33
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	4.76	30.0	-25.24
	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	4.84	30.0	-25.16
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	5.25	30.0	-24.75
	5755	151	n (40MHz)	81/90 (MCS4)	3.06	30.0	-26.94
	5795	159	n (40MHz)	81/90 (MCS4)	3.18	30.0	-26.82
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	1.88	30.0	-28.12
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	1.89	30.0	-28.11
	5775	155	ac (80MHz)	175.5/195 (MCS4)	-0.58	30.0	-30.58
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.50	30.0	-32.50


Table 7-204. Band 3 Power Spectral Density Measurements Antenna WF7a (Mid Data Rate)

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	65/72.2 (MCS7)	5.35	30.0	-24.65
	5785	157	n (20MHz)	65/72.2 (MCS7)	5.16	30.0	-24.84
	5825	165	n (20MHz)	65/72.2 (MCS7)	5.53	30.0	-24.47
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	5.07	30.0	-24.93
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	5.15	30.0	-24.86
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	5.65	30.0	-24.35
	5755	151	n (40MHz)	135/150 (MCS7)	2.48	30.0	-27.52
	5795	159	n (40MHz)	135/150 (MCS7)	2.25	30.0	-27.75
	5755	151	ax (SU) (40MHz)	271/286 (MCS11)	2.26	30.0	-27.74
	5795	159	ax (SU) (40MHz)	271/286 (MCS11)	2.12	30.0	-27.88
	5775	155	ac (80MHz)	390/433.3 (MCS9)	-2.42	30.0	-32.42
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.75	30.0	-32.75


Table 7-205. Band 3 Power Spectral Density Measurements Antenna WF7a (High Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 156 of 547


V 10.5 12/15/2021




Plot 7-319. PSD Antenna WF7a (20MHz BW 802.11n – Ch. 157, MCS2)




Plot 7-322. PSD Antenna WF7a (40MHz BW 802.11ax(SU) – Ch. 151, MCS2)




Plot 7-320. PSD Antenna WF7a (20MHz BW 802.11ax(SU) – Ch. 157, MCS2)



Plot 7-323. PSD Antenna WF7a (80MHz BW 802.11ac – Ch. 155, MCS2)









Plot 7-321. PSD Antenna WF7a (40MHz BW 802.11n – Ch. 151, MCS2)




Plot 7-324. PSD Antenna WF7a (80MHz BW 802.11ax(SU) – Ch. 155, MCS2)


FCC ID: BCGA2898 IC: 579C-A2898	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 157 of 547




FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 158 of 547




Plot 7-331. PSD Antenna WF7a (20MHz BW 802.11n – Ch. 157, MCS7)




Plot 7-334. PSD Antenna WF7a (40MHz BW 802.11ax(SU) – Ch. 151, MCS11)




Plot 7-332. PSD Antenna WF7a (20MHz BW 802.11ax(SU) – Ch. 157, MCS11)



Plot 7-335. PSD Antenna WF7a (80MHz BW 802.11ac – Ch. 155, MCS9)



Plot 7-333. PSD Antenna WF7a (40MHz BW 802.11n – Ch. 151, MCS7)



Plot 7-336. PSD Antenna WF7a (80MHz BW 802.11ax(SU) – Ch. 155, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	7.12	0.90	8.02	10.0	-1.98
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	7.07	0.90	7.97	10.0	-2.03
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	7.37	0.90	8.27	10.0	-1.73
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.54	0.90	6.44	10.0	-3.56
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	5.30	0.90	6.20	10.0	-3.81
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	5.50	0.90	6.40	10.0	-3.61
	5190	38	n (40MHz)	40/40.5 (MCS2)	2.64	0.90	3.54	10.0	-6.46
	5230	46	n (40MHz)	40/40.5 (MCS2)	6.16	0.90	7.06	10.0	-2.94
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	-0.09	0.90	0.81	10.0	-9.19
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	4.54	0.90	5.44	10.0	-4.56
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-1.92	0.90	-1.02	10.0	-11.02
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.84	0.90	-2.94	10.0	-12.94
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-5.71	2.20	-3.51	10.0	-13.51
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-7.23	2.20	-5.03	10.0	-15.03

Table 7-206. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF7a (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	6.92	0.90	7.82	10.0	-2.19
	5200	40	n (20MHz)	39/43.3 (MCS4)	7.10	0.90	8.00	10.0	-2.00
	5240	48	n (20MHz)	39/43.3 (MCS4)	7.34	0.90	8.24	10.0	-1.77
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.42	0.90	6.32	10.0	-3.68
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	5.48	0.90	6.38	10.0	-3.62
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	5.49	0.90	6.39	10.0	-3.61
	5190	38	n (40MHz)	81/90 (MCS4)	2.00	0.90	2.90	10.0	-7.10
	5230	46	n (40MHz)	81/90 (MCS4)	6.40	0.90	7.30	10.0	-2.70
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.57	0.90	0.33	10.0	-9.67
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	4.43	0.90	5.33	10.0	-4.67
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-2.72	0.90	-1.82	10.0	-11.82
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.90	0.90	-3.00	10.0	-13.00
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-5.63	2.20	-3.43	10.0	-13.43
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-6.88	2.20	-4.68	10.0	-14.68

Table 7-207. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF7a (Mid Data Rate)


	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	5.22	0.90	6.12	10.0	-3.88
	5200	40	n (20MHz)	65/72.2 (MCS7)	5.84	0.90	6.74	10.0	-3.26
	5240	48	n (20MHz)	65/72.2 (MCS7)	5.69	0.90	6.59	10.0	-3.41
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.12	0.90	6.02	10.0	-3.98
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	5.57	0.90	6.47	10.0	-3.53
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	5.80	0.90	6.70	10.0	-3.30
	5190	38	n (40MHz)	135/150 (MCS7)	-0.42	0.90	0.48	10.0	-9.52
	5230	46	n (40MHz)	135/150 (MCS7)	4.81	0.90	5.71	10.0	-4.29
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.99	0.90	-0.09	10.0	-10.09
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	4.78	0.90	5.68	10.0	-4.32
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-4.10	0.90	-3.20	10.0	-13.20
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.20	0.90	-3.30	10.0	-13.30
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-7.17	2.20	-4.97	10.0	-14.97
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-7.37	2.20	-5.17	10.0	-15.17

Table 7-208. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF7a (High Data Rate)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 160 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-337. ISED PSD Antenna WF7a (20MHz BW 11n – Ch.40, MCS2)




Plot 7-340. ISED PSD Antenna WF7a (40MHz BW 11ax(SU) – Ch.46, MCS2)




Plot 7-338. ISED PSD Antenna WF7a (20MHz BW 11ax(SU) – Ch.40, MCS2)



Plot 7-341. ISED PSD Antenna WF7a (80MHz BW 11ac – Ch.42, MCS2)




Plot 7-339. ISED PSD Antenna WF7a (40MHz BW 11n – Ch.46, MCS2)




Plot 7-342. ISED PSD Antenna WF7a (80MHz BW 11ax(SU) – Ch.42, MCS2)


FCC ID: BCGA2898 IC: 579C-A2898			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device		Page 161 of 547




Plot 7-343. ISED PSD Antenna WF7a (160MHz BW 11ac – Ch.50, MCS2)




Plot 7-346. ISED PSD Antenna WF7a (20MHz BW 11ax(SU) – Ch.40, MCS4)




Plot 7-344. ISED PSD Antenna WF7a (160MHz BW 11ax (SU) – Ch.50, MCS2)



Plot 7-347. ISED PSD Antenna WF7a (40MHz BW 11n – Ch.46, MCS4)




Plot 7-345. ISED PSD Antenna WF7a (20MHz BW 11n – Ch.40, MCS4)




Plot 7-348. ISED PSD Antenna WF7a (40MHz BW 11ax(SU) – Ch.46, MCS4)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 162 of 547




Plot 7-349. ISED PSD Antenna WF7a (80MHz BW 11ac – Ch.42, MCS4)




Plot 7-352. ISED PSD Antenna WF7a (160MHz BW 11ax (SU) – Ch.50, MCS4)




Plot 7-350. ISED PSD Antenna WF7a (80MHz BW 11ax (SU) – Ch.42, MCS4)



Plot 7-353. ISED PSD Antenna WF7a (20MHz BW 11n – Ch.40, MCS7)









Plot 7-351. ISED PSD Antenna WF7a (160MHz BW 11ac – Ch.50, MCS4)



Plot 7-354. ISED PSD Antenna WF7a (20MHz BW 11ax(SU) – Ch.40, MCS11)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 163 of 547



FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager	
Test Report S/N: 1C2311270065-11-R1.BCG		Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device

7.5.2 Antenna WF2a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	7.41	11.00	-3.59
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	8.83	11.00	-2.17
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	9.38	11.00	-1.62
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.72	11.00	-5.28
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	7.42	11.00	-3.58
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	7.56	11.00	-3.44
	5190	38	n (40MHz)	40/40.5 (MCS2)	3.49	11.00	-7.51
	5230	46	n (40MHz)	40/40.5 (MCS2)	6.24	11.00	-4.76
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	-0.62	11.00	-11.62
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	4.74	11.00	-6.26
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-2.05	11.00	-13.05
Band 1/2	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-4.00	11.00	-15.00
	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-5.77	11.00	-16.77
Band 2A	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-6.78	11.00	-17.78
	5260	52	n (20MHz)	19.5/21.7 (MCS2)	9.41	11.00	-1.60
	5300	60	n (20MHz)	19.5/21.7 (MCS2)	9.35	11.00	-1.65
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	8.52	11.00	-2.48
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	7.72	11.00	-3.29
	5300	60	ax (SU) (20MHz)	24/25.8 (MCS2)	7.61	11.00	-3.39
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	6.60	11.00	-4.40
	5270	54	n (40MHz)	40/40.5 (MCS2)	6.33	11.00	-4.67
	5310	62	n (40MHz)	40/40.5 (MCS2)	4.30	11.00	-6.70
	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	4.61	11.00	-6.39
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	1.85	11.00	-9.15
Band 2C	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	0.60	11.00	-10.40
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	-1.28	11.00	-12.28
	5500	100	n (20MHz)	19.5/21.7 (MCS2)	9.44	11.00	-1.56
	5580	116	n (20MHz)	19.5/21.7 (MCS2)	9.24	11.00	-1.76
	*5600	120	n (20MHz)	19.5/21.7 (MCS2)	9.29	11.00	-1.71
	5700	140	n (20MHz)	19.5/21.7 (MCS2)	7.27	11.00	-3.73
	5720	144	n (20MHz)	19.5/21.7 (MCS2)	8.89	11.00	-2.11
	5500	100	ax (SU) (20MHz)	24/25.8 (MCS2)	7.18	11.00	-3.82
	5580	116	ax (SU) (20MHz)	24/25.8 (MCS2)	7.67	11.00	-3.33
	*5600	120	ax (SU) (20MHz)	24/25.8 (MCS2)	7.44	11.00	-3.56
	5700	140	ax (SU) (20MHz)	24/25.8 (MCS2)	5.36	11.00	-5.64
	5720	144	ax (SU) (20MHz)	24/25.8 (MCS2)	7.44	11.00	-3.57
	5510	102	n (40MHz)	40/40.5 (MCS2)	2.71	11.00	-8.30
	5550	110	n (40MHz)	40/40.5 (MCS2)	6.31	11.00	-4.69
	*5590	118	n (40MHz)	40/40.5 (MCS2)	6.41	11.00	-4.59
	5670	134	n (40MHz)	40/40.5 (MCS2)	6.23	11.00	-4.77
	5710	142	n (40MHz)	40/40.5 (MCS2)	6.33	11.00	-4.67
	5510	102	ax (SU) (40MHz)	49/51.6 (MCS2)	1.23	11.00	-9.77
	5550	110	ax (SU) (40MHz)	49/51.6 (MCS2)	4.85	11.00	-6.15
	*5590	118	ax (SU) (40MHz)	49/51.6 (MCS2)	4.73	11.00	-6.27
	5670	134	ax (SU) (40MHz)	49/51.6 (MCS2)	4.30	11.00	-6.70
	5710	142	ax (SU) (40MHz)	49/51.6 (MCS2)	4.47	11.00	-6.53
	5530	106	ac (80MHz)	87.8/97.5 (MCS2)	-1.07	11.00	-12.07
	*5610	122	ac (80MHz)	87.8/97.5 (MCS2)	3.43	11.00	-7.57
	5690	138	ac (80MHz)	87.8/97.5 (MCS2)	2.89	11.00	-8.11
	5530	106	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.18	11.00	-13.18
	*5610	122	ax (SU) (80MHz)	102/108.1 (MCS2)	2.30	11.00	-8.70
	5690	138	ax (SU) (80MHz)	102/108.1 (MCS2)	1.54	11.00	-9.46
	*5570	114	ac (160MHz)	87.8/97.5 (MCS2)	-4.73	11.00	-15.73
	*5570	114	ax (SU) (160MHz)	102/108.1 (MCS2)	-6.30	11.00	-17.30

Table 7-209. Power Spectral Density Measurements Antenna WF7b (Low Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 165 of 547

V 10.5 12/15/2021

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	7.48	11.00	-3.52
	5200	40	n (20MHz)	39/43.3 (MCS4)	8.84	11.00	-2.17
	5240	48	n (20MHz)	39/43.3 (MCS4)	9.11	11.00	-1.89
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.29	11.00	-5.71
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	7.49	11.00	-3.51
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	7.91	11.00	-3.09
	5190	38	n (40MHz)	81/90 (MCS4)	2.02	11.00	-8.99
	5230	46	n (40MHz)	81/90 (MCS4)	6.05	11.00	-4.95
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.43	11.00	-11.43
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	4.93	11.00	-6.07
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-2.65	11.00	-13.65
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-4.13	11.00	-15.13
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-5.68	11.00	-16.68
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-6.85	11.00	-17.85
Band 2A	5260	52	n (20MHz)	39/43.3 (MCS4)	9.63	11.00	-1.37
	5300	60	n (20MHz)	39/43.3 (MCS4)	9.55	11.00	-1.45
	5320	64	n (20MHz)	39/43.3 (MCS4)	7.65	11.00	-3.35
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	7.72	11.00	-3.29
	5300	60	ax (SU) (20MHz)	49/51.6 (MCS4)	7.70	11.00	-3.30
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	5.94	11.00	-5.06
	5270	54	n (40MHz)	81/90 (MCS4)	6.56	11.00	-4.44
	5310	62	n (40MHz)	81/90 (MCS4)	3.10	11.00	-7.91
	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	4.93	11.00	-6.07
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	1.27	11.00	-9.73
	5290	58	ac (80MHz)	175.5/195 (MCS4)	-0.35	11.00	-11.35
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.26	11.00	-13.26
	5500	100	n (20MHz)	39/43.3 (MCS4)	8.34	11.00	-2.66
	5580	116	n (20MHz)	39/43.3 (MCS4)	9.46	11.00	-1.54
Band 2C	*5600	120	n (20MHz)	39/43.3 (MCS4)	9.43	11.00	-1.57
	5700	140	n (20MHz)	39/43.3 (MCS4)	6.59	11.00	-4.41
	5720	144	n (20MHz)	39/43.3 (MCS4)	9.08	11.00	-1.92
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	5.90	11.00	-5.10
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	8.12	11.00	-2.88
	*5600	120	ax (SU) (20MHz)	49/51.6 (MCS4)	8.08	11.00	-2.93
	5700	140	ax (SU) (20MHz)	49/51.6 (MCS4)	3.75	11.00	-7.25
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	7.50	11.00	-3.50
	5510	102	n (40MHz)	81/90 (MCS4)	2.41	11.00	-8.59
	5550	110	n (40MHz)	81/90 (MCS4)	6.83	11.00	-4.17
	*5590	118	n (40MHz)	81/90 (MCS4)	6.41	11.00	-4.59
	5670	134	n (40MHz)	81/90 (MCS4)	5.40	11.00	-5.60
	5710	142	n (40MHz)	81/90 (MCS4)	6.37	11.00	-4.63
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	1.21	11.00	-9.79
	5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	5.31	11.00	-5.69
	*5590	118	ax (SU) (40MHz)	98/103.2 (MCS4)	4.95	11.00	-6.05
	5670	134	ax (SU) (40MHz)	98/103.2 (MCS4)	3.37	11.00	-7.63
	5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	4.68	11.00	-6.32
	5530	106	ac (80MHz)	175.5/195 (MCS4)	-2.05	11.00	-13.05
	*5610	122	ac (80MHz)	175.5/195 (MCS4)	3.14	11.00	-7.86
	5690	138	ac (80MHz)	175.5/195 (MCS4)	2.94	11.00	-8.06
	5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.12	11.00	-14.12
	*5610	122	ax (SU) (80MHz)	204/216.2 (MCS4)	2.37	11.00	-8.63
	5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	1.91	11.00	-9.09
	*5570	114	ac (160MHz)	175.5/195 (MCS4)	-5.16	11.00	-16.16
	*5570	114	ax (SU) (160MHz)	204/216.2 (MCS4)	-6.35	11.00	-17.35

Table 7-210. Power Spectral Density Measurements Antenna WF2a (Mid Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 166 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	5.27	11.00	-5.73
	5200	40	n (20MHz)	65/72.2 (MCS7)	7.60	11.00	-3.40
	5240	48	n (20MHz)	65/72.2 (MCS7)	7.89	11.00	-3.11
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.08	11.00	-5.92
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	7.54	11.00	-3.46
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	7.89	11.00	-3.11
	5190	38	n (40MHz)	135/150 (MCS7)	-0.15	11.00	-11.15
	5230	46	n (40MHz)	135/150 (MCS7)	5.24	11.00	-5.76
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.85	11.00	-11.85
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	5.11	11.00	-5.89
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-4.05	11.00	-15.05
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.05	11.00	-15.05
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-6.73	11.00	-17.73
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-6.77	11.00	-17.77
Band 2A	5260	52	n (20MHz)	65/72.2 (MCS7)	8.63	11.00	-2.37
	5300	60	n (20MHz)	65/72.2 (MCS7)	8.48	11.00	-2.53
	5320	64	n (20MHz)	65/72.2 (MCS7)	5.49	11.00	-5.51
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	7.79	11.00	-3.21
	5300	60	ax (SU) (20MHz)	135/143.4 (MCS11)	7.67	11.00	-3.33
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	4.95	11.00	-6.05
	5270	54	n (40MHz)	135/150 (MCS7)	5.27	11.00	-5.73
	5310	62	n (40MHz)	135/150 (MCS7)	0.84	11.00	-10.16
	5270	54	ax (SU) (40MHz)	271/286 (MCS11)	5.27	11.00	-5.74
	5310	62	ax (SU) (40MHz)	271/286 (MCS11)	0.83	11.00	-10.17
	5290	58	ac (80MHz)	390/433.3 (MCS9)	-3.52	11.00	-14.52
	5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.37	11.00	-14.37
	5500	100	n (20MHz)	65/72.2 (MCS7)	5.37	11.00	-5.63
	5580	116	n (20MHz)	65/72.2 (MCS7)	8.18	11.00	-2.82
Band 2C	*5600	120	n (20MHz)	65/72.2 (MCS7)	8.29	11.00	-2.71
	5700	140	n (20MHz)	65/72.2 (MCS7)	3.00	11.00	-8.00
	5720	144	n (20MHz)	65/72.2 (MCS7)	7.87	11.00	-3.13
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	4.19	11.00	-6.81
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	8.11	11.00	-2.89
	*5600	120	ax (SU) (20MHz)	135/143.4 (MCS11)	7.71	11.00	-3.29
	5700	140	ax (SU) (20MHz)	135/143.4 (MCS11)	2.77	11.00	-8.23
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	7.40	11.00	-3.60
	5510	102	n (40MHz)	135/150 (MCS7)	-0.80	11.00	-11.80
	5550	110	n (40MHz)	135/150 (MCS7)	5.03	11.00	-5.97
	*5590	118	n (40MHz)	135/150 (MCS7)	5.20	11.00	-5.81
	5670	134	n (40MHz)	135/150 (MCS7)	1.65	11.00	-9.35
	5710	142	n (40MHz)	135/150 (MCS7)	4.81	11.00	-6.19
	5510	102	ax (SU) (40MHz)	271/286 (MCS11)	-0.55	11.00	-11.55
	5550	110	ax (SU) (40MHz)	271/286 (MCS11)	5.18	11.00	-5.82
	*5590	118	ax (SU) (40MHz)	271/286 (MCS11)	5.36	11.00	-5.64
	5670	134	ax (SU) (40MHz)	271/286 (MCS11)	1.35	11.00	-9.65
	5710	142	ax (SU) (40MHz)	271/286 (MCS11)	4.86	11.00	-6.14
	5530	106	ac (80MHz)	390/433.3 (MCS9)	-3.74	11.00	-14.74
	*5610	122	ac (80MHz)	390/433.3 (MCS9)	1.34	11.00	-9.66
	5690	138	ac (80MHz)	390/433.3 (MCS9)	1.78	11.00	-9.22
	5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.11	11.00	-15.11
	*5610	122	ax (SU) (80MHz)	567/600.5 (MCS11)	1.63	11.00	-9.37
	5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	2.28	11.00	-8.73
	*5570	114	ac (160MHz)	390/433.3 (MCS9)	-6.83	11.00	-17.83
	*5570	114	ax (SU) (160MHz)	567/600.5 (MCS11)	-6.77	11.00	-17.77


Table 7-211. Power Spectral Density Measurements Antenna WF2a (High Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 167 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-361. PSD Antenna WF2a (20MHz BW 802.11n – Ch. 40, MCS2)




Plot 7-364. PSD Antenna WF2a (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)




Plot 7-362. PSD Antenna WF2a (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)



Plot 7-365. PSD Antenna WF2a (80MHz BW 802.11ac – Ch. 42, MCS2)




Plot 7-363. PSD Antenna WF2a (40MHz BW 802.11n – Ch. 46, MCS2)




Plot 7-366. PSD Antenna WF2a (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 168 of 547




Plot 7-367. PSD Antenna WF2a (160MHz BW 802.11ac - Ch. 50, MCS2)




Plot 7-370. PSD Antenna WF2a (20MHz BW 802.11ax(SU) - Ch. 60, MCS2)




Plot 7-368. PSD Antenna WF2a (160MHz BW 802.11ax(SU) - Ch. 50, MCS2)



Plot 7-371. PSD Antenna WF2a (40MHz BW 802.11n - Ch. 54, MCS2)



Plot 7-369. PSD Antenna WF2a (20MHz BW 802.11n - Ch. 60, MCS2)



Plot 7-372. PSD Antenna WF2a (40MHz BW 802.11ax(SU) - Ch. 54, MCS2)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 169 of 547