





Plot 7-373. PSD Antenna WF2a (80MHz BW 802.11ac – Ch. 58, MCS2)




Plot 7-376. PSD Antenna WF2a (20MHz BW 802.11ax(SU) – Ch. 116, MCS2)




Plot 7-374. PSD Antenna WF2a (80MHz BW 802.11ax(SU) – Ch. 58, MCS2)



Plot 7-377. PSD Antenna WF2a (40MHz BW 802.11n – Ch. 110, MCS2)



Plot 7-375. PSD Antenna WF2a (20MHz BW 802.11n – Ch. 116, MCS2)



Plot 7-378. PSD Antenna WF2a (40MHz BW 802.11ax(SU) – Ch. 110, MCS2)

FCC ID: BCGA2898	 element
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	

**MEASUREMENT REPORT  
(CERTIFICATION)**



**Approved by:**  
Technical Manager

Test Dates: 11/29/2024 - 1/15/2024      EUT Type: Tablet Device

Page 170 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2898	
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	

**MEASUREMENT REPORT  
(CERTIFICATION)**

**Approved by:**  
Technical Manager


Page 171 of 547

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Plot 7-385. PSD Antenna WF2a (40MHz BW 802.11n – Ch. 46, MCS4)




Plot 7-388. PSD Antenna WF2a (80MHz BW 802.11ax(SU) – Ch. 42, MCS4)




Plot 7-386. PSD Antenna WF2a (40MHz BW 802.11ax(SU) – Ch. 46, MCS4)



Plot 7-389. PSD Antenna WF2a (160MHz BW 802.11ac – Ch. 50, MCS4)








Plot 7-387. PSD Antenna WF2a (80MHz BW 802.11ac – Ch. 42, MCS4)



Plot 7-390. PSD Antenna WF2a (160MHz BW 802.11ax(SU) – Ch. 50, MCS4)

FCC ID: BCGA2898 IC: 579C-A2898	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 172 of 547



FCC ID: BCGA2898	 <b>element</b>
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	

**MEASUREMENT REPORT  
(CERTIFICATION)**




**Approved by:**  
Technical Manager

EUT Type:  
Tablet Device




Page 173 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



FCC ID: BCGA2898 IC: 579C-A2898	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 174 of 547









FCC ID: BCGA2898	
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	

**MEASUREMENT REPORT  
(CERTIFICATION)**

**Approved by:**  
Technical Manager

EUT Type:  
Tablet Device

Page 175 of 547



FCC ID: BCGA2898	
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	

#### MEASUREMENT REPORT (CERTIFICATION)

Approved by:  
Technical Manager






Test Dates:  
11/29/2024 - 1/15/2024

EUT Type:  
Tablet Device

Page 176 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.






FCC ID: BCGA2898	
IC: 579C-A2898	
Test Report S/N:	Test Dates: 11/29/2024 - 1/15/2024
1C2311270065-11-R1.BCG	EUT Type: Tablet Device

**MEASUREMENT REPORT  
(CERTIFICATION)**
**Approved by:**  
Technical Manager

Page 177 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



FCC ID: BCGA2898	
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	

**MEASUREMENT REPORT  
(CERTIFICATION)**

**Approved by:**  
Technical Manager

Test Dates: 11/29/2024 - 1/15/2024      EUT Type: Tablet Device

Page 178 of 547

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	19.5/21.7 (MCS2)	6.33	30.0	-23.67
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	6.08	30.0	-23.92
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	5.99	30.0	-24.01
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	4.73	30.0	-25.27
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	4.68	30.0	-25.32
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	4.61	30.0	-25.39
	5755	151	n (40MHz)	40/40.5 (MCS2)	3.71	30.0	-26.29
	5795	159	n (40MHz)	40/40.5 (MCS2)	2.44	30.0	-27.56
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	1.85	30.0	-28.15
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	1.59	30.0	-28.41
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	-0.58	30.0	-30.58
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.47	30.0	-32.47

**Table 7-212. Band 3 Power Spectral Density Measurements Antenna WF2a (Low Data Rate)**

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	39/43.3 (MCS4)	6.40	30.0	-23.60
	5785	157	n (20MHz)	39/43.3 (MCS4)	5.39	30.0	-24.61
	5825	165	n (20MHz)	39/43.3 (MCS4)	6.29	30.0	-23.71
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	4.74	30.0	-25.26
	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	4.60	30.0	-25.41
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	5.05	30.0	-24.95
	5755	151	n (40MHz)	81/90 (MCS4)	3.41	30.0	-26.60
	5795	159	n (40MHz)	81/90 (MCS4)	2.99	30.0	-27.01
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	1.90	30.0	-28.10
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	1.56	30.0	-28.44
	5775	155	ac (80MHz)	175.5/195 (MCS4)	-0.54	30.0	-30.54
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.08	30.0	-33.08

**Table 7-213. Band 3 Power Spectral Density Measurements Antenna WF2a (Mid Data Rate)**




	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	65/72.2 (MCS7)	5.35	30.0	-24.65
	5785	157	n (20MHz)	65/72.2 (MCS7)	4.69	30.0	-25.31
	5825	165	n (20MHz)	65/72.2 (MCS7)	5.28	30.0	-24.72
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	4.79	30.0	-25.21
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	4.87	30.0	-25.13
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	5.26	30.0	-24.75
	5755	151	n (40MHz)	135/150 (MCS7)	2.77	30.0	-27.24
	5795	159	n (40MHz)	135/150 (MCS7)	2.22	30.0	-27.78
	5755	151	ax (SU) (40MHz)	271/286 (MCS11)	1.95	30.0	-28.05
	5795	159	ax (SU) (40MHz)	271/286 (MCS11)	1.89	30.0	-28.11
	5775	155	ac (80MHz)	390/433.3 (MCS9)	-2.47	30.0	-32.47
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.83	30.0	-32.83

**Table 7-214. Band 3 Power Spectral Density Measurements Antenna WF2a (High Data Rate)**

FCC ID: BCGA2898 IC: 579C-A2898	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device			

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2898	
IC: 579C-A2898	
Test Report S/N:	Test Dates: 11/29/2024 - 1/15/2024







**MEASUREMENT REPORT  
(CERTIFICATION)**

**Approved by:**  
Technical Manager

Page 180 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2898	
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	






**MEASUREMENT REPORT  
(CERTIFICATION)**
**Approved by:**  
Technical Manager

**EUT Type:**  
Tablet Device

Page 181 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-441. PSD Antenna WF2a (40MHz BW 802.11n – Ch. 151, MCS7)

Plot 7-444. PSD Antenna WF2a (80MHz BW 802.11ax SU – Ch. 155, MCS11)

FCC ID: BCGA2898	 element
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	

**MEASUREMENT REPORT  
(CERTIFICATION)**

**Approved by:**  
Technical Manager

Test Dates:  
11/29/2024 - 1/15/2024

EUT Type:  
Tablet Device

Page 182 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	7.22	0.00	7.22	10.0	-2.78
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	7.17	0.00	7.17	10.0	-2.84
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	7.42	0.00	7.42	10.0	-2.58
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.85	0.00	5.85	10.0	-4.15
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	5.47	0.00	5.47	10.0	-4.53
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	6.01	0.00	6.01	10.0	-3.99
	5190	38	n (40MHz)	40/40.5 (MCS2)	3.19	0.00	3.19	10.0	-6.81
	5230	46	n (40MHz)	40/40.5 (MCS2)	6.15	0.00	6.15	10.0	-3.85
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	-0.49	0.00	-0.49	10.0	-10.49
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	5.01	0.00	5.01	10.0	-4.99
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-1.93	0.00	-1.93	10.0	-11.93
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.55	0.00	-3.55	10.0	-13.55
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-5.77	1.50	-4.27	10.0	-14.27
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-6.55	1.50	-5.05	10.0	-15.05

Table 7-215. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF2a (Low Data Rate)







	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	7.43	0.00	7.43	10.0	-2.57
	5200	40	n (20MHz)	39/43.3 (MCS4)	7.07	0.00	7.07	10.0	-2.93
	5240	48	n (20MHz)	39/43.3 (MCS4)	7.69	0.00	7.69	10.0	-2.31
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.71	0.00	5.71	10.0	-4.29
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	5.60	0.00	5.60	10.0	-4.40
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	5.85	0.00	5.85	10.0	-4.15
	5190	38	n (40MHz)	81/90 (MCS4)	2.32	0.00	2.32	10.0	-7.68
	5230	46	n (40MHz)	81/90 (MCS4)	6.69	0.00	6.69	10.0	-3.31
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-0.59	0.00	-0.59	10.0	-10.59
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	5.05	0.00	5.05	10.0	-4.95
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-2.32	0.00	-2.32	10.0	-12.32
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.39	0.00	-3.39	10.0	-13.39
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-5.40	1.50	-3.90	10.0	-13.90
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-6.68	1.50	-5.18	10.0	-15.18

Table 7-216. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF2a (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	5.54	0.00	5.54	10.0	-4.47
	5200	40	n (20MHz)	65/72.2 (MCS7)	6.04	0.00	6.04	10.0	-3.96
	5240	48	n (20MHz)	65/72.2 (MCS7)	6.65	0.00	6.65	10.0	-3.35
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.29	0.00	5.29	10.0	-4.71
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	5.85	0.00	5.85	10.0	-4.15
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	6.08	0.00	6.08	10.0	-3.92
	5190	38	n (40MHz)	135/150 (MCS7)	0.09	0.00	0.09	10.0	-9.91
	5230	46	n (40MHz)	135/150 (MCS7)	5.50	0.00	5.50	10.0	-4.50
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	-0.75	0.00	-0.75	10.0	-10.75
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	5.05	0.00	5.05	10.0	-4.95
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-3.69	0.00	-3.69	10.0	-13.69
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.61	0.00	-3.61	10.0	-13.61
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-6.87	1.50	-5.37	10.0	-15.37
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-7.14	1.50	-5.64	10.0	-15.64

Table 7-217. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF2a (High Data Rate)

FCC ID: BCGA2898 IC: 579C-A2898	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-11-R1.BCG	Test Dates: 11/29/2024 - 1/15/2024	EUT Type: Tablet Device	Page 183 of 547



FCC ID: BCGA2898	
IC: 579C-A2898	
Test Report S/N: 1C2311270065-11-R1.BCG	

**MEASUREMENT REPORT  
(CERTIFICATION)**

**Approved by:**  
Technical Manager

EUT Type:  
Tablet Device

Page 184 of 547

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.