






element




Plot 7-270. PSD Antenna WF2a (20MHz BW 11ax Index 40 – RU52 – Ch.116)




Plot 7-273. PSD Antenna WF2a (40MHz BW 11ax Index 40 – RU52 – Ch.110)




Plot 7-271. PSD Antenna WF2a (20MHz BW 11ax- RU242 - Ch.116)



Plot 7-274. PSD Antenna WF2a (40MHz BW 11ax Index 44 – RU52 – Ch.110)









Plot 7-272. PSD Antenna WF2a (40MHz BW 11ax Index 37 – RU52 – Ch.110)





Plot 7-275. PSD Antenna WF2a (40MHz BW 11ax – RU484 – Ch.110)

FCC ID: BCGA2898 IC: 579C-A2898	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 147 of 447



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 148 of 447



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 149 of 447



	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.07	30.0	-24.93
				26	4	12.5/14.7 (MCS11)	4.56	30.0	-25.44
				26	8	12.5/14.7 (MCS11)	4.61	30.0	-25.40
	5785	157	ax (20MHz)	26	0	12.5/14.7 (MCS11)	4.37	30.0	-25.63
				26	4	12.5/14.7 (MCS11)	4.27	30.0	-25.73
				26	8	12.5/14.7 (MCS11)	4.27	30.0	-25.73
	5825	165	ax (20MHz)	26	0	12.5/14.7 (MCS11)	4.68	30.0	-25.32
				26	4	12.5/14.7 (MCS11)	4.28	30.0	-25.72
				26	8	12.5/14.7 (MCS11)	4.37	30.0	-25.64
	5755	151	ax (40MHz)	26	0	12.5/14.7 (MCS11)	4.52	30.0	-25.48
				26	8	12.5/14.7 (MCS11)	4.91	30.0	-25.09
				26	17	12.5/14.7 (MCS11)	4.35	30.0	-25.65
	5795	159	ax (40MHz)	26	0	12.5/14.7 (MCS11)	4.08	30.0	-25.92
				26	8	12.5/14.7 (MCS11)	4.29	30.0	-25.71
				26	17	12.5/14.7 (MCS11)	3.94	30.0	-26.07
	5775	155	ax (80MHz)	26	0	12.5/14.7 (MCS11)	4.65	30.0	-25.35
				26	18	12.5/14.7 (MCS11)	3.57	30.0	-26.43
				26	36	12.5/14.7 (MCS11)	4.90	30.0	-25.10

Table 7-177. Band 3 Power Spectral Density Measurements Antenna WF2a (RU26)




	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.74	30.0	-25.26
	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.63	30.0	-25.37
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.01	30.0	-24.99
	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	2.06	30.0	-27.94
	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.84	30.0	-28.16
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-2.98	30.0	-32.98

Table 7-178. Band 3 Power Spectral Density Measurements Antenna WF2a (Fully-loaded RU)

FCC ID: BCGA2898 IC: 579C-A2898	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 150 of 447



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 151 of 447



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 152 of 447




	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.81	0.00	6.81	10.0	-3.20
				26	4	12.5/14.7 (MCS11)	5.88	0.00	5.88	10.0	-4.12
				26	8	12.5/14.7 (MCS11)	6.99	0.00	6.99	10.0	-3.01
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.48	0.00	6.48	10.0	-3.52
				26	4	12.5/14.7 (MCS11)	5.99	0.00	5.99	10.0	-4.01
				26	8	12.5/14.7 (MCS11)	6.75	0.00	6.75	10.0	-3.25
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.94	0.00	6.94	10.0	-3.06
				26	4	12.5/14.7 (MCS11)	6.19	0.00	6.19	10.0	-3.81
				26	8	12.5/14.7 (MCS11)	6.90	0.00	6.90	10.0	-3.10
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.51	0.00	6.51	10.0	-3.49
				26	8	12.5/14.7 (MCS11)	6.64	0.00	6.64	10.0	-3.36
				26	17	12.5/14.7 (MCS11)	6.93	0.00	6.93	10.0	-3.07
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.73	0.00	6.73	10.0	-3.27
				26	8	12.5/14.7 (MCS11)	6.25	0.00	6.25	10.0	-3.75
				26	17	12.5/14.7 (MCS11)	6.79	0.00	6.79	10.0	-3.21
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.27	0.00	7.27	10.0	-2.73
				26	18	12.5/14.7 (MCS11)	5.51	0.00	5.51	10.0	-4.49
				26	36	12.5/14.7 (MCS11)	7.20	0.00	7.20	10.0	-2.80
	5250	50 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	7.15	0.00	7.15	10.0	-2.86
				52	52	25/29.4 (MCS11)	6.86	0.00	6.86	10.0	-3.14

Table 7-179. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF2a (RU26/RU52)






	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.35	0.00	5.35	10.0	-4.65
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.01	0.00	6.01	10.0	-3.99
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.47	0.00	6.47	10.0	-3.54
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.41	0.00	-0.41	10.0	-10.41
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.55	0.00	5.55	10.0	-4.46
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.23	0.00	-3.23	10.0	-13.23
	5250	50	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-6.78	0.00	-6.78	10.0	-16.78

Table 7-180. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF2a (Fully-loaded RU)




FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 153 of 447



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 154 of 447



FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 155 of 447



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 156 of 447

Antenna WF7b Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.15	11.0	-3.85
				26	4	12.5/14.7 (MCS11)	6.43	11.0	-4.57
				26	8	12.5/14.7 (MCS11)	7.60	11.0	-3.40
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.31	11.0	-3.70
				26	4	12.5/14.7 (MCS11)	6.57	11.0	-4.43
				26	8	12.5/14.7 (MCS11)	7.97	11.0	-3.03
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.66	11.0	-3.34
				26	4	12.5/14.7 (MCS11)	6.77	11.0	-4.23
				26	8	12.5/14.7 (MCS11)	7.54	11.0	-3.46
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.17	11.0	-3.83
				26	8	12.5/14.7 (MCS11)	7.72	11.0	-3.28
				26	17	12.5/14.7 (MCS11)	7.05	11.0	-3.95
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.61	11.0	-3.39
				26	8	12.5/14.7 (MCS11)	7.45	11.0	-3.55
				26	17	12.5/14.7 (MCS11)	7.22	11.0	-3.78
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.32	11.0	-3.68
				26	18	12.5/14.7 (MCS11)	6.04	11.0	-4.96
				26	36	12.5/14.7 (MCS11)	7.26	11.0	-3.75

Table 7-181. Bands 1 Power Spectral Density Measurements Antenna WF7b (RU26)

FCC ID: BCGA2898	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 157 of 447

	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1/2A	5250	50 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	6.57	11.0	-4.43
				52	52	25/29.4 (MCS11)	6.71	11.0	-4.30
		50 (U)		52	52	25/29.4 (MCS11)	6.63	11.0	-4.37
	5260	52	ax (20MHz)	52	37	25/29.4 (MCS11)	7.88	11.0	-3.12
				52	38	25/29.4 (MCS11)	8.23	11.0	-2.77
				52	40	25/29.4 (MCS11)	8.03	11.0	-2.97
	5300	60	ax (20MHz)	52	37	25/29.4 (MCS11)	7.80	11.0	-3.20
				52	38	25/29.4 (MCS11)	8.02	11.0	-2.98
				52	40	25/29.4 (MCS11)	8.00	11.0	-3.00
Band 2A	5320	64	ax (20MHz)	52	37	25/29.4 (MCS11)	7.71	11.0	-3.29
				52	38	25/29.4 (MCS11)	7.47	11.0	-3.54
				52	40	25/29.4 (MCS11)	8.02	11.0	-2.98
	5270	54	ax (40MHz)	52	37	25/29.4 (MCS11)	7.78	11.0	-3.22
				52	40	25/29.4 (MCS11)	7.91	11.0	-3.09
				52	44	25/29.4 (MCS11)	7.67	11.0	-3.33
	5310	62	ax (40MHz)	52	37	25/29.4 (MCS11)	7.71	11.0	-3.29
				52	40	25/29.4 (MCS11)	7.73	11.0	-3.27
				52	44	25/29.4 (MCS11)	7.60	11.0	-3.40
Band 2C	5290	58	ax (80MHz)	52	37	25/29.4 (MCS11)	7.37	11.0	-3.63
				52	44	25/29.4 (MCS11)	7.74	11.0	-3.26
				52	52	25/29.4 (MCS11)	7.31	11.0	-3.69
	5500	100	ax (20MHz)	52	37	25/29.4 (MCS11)	7.98	11.0	-3.02
				52	38	25/29.4 (MCS11)	7.70	11.0	-3.30
				52	40	25/29.4 (MCS11)	7.72	11.0	-3.28
	5580	116	ax (20MHz)	52	37	25/29.4 (MCS11)	7.88	11.0	-3.12
				52	38	25/29.4 (MCS11)	7.79	11.0	-3.21
				52	40	25/29.4 (MCS11)	7.58	11.0	-3.42
	5720	144	ax (20MHz)	52	37	25/29.4 (MCS11)	7.93	11.0	-3.07
				52	38	25/29.4 (MCS11)	8.04	11.0	-2.96
				52	40	25/29.4 (MCS11)	7.86	11.0	-3.14
	5510	102	ax (40MHz)	52	37	25/29.4 (MCS11)	7.83	11.0	-3.17
				52	40	25/29.4 (MCS11)	7.82	11.0	-3.18
				52	44	25/29.4 (MCS11)	7.70	11.0	-3.30
	5550	110	ax (40MHz)	52	37	25/29.4 (MCS11)	7.88	11.0	-3.12
				52	40	25/29.4 (MCS11)	7.72	11.0	-3.28
				52	44	25/29.4 (MCS11)	7.93	11.0	-3.08
	5710	142	ax (40MHz)	52	37	25/29.4 (MCS11)	7.75	11.0	-3.25
				52	40	25/29.4 (MCS11)	7.51	11.0	-3.49
				52	44	25/29.4 (MCS11)	7.63	11.0	-3.37
	5530	106	ax (80MHz)	52	37	25/29.4 (MCS11)	7.94	11.0	-3.06
				52	44	25/29.4 (MCS11)	7.66	11.0	-3.34
				52	52	25/29.4 (MCS11)	8.00	11.0	-3.00
	5610*	122	ax (80MHz)	52	37	25/29.4 (MCS11)	7.84	11.0	-3.16
				52	44	25/29.4 (MCS11)	7.60	11.0	-3.40
				52	52	25/29.4 (MCS11)	7.71	11.0	-3.29
	5690	138	ax (80MHz)	52	37	25/29.4 (MCS11)	7.54	11.0	-3.46
				52	44	25/29.4 (MCS11)	7.00	11.0	-4.00
				52	52	25/29.4 (MCS11)	7.44	11.0	-3.56
	5570*	114 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	5.80	11.0	-5.20
				52	52	25/29.4 (MCS11)	5.51	11.0	-5.50
		114 (U)		52	52	25/29.4 (MCS11)	5.61	11.0	-5.39

Table 7-182. Bands 2A, 2C Power Spectral Density Measurements Antenna WF7b (RU52)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)







FCC ID: BCGA2898 IC: 579C-A2898	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device			Page 158 of 447

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.88	11.0	-6.12
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.14	11.0	-2.86
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.17	11.0	-2.84
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.64	11.0	-11.64
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.45	11.0	-5.55
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.51	11.0	-14.51
Band 1/2A	5250	50	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-7.33	11.0	-18.33
Band 2A	5260	52	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.03	11.0	-2.97
	5300	60	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.83	11.0	-3.17
	5320	64	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.00	11.0	-6.00
	5270	54	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.07	11.0	-5.93
	5310	62	ax (40MHz)	484	65	243.8/286.8 (MCS11)	0.27	11.0	-10.73
	5290	58	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.33	11.0	-14.33
Band 2C	5500	100	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.24	11.0	-6.77
	5580	116	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.87	11.0	-3.13
	5720	144	ax (20MHz)	242	61	121.9/143.4 (MCS11)	8.07	11.0	-2.93
	5510	102	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.54	11.0	-11.54
	5550	110	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.06	11.0	-5.94
	5710	142	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.81	11.0	-6.19
	5530	106	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.97	11.0	-14.97
	5610*	122	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.34	11.0	-9.66
	5690	138	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.75	11.0	-9.25
	5570*	114	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-8.48	11.0	-19.48


Table 7-183. Bands 1, 2A, 2C Power Spectral Density Measurements Antenna WF7b (Fully-loaded RU)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA2898 IC: 579C-A2898	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 159 of 447




FCC ID: BCGA2898 IC: 579C-A2898	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 160 of 447




Plot 7-317. PSD Antenna WF7b (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-320. PSD Antenna WF7b (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-318. PSD Antenna WF7b (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-321. PSD Antenna WF7b (80MHz BW 11ax Index 36 – RU26 – Ch.42)





Plot 7-319. PSD Antenna WF7b (80MHz BW 11ax Index 0 – RU26 – Ch.42)




Plot 7-322. PSD Antenna WF7b (80MHz BW 11ax – RU996 – Ch.42)



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 161 of 447



Plot 7-323. PSD Antenna WF7b (160MHz BW 11ax Index 37 – RU52 – Ch.50 (L))






Plot 7-324. PSD Antenna WF7b (160MHz BW 11ax Index 52 – RU52 – Ch.50 (L))





Plot 7-325. PSD Antenna WF7b (160MHz BW 11ax Index 52 – RU52 – Ch.50 (U))

Plot 7-328. PSD Antenna WF7b (20MHz BW 11ax Index 38 – RU52 – Ch.60)



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 162 of 447



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 163 of 447





Plot 7-335. PSD Antenna WF7b (80MHz BW 11ax Index 37 – RU52 – Ch.58)



Plot 7-336. PSD Antenna WF7b (80MHz BW 11ax Index 44 – RU52 – Ch.58)






Plot 7-337. PSD Antenna WF7b (20MHz BW 11ax Index 37 – RU52 – Ch.116)



Plot 7-337. PSD Antenna WF7b (80MHz BW 11ax Index 52 – RU52 – Ch.58)

Plot 7-338. PSD Antenna WF7b (20MHz BW 11ax Index 38 – RU52 – Ch.116)

FCC ID: BCGA2898	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 164 of 447



FCC ID: BCGA2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 165 of 447