



A2902

Display Panel - Back and Multi-Touch Display Panel Removed



A2902

Antenna Structures - Front



COMMON
RAFTER
REFERENCE

METRIC
CONVERSIONS
1in = 25.4mm
1in = 2.54cm
1ft = 30.48cm
1mm = .039in
1cm = .393in
1mtr = 39.37in

2MM
GRADUATIONS


Antenna
WF7b

Antenna
WF7a

Antenna
WF8

A2902

Antenna Structures - Back




A2902


Speakers - Front



Top Speaker




Bottom Speaker




A2902


Speakers - Back




Top Speaker



Bottom Speaker



A2902
Battery



CONVERSIONS
METRIC
1in = 25.4mm
1in = 2.54cm
1ft = 30.48cm
1mm = .039in
1cm = .393in
1mtr = 39.37in

2MM
GRADUATIONS

Rechargeable Li-ion Battery Model A2742 3.8V 28.93Wh 7606mAh Assembled in China
Designed by Apple in California WARNING/AVERTISSEMENT: Authorized Service Provider
Only. Potential for fire or burning. Do not disassemble, puncture, crush, heat, or burn.
二次充电电池 制造商: 美国苹果公司 锂电池 充电限制电压 4.35V --- 执行标准: GB31241-2014
型号/规格/容量: A2742 标称电压和额定容量/标称电压和额定容量/容量: 3.8V --- 7606mAh
中国制造 11CP3/B4/119-2 序列: 080-333-4000 警告: 请勿拆解, 刺破, 挤压, 加热或投入火中, 严重鼓
胀或浸水后禁止使用 警告: 请勿拆解, 刺破, 挤压, 加热或投入火中 制造商: 欣旺达电子股份有限公司
制造商: 欣旺达电子股份有限公司 制造商: 欣旺达电子股份有限公司 Sunwoda Electronic Co., Ltd.



A2902


Battery Markings

Rechargeable Li-ion Battery Model A2742 3.8V 28.93Wh 7606mAh Assembled in China
Designed by Apple in California WARNING/AVERTISSEMENT: Authorized Service Provider
Only. Potential for fire or burning. Do not disassemble, puncture, crush, heat, or burn.
二次鋰電池組 제조국: 중국 美国苹果公司监制 锂电池 充电限制电压 4.35V == 执行标准: GB31241-2014
型号/型號/모델명: A2742 标称电压和额定容量/標稱電壓和額定容量/정격: 3.8V == 7606mAh
中国制造 ICP3/84/119-2 전화: 080-333-4000 警告: 请勿拆解, 刺破, 挤压, 加热或投入火中, 严重鼓
胀或浸水后禁止使用 警告: 請勿拆解, 刺破, 擠壓, 加熱或投入火中 制造商: 欣旺达电子股份有限公司
製造商: 欣旺達電子股份有限公司 제품명: 전지 제조업체: Sunwoda Electronic Co., Ltd.



A2902

Camera Modules - Front



A2902

Camera Modules - Back



Rear Camera




Front Camera


CONVERSIONS
METRIC
1in = 25.4mm
1in = 2.54cm
1ft = 30.48cm
1mm = .039in
1cm = .393in
1mtr = 39.37in

2MM
GRADUATIONS

A2902

USB-C - Front






A2902

USB-C - Back

A2902

MLB with Shield - Front




2MM
GRADUATIONS

METRIC
CONVERSIONS
1in = 25.4mm
1in = 2.54cm
1ft = 30.48cm
1mm = .039in
1cm = .393in
1mtr = 39.37in

COMMON
RAFTER
REFERENCE

A2902

MLB - Back



2MM
GRADUATIONS

METRIC
CONVERSIONS
1in = 25.4mm
1in = 2.54cm
1ft = 30.48cm
1mm = .039in
1cm = .393in
1mtr = 39.37in

COMMON
RAFTER
REFERENCE

A2902

MLB with Shield Removed - Front

WiFi/BT Radio
Module

