







Plot 7-57. 26dB BW & 99% OBW Antenna 3c (80MHz BW 802.11ac – Ch. 58, MCS9)




Plot 7-60. 26dB BW & 99% OBW Antenna 3c (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)




Plot 7-58. 26dB BW & 99% OBW Antenna 3c (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)



Plot 7-61. 26dB BW & 99% OBW Antenna 3c (40MHz BW 802.11n – Ch. 110), MCS7)



Plot 7-59. 26dB BW & 99% OBW Antenna 3c (20MHz BW 802.11n – Ch. 116, MCS7)




Plot 7-62. 26dB BW & 99% OBW Antenna 3c (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 34 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-63. 26dB BW & 99% OBW Antenna 3c (80MHz BW 802.11ac – Ch. 106, MCS9)



Plot 7-65. 26dB BW & 99% OBW Antenna 3c (160MHz BW 802.11ac – Ch. 114, MCS9)



Plot 7-64. 26dB BW & 99% OBW Antenna 3c (80MHz BW 802.11ax(SU) – Ch. 106, MCS11)



Plot 7-66. 26dB BW & 99% OBW Antenna 3c (160MHz BW 802.11ac – Ch. 114, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 35 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Antenna 3a 26dB & 99% Bandwidth Measurements

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	17.82	21.36
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	17.81	20.93
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	17.78	20.98
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	19.14	23.80
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	19.08	21.52
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	19.13	21.55
	5190	38	n (40MHz)	40/40.5 (MCS2)	36.44	41.66
	5230	46	n (40MHz)	40/40.5 (MCS2)	36.40	41.31
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	38.03	47.19
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	38.04	41.65
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	75.41	83.00
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	77.22	87.77
Band 1/2	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	154.42	164.61
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	156.56	165.38
Band 2A	5260	52	n (20MHz)	19.5/21.7 (MCS2)	17.78	21.10
	5300	60	n (20MHz)	19.5/21.7 (MCS2)	17.77	21.19
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	17.88	22.29
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	19.09	21.37
	5300	60	ax (SU) (20MHz)	24/25.8 (MCS2)	19.05	21.24
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	19.15	25.09
	5270	54	n (40MHz)	40/40.5 (MCS2)	36.39	41.30
	5310	62	n (40MHz)	40/40.5 (MCS2)	36.48	41.78
	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	38.01	41.79
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	38.06	43.77
	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	75.52	83.97
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	77.22	85.74
Band 2C	5500	100	n (20MHz)	19.5/21.7 (MCS2)	17.86	21.30
	5580	116	n (20MHz)	19.5/21.7 (MCS2)	17.74	20.92
	5720	144	n (20MHz)	19.5/21.7 (MCS2)	17.79	21.18
	5500	100	ax (SU) (20MHz)	24/25.8 (MCS2)	19.09	24.36
	5580	116	ax (SU) (20MHz)	24/25.8 (MCS2)	19.06	21.21
	5720	144	ax (SU) (20MHz)	24/25.8 (MCS2)	19.06	21.22
	5510	102	n (40MHz)	40/40.5 (MCS2)	36.43	41.82
	5550	110	n (40MHz)	40/40.5 (MCS2)	36.32	41.05
	5710	142	n (40MHz)	40/40.5 (MCS2)	36.32	40.93
	5510	102	ax (SU) (40MHz)	49/51.6 (MCS2)	38.06	47.92
	5550	110	ax (SU) (40MHz)	49/51.6 (MCS2)	37.98	41.53
	5710	142	ax (SU) (40MHz)	49/51.6 (MCS2)	37.97	41.38
	5530	106	ac (80MHz)	87.8/97.5 (MCS2)	75.66	82.21
	5690	138	ac (80MHz)	87.8/97.5 (MCS2)	75.53	81.53
	5530	106	ax (SU) (80MHz)	102/108.1 (MCS2)	77.28	83.87
	5690	138	ax (SU) (80MHz)	102/108.1 (MCS2)	77.33	82.19
	5570	114	ac (160MHz)	87.8/97.5 (MCS2)	154.22	165.11
	5570	114	ax (SU) (160MHz)	102/108.1 (MCS2)	156.31	166.14

Table 7-5. Conducted Bandwidth Measurements Antenna 3a (Low Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 36 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	17.81	20.89
	5200	40	n (20MHz)	39/43.3 (MCS4)	17.83	21.00
	5240	48	n (20MHz)	39/43.3 (MCS4)	17.84	21.22
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	19.10	21.74
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	19.11	21.45
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	19.11	23.94
	5190	38	n (40MHz)	81/90 (MCS4)	36.39	40.76
	5230	46	n (40MHz)	81/90 (MCS4)	36.58	41.02
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	38.04	47.70
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	38.18	55.53
	5210	42	ac (80MHz)	175.5/195 (MCS4)	75.47	81.11
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	77.26	82.07
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	154.56	164.70
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	156.55	165.44
Band 2A	5260	52	n (20MHz)	39/43.3 (MCS4)	17.80	21.00
	5300	60	n (20MHz)	39/43.3 (MCS4)	17.80	21.03
	5320	64	n (20MHz)	39/43.3 (MCS4)	17.78	20.97
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	19.14	21.33
	5300	60	ax (SU) (20MHz)	49/51.6 (MCS4)	19.08	21.25
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	19.09	23.82
	5270	54	n (40MHz)	81/90 (MCS4)	36.47	41.93
	5310	62	n (40MHz)	81/90 (MCS4)	36.31	41.06
	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	38.06	46.65
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	38.04	41.64
	5290	58	ac (80MHz)	175.5/195 (MCS4)	75.52	80.81
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	77.25	82.20
Band 2C	5500	100	n (20MHz)	39/43.3 (MCS4)	17.80	21.17
	5580	116	n (20MHz)	39/43.3 (MCS4)	17.76	20.75
	5720	144	n (20MHz)	39/43.3 (MCS4)	17.78	20.99
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	19.10	21.14
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	19.07	21.24
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	19.07	21.11
	5510	102	n (40MHz)	81/90 (MCS4)	36.50	41.29
	5550	110	n (40MHz)	81/90 (MCS4)	36.27	40.78
	5710	142	n (40MHz)	81/90 (MCS4)	36.38	41.33
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	38.06	47.77
	5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	38.01	41.74
	5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	37.93	41.41
	5530	106	ac (80MHz)	175.5/195 (MCS4)	75.64	81.29
	5690	138	ac (80MHz)	175.5/195 (MCS4)	75.60	81.34
	5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	77.31	82.00
	5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	77.25	82.04
	5570	114	ac (160MHz)	175.5/195 (MCS4)	154.35	165.25
	5570	114	ax (SU) (160MHz)	204/216.2 (MCS4)	156.46	166.61

Table 7-6. Conducted Bandwidth Measurements Antenna 3a (Mid Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 37 of 597

V 10.6 9/14/2023


	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	17.86	21.13
	5200	40	n (20MHz)	65/72.2 (MCS7)	17.97	24.60
	5240	48	n (20MHz)	65/72.2 (MCS7)	17.99	24.18
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	19.06	21.32
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	19.13	29.61
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	19.16	26.63
	5190	38	n (40MHz)	135/150 (MCS7)	36.62	41.21
	5230	46	n (40MHz)	135/150 (MCS7)	36.87	69.22
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	37.93	41.43
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	38.13	60.99
	5210	42	ac (80MHz)	390/433.3 (MCS9)	75.87	81.41
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	77.14	81.31
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	155.01	165.77
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	156.35	165.24
Band 2A	5260	52	n (20MHz)	65/72.2 (MCS7)	17.99	23.25
	5300	60	n (20MHz)	65/72.2 (MCS7)	17.94	21.37
	5320	64	n (20MHz)	65/72.2 (MCS7)	17.89	21.06
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	19.16	27.32
	5300	60	ax (SU) (20MHz)	135/143.4 (MCS11)	19.09	27.02
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	19.06	21.36
	5270	54	n (40MHz)	135/150 (MCS7)	36.80	68.72
	5310	62	n (40MHz)	135/150 (MCS7)	36.58	41.40
	5270	54	ax (SU) (40MHz)	271/286 (MCS11)	38.10	60.79
	5310	62	ax (SU) (40MHz)	271/286 (MCS11)	37.86	41.16
	5290	58	ac (80MHz)	390/433.3 (MCS9)	75.87	81.56
	5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	77.14	81.62
Band 2C	5500	100	n (20MHz)	65/72.2 (MCS7)	17.89	21.15
	5580	116	n (20MHz)	65/72.2 (MCS7)	17.94	21.32
	5720	144	n (20MHz)	65/72.2 (MCS7)	17.94	21.29
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	19.05	21.16
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	19.11	24.73
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	19.13	27.08
	5510	102	n (40MHz)	135/150 (MCS7)	36.51	41.31
	5550	110	n (40MHz)	135/150 (MCS7)	36.62	41.42
	5710	142	n (40MHz)	135/150 (MCS7)	36.64	41.66
	5510	102	ax (SU) (40MHz)	271/286 (MCS11)	37.93	41.40
	5550	110	ax (SU) (40MHz)	271/286 (MCS11)	38.00	44.46
	5710	142	ax (SU) (40MHz)	271/286 (MCS11)	38.02	50.05
	5530	106	ac (80MHz)	390/433.3 (MCS9)	75.96	81.43
	5690	138	ac (80MHz)	390/433.3 (MCS9)	76.10	82.33
	5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	77.16	81.67
	5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	77.30	81.96
	5570	114	ac (160MHz)	390/433.3 (MCS9)	155.00	166.02
	5570	114	ax (SU) (160MHz)	567/600.5 (MCS11)	156.32	165.96

Table 7-7. Conducted Bandwidth Measurements Antenna 3a (High Data Rate)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 38 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-67. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11n – Ch. 40, MCS2)




Plot 7-70. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)




Plot 7-68. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)



Plot 7-71. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ac – Ch. 42, MCS2)



Plot 7-69. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11n – Ch. 46, MCS2)




Plot 7-72. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 39 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-73. 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11ac - Ch. 50, MCS2)




Plot 7-76. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11ax(SU) - Ch. 60, MCS2)




Plot 7-74. 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11ac - Ch. 50, MCS2)



Plot 7-77. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11n - Ch. 54, MCS2)



Plot 7-75. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11n - Ch. 60, MCS2)




Plot 7-78. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11ax(SU) - Ch. 54, MCS2)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 40 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-79. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ac – Ch. 58, MCS2)



Plot 7-82. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11ax(SU) – Ch. 116, MCS2)




Plot 7-80. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ax(SU) – Ch. 58, MCS2)



Plot 7-83. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11n – Ch. 110, MCS2)



Plot 7-81. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11n – Ch. 116, MCS2)







Plot 7-84. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11ax(SU) – Ch. 110, MCS2)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 41 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG		Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 42 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-91. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11n – Ch. 46, MCS4)




Plot 7-92. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11ax(SU) – Ch. 46, MCS4)




Plot 7-93. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ac – Ch. 42, MCS4)



Plot 7-94. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ax(SU) – Ch. 42, MCS4)



Plot 7-95. 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11ac – Ch. 50, MCS4)




Plot 7-96. 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11ac – Ch. 50, MCS4)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 43 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-97. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11n – Ch. 60, MCS4)




Plot 7-100. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11ax(SU) – Ch. 54, MCS4)




Plot 7-98. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11ax(SU) – Ch. 60, MCS4)



Plot 7-101. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ac – Ch. 58, MCS4)



Plot 7-99. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11n – Ch. 54, MCS4)




Plot 7-102. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ax(SU) – Ch. 58, MCS4)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 44 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-103. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11n – Ch. 116, MCS4)




Plot 7-106. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11ax(SU) – Ch. 110, MCS4)




Plot 7-104. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11ax(SU) – Ch. 116, MCS4)



Plot 7-107. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ac – Ch. 106, MCS4)



Plot 7-105. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11n – Ch. 110, MCS4)




Plot 7-108. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ax(SU) – Ch. 106, MCS4)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 45 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-109. 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11ac - Ch. 114, MCS4)




Plot 7-112. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11ax(SU) - Ch. 40, MCS11)




Plot 7-110. 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11ac - Ch. 114, MCS4)



Plot 7-113. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11n - Ch. 46, MCS7)



Plot 7-111. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11n - Ch. 40, MCS7)




Plot 7-114. 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11ax(SU) - Ch. 46, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 46 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-115. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ac – Ch. 42, MCS9)




Plot 7-118. 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11ac – Ch. 50, MCS11)




Plot 7-116. 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)



Plot 7-119. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11n – Ch. 60, MCS7)



Plot 7-117. 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11ac – Ch. 50, MCS9)



Plot 7-120. 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11ax(SU) – Ch. 60, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 47 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.