





FCC ID: BCGA2903	IC: 579C-A2903
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024


**MEASUREMENT REPORT
(CERTIFICATION)**
Approved by:
Technical Manager

EUT Type:
Tablet Device

Page 223 of 597



FCC ID: BCGA2903	IC: 579C-A2903
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024


**MEASUREMENT REPORT
(CERTIFICATION)**
Approved by:
Technical Manager

Page 224 of 597

	Frequency [MHz]	Channel	802.11 MODE	Mode	Data Rate [Mbps]	Antenna 3c Power Density [dBm/500kHz]	Antenna 3a Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	CDD	39/43.3 (MCS10)	6.93	6.78	9.87	30.0	-20.13
	5785	157	n (20MHz)	CDD	39/43.3 (MCS10)	6.56	6.72	9.65	30.0	-20.35
	5825	165	n (20MHz)	CDD	39/43.3 (MCS10)	7.07	6.75	9.92	30.0	-20.08
	5745	149	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.21	5.51	8.38	30.0	-21.62
	5785	157	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.30	4.84	8.09	30.0	-21.91
	5825	165	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.38	5.23	8.32	30.0	-21.68
	5755	151	n (40MHz)	CDD	81/60 (MCS10)	3.71	3.61	6.67	30.0	-23.33
	5795	159	n (40MHz)	CDD	81/60 (MCS10)	3.72	3.28	6.52	30.0	-23.48
	5755	151	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	2.09	1.94	5.02	30.0	-24.98
	5795	159	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	2.27	1.87	5.09	30.0	-24.91
	5775	155	ac (80MHz)	CDD	175.5/195 (MCS2)	-0.20	-0.09	2.86	30.0	-27.14
	5775	155	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-2.72	-2.95	0.18	30.0	-29.82

Table 7-230. Band 3 Power Spectral Density Measurements CDD PRIMARY (Low Data Rate)


	Frequency [MHz]	Channel	802.11 MODE	Mode	Data Rate [Mbps]	Antenna 3c Power Density [dBm/500kHz]	Antenna 3a Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	CDD	78/86.7 (MCS12)	6.87	6.72	9.81	30.0	-20.19
	5785	157	n (20MHz)	CDD	78/86.7 (MCS12)	7.26	6.68	9.99	30.0	-20.01
	5825	165	n (20MHz)	CDD	78/86.7 (MCS12)	6.82	6.98	9.91	30.0	-20.09
	5745	149	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.71	5.03	8.39	30.0	-21.61
	5785	157	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.45	4.81	8.15	30.0	-21.85
	5825	165	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	5.62	5.14	8.39	30.0	-21.61
	5755	151	n (40MHz)	CDD	162/180 (MCS12)	3.66	3.71	6.69	30.0	-23.31
	5795	159	n (40MHz)	CDD	162/180 (MCS12)	3.85	3.63	6.75	30.0	-23.25
	5755	151	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	2.53	2.33	5.44	30.0	-24.56
	5795	159	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	2.39	2.24	5.33	30.0	-24.67
	5775	155	ac (80MHz)	CDD	351/390 (MCS4)	-0.45	-0.33	2.62	30.0	-27.38
	5775	155	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-3.38	-3.31	-0.33	30.0	-30.33

Table 7-231. Band 3 Power Spectral Density Measurements CDD PRIMARY (Mid Data Rate)


	Frequency [MHz]	Channel	802.11 MODE	Mode	Data Rate [Mbps]	Antenna 3c Power Density [dBm/500kHz]	Antenna 3a Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	CDD	130/144.4 (MCS15)	6.21	6.20	9.22	30.0	-20.78
	5785	157	n (20MHz)	CDD	130/144.4 (MCS15)	5.80	5.71	8.76	30.0	-21.24
	5825	165	n (20MHz)	CDD	130/144.4 (MCS15)	6.63	5.67	9.19	30.0	-20.81
	5745	149	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.69	4.66	8.22	30.0	-21.78
	5785	157	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.85	4.27	8.14	30.0	-21.86
	5825	165	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	5.90	4.17	8.13	30.0	-21.87
	5755	151	n (40MHz)	CDD	270/300 (MCS15)	2.86	2.90	5.89	30.0	-24.11
	5795	159	n (40MHz)	CDD	270/300 (MCS15)	3.40	2.74	6.09	30.0	-23.91
	5755	151	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	2.90	1.35	5.20	30.0	-24.80
	5795	159	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	2.67	1.25	5.03	30.0	-24.97
	5775	155	ac (80MHz)	CDD	780/866.7 (MCS9)	-2.76	-3.87	-0.27	30.0	-30.27
	5775	155	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-2.86	-4.58	-0.62	30.0	-30.62

Table 7-232. Band 3 Power Spectral Density Measurements CDD PRIMARY (High Data Rate)


FCC ID: BCGA2903 IC: 579C-A2903	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 225 of 597




Plot 7-709. PSD CDD PRIMARY Antenna 3c (20MHz BW 802.11n – Ch. 157, MCS10)




Plot 7-712. PSD CDD PRIMARY Antenna 3a (20MHz BW 802.11ax(SU) – Ch. 157, MCS2)




Plot 7-710. PSD CDD PRIMARY Antenna 3a (20MHz BW 802.11n – Ch. 157, MCS10)



Plot 7-713. PSD CDD PRIMARY Antenna 3c (40MHz BW 802.11n – Ch. 151, MCS10)



Plot 7-711. PSD CDD PRIMARY Antenna 3c (20MHz BW 802.11ax(SU) – Ch. 157, MCS2)



Plot 7-714. PSD CDD PRIMARY Antenna 3a (40MHz BW 802.11n – Ch. 151, MCS10)

FCC ID: BCGA2903	
IC: 579C-A2903	
Test Report S/N: 1C2311270064-24.BCG	

**MEASUREMENT REPORT
(CERTIFICATION)**


Approved by:
Technical Manager

Test Dates: 11/28/2023 - 01/15/2024 EUT Type: Tablet Device


Page 226 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-715. PSD CDD PRIMARY Antenna 3c (40MHz BW 802.11ax(SU) – Ch. 151, MCS2)




Plot 7-718. PSD CDD PRIMARY Antenna 3a (80MHz BW 802.11ac – Ch. 155, MCS2)




Plot 7-716. PSD CDD PRIMARY Antenna 3a (40MHz BW 802.11ax(SU) – Ch. 151, MCS2)



Plot 7-719. PSD CDD PRIMARY Antenna 3c (80MHz BW 802.11ax(SU) – Ch. 155, MCS2)



Plot 7-717. PSD CDD PRIMARY Antenna 3c (80MHz BW 802.11ac – Ch. 155, MCS2)



Plot 7-720. PSD CDD PRIMARY Antenna 3a (80MHz BW 802.11ax(SU) – Ch. 155, MCS2)

FCC ID: BCGA2903	
IC: 579C-A2903	
Test Report S/N: 1C2311270064-24.BCG	

**MEASUREMENT REPORT
(CERTIFICATION)**

Approved by:
Technical Manager






Test Dates:
11/28/2023 - 01/15/2024

EUT Type:
Tablet Device

Page 227 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2903	
IC: 579C-A2903	
Test Report S/N: 1C2311270064-24.BCG	

**MEASUREMENT REPORT
(CERTIFICATION)**
Approved by:
Technical Manager


Test Dates:
11/28/2023 - 01/15/2024

EUT Type:
Tablet Device


Page 228 of 597




Plot 7-727. PSD CDD PRIMARY Antenna 3c (40MHz BW 802.11ax(SU) – Ch. 151, MCS4)




Plot 7-728. PSD CDD PRIMARY Antenna 3a (40MHz BW 802.11ax(SU) – Ch. 151, MCS4)




Plot 7-729. PSD CDD PRIMARY Antenna 3c (80MHz BW 802.11ac – Ch. 155, MCS4)



Plot 7-730. PSD CDD PRIMARY Antenna 3a (80MHz BW 802.11ac – Ch. 155, MCS4)









Plot 7-731. PSD CDD PRIMARY Antenna 3c (80MHz BW 802.11ax(SU) – Ch. 155, MCS4)



Plot 7-732. PSD CDD PRIMARY Antenna 3a (80MHz BW 802.11ax(SU) – Ch. 155, MCS4)

FCC ID: BCGA2903 IC: 579C-A2903	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 229 of 597



FCC ID: BCGA2903
IC: 579C-A2903



MEASUREMENT REPORT
(CERTIFICATION)

Approved by:
Technical Manager

Test Report S/N:
1C2311270064-24.BCG







Test Dates:
11/28/2023 - 01/15/2024

EUT Type:
Tablet Device

Page 230 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2903	
IC: 579C-A2903	
Test Report S/N: 1C2311270064-24.BCG	

**MEASUREMENT REPORT
(CERTIFICATION)**
Approved by:
Technical Manager

Test Dates:
11/28/2023 - 01/15/2024

EUT Type:
Tablet Device

Page 231 of 597

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Antenna 3c Power Density [dBm/MHz]	Antenna 3a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	SDM	39/43.3 (MCS10)	4.06	4.19	7.14	0.14	4.33	10.0	-5.67
	5200	40	n (20MHz)	SDM	39/43.3 (MCS10)	4.13	3.92	7.04	0.14	4.05	10.0	-5.95
	5240	48	n (20MHz)	SDM	39/43.3 (MCS10)	3.79	3.99	6.90	0.14	4.13	10.0	-5.87
	5180	36	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	2.91	2.58	5.76	0.14	2.72	10.0	-7.28
	5200	40	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	2.63	2.55	5.60	0.14	2.69	10.0	-7.31
	5240	48	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	2.38	2.67	5.54	0.14	2.81	10.0	-7.19
	5190	38	n (40MHz)	SDM	81/60 (MCS10)	1.96	2.28	5.13	0.14	2.41	10.0	-7.59
	5230	46	n (40MHz)	SDM	81/60 (MCS10)	4.50	4.17	7.35	0.14	4.31	10.0	-5.69
	5190	38	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	-0.25	-0.17	2.80	0.14	-0.03	10.0	-10.03
	5230	46	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	3.19	3.07	6.14	0.14	3.20	10.0	-6.80
Band 1/2	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-1.50	-1.41	1.56	3.08	1.67	10.0	-8.33
	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.30	-2.92	-0.10	3.08	0.16	10.0	-9.84
Band 1/2	5250	50	ac (160MHz)	CDD	175.5/195 (MCS2)	-7.30	-6.63	-3.94	3.08	-3.55	10.0	-13.55
	5250	50	ax (SU) (160MHz)	CDD	204/216.2 (MCS2)	-6.82	-8.27	-4.47	3.08	-5.19	10.0	-15.19

Table 7-233. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM (Low Data Rate)





	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Antenna 3c Power Density [dBm/MHz]	Antenna 3a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	SDM	78/86.7 (MCS12)	4.34	4.57	7.47	0.14	4.71	10.0	-5.29
	5200	40	n (20MHz)	SDM	78/86.7 (MCS12)	4.44	4.30	7.38	0.14	4.44	10.0	-5.56
	5240	48	n (20MHz)	SDM	78/86.7 (MCS12)	3.80	4.28	7.06	0.14	4.41	10.0	-5.59
	5180	36	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	3.10	2.70	5.91	0.14	2.83	10.0	-7.17
	5200	40	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	2.81	2.78	5.80	0.14	2.92	10.0	-7.08
	5240	48	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	2.46	2.86	5.68	0.14	3.00	10.0	-7.00
	5190	38	n (40MHz)	SDM	162/180 (MCS12)	1.59	1.71	4.66	0.14	1.85	10.0	-8.15
	5230	46	n (40MHz)	SDM	162/180 (MCS12)	4.83	4.25	7.56	0.14	4.38	10.0	-5.62
	5190	38	ax (SU) (40MHz)	SDM	196/206.5 (MCS4)	-0.49	-0.21	2.66	0.14	-0.07	10.0	-10.07
	5230	46	ax (SU) (40MHz)	SDM	196/206.5 (MCS4)	3.61	3.03	6.34	0.14	3.17	10.0	-6.83
Band 1/2	5210	42	ac (80MHz)	CDD	351/390 (MCS4)	-1.92	-2.28	0.91	3.08	0.80	10.0	-9.20
	5210	42	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-3.48	-3.55	-0.50	3.08	-0.47	10.0	-10.47
Band 1/2	5250	50	ac (160MHz)	CDD	351/390 (MCS4)	-7.53	-7.40	-4.46	3.08	-4.32	10.0	-14.32
	5250	50	ax (SU) (160MHz)	CDD	408/432.4 (MCS4)	-7.12	-9.14	-5.00	3.08	-6.06	10.0	-16.06

Table 7-234. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM (Mid Data Rate)





	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Antenna 3c Power Density [dBm/MHz]	Antenna 3a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	SDM	130/144.4 (MCS15)	3.19	3.05	6.13	0.14	3.19	10.0	-6.81
	5200	40	n (20MHz)	SDM	130/144.4 (MCS15)	2.77	2.98	5.89	0.14	3.12	10.0	-6.88
	5240	48	n (20MHz)	SDM	130/144.4 (MCS15)	2.86	2.91	5.90	0.14	3.05	10.0	-6.95
	5180	36	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	3.24	2.83	6.05	0.14	2.97	10.0	-7.03
	5200	40	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	2.66	2.71	5.69	0.14	2.85	10.0	-7.15
	5240	48	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	2.73	2.70	5.72	0.14	2.84	10.0	-7.16
	5190	38	n (40MHz)	SDM	270/300 (MCS15)	-0.31	-0.08	2.82	0.14	0.06	10.0	-9.94
	5230	46	n (40MHz)	SDM	270/300 (MCS15)	3.47	3.59	6.54	0.14	3.72	10.0	-6.28
	5190	38	ax (SU) (40MHz)	SDM	271/286.8 (MCS11)	-0.36	-0.13	2.77	0.14	0.01	10.0	-9.99
	5230	46	ax (SU) (40MHz)	SDM	271/286.8 (MCS11)	3.71	3.31	6.53	0.14	3.45	10.0	-6.55
Band 1/2	5210	42	ac (80MHz)	CDD	780/866.7 (MCS9)	-3.15	-3.09	-0.11	3.08	-0.01	10.0	-10.01
	5210	42	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-3.91	-3.73	-0.81	3.08	-0.65	10.0	-10.65
Band 1/2	5250	50	ac (160MHz)	CDD	780/866.7 (MCS9)	-8.05	-9.03	-5.50	3.08	-5.95	10.0	-15.95
	5250	50	ax (SU) (160MHz)	CDD	1134/1201 (MCS11)	-8.08	-9.77	-5.83	3.08	-6.69	10.0	-16.69

Table 7-235. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM (High Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 232 of 597



FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 233 of 597



FCC ID: BCGA2903
IC: 579C-A2903



MEASUREMENT REPORT
(CERTIFICATION)

Approved by:
Technical Manager

Test Report S/N:
1C2311270064-24.BCG







Test Dates:
11/28/2023 - 01/15/2024

EUT Type:
Tablet Device

Page 234 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2903
IC: 579C-A2903



MEASUREMENT REPORT
(CERTIFICATION)

Approved by:
Technical Manager

Test Report S/N:
1C2311270064-24.BCG






Test Dates:
11/28/2023 - 01/15/2024

EUT Type:
Tablet Device

Page 235 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2903
IC: 579C-A2903



MEASUREMENT REPORT
(CERTIFICATION)

Approved by:
Technical Manager

Test Report S/N:
1C2311270064-24.BCG


Test Dates:
11/28/2023 - 01/15/2024

EUT Type:
Tablet Device


Page 236 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-769. ISED PSD SDM Primary Antenna 3c (20MHz BW 11n – Ch.40, MCS15)



Plot 7-772. ISED PSD SDM Primary Antenna 3a (20MHz BW 11ax(SU) – Ch.40, MCS11)




Plot 7-770. ISED PSD SDM Primary Antenna 3a (20MHz BW 11n – Ch.40, MCS15)



Plot 7-773. ISED PSD SDM Primary Antenna 3c (40MHz BW 11n – Ch.46, MCS15)



Plot 7-771. ISED PSD SDM Primary Antenna 3c (20MHz BW 11ax(SU) – Ch.40, MCS11)



Plot 7-774. ISED PSD SDM Primary Antenna 3a (40MHz BW 11n – Ch.46, MCS15)

FCC ID: BCGA2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
IC: 579C-A2903	Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device