








RU484




FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-952. (FCC ONLY) ANTENNA 1B (PK & AVG, RU484, INDEX 65, CH.118, MCS11)




Plot 7-955. ANTENNA 1B (PK, RU484, INDEX 65, CH.151, MCS11)



Plot 7-953. ANTENNA 1B (PK, RU484, INDEX 65, CH.126, MCS11)



Plot 7-956. ANTENNA 1B (PK, RU484, INDEX 65, CH.159, MCS11)



Plot 7-954. ANTENNA 1B (PK, RU484, INDEX 65, CH.134, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 402 of 448


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.16 Antenna 1b Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-957. ANTENNA 1B (PK & AVG, RU26, INDEX 0, CH.42, MCS11)




Plot 7-960. ANTENNA 1B (PK & AVG, RU52, INDEX 37, CH.122, MCS11)




Plot 7-958. ANTENNA 1B (PK & AVG, RU52, INDEX 52, CH.58, MCS11)



Plot 7-961. ANTENNA 1B (PK, RU52, INDEX 52, CH.122, MCS11)



Plot 7-959. ANTENNA 1B (PK & AVG, RU52, INDEX 37, CH.106, MCS11)




Plot 7-962. ANTENNA 1B (PK, RU26, INDEX 0, CH.155, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 403 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-963. ANTENNA 1B (PK, RU26, INDEX 36, CH.155, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 404 of 448

V 10.6 9/14/2023


RU996




Plot 7-964. ANTENNA 1B (PK & AVG, RU996, INDEX 67, CH.42, MCS11)




Plot 7-967. ANTENNA 1B (PK & AVG, RU996, INDEX 67, CH.122, MCS11)




Plot 7-965. ANTENNA 1B (PK & AVG, RU996, INDEX 67, CH.58, MCS11)



Plot 7-968. ANTENNA 1B (PK, RU996, INDEX 67, CH.122, MCS11)



Plot 7-966. ANTENNA 1B (PK & AVG, RU996, INDEX 67, CH.106, MCS11)




Plot 7-969. ANTENNA 1B (PK, RU996, INDEX 67, CH.155, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 405 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-970. ANTENNA 1B (PK, RU996, INDEX 67, CH.155, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 406 of 448

V 10.6 9/14/2023


7.6.17 Antenna 1b Radiated Band Edge Measurements (160MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU52




Plot 7-971. ANTENNA 1B (PK & AVG, RU52, INDEX 37, CH.50, MCS11)



Plot 7-974. ANTENNA 1B (PK, RU52, INDEX 52, CH.114, MCS11)



Plot 7-972. ANTENNA 1B (PK & AVG, RU52, INDEX 52, CH.50, MCS11)




Plot 7-973. ANTENNA 1B (PK & AVG, RU52, INDEX 37, CH.114, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 407 of 448
Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		

V 10.6 9/14/2023


RU996X2




Plot 7-975. ANTENNA 1B (PK & AVG, RU996X2, INDEX 68, CH.50, MCS11)



Plot 7-978. ANTENNA 1B (PK, RU996X2, INDEX 68, CH.114, MCS11)



Plot 7-976. ANTENNA 1B (PK & AVG, RU996X2, INDEX 68, CH.50, MCS11)



Plot 7-977. ANTENNA 1B (PK & AVG, RU996X2, INDEX 68, CH.114, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 408 of 448

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.6.18 CDD Primary Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-979. CDD PRIMARY (PK & AVG, RU26, INDEX 0, CH.36, MCS11)




Plot 7-982. CDD PRIMARY (PK, RU52, INDEX 40, CH.140, MCS11)




Plot 7-980. CDD PRIMARY (PK & AVG, RU52, INDEX 40, CH.64, MCS11)



Plot 7-983. CDD PRIMARY (PK, RU26, INDEX 0, CH.149, MCS11)



Plot 7-981. CDD PRIMARY (PK & AVG, RU52, INDEX 37, CH.100, MCS11)




Plot 7-984. CDD PRIMARY (PK, RU26, INDEX 8, CH.165, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 409 of 448
Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242




Plot 7-985. CDD PRIMARY (PK & AVG, RU242, INDEX 61, CH.36, MCS11)




Plot 7-988. CDD PRIMARY (PK & AVG, RU242, INDEX 61, CH.64, MCS11)




Plot 7-986. CDD PRIMARY (PK & AVG, RU242, INDEX 61, CH.40, MCS11)



Plot 7-989. CDD PRIMARY (PK & AVG, RU242, INDEX 61, CH.100, MCS11)



Plot 7-987. CDD PRIMARY (PK & AVG, RU242, INDEX 61, CH.60, MCS11)




Plot 7-990. CDD PRIMARY (PK & AVG, RU242, INDEX 61, CH.104, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 410 of 448
	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-991. CDD PRIMARY (PK, RU242, INDEX 61, CH.136, MCS11)



Plot 7-994. CDD PRIMARY (PK, RU242, INDEX 61, CH.165, MCS11)



Plot 7-992. CDD PRIMARY (PK, RU242, INDEX 61, CH.140, MCS11)



Plot 7-993. CDD PRIMARY (PK, RU242, INDEX 61, CH.149, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024		Page 411 of 448
	EUT Type: Tablet Device		

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.6.19 CDD Primary Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-995. CDD PRIMARY (PK & AVG, RU26, INDEX 0, CH.38, MCS11)




Plot 7-998. CDD PRIMARY (PK, RU52, INDEX 37, CH.134, MCS11)




Plot 7-996. CDD PRIMARY (PK & AVG, RU52, INDEX 44, CH.62, MCS11)



Plot 7-999. CDD PRIMARY (PK, RU26, INDEX 0, CH.151, MCS11)



Plot 7-997. CDD PRIMARY (PK & AVG, RU52, INDEX 37, CH.102, MCS11)




Plot 7-1000. CDD PRIMARY (PK, RU26, INDEX 17, CH.159, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 412 of 448


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU484




Plot 7-1001. CDD PRIMARY (PK & AVG, RU484, INDEX 65, CH.38, MCS11)




Plot 7-1004. CDD PRIMARY (PK & AVG, RU484, INDEX 65, CH.62, MCS11)




Plot 7-1002. CDD PRIMARY (PK & AVG, RU484, INDEX 65, CH.46, MCS11)



Plot 7-1005. CDD PRIMARY (PK & AVG, RU484, INDEX 65, CH.102, MCS11)




Plot 7-1003. CDD PRIMARY (PK & AVG, RU484, INDEX 65, CH.54, MCS11)




Plot 7-1006. CDD PRIMARY (PK & AVG, RU484, INDEX 65, CH.110, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 413 of 448




Plot 7-1007. (FCC ONLY) CDD PRIMARY (PK & AVG, RU484, INDEX 65, CH.118, MCS11)




Plot 7-1010. CDD PRIMARY (PK, RU484, INDEX 65, CH.151, MCS11)



Plot 7-1008. CDD PRIMARY (PK, RU484, INDEX 65, CH.126, MCS11)



Plot 7-1011. CDD PRIMARY (PK, RU484, INDEX 65, CH.159, MCS11)



Plot 7-1009. CDD PRIMARY (PK, RU484, INDEX 65, CH.134, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 414 of 448
Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.20 CDD Primary Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-1012. CDD PRIMARY (PK & AVG, RU26, INDEX 0, CH.42, MCS11)




Plot 7-1015. CDD PRIMARY (PK & AVG, RU52, INDEX 37, CH.106, MCS11)




Plot 7-1013. CDD PRIMARY (PK & AVG, RU26, INDEX 36, CH.42, MCS11)



Plot 7-1016. CDD PRIMARY (PK, RU26, INDEX 0, CH.155, MCS11)



Plot 7-1014. CDD PRIMARY (PK & AVG, RU52, INDEX 52, CH.58, MCS11)




Plot 7-1017. CDD PRIMARY (PK, RU26, INDEX 36, CH.155, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 415 of 448
Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996




Plot 7-1018. CDD PRIMARY (PK & AVG, RU996, INDEX 67, CH.42, MCS11)




Plot 7-1021. CDD PRIMARY (PK & AVG, RU996, INDEX 67, CH.122, MCS11)




Plot 7-1019. CDD PRIMARY (PK & AVG, RU996, INDEX 67, CH.58, MCS11)



Plot 7-1022. CDD PRIMARY (PK, RU996, INDEX 67, CH.122, MCS11)



Plot 7-1020. CDD PRIMARY (PK & AVG, RU996, INDEX 67, CH.106, MCS11)




Plot 7-1023. CDD PRIMARY (PK, RU996, INDEX 67, CH.155, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 416 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1024. CDD PRIMARY (PK, RU996, INDEX 67, CH.155, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 417 of 448

V 10.6 9/14/2023


7.6.21 CDD Primary Radiated Band Edge Measurements (160MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU52




Plot 7-1025. CDD PRIMARY (PK & AVG, RU52, INDEX 37, CH.50, MCS11)



Plot 7-1028. CDD PRIMARY (PK, RU52, INDEX 52, CH.114, MCS11)



Plot 7-1026. CDD PRIMARY (PK & AVG, RU52, INDEX 52, CH.50, MCS11)




Plot 7-1027. CDD PRIMARY (PK & AVG, RU52, INDEX 37, CH.114, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 418 of 448
Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		

V 10.6 9/14/2023


RU996X2




Plot 7-1029. CDD PRIMARY (PK & AVG, RU996X2, INDEX 68, CH.50, MCS11)



Plot 7-1032. CDD PRIMARY (PK, RU996X2, INDEX 68, CH.114, MCS11)



Plot 7-1030. CDD PRIMARY (PK & AVG, RU996X2, INDEX 68, CH.50, MCS11)



Plot 7-1031. CDD PRIMARY (PK & AVG, RU996X2, INDEX 68, CH.114, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 419 of 448
Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.22 CDD Diversity Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-1033. CDC DIVERSITY (PK & AVG, RU26, INDEX 0, CH.36, MCS11)




Plot 7-1036. CDC DIVERSITY (PK, RU52, INDEX 37, CH.140, MCS11)




Plot 7-1034. CDC DIVERSITY (PK & AVG, RU52, INDEX 37, CH.64, MCS11)



Plot 7-1037. CDC DIVERSITY (PK, RU26, INDEX 0, CH.149, MCS11)



Plot 7-1035. CDC DIVERSITY (PK & AVG, RU52, INDEX 37, CH.100, MCS11)




Plot 7-1038. CDC DIVERSITY (PK, RU26, INDEX 8, CH.165, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242




Plot 7-1039. CDC DIVERSITY (PK & AVG, RU242, INDEX 61, CH.36, MCS11)




Plot 7-1042. CDC DIVERSITY (PK & AVG, RU242, INDEX 61, CH.64, MCS11)




Plot 7-1040. CDC DIVERSITY (PK & AVG, RU242, INDEX 61, CH.40, MCS11)



Plot 7-1043. CDC DIVERSITY (PK & AVG, RU242, INDEX 61, CH.100, MCS11)




Plot 7-1041. CDC DIVERSITY (PK & AVG, RU242, INDEX 61, CH.60, MCS11)




Plot 7-1044. CDC DIVERSITY (PK & AVG, RU242, INDEX 61, CH.104, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 421 of 448




Plot 7-1045. CDC DIVERSITY (PK, RU242, INDEX 61, CH.136, MCS11)



Plot 7-1048. CDC DIVERSITY (PK, RU242, INDEX 61, CH.165, MCS11)



Plot 7-1046. CDC DIVERSITY (PK, RU242, INDEX 61, CH.140, MCS11)



Plot 7-1047. CDC DIVERSITY (PK, RU242, INDEX 61, CH.149, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024		Page 422 of 448


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.23 CDD Diversity Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-1049. CDC DIVERSITY (PK & AVG, RU26, INDEX 0, CH.38, MCS11)




Plot 7-1052. CDC DIVERSITY (PK, RU52, INDEX 37, CH.134, MCS11)




Plot 7-1050. CDC DIVERSITY (PK & AVG, RU52, INDEX 44, CH.62, MCS11)



Plot 7-1053. CDC DIVERSITY (PK, RU26, INDEX 0, CH.151, MCS11)



Plot 7-1051. CDC DIVERSITY (PK & AVG, RU52, INDEX 37, CH.102, MCS11)




Plot 7-1054. CDC DIVERSITY (PK, RU26, INDEX 17, CH.159, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 423 of 448
Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		

V 10.6 9/14/2023


RU484




Plot 7-1055. CDC DIVERSITY (PK & AVG, RU484, INDEX 65, CH.38, MCS11)




Plot 7-1058. CDC DIVERSITY (PK & AVG, RU484, INDEX 65, CH.62, MCS11)




Plot 7-1056. CDC DIVERSITY (PK & AVG, RU484, INDEX 65, CH.46, MCS11)



Plot 7-1059. CDC DIVERSITY (PK & AVG, RU484, INDEX 65, CH.102, MCS11)



Plot 7-1057. CDC DIVERSITY (PK & AVG, RU484, INDEX 65, CH.54, MCS11)




Plot 7-1060. CDC DIVERSITY (PK & AVG, RU484, INDEX 65, CH.110, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 424 of 448

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1061. (FCC ONLY) CDC DIVERSITY (PK & AVG, RU484, INDEX 65, CH.118, MCS11)




Plot 7-1064. CDC DIVERSITY (PK, RU484, INDEX 65, CH.134, MCS11)




Plot 7-1062. (FCC ONLY) CDC DIVERSITY (PK & AVG, RU484, INDEX 65, CH.118, MCS11)



Plot 7-1065. CDC DIVERSITY (PK, RU484, INDEX 65, CH.151, MCS11)



Plot 7-1063. (FCC ONLY) CDC DIVERSITY (PK, RU484, INDEX 65, CH.126, MCS11)




Plot 7-1066. CDC DIVERSITY (PK, RU484, INDEX 65, CH.159, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 425 of 448


7.6.24 CDD Diversity Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-1067. CDC DIVERSITY (PK & AVG, RU26, INDEX 0, CH.42, MCS11)




Plot 7-1070. CDC DIVERSITY (PK, RU26, INDEX 36, CH.155, MCS11)




Plot 7-1068. CDC DIVERSITY (PK & AVG, RU52, INDEX 52, CH.58, MCS11)



Plot 7-1071. CDC DIVERSITY (PK, RU26, INDEX 36, CH.155, MCS11)



Plot 7-1069. CDC DIVERSITY (PK & AVG, RU52, INDEX 37, CH.106, MCS11)




Plot 7-1072. CDC DIVERSITY (PK, RU26, INDEX 36, CH.155, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG			Page 426 of 448
Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996




Plot 7-1073. CDC DIVERSITY (PK & AVG, RU996, INDEX 67, CH.42, MCS11)




Plot 7-1076. CDC DIVERSITY (PK & AVG, RU996, INDEX 67, CH.122, MCS11)




Plot 7-1074. CDC DIVERSITY (PK & AVG, RU996, INDEX 67, CH.58, MCS11)



Plot 7-1077. CDC DIVERSITY (PK, RU996, INDEX 67, CH.122, MCS11)



Plot 7-1075. CDC DIVERSITY (PK & AVG, RU996, INDEX 67, CH.106, MCS11)




Plot 7-1078. CDC DIVERSITY (PK, RU996, INDEX 67, CH.155, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 427 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1079. CDC DIVERSITY (PK, RU996, INDEX 67, CH.155, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 428 of 448


V 10.6 9/14/2023

7.6.25 CDD Diversity Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU52




Plot 7-1080. CDC DIVERSITY (PK & AVG, RU52, INDEX 37, CH.50, MCS11)



Plot 7-1083. CDC DIVERSITY (PK, RU52, INDEX 37, CH.114, MCS11)



Plot 7-1081. CDC DIVERSITY (PK & AVG, RU52, INDEX 52, CH.50, MCS11)




Plot 7-1082. CDC DIVERSITY (PK & AVG, RU52, INDEX 37, CH.114, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 429 of 448


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996X2




Plot 7-1084. CDC DIVERSITY (PK & AVG, RU996X2, INDEX 68, CH.50, MCS11)



Plot 7-1087. CDC DIVERSITY (PK, RU996X2, INDEX 68, CH.114, MCS11)



Plot 7-1085. CDC DIVERSITY (PK & AVG, RU996X2, INDEX 68, CH.50, MCS11)



Plot 7-1086. CDC DIVERSITY (PK & AVG, RU996X2, INDEX 68, CH.114, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 430 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-329 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-329. Radiated Limits

Test Procedures Used

ANSI C63.10-2013

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 431 of 448

V 10.6 9/14/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-6. Radiated Test Setup < 30MHz




Figure 7-7. Radiated Test Setup < 1GHz

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 432 of 448

V 10.6 9/14/2023

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-329.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. All antenna configurations and data rates were investigated and only the worst case are reported.
10. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger

Sample Calculations

Determining Spurious Emissions Levels


- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level}_{[dBm]} + 107 + \text{AFCL}_{[dB/m]}$
- $\text{AFCL}_{[dB/m]} = \text{Antenna Factor}_{[dB/m]} + \text{Cable Loss}_{[dB]} - \text{Preamplifier Gain}_{[dB]}$
- $\text{Margin}_{[dB]} = \text{Field Strength Level}_{[dB\mu V/m]} - \text{Limit}_{[dB\mu V/m]}$

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 433 of 448

V 10.6 9/14/2023

CDD Primary Radiated Spurious Emissions (Below 1GHz)

§15.209; RSS-Gen [8.9]



Plot 7-1088. RSE below 1GHz CDD Primary (RU52 – Ch.64), with Laptop

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
37.23	MaxPeak	V	100	3	-66.46	-15.18	25.36	40.00	-14.64
51.29	MaxPeak	V	100	203	-67.96	-13.12	25.92	40.00	-14.08
170.36	MaxPeak	V	100	257	-65.17	-19.21	22.62	43.52	-20.90
195.53	MaxPeak	H	100	231	-65.25	-16.61	25.14	43.52	-18.38
256.74	MaxPeak	H	100	0	-72.67	-15.05	19.28	46.02	-26.74
317.99	MaxPeak	H	100	117	-70.20	-13.89	22.91	46.02	-23.11

Table 7-330. RSE below 1GHz CDD Primary (RU52 – Ch.64), with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device		Page 434 of 448

V 10.6 9/14/2023



Plot 7-1089. RSE below 1GHz CDD Primary (RU242 – Ch.64), with Laptop

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
37.23	MaxPeak	V	100	1	-65.96	-15.18	25.86	40.00	-14.14
51.44	MaxPeak	V	100	54	-69.65	-13.12	24.23	40.00	-15.77
170.17	MaxPeak	V	100	33	-66.57	-19.21	21.22	43.52	-22.30
195.19	MaxPeak	H	100	358	-66.94	-16.66	23.40	43.52	-20.12
316.97	MaxPeak	H	100	37	-70.58	-13.95	22.47	46.02	-23.55
341.86	MaxPeak	H	100	358	-73.73	-12.89	20.38	46.02	-25.64


Table 7-331. RSE below 1GHz CDD Primary (RU242– Ch.64), with Laptop

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 435 of 448

V 10.6 9/14/2023

CDD Diversity Radiated Spurious Emissions (Below 1GHz)

§15.209; RSS-Gen [8.9]




Plot 7-1090. RSE below 1GHz CDD Diversity (RU52 – Ch.116), with Laptop

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
36.06	MaxPeak	V	100	130	-66.66	-15.45	24.89	40.00	-15.11
54.88	MaxPeak	V	100	118	-62.31	-13.96	30.73	40.00	-9.27
119.34	MaxPeak	H	200	127	-69.51	-18.18	19.31	43.52	-24.21
154.40	MaxPeak	V	100	194	-63.92	-19.97	23.11	43.52	-20.41
257.37	MaxPeak	H	100	134	-63.93	-15.08	27.99	46.02	-18.03
316.59	MaxPeak	H	100	85	-62.14	-13.94	30.92	46.02	-15.10

Table 7-332. RSE below 1GHz CDD Diversity (RU52 – Ch.116), with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 436 of 448

V 10.6 9/14/2023



Plot 7-1091. RSE below 1GHz CDD Diversity (RU242 – Ch.116), with Laptop

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
53.43	MaxPeak	V	100	119	-62.37	-13.51	31.12	40.00	-8.88
66.23	MaxPeak	H	300	43	-56.93	-17.52	32.55	40.00	-7.45
117.11	MaxPeak	H	100	141	-70.58	-17.96	18.46	43.52	-25.06
132.58	MaxPeak	H	200	175	-64.88	-20.00	22.12	43.52	-21.40
252.08	MaxPeak	H	100	113	-64.27	-15.34	27.39	46.02	-18.63
314.11	MaxPeak	H	100	93	-61.02	-14.09	31.89	46.02	-14.13

Table 7-333. RSE below 1GHz CDD Diversity (RU242– Ch.116), with AC/DC Adapter

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 437 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.8 AC Line Conducted Emissions Measurement

§15.207; RSS-Gen [8.8]

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. All data rates and modes were investigated for AC Line conducted spurious emissions.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (8.8).

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-334. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10-2013, Subclause 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 438 of 448

V 10.6 9/14/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-8. Test Instrument & Measurement Setup

Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in 15.207 and RSS-Gen (8.8).
4. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
6. $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plots are made using quasi-peak and average detectors.
8. Deviations to the Specifications: None.

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 439 of 448

V 10.6 9/14/2023



Plot 7-1092. AC Line Conducted Plot with 11ax UNII Band 2A CDD Primary – RU52 – Ch.64 (L1) with Laptop


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.152	FINAL	—	25.09	55.88	-30.78	L1	GND
0.152	FINAL	45.4	—	65.88	-20.51	L1	GND
0.265	FINAL	—	19.71	51.28	-31.57	L1	GND
0.265	FINAL	39.2	—	61.28	-22.06	L1	GND
0.722	FINAL	—	22.15	46.00	-23.85	L1	GND
0.722	FINAL	32.8	—	56.00	-23.18	L1	GND
2.245	FINAL	18.3	—	56.00	-37.73	L1	GND
2.245	FINAL	—	8.42	46.00	-37.58	L1	GND
4.430	FINAL	28.3	—	56.00	-27.70	L1	GND
4.448	FINAL	—	18.11	46.00	-27.89	L1	GND
27.125	FINAL	—	9.90	50.00	-40.10	L1	GND
27.152	FINAL	15.9	—	60.00	-44.07	L1	GND

Table 7-335. AC Line Conducted with 11ax UNII Band 2A CDD Primary – RU52 – Ch.64 (L1) with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 440 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1093. AC Line Conducted Plot with 11ax UNII Band 2A CDD Primary – RU52 – Ch.64 (N) with Laptop


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.152	FINAL	—	23.95	55.88	-31.92	N	GND
0.152	FINAL	43.9	—	65.88	-22.00	N	GND
0.265	FINAL	—	18.82	51.28	-32.46	N	GND
0.265	FINAL	38.1	—	61.28	-23.19	N	GND
0.724	FINAL	—	22.22	46.00	-23.78	N	GND
0.724	FINAL	29.9	—	56.00	-26.09	N	GND
2.288	FINAL	15.7	—	56.00	-40.31	N	GND
2.299	FINAL	—	7.42	46.00	-38.58	N	GND
4.463	FINAL	—	16.19	46.00	-29.81	N	GND
4.472	FINAL	27.4	—	56.00	-28.62	N	GND
29.830	FINAL	7.2	—	60.00	-52.85	N	GND
29.866	FINAL	—	1.09	50.00	-48.91	N	GND

Table 7-336. AC Line Conducted with 11ax UNII Band 2A CDD Primary – RU52 – Ch.64 (N) with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 441 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1094. AC Line Conducted Plot with 11ax UNII Band 2A CDD Primary – RU242 – Ch.64 (L1) with Laptop


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.152	FINAL	—	28.54	55.88	-27.34	L1	GND
0.152	FINAL	47.9	—	65.88	-17.95	L1	GND
0.191	FINAL	—	26.52	54.02	-27.49	L1	GND
0.191	FINAL	45.9	—	64.02	-18.17	L1	GND
0.726	FINAL	—	23.85	46.00	-22.15	L1	GND
0.726	FINAL	33.3	—	56.00	-22.74	L1	GND
2.247	FINAL	18.2	—	56.00	-37.76	L1	GND
2.247	FINAL	—	8.81	46.00	-37.19	L1	GND
4.529	FINAL	28.7	—	56.00	-27.35	L1	GND
4.529	FINAL	—	18.28	46.00	-27.72	L1	GND
27.128	FINAL	—	10.62	50.00	-39.38	L1	GND
27.130	FINAL	16.4	—	60.00	-43.63	L1	GND

Table 7-337. AC Line Conducted with 11ax UNII Band 2A CDD Primary – RU242 – Ch.64 (L1) with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 442 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1095. AC Line Conducted Plot with 11ax UNII Band 2A CDD Primary – RU242 – Ch.64 (N) with Laptop

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.152	FINAL	—	24.17	55.88	-31.71	N	GND
0.152	FINAL	42.9	—	65.88	-23.02	N	GND
0.191	FINAL	—	22.45	54.02	-31.57	N	GND
0.191	FINAL	41.3	—	64.02	-22.72	N	GND
0.724	FINAL	—	23.62	46.00	-22.38	N	GND
0.724	FINAL	30.2	—	56.00	-25.83	N	GND
2.324	FINAL	—	8.58	46.00	-37.42	N	GND
2.326	FINAL	15.6	—	56.00	-40.45	N	GND
4.520	FINAL	27.2	—	56.00	-28.76	N	GND
4.520	FINAL	—	16.24	46.00	-29.76	N	GND
26.855	FINAL	6.9	—	60.00	-53.15	N	GND
26.873	FINAL	—	-0.32	50.00	-50.32	N	GND

Table 7-338. AC Line Conducted with 11ax UNII Band 2A CDD Primary – RU242 – Ch.64 (N) with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 443 of 448

V 10.6 9/14/2023



Plot 7-1096. AC Line Conducted Plot with 11ax UNII Band 2C CDD Diversity – RU52 – Ch.116 (L1) with Laptop


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.152	FINAL	—	26.73	55.88	-29.15	L1	GND
0.152	FINAL	52.7	—	65.88	-13.20	L1	GND
0.191	FINAL	—	37.95	54.02	-16.07	L1	GND
0.191	FINAL	52.4	—	64.02	-11.64	L1	GND
0.562	FINAL	—	27.29	46.00	-18.71	L1	GND
0.562	FINAL	34.3	—	56.00	-21.67	L1	GND
0.944	FINAL	29.1	—	56.00	-26.90	L1	GND
0.947	FINAL	—	20.87	46.00	-25.13	L1	GND
7.262	FINAL	24.8	—	60.00	-35.24	L1	GND
7.262	FINAL	—	14.97	50.00	-35.03	L1	GND
21.669	FINAL	—	17.18	50.00	-32.82	L1	GND
21.669	FINAL	22.6	—	60.00	-37.44	L1	GND

Table 7-339. AC Line Conducted with 11ax UNII Band 2C CDD Diversity – RU52 – Ch.116 (L1) with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 444 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1097. AC Line Conducted Plot with 11ax UNII Band 2C CDD Diversity – RU52 – Ch.116 (N) with Laptop


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.152	FINAL	—	25.43	55.88	-30.45	N	GND
0.152	FINAL	52.8	—	65.88	-13.07	N	GND
0.191	FINAL	—	36.61	54.02	-17.40	N	GND
0.191	FINAL	50.7	—	64.02	-13.36	N	GND
0.317	FINAL	—	29.88	49.80	-19.92	N	GND
0.317	FINAL	43.4	—	59.80	-16.38	N	GND
0.499	FINAL	38.1	—	56.02	-17.93	N	GND
0.499	FINAL	—	29.50	46.02	-16.52	N	GND
0.627	FINAL	36.1	—	56.00	-19.89	N	GND
0.627	FINAL	—	31.16	46.00	-14.84	N	GND
6.556	FINAL	—	16.84	50.00	-33.16	N	GND
6.556	FINAL	26.0	—	60.00	-34.02	N	GND

Table 7-340. AC Line Conducted with 11ax UNII Band 2C CDD Diversity – RU52 – Ch.116 (N) with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 445 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1098. AC Line Conducted Plot with 11ax UNII Band 2C CDD Diversity – RU242 – Ch.116 (L1) with Laptop


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.152	FINAL	—	24.83	55.88	-31.05	L1	GND
0.152	FINAL	53.3	—	65.88	-12.57	L1	GND
0.314	FINAL	—	29.38	49.86	-20.48	L1	GND
0.314	FINAL	42.7	—	59.86	-17.18	L1	GND
0.497	FINAL	—	27.76	46.06	-18.30	L1	GND
0.497	FINAL	37.4	—	56.06	-18.68	L1	GND
0.625	FINAL	34.9	—	56.00	-21.08	L1	GND
0.625	FINAL	—	28.92	46.00	-17.08	L1	GND
7.618	FINAL	22.9	—	60.00	-37.08	L1	GND
7.618	FINAL	—	12.00	50.00	-38.00	L1	GND
24.115	FINAL	—	17.09	50.00	-32.91	L1	GND
24.115	FINAL	22.2	—	60.00	-37.77	L1	GND

Table 7-341. AC Line Conducted with 11ax UNII Band 2C CDD Diversity – RU242 – Ch.116 (L1) with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 446 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1099. AC Line Conducted Plot with 11ax UNII Band 2C CDD Diversity – RU242 – Ch.116 (N) with Laptop

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.152	FINAL	—	23.82	55.88	-32.06	N	GND
0.152	FINAL	53.3	—	65.88	-12.62	N	GND
0.193	FINAL	—	32.54	53.92	-21.38	N	GND
0.193	FINAL	48.5	—	63.92	-15.40	N	GND
0.497	FINAL	—	24.66	46.06	-21.40	N	GND
0.497	FINAL	37.6	—	56.06	-18.48	N	GND
0.625	FINAL	35.8	—	56.00	-20.20	N	GND
0.625	FINAL	—	26.70	46.00	-19.30	N	GND
6.347	FINAL	25.0	—	60.00	-34.98	N	GND
6.347	FINAL	—	16.38	50.00	-33.62	N	GND
23.692	FINAL	—	9.03	50.00	-40.97	N	GND
23.692	FINAL	15.9	—	60.00	-44.15	N	GND

Table 7-342. AC Line Conducted with 11ax UNII Band 2C – RU242 CDD Diversity – Ch.116 (N) with Laptop

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 447 of 448

V 10.6 9/14/2023

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device FCC ID: BCGA2903** and **IC: 579C-A2903** is in compliance with is in compliance with Part 15 Subpart E (15.407) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-25-R1.BCG	Test Dates: 11/28/2023 - 3/05/2024	EUT Type: Tablet Device	Page 448 of 448

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.