







Plot 7-476. PSD CDD Primary Antenna 5T (20MHz BW 11ax - RU242 - Ch.157)




Plot 7-479. PSD CDD Primary Antenna 3b (40MHz BW 11ax Index 0 - RU26 - Ch.151)




Plot 7-477. PSD CDD Primary Antenna 3b (20MHz BW 11ax - RU242 - Ch.157)



Plot 7-480. PSD CDD Primary Antenna 5T (40MHz BW 11ax Index 8 - RU26 - Ch.151)



Plot 7-478. PSD CDD Primary Antenna 5T (40MHz BW 11ax Index 0 - RU26 - Ch.151)








Plot 7-481. PSD CDD Primary Antenna 3b (40MHz BW 11ax Index 8 - RU26 - Ch.151)






FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 186 of 429

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2995 IC: 579C-A2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 187 of 429



FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 188 of 429







	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/MHz]	Antenna 3b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	0.90	0.69	3.81	3.60	7.41	10.0	-2.59
					26	4	25/29.4 (MCS11)	-0.26	-0.44	2.66	3.60	6.26	10.0	-3.74
					26	8	25/29.4 (MCS11)	0.52	0.88	3.71	3.60	7.32	10.0	-2.68
	5200	40	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	0.66	0.65	3.67	3.60	7.27	10.0	-2.73
					26	4	25/29.4 (MCS11)	-0.17	0.10	2.98	3.60	6.58	10.0	-3.42
					26	8	25/29.4 (MCS11)	0.79	0.59	3.70	3.60	7.30	10.0	-2.70
	5240	48	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	0.94	0.60	3.78	3.60	7.38	10.0	-2.62
					26	4	25/29.4 (MCS11)	-0.13	0.19	3.05	3.60	6.65	10.0	-3.35
					26	8	25/29.4 (MCS11)	0.57	0.54	3.56	3.60	7.16	10.0	-2.84
	5190	38	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	0.58	0.91	3.76	3.60	7.36	10.0	-2.64
					26	8	25/29.4 (MCS11)	0.27	0.25	3.27	3.60	6.87	10.0	-3.13
					26	17	25/29.4 (MCS11)	0.44	0.73	3.60	3.60	7.20	10.0	-2.80
	5230	46	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	0.87	0.48	3.69	3.60	7.29	10.0	-2.71
					26	8	25/29.4 (MCS11)	0.42	0.73	3.59	3.60	7.19	10.0	-2.81
					26	17	25/29.4 (MCS11)	0.84	1.00	3.93	3.60	7.53	10.0	-2.47
	5210	42	ax (80MHz)	SDM	26	0	25/29.4 (MCS11)	0.54	0.67	3.62	3.60	7.22	10.0	-2.78
					26	18	25/29.4 (MCS11)	-0.01	-0.20	2.91	3.60	6.51	10.0	-3.49
					26	36	25/29.4 (MCS11)	0.79	0.38	3.60	3.60	7.20	10.0	-2.80
	5250	50 (L)	ax (160MHz)	SDM	52	37	50/58.8 (MCS11)	1.39	0.95	4.18	3.60	7.79	10.0	-2.21
					52	44	50/58.8 (MCS11)	0.98	0.83	3.92	3.60	7.52	10.0	-2.48

Table 7-193. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Primary (RU26/52)

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/MHz]	Antenna 3b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	0.43	0.17	3.31	3.60	6.91	10.0	-3.09
	5200	40	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	0.51	0.09	3.31	3.60	6.91	10.0	-3.09
	5240	48	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	0.41	-0.12	3.17	3.60	6.77	10.0	-3.23
	5190	38	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	-1.31	-1.35	1.68	3.60	5.29	10.0	-4.71
	5230	46	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	-0.06	-0.02	2.97	3.60	6.57	10.0	-3.43
	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.86	-3.80	-0.82	6.61	5.79	10.0	-4.21
	5250	50	ax (160MHz)	CDD	996	68	2041.6/2402 (MCS11)	-8.85	-9.30	-6.06	6.61	0.55	10.0	-9.45

Table 7-194. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM Primary (Fully-loaded RU)


FCC ID: BCGA2995 IC: 579C-A2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 189 of 429




FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 190 of 429

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-500. ISED PSD SDM Primary Antenna 5T (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-503. ISED PSD SDM Primary Antenna 3b (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-501. ISED PSD SDM Primary Antenna 3b (20MHz BW 11ax- RU242 - Ch.40)



Plot 7-504. ISED PSD SDM Primary Antenna 5T (40MHz BW 11ax Index 8 - RU26 - Ch.46)









Plot 7-502. ISED PSD SDM Primary Antenna 5T (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-505. ISED PSD SDM Primary Antenna 3b (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 191 of 429




FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 192 of 429




Plot 7-512. ISSED PSD SDM Primary Antenna 5T (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-515. ISSED PSD SDM Primary Antenna 3b (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-513. ISSED PSD SDM Primary Antenna 3b (80MHz BW 11ax Index 18 - RU26 - Ch.42)



Plot 7-516. ISSED PSD CDD Primary Antenna 5T (80MHz BW 11ax - RU996 - Ch.42)




Plot 7-514. ISSED PSD SDM Primary Antenna 5T (80MHz BW 11ax Index 36 - RU26 - Ch.42)




Plot 7-517. ISSED PSD CDD Primary Antenna 3b (80MHz BW 11ax - RU996 - Ch.42)


FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 193 of 429




Plot 7-518. ISED PSD SDM Primary Antenna 5T (160MHz BW 11ax Index 37 - RU52 - Ch.50 (L))




Plot 7-521. ISED PSD SDM Primary Antenna 3b (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))




Plot 7-519. ISED PSD SDM Primary Antenna 3b (160MHz BW 11ax Index 37 - RU52 - Ch.50 (L))



Plot 7-522. ISED PSD CDD Primary Antenna 5T (160MHz BW 11ax - RU996x2 - Ch.50)



Plot 7-520. ISED PSD SDM Primary Antenna 5T (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))



Plot 7-523. ISED PSD CDD Primary Antenna 3b (160MHz BW 11ax - RU996x2 - Ch.50)

FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 194 of 429

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.5.5 Summed CDD/SDM Diversity Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/MHz]	Antenna 1b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	6.28	6.42	9.36	11.0	-1.64
					26	4	25/29.4 (MCS11)	5.58	4.90	8.26	11.0	-2.74
					26	8	25/29.4 (MCS11)	6.29	6.15	9.23	11.0	-1.77
	5200	40	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	6.87	6.10	9.51	11.0	-1.49
					26	4	25/29.4 (MCS11)	5.43	5.06	8.26	11.0	-2.74
					26	8	25/29.4 (MCS11)	6.77	5.98	9.40	11.0	-1.60
	5240	48	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	6.44	6.25	9.35	11.0	-1.65
					26	4	25/29.4 (MCS11)	5.66	5.01	8.36	11.0	-2.64
					26	8	25/29.4 (MCS11)	6.38	6.21	9.30	11.0	-1.70
	5190	38	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	6.44	5.93	9.20	11.0	-1.80
					26	8	25/29.4 (MCS11)	6.37	5.77	9.09	11.0	-1.91
					26	17	25/29.4 (MCS11)	5.84	5.60	8.73	11.0	-2.27
	5230	46	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	6.72	6.18	9.47	11.0	-1.53
					26	8	25/29.4 (MCS11)	6.37	5.87	9.14	11.0	-1.86
					26	17	25/29.4 (MCS11)	6.45	5.99	9.24	11.0	-1.76
	5210	42	ax (80MHz)	SDM	26	0	25/29.4 (MCS11)	6.11	6.56	9.35	11.0	-1.65
					26	18	25/29.4 (MCS11)	5.26	5.44	8.36	11.0	-2.64
					26	36	25/29.4 (MCS11)	6.86	6.54	9.71	11.0	-1.29

Table 7-195. Band 1 Power Spectral Density Measurements SDM Diversity (RU26)

FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 195 of 429

V 10.6 10/27/2023

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 1a Power Density [dBm/MHz]	Antenna 1b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 12A	5250	50 (L)	ax (160MHz)	SDM	52	37	50/58.8 (MCS11)	5.71	4.98	8.37	11.0	-2.63
		52			52	50/58.8 (MCS11)	5.69	5.35	8.53	11.0	-2.47	
		52			52	50/58.8 (MCS11)	5.56	4.96	8.28	11.0	-2.72	
Band 2A	5260	52	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	6.74	6.50	9.63	11.0	-1.37
					52	38	50/58.8 (MCS11)	7.19	6.75	9.99	11.0	-1.01
					52	40	50/58.8 (MCS11)	6.45	6.50	9.48	11.0	-1.52
	5300	60	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	7.04	6.68	9.87	11.0	-1.13
					52	38	50/58.8 (MCS11)	7.06	6.57	9.83	11.0	-1.17
					52	40	50/58.8 (MCS11)	7.05	6.43	9.76	11.0	-1.24
	5320	64	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	6.85	6.09	9.49	11.0	-1.51
					52	38	50/58.8 (MCS11)	7.02	6.14	9.61	11.0	-1.39
					52	40	50/58.8 (MCS11)	7.00	6.11	9.59	11.0	-1.41
	5270	54	ax (40MHz)	SDM	52	37	50/58.8 (MCS11)	6.75	6.53	9.65	11.0	-1.35
					52	40	50/58.8 (MCS11)	6.64	6.43	9.55	11.0	-1.45
					52	44	50/58.8 (MCS11)	6.71	6.07	9.41	11.0	-1.59
	5310	62	ax (40MHz)	SDM	52	37	50/58.8 (MCS11)	7.12	6.39	9.78	11.0	-1.22
					52	40	50/58.8 (MCS11)	6.95	6.37	9.68	11.0	-1.32
					52	44	50/58.8 (MCS11)	6.78	6.37	9.59	11.0	-1.41
	5290	58	ax (80MHz)	SDM	52	37	50/58.8 (MCS11)	6.68	6.81	9.76	11.0	-1.24
					52	44	50/58.8 (MCS11)	6.87	6.57	9.73	11.0	-1.27
					52	52	50/58.8 (MCS11)	7.33	6.80	10.08	11.0	-0.92
Band 2C	5500	100	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	6.84	6.63	9.75	11.0	-1.25
					52	38	50/58.8 (MCS11)	7.16	6.91	10.05	11.0	-0.95
					52	40	50/58.8 (MCS11)	6.81	6.77	9.80	11.0	-1.20
	5580	116	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	6.93	6.55	9.75	11.0	-1.25
					52	38	50/58.8 (MCS11)	6.73	6.88	9.82	11.0	-1.18
					52	40	50/58.8 (MCS11)	6.59	6.62	9.62	11.0	-1.38
	5600*	120	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	5.18	4.12	7.69	11.0	-3.31
					52	38	50/58.8 (MCS11)	5.36	4.26	7.86	11.0	-3.14
					52	40	50/58.8 (MCS11)	5.11	4.45	7.81	11.0	-3.19
	5720	144	ax (20MHz)	SDM	52	37	50/58.8 (MCS11)	6.96	6.61	9.80	11.0	-1.20
					52	38	50/58.8 (MCS11)	7.11	6.58	9.86	11.0	-1.14
					52	40	50/58.8 (MCS11)	7.04	6.54	9.81	11.0	-1.19
	5510	102	ax (40MHz)	SDM	52	37	50/58.8 (MCS11)	7.01	6.73	9.88	11.0	-1.12
					52	40	50/58.8 (MCS11)	6.80	6.82	9.82	11.0	-1.18
					52	44	50/58.8 (MCS11)	6.22	6.27	9.26	11.0	-1.74
	5550	110	ax (40MHz)	SDM	52	37	50/58.8 (MCS11)	6.70	6.21	9.48	11.0	-1.52
					52	40	50/58.8 (MCS11)	6.13	6.79	9.48	11.0	-1.52
					52	44	50/58.8 (MCS11)	6.50	6.87	9.70	11.0	-1.30
	5710	142	ax (40MHz)	SDM	52	37	50/58.8 (MCS11)	7.01	6.55	9.80	11.0	-1.20
					52	40	50/58.8 (MCS11)	6.81	6.44	9.64	11.0	-1.36
					52	44	50/58.8 (MCS11)	7.41	6.33	9.92	11.0	-1.08
	5530	106	ax (80MHz)	SDM	52	37	50/58.8 (MCS11)	7.06	6.51	9.80	11.0	-1.20
					52	44	50/58.8 (MCS11)	6.85	6.32	9.60	11.0	-1.40
					52	52	50/58.8 (MCS11)	6.90	6.61	9.77	11.0	-1.23
	5610*	122	ax (80MHz)	SDM	52	37	50/58.8 (MCS11)	6.92	6.76	9.85	11.0	-1.15
					52	44	50/58.8 (MCS11)	6.88	6.63	9.77	11.0	-1.23
					52	52	50/58.8 (MCS11)	6.67	6.36	9.53	11.0	-1.47
	5690	138	ax (80MHz)	SDM	52	37	50/58.8 (MCS11)	7.33	6.66	10.02	11.0	-0.98
					52	44	50/58.8 (MCS11)	7.06	6.66	9.88	11.0	-1.12
					52	52	50/58.8 (MCS11)	7.14	6.94	10.05	11.0	-0.95
	5570*	114 (L)	ax (160MHz)	SDM	52	37	50/58.8 (MCS11)	4.39	4.58	7.50	11.0	-3.50
		52			52	50/58.8 (MCS11)	4.29	4.06	7.18	11.0	-3.82	
		52			52	50/58.8 (MCS11)	4.62	4.36	7.50	11.0	-3.50	

Table 7-196. Bands 2A, 2C Power Spectral Density Measurements SDM Diversity (RU52)

*TDWR channel is not supported for ISD (denoted by a * next to the frequency)

FCC ID: BCGA2995 IC: 579C-A2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 196 of 429

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/MHz]	Antenna 1b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.76	3.43	6.61	11.0	-4.39
	5200	40	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	6.00	5.69	8.86	11.0	-2.14
	5240	48	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	5.93	5.41	8.69	11.0	-2.31
	5190	38	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-0.90	-1.30	1.92	11.0	-9.08
	5230	46	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	5.22	4.88	8.07	11.0	-2.93
Band 1/2A	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.07	-3.70	-0.36	11.0	-11.36
	5250	50	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-8.22	-9.20	-5.67	11.0	-16.67
Band 2A	5260	52	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	6.13	5.61	8.88	11.0	-2.12
	5300	60	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	6.08	5.26	8.70	11.0	-2.30
	5320	64	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.45	4.03	7.26	11.0	-3.74
	5270	54	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	4.23	4.03	7.14	11.0	-3.86
	5310	62	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-1.01	-1.38	1.82	11.0	-9.18
Band 2C	5290	58	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-2.98	-3.38	-0.17	11.0	-11.17
	5500	100	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	2.76	2.67	5.72	11.0	-5.28
	5580	116	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	5.87	5.93	8.91	11.0	-2.09
	5600*	120	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	4.64	3.76	7.23	11.0	-3.77
	5720	144	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	5.98	5.73	8.87	11.0	-2.13
	5510	102	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-1.58	-1.63	1.40	11.0	-9.60
	5550	110	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	3.53	2.91	6.24	11.0	-4.76
	5710	142	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	5.56	5.12	8.36	11.0	-2.64
	5530	106	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.77	-3.77	-0.76	11.0	-11.76
	5610*	122	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	0.28	-0.85	2.77	11.0	-8.23
	5690	138	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	2.73	2.77	5.76	11.0	-5.24
	5570*	114	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-8.60	-9.30	-5.92	11.0	-16.92


Table 7-197. Bands 1, 2A, 2C Power Spectral Density Measurements CDD/SDM Diversity (Fully-loaded RU)

*TDWR channel is not supported for ISD (denoted by a * next to the frequency)


FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 197 of 429

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-524. PSD SDM Diversity Antenna 5T (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-527. PSD SDM Diversity Antenna 1b (20MHz BW 11ax Index 4 - RU26 - Ch.40)




Plot 7-525. PSD SDM Diversity Antenna 1b (20MHz BW 11ax Index 0 - RU26 - Ch.40)



Plot 7-528. PSD SDM Diversity Antenna 5T (20MHz BW 11ax Index 8 - RU26 - Ch.40)



Plot 7-526. PSD SDM Diversity Antenna 5T (20MHz BW 11ax Index 4 - RU26 - Ch.40)



Plot 7-529. PSD SDM Diversity Antenna 1b (20MHz BW 11ax Index 8 - RU26 - Ch.40)

FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 198 of 429

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.