




RU242

Plot 7-786. RSE above 1GHz CDD Diversity (11ax – Ch.36 – RU242)

Mode:	11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	V	-	-	-71.90	15.25	50.35	68.23	-17.88
* 15540.00	Average	H	-	-	-83.94	23.25	46.31	53.98	-7.67
* 15540.00	Peak	H	-	-	-73.53	23.50	56.97	73.98	-17.01

Table 7-311. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 337 of 429




Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10400.00	Peak	H	-	-	-71.02	15.11	51.09	68.23	-17.14
* 15600.00	Average	H	-	-	-84.19	23.25	46.06	53.98	-7.92
* 15600.00	Peak	H	-	-	-72.94	22.74	56.80	73.98	-17.18

Table 7-312. Radiated Measurements SDM Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device				




Plot 7-789. RSE above 1GHz SDM Diversity (11ax – Ch.48 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	H	-	-	-71.76	15.20	50.45	68.23	-17.78
* 15720.00	Average	H	-	-	-84.48	23.86	46.38	53.98	-7.60
* 15720.00	Peak	H	-	-	-73.67	23.90	57.23	73.98	-16.75

Table 7-313. Radiated Measurements SDM Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 339 of 429




Plot 7-790. RSE above 1GHz SDM Diversity (11ax – Ch.52 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10520.00	Peak	V	-	-	-71.71	15.20	50.49	68.23	-17.74
15780.00	Average	V	-	-	-83.97	23.62	46.66	53.98	-7.32
15780.00	Peak	V	-	-	-73.06	23.62	57.57	73.98	-16.41

Table 7-314. Radiated Measurements SDM Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 340 of 429



Plot 7-791. RSE above 1GHz SDM Diversity (11ax – Ch.56 – RU242)



Plot 7-792. RSE 18GHz – 40 GHz SDM Diversity (11ax Ch.56 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10560.00	Peak	V	-	-	-71.04	14.75	50.71	68.23	-17.52
* 15840.00	Average	H	-	-	-83.82	23.73	46.92	53.98	-7.06
* 15840.00	Peak	H	-	-	-72.85	23.73	57.88	73.98	-16.10

Table 7-315. Radiated Measurements SDM Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device				

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-793. RSE above 1GHz CDD Diversity (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	10640.00	Average	V	-	-	-82.41	15.25	39.84	53.98	-14.14
*	10640.00	Peak	V	-	-	-70.77	14.90	51.13	73.98	-22.85
*	15960.00	Average	H	-	-	-85.32	25.16	46.83	53.98	-7.15
*	15960.00	Peak	H	-	-	-74.73	25.16	57.43	73.98	-16.55

Table 7-316. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 342 of 429




Plot 7-794. RSE above 1GHz CDD Diversity (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11000.00	Average	H	-	-	-82.65	15.88	40.23	53.98	-13.75
*	11000.00	Peak	H	-	-	-71.16	15.48	51.32	73.98	-22.66
	16500.00	Peak	V	-	-	-73.56	25.87	59.31	68.23	-8.92

Table 7-317. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 343 of 429



Plot 7-795. RSE above 1GHz SDM Diversity (11ax – Ch.116 – RU242)




Plot 7-796. RSE 18GHz – 40 GHz SDM Diversity (11ax Ch.116 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11160.00	Average	V	-	-	-82.70	16.58	40.88	53.98	-13.10
*	11160.00	Peak	V	-	-	-71.84	16.58	51.74	73.98	-22.24
	16740.00	Peak	H	-	-	-73.34	25.50	59.17	68.23	-9.06

Table 7-318. Radiated Measurements SDM Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device					Page 344 of 429




Plot 7-797. RSE above 1GHz SDM Diversity (11ax – Ch.144 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-83.19	17.28	41.09	53.98	-12.89
* 11440.00	Peak	V	-	-	-71.16	16.35	52.19	73.98	-21.79
17160.00	Peak	V	-	-	-73.34	24.80	58.46	68.23	-9.77

Table 7-319. Radiated Measurements SDM Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 345 of 429




Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11490.00	Average	V	-	-	-83.46	17.83	41.37	53.98	-12.61
* 11490.00	Peak	V	-	-	-71.64	16.81	52.17	73.98	-21.81
17235.00	Peak	H	-	-	-74.16	25.66	58.50	68.23	-9.73

Table 7-320. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 346 of 429



Plot 7-799. RSE above 1GHz CDD Diversity (11ax – Ch.157 – RU242)



Plot 7-800. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.157 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11570.00	Average	V	-	-	-82.96	16.93	40.97	53.98	-13.01
* 11570.00	Peak	V	-	-	-71.61	16.83	52.23	73.98	-21.75
17355.00	Peak	H	-	-	-73.56	24.49	57.93	68.23	-10.30

Table 7-321. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device				

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-801. RSE above 1GHz CDD Diversity (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11650.00	Average	H	-	-	-83.19	17.38	41.19	53.98	-12.79
*	11650.00	Peak	H	-	-	-72.72	17.63	51.91	73.98	-22.07
	17475.00	Peak	V	-	-	-73.73	24.78	58.04	68.23	-10.19


Table 7-322. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 348 of 429


7.6.6 Antenna 5T Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


RU26/52




Plot 7-802. Antenna 5T (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-805. Antenna 5T (Peak, RU52, Index 37, Ch.140, MCS11)




Plot 7-803. Antenna 5T (Peak & Average, RU52, Index 37, Ch.64, MCS11)



Plot 7-806. Antenna 5T (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-804. Antenna 5T (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-807. Antenna 5T (Peak, RU26, Index 0, Ch.165, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 349 of 429

RU242



Plot 7-808. Antenna 5T (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-811. Antenna 5T (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-809. Antenna 5T (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-812. Antenna 5T (Peak & Average, RU242, Index 61, Ch.100, MCS11)




Plot 7-810. Antenna 5T (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-813. Antenna 5T (Peak & Average, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 350 of 429




Plot 7-814. Antenna 5T (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-817. Antenna 5T (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-815. Antenna 5T (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-818. Antenna 5T (Peak, RU242, Index 61, Ch.149, MCS11)



Plot 7-816. Antenna 5T (Peak, RU242, Index 61, Ch.136, MCS11)



Plot 7-819. Antenna 5T (Peak, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 351 of 429


7.6.7 Antenna 5T Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-820. Antenna 5T (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-823. Antenna 5T (Peak & Average, RU52, Index 37, Ch.110, MCS11)




Plot 7-821. Antenna 5T (Peak & Average, RU52, Index 44, Ch.62, MCS11)



Plot 7-824. Antenna 5T (Peak, RU52, Index 44, Ch.134, MCS11)




Plot 7-822. Antenna 5T (Peak & Average, RU52, Index 37, Ch.102, MCS11)




Plot 7-825. Antenna 5T (Peak, RU26, Index 17, Ch.151, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 352 of 429




Plot 7-826. Antenna 5T (Peak, RU26, Index 0, Ch.159, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024 EUT Type: Tablet Device	Page 353 of 429

RU484



Plot 7-827. Antenna 5T (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-830. Antenna 5T (Peak & Average, RU484, Index 65, Ch.62, MCS11)



Plot 7-828. Antenna 5T (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-831. Antenna 5T (Peak & Average, RU484, Index 65, Ch.102, MCS11)




Plot 7-829. Antenna 5T (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-832. Antenna 5T (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 354 of 429



Plot 7-833. (FCC Only) Antenna 5T (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-836. Antenna 5T (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-834. (FCC Only) Antenna 5T (Peak, RU484, Index 65, Ch.126, MCS11)



Plot 7-837. Antenna 5T (Peak, RU484, Index 65, Ch.159, MCS11)




Plot 7-835. Antenna 5T (Peak, RU484, Index 65, Ch.134, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 355 of 429 V 10.6 10/27/2023


7.6.8 Antenna 5T Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-838. Antenna 5T (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-841. (FCC Only) Antenna 5T (Peak & Average, RU52, Index 37, Ch.122, MCS11)




Plot 7-839. Antenna 5T (Peak & Average, RU52, Index 37, Ch.58, MCS11)



Plot 7-842. (FCC Only) Antenna 5T (Peak, RU52, Index 37, Ch.122, MCS11)




Plot 7-840. Antenna 5T (Peak & Average, RU52, Index 37, Ch.106, MCS11)



Plot 7-843. Antenna 5T (Peak, RU26, Index 0, Ch.155, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 356 of 429




Plot 7-844. Antenna 5T (Peak, RU26, Index 36, Ch.155, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

RU996



Plot 7-845. Antenna 5T (Peak & Average, RU996, Index 67, Ch.42, MCS11)




Plot 7-848. (FCC Only) Antenna 5T (Peak & Average, RU996, Index 67, Ch.122, MCS11)




Plot 7-846. Antenna 5T (Peak & Average, RU996, Index 67, Ch.58, MCS11)



Plot 7-849. (FCC Only) Antenna 5T (Peak, RU996, Index 67, Ch.122, MCS11)




Plot 7-847. Antenna 5T (Peak & Average, RU996, Index 67, Ch.106, MCS11)



Plot 7-850. Antenna 5T (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 358 of 429



Plot 7-851. Antenna 5T (Peak, RU996, Index 67, Ch.155, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.6.9 Antenna 5T Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU52




Plot 7-852. Antenna 5T (Peak & Average, RU52, Index 37, Ch.50 (L), MCS11)



Plot 7-855. (FCC Only) Antenna 5T (Peak, RU52, Index 52, Ch.114 (U), MCS11)



Plot 7-853. Antenna 5T (Peak & Average, RU52, Index 52, Ch.50 (U), MCS11)




Plot 7-854. (FCC Only) Antenna 5T (Peak & Average, RU52, Index 37, Ch.114 (L), MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 360 of 429

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

RU996X2



Plot 7-856. Antenna 5T (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-859. (FCC Only) Antenna 5T (Peak, RU996X2, Index 68, Ch.114, MCS11)



Plot 7-857. Antenna 5T (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-858. (FCC Only) Antenna 5T (Peak & Average, RU996X2, Index 68, Ch.114, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 361 of 429


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.10 Antenna 3b Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-860. Antenna 3b (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-863. Antenna 3b (Peak, RU52, Index 40, Ch.140, MCS11)




Plot 7-861. Antenna 3b (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-864. Antenna 3b (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-862. Antenna 3b (Peak & Average, RU52, Index 37, Ch.100, MCS11)




Plot 7-865. Antenna 3b (Peak, RU26, Index 0, Ch.165, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 362 of 429

RU242



Plot 7-866. Antenna 3b (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-869. Antenna 3b (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-867. Antenna 3b (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-870. Antenna 3b (Peak & Average, RU242, Index 61, Ch.100, MCS11)




Plot 7-868. Antenna 3b (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-871. Antenna 3b (Peak & Average, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 363 of 429




Plot 7-872. Antenna 3b (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-875. Antenna 3b (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-873. Antenna 3b (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-876. Antenna 3b (Peak, RU242, Index 61, Ch.149, MCS11)



Plot 7-874. Antenna 3b (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-877. Antenna 3b (Peak, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 364 of 429


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.11 Antenna 3b Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

RU26/52



Plot 7-878. Antenna 3b (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-881. Antenna 3b (Peak & Average, RU52, Index 37, Ch.110, MCS11)




Plot 7-879. Antenna 3b (Peak & Average, RU52, Index 37, Ch.62, MCS11)



Plot 7-882. Antenna 3b (Peak, RU52, Index 44, Ch.134, MCS11)




Plot 7-880. Antenna 3b (Peak & Average, RU52, Index 37, Ch.102, MCS11)




Plot 7-883. Antenna 3b (Peak, RU26, Index 0, Ch.151, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 365 of 429




Plot 7-884. Antenna 3b (Peak, RU26, Index 0, Ch.159, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024 EUT Type: Tablet Device	Page 366 of 429

RU484



Plot 7-885. Antenna 3b (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-888. Antenna 3b (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-886. Antenna 3b (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-889. Antenna 3b (Peak & Average, RU484, Index 65, Ch.102, MCS11)




Plot 7-887. Antenna 3b (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-890. Antenna 3b (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 367 of 429




Plot 7-891. (FCC Only) Antenna 3b (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-894. Antenna 3b (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-892. (FCC Only) Antenna 3b (Peak, RU484, Index 65, Ch.126, MCS11)



Plot 7-895. Antenna 3b (Peak, RU484, Index 65, Ch.159, MCS11)



Plot 7-893. Antenna 3b (Peak, RU484, Index 65, Ch.134, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 368 of 429


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.12 Antenna 3b Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26/52




Plot 7-896. Antenna 3b (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-899. (FCC Only) Antenna 3b (Peak & Average, RU52, Index 37, Ch.122, MCS11)




Plot 7-897. Antenna 3b (Peak & Average, RU52, Index 37, Ch.58, MCS11)



Plot 7-900. (FCC Only) Antenna 3b (Peak, RU52, Index 52, Ch.122, MCS11)



Plot 7-898. Antenna 3b (Peak & Average, RU52, Index 37, Ch.106, MCS11)




Plot 7-901. Antenna 3b (Peak, RU26, Index 0, Ch.155, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 369 of 429






V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-902. Antenna 3b (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024 EUT Type: Tablet Device	Page 370 of 429

RU996


FCC ID: BCGA2995 IC: 579C-A2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 371 of 429



Plot 7-909. Antenna 3b (Peak, RU996, Index 67, Ch.155, MCS11)





FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 372 of 429

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.6.13 Antenna 3b Radiated Band Edge Measurements (160MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU52




FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 373 of 429

RU996X2



Plot 7-914. Antenna 3b (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-917. (FCC Only) Antenna 3b (Peak, RU996X2, Index 68, Ch.114, MCS11)



Plot 7-915. Antenna 3b (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-916. (FCC Only) Antenna 3b (Peak & Average, RU996X2, Index 68, Ch.114, MCS11)

FCC ID: BCGA2995 IC: 579C-A2995	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2405200018-23.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 374 of 429

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.