




Figure 58 - 802.11ax HE40, SU, SISO, Core 1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 59 - 802.11ax HE40, RU 106-56, SISO, Core 1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 60 - 802.11n HT40, SISO, Core 1 - 5270 MHz
Band Edge Frequency 5350 MHz




Figure 61 - 802.11n HT40, SISO, Core 1 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 62 - 802.11ax HE40, SU, SISO, Core 1 - 5270 MHz
Band Edge Frequency 5350 MHz






Figure 63 - 802.11ax HE40, SU, SISO, Core 1 - 5310 MHz
Band Edge Frequency 5350 MHz



**Figure 64 - 802.11ax HE40, RU 52-37, SISO, Core 1 - 5310 MHz
Band Edge Frequency 5350 MHz**



**Figure 65 - 802.11n HT40, SISO, Core 1 - 5510 MHz
Band Edge Frequency 5460 MHz**




Figure 66 - 802.11ax HE40, SU, SISO, Core 1 - 5510 MHz
Band Edge Frequency 5460 MHz





Figure 67 - 802.11ax HE40, RU 106-53, SISO, Core 1 - 5510 MHz
Band Edge Frequency 5460 MHz



40 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11n HT40	MCS 2	-	-	5190	5150	59.31	47.07
802.11ax HE40	MCS 2x1	SU	-	5190	5150	57.96	46.36
802.11ax HE40	MCS 11x1	106	56	5190	5150	55.32	43.28
802.11n HT40	MCS 7	-	-	5270	5350	59.83	46.89
802.11n HT40	MCS 7	-	-	5310	5350	68.36	51.47
802.11ax HE40	MCS 11x1	SU	-	5270	5350	60.64	47.37
802.11ax HE40	MCS 11x1	SU	-	5310	5350	65.63	51.49
802.11ax HE40	MCS 11x1	52	37	5310	5350	66.46	47.41
802.11n HT40	MCS 7	-	-	5510	5460	61.56	44.98
802.11ax HE40	MCS 11x1	SU	-	5510	5460	63.53	45.37
802.11ax HE40	MCS 11x1	106	56	5510	5460	58.47	45.21

Table 14 - CDD Restricted Band Edge Results



**Figure 68 - 802.11n HT40, CDD, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz**




Figure 69 - 802.11ax HE40, SU, CDD, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 70 - 802.11ax HE40, RU 106-56, CDD, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 71 - 802.11n HT40, CDD, Core 0-1 - 5270 MHz
Band Edge Frequency 5350 MHz






Figure 72 - 802.11n HT40, CDD, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz



**Figure 73 - 802.11ax HE40, SU, CDD, Core 0-1 - 5270 MHz
Band Edge Frequency 5350 MHz**



**Figure 74 - 802.11ax HE40, SU, CDD, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz**




Figure 75 - 802.11ax HE40, RU 52-37, CDD, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 76 - 802.11n HT40, CDD, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz




Figure 77 - 802.11ax HE40, SU, CDD, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz




Figure 78 - 802.11ax HE40, RU 106-56, CDD, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz



40 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11n HT40	MCS 4	-	-	5190	5150	60.12	47.86
802.11n HT40	MCS 7	-	-	5230	5150	61.12	46.64
802.11ax HE40	MCS 2x2	SU	-	5190	5150	57.17	44.57
802.11ax HE40	MCS 11x2	106	56	5190	5150	55.78	43.12
802.11n HT40	MCS 7	-	-	5270	5350	62.77	48.54
802.11n HT40	MCS 2	-	-	5310	5350	62.74	50.75
802.11ax HE40	MCS 11x2	SU	-	5270	5350	64.60	50.08
802.11ax HE40	MCS 4x2	SU	-	5310	5350	64.06	51.48
802.11ax HE40	MCS 11x2	52	37	5310	5350	66.31	47.50
802.11n HT40	MCS 7	-	-	5510	5460	63.21	45.80
802.11n HT40	MCS 7	-	-	5550	5460	59.72	45.40
802.11ax HE40	MCS 11x2	SU	-	5510	5460	62.94	45.40
802.11ax HE40	MCS 11x2	106	56	5510	5460	57.41	44.53

Table 15 - SDM Restricted Band Edge Results




Figure 79 - 802.11n HT40, SDM, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 80 - 802.11n HT40, SDM, Core 0-1 - 5230 MHz
Band Edge Frequency 5150 MHz






Figure 81 - 802.11ax HE40, SU, SDM, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz



**Figure 82 - 802.11ax HE40, RU 106-56, SDM, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz**



**Figure 83 - 802.11n HT40, SDM, Core 0-1 - 5270 MHz
Band Edge Frequency 5350 MHz**




Figure 84 - 802.11n HT40, SDM, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 85 - 802.11ax HE40, SU, SDM, Core 0-1 - 5270 MHz
Band Edge Frequency 5350 MHz




Figure 86 - 802.11ax HE40, SU, SDM, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 87 - 802.11ax HE40, RU 52-37, SDM, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 88 - 802.11n HT40, SDM, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz




Figure 89 - 802.11n HT40, SDM, Core 0-1 - 5550 MHz
Band Edge Frequency 5460 MHz




Figure 90 - 802.11ax HE40, SU, SDM, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz




Figure 91 - 802.11ax HE40, RU 106-56, SDM, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz



40 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT40	MCS 2x1	-	-	5190	5150	61.53	46.14
802.11ac VHT40	MCS 7x1	-	-	5310	5350	68.63	49.34
802.11ac VHT40	MCS 7x1	-	-	5510	5460	62.84	44.48

Table 16 - TxBF Restricted Band Edge Results




Figure 92 - 802.11ac VHT40, TxBF, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 93 - 802.11ac VHT40, TxBF, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 94 - 802.11ac VHT40, TxBF, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz



80 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 4x1	-	-	5210	5150	59.98	48.49
802.11ax HE80	MCS 2x1	SU	-	5210	5150	58.00	45.60
802.11ax HE80	MCS 11x1	106	53	5210	5150	56.67	44.25
802.11ac VHT80	MCS 4x1	-	-	5290	5350	63.50	51.48
802.11ax HE80	MCS 2x1	SU	-	5290	5350	63.60	51.49
802.11ax HE80	MCS 11x1	106	60	5290	5350	58.77	45.62
802.11ac VHT80	MCS 8x1	-	-	5530	5460	57.71	46.03
802.11ax HE80	MCS 2x1	SU	-	5530	5460	57.41	45.67
802.11ax HE80	MCS 11x1	106	60	5530	5460	56.35	44.64

Table 17 - SISO Restricted Band Edge Results




Figure 95 - 802.11ac VHT80, SISO, Core 0 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 96 - 802.11ax HE80, SU, SISO, Core 0 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 97 - 802.11ax HE80, RU 106-53, SISO, Core 0 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 98 - 802.11ac VHT80, SISO, Core 0 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 99 - 802.11ax HE80, SU, SISO, Core 0 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 100 - 802.11ax HE80, RU 106-60, SISO, Core 0 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 101 - 802.11ac VHT80, SISO, Core 0 - 5530 MHz
Band Edge Frequency 5460 MHz




Figure 102 - 802.11ax HE80, SU, SISO, Core 0 - 5530 MHz
Band Edge Frequency 5460 MHz




Figure 103 - 802.11ax HE80, RU 106-60, SISO, Core 0 - 5530 MHz
Band Edge Frequency 5460 MHz



80 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 8x1	-	-	5210	5150	59.33	45.64
802.11ax HE80	MCS 2x1	SU	-	5210	5150	57.49	45.65
802.11ax HE80	MCS 11x1	106	60	5210	5150	54.66	43.48
802.11ac VHT80	MCS 4x1	-	-	5290	5350	63.49	51.41
802.11ax HE80	MCS 4x1	SU	-	5290	5350	64.06	51.48
802.11ax HE80	MCS 11x1	52	37	5290	5350	64.91	45.77
802.11ac VHT80	MCS 2x1	-	-	5530	5460	59.66	47.29
802.11ax HE80	MCS 2x1	SU	-	5530	5460	59.28	46.77
802.11ax HE80	MCS 11x1	106	53	5530	5460	56.93	45.36

Table 18 - SISO Restricted Band Edge Results






Figure 104 - 802.11ac VHT80, SISO, Core 1 - 5210 MHz
Band Edge Frequency 5150 MHz



**Figure 105 - 802.11ax HE80, SU, SISO, Core 1 - 5210 MHz
Band Edge Frequency 5150 MHz**



**Figure 106 - 802.11ax HE80, RU 106-60, SISO, Core 1 - 5210 MHz
Band Edge Frequency 5150 MHz**




Figure 107 - 802.11ac VHT80, SISO, Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 108 - 802.11ax HE80, SU, SISO, Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 109 - 802.11ax HE80, RU 52-37, SISO, Core 1 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 110 - 802.11ac VHT80, SISO, Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz




Figure 111 - 802.11ax HE80, SU, SISO, Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz




Figure 112 - 802.11ax HE80, RU 106-53, SISO, Core 1 - 5530 MHz
Band Edge Frequency 5460 MHz



80 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 2x1	-	-	5210	5150	59.98	49.24
802.11ax HE80	MCS 2x1	SU	-	5210	5150	59.88	48.41
802.11ax HE80	MCS 11x1	106	53	5210	5150	56.62	44.62
802.11ac VHT80	MCS 8x1	-	-	5290	5350	62.93	51.48
802.11ax HE80	MCS 4x1	SU	-	5290	5350	63.28	51.48
802.11ax HE80	MCS 11x1	106	60	5290	5350	59.81	47.43
802.11ac VHT80	MCS 8x1	-	-	5530	5460	60.32	48.51
802.11ax HE80	MCS 11x1	SU	-	5530	5460	60.73	48.64
802.11ax HE80	MCS 11x1	106	53	5530	5460	61.28	48.20

Table 19 - CDD Restricted Band Edge Results




Figure 113 - 802.11ac VHT80, CDD, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 114 - 802.11ax HE80, SU, CDD, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 115 - 802.11ax HE80, RU 106-53, CDD, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 116 - 802.11ac VHT80, CDD, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 117 - 802.11ax HE80, SU, CDD, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 118 - 802.11ax HE80, RU 106-60, CDD, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz




Figure 119 - 802.11ac VHT80, CDD, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz




Figure 120 - 802.11ax HE80, SU, CDD, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz




Figure 121 - 802.11ax HE80, RU 106-53, CDD, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz

80 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 2x2	-	-	5210	5150	58.83	47.63
802.11ax HE80	MCS 2x2	SU	-	5210	5150	58.74	47.04
802.11ax HE80	MCS 11x2	106	53	5210	5150	56.19	44.16
802.11ac VHT80	MCS 4x2	-	-	5290	5350	63.23	51.48
802.11ax HE80	MCS 2x2	SU	-	5290	5350	63.28	51.42
802.11ax HE80	MCS 11x2	106	60	5290	5350	62.31	48.16
802.11ac VHT80	MCS 2x2	-	-	5530	5460	59.16	46.92
802.11ax HE80	MCS 2x2	SU	-	5530	5460	60.14	47.37
802.11ax HE80	MCS 11x2	106	53	5530	5460	59.06	46.28

Table 20 - SDM Restricted Band Edge Results




Figure 122 - 802.11ac VHT80, SDM, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz