







Plot 7-65. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 113)



Plot 7-67. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)



Plot 7-66. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 99)




Plot 7-68. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)


FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 42 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-69. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU242 (UNII Band 6) – Ch. 113)



Plot 7-71. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU996 (UNII Band 6) – Ch. 103)



Plot 7-70. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU484 (UNII Band 6) – Ch. 99




Plot 7-72. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)


FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 43 of 342

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-73. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)



Plot 7-75. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 135)



Plot 7-74. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 179)




Plot 7-76. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)


FCC ID: BCGA3266 IC: 579C-A3266	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 44 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-77. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 181)



Plot 7-79. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 135)



Plot 7-78. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 155)



Plot 7-80. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 45 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.2.4 Antenna WF7a 26dB & 99% Bandwidth Measurements – LPI

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5935	1	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.24	19.61	320	Pass
	5935	1	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.05	18.15	320	Pass
	5935	1	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.31	19.58	320	Pass
	6175	45	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.25	19.70	320	Pass
	6175	45	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.05	18.21	320	Pass
	6175	45	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.39	19.76	320	Pass
	6415	93	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.26	19.71	320	Pass
	6415	93	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.06	18.24	320	Pass
	6415	93	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.41	19.68	320	Pass
	5965	3	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.22	19.77	320	Pass
	5965	3	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.22	22.29	320	Pass
	5965	3	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.34	19.99	320	Pass
	6165	43	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.22	19.85	320	Pass
	6165	43	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.27	22.95	320	Pass
	6165	43	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.32	20.01	320	Pass
	6165	91	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.22	19.88	320	Pass
	6165	91	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.19	22.42	320	Pass
	6165	91	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.32	20.05	320	Pass
	5985	7	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.17	19.40	320	Pass
	5985	7	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.37	38.70	320	Pass
	5985	7	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.33	19.65	320	Pass
	6145	39	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.23	19.59	320	Pass
	6145	39	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.49	38.69	320	Pass
	6145	39	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.24	19.36	320	Pass
	6385	87	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.11	19.49	320	Pass
	6385	87	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.58	38.92	320	Pass
	6385	87	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.24	19.57	320	Pass
	6025	15 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	19.18	20.59	320	Pass
	6025		ax (160MHz)	26	36	12.5/14.7 (MCS11)	22.79	24.41	320	Pass
	6025	15 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	19.78	21.31	320	Pass
	6185	47 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	19.09	20.72	320	Pass
	6185		ax (160MHz)	26	36	12.5/14.7 (MCS11)	23.27	24.53	320	Pass
	6185	47 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	20.12	21.88	320	Pass
	6345	79 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	18.78	20.57	320	Pass
	6345		ax (160MHz)	26	36	12.5/14.7 (MCS11)	21.38	22.68	320	Pass
	6345	79 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	20.05	21.35	320	Pass
Band 6	6345	97	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.29	19.83	320	Pass
	6345	97	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.02	18.14	320	Pass
	6345	97	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.38	19.80	320	Pass
	6475	105	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.26	19.66	320	Pass
	6475	105	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.05	18.22	320	Pass
	6475	105	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.35	19.66	320	Pass
	6515	113	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.28	19.63	320	Pass
	6515	113	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.06	18.23	320	Pass
	6515	113	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.38	19.70	320	Pass
	6445	99	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.20	19.73	320	Pass
	6445	99	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.09	21.72	320	Pass
	6445	99	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.29	20.12	320	Pass
	6485	107	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.14	19.69	320	Pass
	6485	107	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.28	22.57	320	Pass
	6485	107	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.27	19.72	320	Pass
	6525	115	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.25	19.83	320	Pass
	6525	115	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.33	22.53	320	Pass
	6525	115	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.32	20.09	320	Pass
	6465	103	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.13	19.64	320	Pass
	6465	103	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.49	38.68	320	Pass
	6465	103	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.35	19.70	320	Pass
	6505	111 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	18.78	20.30	320	Pass
	6505		ax (160MHz)	26	36	12.5/14.7 (MCS11)	22.02	23.18	320	Pass
	6505	111 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	20.22	22.25	320	Pass

Table 7-8. Conducted Bandwidth Measurements Antenna WF7a (RU26)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 46 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 7	6535	117	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.24	19.63	320	Pass
	6535	117	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.08	18.24	320	Pass
	6535	117	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.37	19.73	320	Pass
	6695	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.22	19.64	320	Pass
	6695	149	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.07	18.24	320	Pass
	6695	149	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.41	19.68	320	Pass
	6875	185	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.24	19.61	320	Pass
	6875	185	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.07	18.20	320	Pass
	6875	185	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.39	19.70	320	Pass
	6565	123	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.20	19.67	320	Pass
	6565	123	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.32	22.64	320	Pass
	6565	123	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.37	20.13	320	Pass
	6725	155	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.06	19.74	320	Pass
	6725	155	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.23	21.86	320	Pass
	6725	155	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.27	20.09	320	Pass
	6845	179	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.21	19.71	320	Pass
	6845	179	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.26	22.13	320	Pass
	6845	179	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.32	20.15	320	Pass
	6545	119	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.26	19.87	320	Pass
	6545	119	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.29	38.63	320	Pass
	6545	119	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.35	19.62	320	Pass
	6705	151	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.09	19.46	320	Pass
	6705	151	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.58	38.80	320	Pass
	6705	151	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.36	19.63	320	Pass
	6865	183	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.17	19.65	320	Pass
	6865	183	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.54	38.85	320	Pass
	6865	183	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.28	19.71	320	Pass
	6665	143 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	18.80	20.85	320	Pass
	6665		ax (160MHz)	26	36	12.5/14.7 (MCS11)	21.90	24.04	320	Pass
	6665	143 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	20.35	21.62	320	Pass
	6825	175 (U)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	18.71	20.94	320	Pass
	6825		ax (160MHz)	26	36	12.5/14.7 (MCS11)	21.73	23.49	320	Pass
	6825	175 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	19.97	21.46	320	Pass
Band 8	6895	189	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.29	19.69	320	Pass
	6895	189	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.06	18.23	320	Pass
	6895	189	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.38	19.73	320	Pass
	6995	209	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.26	19.53	320	Pass
	6995	209	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.06	18.24	320	Pass
	6995	209	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.35	19.73	320	Pass
	7095	229	ax (20MHz)	26	0	12.5/14.7 (MCS11)	18.24	19.74	320	Pass
	7095	229	ax (20MHz)	26	4	12.5/14.7 (MCS11)	17.04	18.24	320	Pass
	7095	229	ax (20MHz)	26	8	12.5/14.7 (MCS11)	18.37	19.56	320	Pass
	6885	187	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.21	19.81	320	Pass
	6885	187	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.19	21.80	320	Pass
	6885	187	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.35	20.10	320	Pass
	7005	211	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.18	19.94	320	Pass
	7005	211	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.16	21.74	320	Pass
	7005	211	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.25	19.95	320	Pass
	7085	227	ax (40MHz)	26	0	12.5/14.7 (MCS11)	18.12	19.75	320	Pass
	7085	227	ax (40MHz)	26	8	12.5/14.7 (MCS11)	20.10	21.66	320	Pass
	7085	227	ax (40MHz)	26	17	12.5/14.7 (MCS11)	18.40	20.27	320	Pass
	6945	199	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.16	19.44	320	Pass
	6945	199	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.63	38.75	320	Pass
	6945	199	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.33	19.54	320	Pass
	7025	215	ax (80MHz)	26	0	12.5/14.7 (MCS11)	18.15	19.71	320	Pass
	7025	215	ax (80MHz)	26	18	12.5/14.7 (MCS11)	37.41	38.58	320	Pass
	7025	215	ax (80MHz)	26	36	12.5/14.7 (MCS11)	18.29	19.88	320	Pass
	6985	207 (U)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	18.85	20.92	320	Pass
	6985		ax (160MHz)	26	36	12.5/14.7 (MCS11)	21.64	23.92	320	Pass
	6985	207 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	19.64	21.66	320	Pass

Table 7-9. Conducted Bandwidth Measurements Antenna WF7a (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 47 of 342


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5935	1	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.04	21.20	320	Pass
	6175	45	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.08	21.21	320	Pass
	6415	93	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.04	21.21	320	Pass
	5965	3	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.96	41.82	320	Pass
	6165	43	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.92	41.69	320	Pass
	6165	91	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.98	41.39	320	Pass
	5985	7	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.22	82.53	320	Pass
	6145	39	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.27	82.77	320	Pass
	6385	87	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.26	82.53	320	Pass
	6025	15	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	156.61	166.23	320	Pass
	6185	47	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	156.24	166.53	320	Pass
	6345	79	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	156.20	165.87	320	Pass
Band 6	6345	97	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.04	21.31	320	Pass
	6475	105	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.03	21.07	320	Pass
	6515	113	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.06	21.18	320	Pass
	6445	99	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.92	41.35	320	Pass
	6485	107	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.99	41.68	320	Pass
	6525	115	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.97	41.22	320	Pass
	6465	103	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.34	82.97	320	Pass
	6505	111	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	156.33	165.56	320	Pass
Band 7	6535	117	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.02	21.15	320	Pass
	6695	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.05	21.14	320	Pass
	6875	185	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.03	21.21	320	Pass
	6565	123	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.97	41.32	320	Pass
	6725	155	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.99	41.18	320	Pass
	6845	179	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.96	41.40	320	Pass
	6545	119	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.14	82.42	320	Pass
	6705	151	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.19	82.56	320	Pass
	6865	183	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.14	82.97	320	Pass
	6665	143	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	156.26	166.85	320	Pass
	6825	175	ax (160MHz)	996	68	1020.8/1201 (MCS11)	156.25	166.30	320	Pass
	6895	189	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.03	21.06	320	Pass
Band 8	6995	209	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.03	20.99	320	Pass
	7115	229	ax (20MHz)	242	61	121.9/143.4 (MCS11)	19.04	21.17	320	Pass
	6885	187	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.99	41.55	320	Pass
	7005	211	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.93	41.50	320	Pass
	7085	227	ax (40MHz)	484	65	243.8/286.8 (MCS11)	37.93	41.41	320	Pass
	6945	199	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.30	82.39	320	Pass
	7025	215	ax (80MHz)	996	67	510.4/600.5 (MCS11)	77.19	82.88	320	Pass
	6985	207	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	156.35	166.22	320	Pass

Table 7-10. Conducted Bandwidth Measurements Antenna WF7a (Fully – Loaded RU)


FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 48 of 342

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-81. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-83. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 87)



Plot 7-82. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-84. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)


FCC ID: BCGA3266 IC: 579C-A3266	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 49 of 342

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-85. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 93)



Plot 7-87. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)



Plot 7-86. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 3)




Plot 7-88. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)

FCC ID: BCGA3266 IC: 579C-A3266			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 50 of 342	

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-89. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 97)



Plot 7-91. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)



Plot 7-90. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)




Plot 7-92. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)


FCC ID: BCGA3266 IC: 579C-A3266	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 51 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-93. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU242 (UNII Band 6) – Ch. 97)



Plot 7-95. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU996 (UNII Band 6) – Ch. 103)



Plot 7-94. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU484 (UNII Band 6) – Ch. 107)




Plot 7-96. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 52 of 342

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-97. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 117)



Plot 7-99. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 183)



Plot 7-98. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 123)



Plot 7-100. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 53 of 342

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-101. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 185)



Plot 7-103. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 183)



Plot 7-102. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 179)




Plot 7-104. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)


FCC ID: BCGA3266 IC: 579C-A3266	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 54 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-105. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 229)



Plot 7-107. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU26 (UNII Band 8) – Ch.199)



Plot 7-106. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 187)



Plot 7-108. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)


FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 55 of 342

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-109. 26dB & 99% Bandwidth Plot Antenna WF7a (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 229)



Plot 7-111. 26dB & 99% Bandwidth Plot Antenna WF7a (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 215)



Plot 7-110. 26dB & 99% Bandwidth Plot Antenna WF7a (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 187)



Plot 7-112. 26dB & 99% Bandwidth Plot Antenna WF7a (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 56 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.3 Conducted Output Power and Max EIRP Measurement

§15.407(a)(7)(8), RSS-248 [4.5.2], [4.5.5]

Test Overview and Limits

A transmitter antenna terminal of the EUT is connected to the input of an RF pulse power sensor. Measurement is made using a broadband average power meter while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, and at the appropriate frequencies.

In the 5.925 – 7.125GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30dBm for Standard Power mode (SP), and 24dBm for Low Power Indoor mode (LPI).

Test Procedure Used

ANSI C63.10-2020 – Section 12.4.3.2 Method PM-G
KDB 789033 D02 v02r01 – Section E3)b) Method PM-G
ANSI C63.10-2020 – Section 14.4 Measure-and-Sum Technique
KDB 662911 v02r01 – Section E1) Measure-and-Sum Technique

Test Settings

Average power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter. The trace was averaged over 100 traces to obtain the final measured average power.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

None

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 57 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.3.1 Antenna WF8 Conducted Output Power Measurements – SP

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	26	0	12.5/14.7 (MCS11)	10.82	5.00	15.82	30.00	-14.18
			AVG	26	4	12.5/14.7 (MCS11)	10.79	5.00	15.79	30.00	-14.21
			AVG	26	8	12.5/14.7 (MCS11)	10.87	5.00	15.87	30.00	-14.14
	6175	45	AVG	26	0	12.5/14.7 (MCS11)	10.80	5.00	15.80	30.00	-14.20
			AVG	26	4	12.5/14.7 (MCS11)	10.98	5.00	15.98	30.00	-14.02
			AVG	26	8	12.5/14.7 (MCS11)	10.90	5.00	15.90	30.00	-14.10
	6415	93	AVG	26	0	12.5/14.7 (MCS11)	10.87	5.00	15.87	30.00	-14.13
			AVG	26	4	12.5/14.7 (MCS11)	10.86	5.00	15.86	30.00	-14.14
			AVG	26	8	12.5/14.7 (MCS11)	10.99	5.00	15.99	30.00	-14.02
	6435	97	AVG	26	0	12.5/14.7 (MCS11)	10.64	0.80	11.44	30.00	-18.56
			AVG	26	4	12.5/14.7 (MCS11)	10.75	0.80	11.55	30.00	-18.45
			AVG	26	8	12.5/14.7 (MCS11)	10.83	0.80	11.63	30.00	-18.37
	6475	105	AVG	26	0	12.5/14.7 (MCS11)	10.62	0.80	11.42	30.00	-18.58
			AVG	26	4	12.5/14.7 (MCS11)	10.66	0.80	11.46	30.00	-18.54
			AVG	26	8	12.5/14.7 (MCS11)	10.77	0.80	11.57	30.00	-18.43
	6515	113	AVG	26	0	12.5/14.7 (MCS11)	10.83	0.80	11.63	30.00	-18.38
			AVG	26	4	12.5/14.7 (MCS11)	10.88	0.80	11.68	30.00	-18.33
			AVG	26	8	12.5/14.7 (MCS11)	10.98	0.80	11.78	30.00	-18.22
	6535	117	AVG	26	0	12.5/14.7 (MCS11)	10.89	2.10	12.99	30.00	-17.01
			AVG	26	4	12.5/14.7 (MCS11)	10.92	2.10	13.02	30.00	-16.98
			AVG	26	8	12.5/14.7 (MCS11)	10.94	2.10	13.04	30.00	-16.96
	6695	149	AVG	26	0	12.5/14.7 (MCS11)	10.76	2.10	12.86	30.00	-17.14
			AVG	26	4	12.5/14.7 (MCS11)	10.83	2.10	12.93	30.00	-17.07
			AVG	26	8	12.5/14.7 (MCS11)	10.72	2.10	12.82	30.00	-17.18
	6855	181	AVG	26	0	12.5/14.7 (MCS11)	10.65	2.10	12.75	30.00	-17.25
			AVG	26	4	12.5/14.7 (MCS11)	10.82	2.10	12.92	30.00	-17.08
			AVG	26	8	12.5/14.7 (MCS11)	10.86	2.10	12.96	30.00	-17.04

Table 7-11. Antenna WF8 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 58 of 342

V 10.6 10/27/2023

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	26	0	12.5/14.7 (MCS11)	10.80	5.00	15.80	30.00	-14.20
			AVG	26	8	12.5/14.7 (MCS11)	10.75	5.00	15.75	30.00	-14.25
			AVG	26	17	12.5/14.7 (MCS11)	10.73	5.00	15.73	30.00	-14.27
	6165	43	AVG	26	0	12.5/14.7 (MCS11)	10.93	5.00	15.93	30.00	-14.07
			AVG	26	8	12.5/14.7 (MCS11)	10.84	5.00	15.84	30.00	-14.16
			AVG	26	17	12.5/14.7 (MCS11)	10.95	5.00	15.95	30.00	-14.05
	6405	91	AVG	26	0	12.5/14.7 (MCS11)	10.66	5.00	15.66	30.00	-14.34
			AVG	26	8	12.5/14.7 (MCS11)	10.69	5.00	15.69	30.00	-14.31
			AVG	26	17	12.5/14.7 (MCS11)	10.80	5.00	15.80	30.00	-14.20
	6445	99	AVG	26	0	12.5/14.7 (MCS11)	10.75	0.80	11.55	30.00	-18.45
			AVG	26	8	12.5/14.7 (MCS11)	10.80	0.80	11.60	30.00	-18.40
			AVG	26	17	12.5/14.7 (MCS11)	10.65	0.80	11.45	30.00	-18.55
	6485	107	AVG	26	0	12.5/14.7 (MCS11)	10.74	0.80	11.54	30.00	-18.46
			AVG	26	8	12.5/14.7 (MCS11)	10.65	0.80	11.45	30.00	-18.55
			AVG	26	17	12.5/14.7 (MCS11)	10.81	0.80	11.61	30.00	-18.40
	6525	115	AVG	26	0	12.5/14.7 (MCS11)	10.87	2.10	12.97	30.00	-17.03
			AVG	26	8	12.5/14.7 (MCS11)	10.83	2.10	12.93	30.00	-17.07
			AVG	26	17	12.5/14.7 (MCS11)	10.80	2.10	12.90	30.00	-17.10
	6565	123	AVG	26	0	12.5/14.7 (MCS11)	10.66	2.10	12.76	30.00	-17.24
			AVG	26	8	12.5/14.7 (MCS11)	10.86	2.10	12.96	30.00	-17.04
			AVG	26	17	12.5/14.7 (MCS11)	10.75	2.10	12.85	30.00	-17.15
	6725	155	AVG	26	0	12.5/14.7 (MCS11)	10.63	2.10	12.73	30.00	-17.27
			AVG	26	8	12.5/14.7 (MCS11)	10.63	2.10	12.73	30.00	-17.27
			AVG	26	17	12.5/14.7 (MCS11)	10.60	2.10	12.70	30.00	-17.30
	6845	179	AVG	26	0	12.5/14.7 (MCS11)	10.90	2.10	13.00	30.00	-17.00
			AVG	26	8	12.5/14.7 (MCS11)	10.80	2.10	12.90	30.00	-17.10
			AVG	26	17	12.5/14.7 (MCS11)	10.69	2.10	12.79	30.00	-17.21

Table 7-12. Antenna WF8 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	26	0	12.5/14.7 (MCS11)	10.84	5.00	15.84	30.00	-14.16
			AVG	26	18	12.5/14.7 (MCS11)	10.68	5.00	15.68	30.00	-14.33
			AVG	26	36	12.5/14.7 (MCS11)	10.60	5.00	15.60	30.00	-14.40
	6145	39	AVG	26	0	12.5/14.7 (MCS11)	10.68	5.00	15.68	30.00	-14.32
			AVG	26	18	12.5/14.7 (MCS11)	10.74	5.00	15.74	30.00	-14.26
			AVG	26	36	12.5/14.7 (MCS11)	10.74	5.00	15.74	30.00	-14.26
	6385	87	AVG	26	0	12.5/14.7 (MCS11)	10.74	5.00	15.74	30.00	-14.26
			AVG	26	18	12.5/14.7 (MCS11)	10.84	5.00	15.84	30.00	-14.16
			AVG	26	36	12.5/14.7 (MCS11)	10.90	5.00	15.90	30.00	-14.10
	6465	103	AVG	26	0	12.5/14.7 (MCS11)	10.63	0.80	11.43	30.00	-18.57
			AVG	26	18	12.5/14.7 (MCS11)	10.74	0.80	11.54	30.00	-18.46
			AVG	26	36	12.5/14.7 (MCS11)	10.74	0.80	11.54	30.00	-18.46
	6545	119	AVG	26	0	12.5/14.7 (MCS11)	10.99	2.10	13.09	30.00	-16.91
			AVG	26	18	12.5/14.7 (MCS11)	10.87	2.10	12.97	30.00	-17.03
			AVG	26	36	12.5/14.7 (MCS11)	10.68	2.10	12.78	30.00	-17.22
	6625	135	AVG	26	0	12.5/14.7 (MCS11)	10.67	2.10	12.77	30.00	-17.23
			AVG	26	18	12.5/14.7 (MCS11)	10.87	2.10	12.97	30.00	-17.03
			AVG	26	36	12.5/14.7 (MCS11)	10.89	2.10	12.99	30.00	-17.01
	6705	151	AVG	26	0	12.5/14.7 (MCS11)	10.71	2.10	12.81	30.00	-17.19
			AVG	26	18	12.5/14.7 (MCS11)	10.71	2.10	12.81	30.00	-17.19
			AVG	26	36	12.5/14.7 (MCS11)	10.63	2.10	12.73	30.00	-17.27
	6785	167	AVG	26	0	12.5/14.7 (MCS11)	10.93	2.10	13.03	30.00	-16.97
			AVG	26	18	12.5/14.7 (MCS11)	10.79	2.10	12.89	30.00	-17.11
			AVG	26	36	12.5/14.7 (MCS11)	10.68	2.10	12.78	30.00	-17.22

Table 7-13. Antenna WF8 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 59 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15	AVG	26	0	12.5/14.7 (MCS11)	10.78	5.00	15.78	30.00	-14.22
			AVG	26	18	12.5/14.7 (MCS11)	10.69	5.00	15.69	30.00	-14.32
			AVG	26	36	12.5/14.7 (MCS11)	10.99	5.00	15.99	30.00	-14.01
	6185	47	AVG	26	0	12.5/14.7 (MCS11)	10.90	5.00	15.90	30.00	-14.10
			AVG	26	18	12.5/14.7 (MCS11)	10.93	5.00	15.93	30.00	-14.07
			AVG	26	36	12.5/14.7 (MCS11)	10.92	5.00	15.92	30.00	-14.08
	6345	79	AVG	26	0	12.5/14.7 (MCS11)	10.72	5.00	15.72	30.00	-14.28
			AVG	26	18	12.5/14.7 (MCS11)	10.98	5.00	15.98	30.00	-14.02
			AVG	26	36	12.5/14.7 (MCS11)	10.66	5.00	15.66	30.00	-14.35
	6505	111	AVG	26	0	12.5/14.7 (MCS11)	10.99	0.80	11.79	30.00	-18.21
			AVG	26	18	12.5/14.7 (MCS11)	10.77	0.80	11.57	30.00	-18.43
			AVG	26	36	12.5/14.7 (MCS11)	10.94	0.80	11.74	30.00	-18.26
	6665	143	AVG	26	0	12.5/14.7 (MCS11)	10.90	2.10	13.00	30.00	-17.01
			AVG	26	18	12.5/14.7 (MCS11)	10.68	2.10	12.78	30.00	-17.22
			AVG	26	36	12.5/14.7 (MCS11)	10.83	2.10	12.93	30.00	-17.07

Table 7-14. Antenna WF8 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	106	53	53.1/62.5 (MCS11)	16.75	5.00	21.75	30.00	-8.25
			AVG	106	54	53.1/62.5 (MCS11)	16.77	5.00	21.77	30.00	-8.23
	6175	45	AVG	106	53	53.1/62.5 (MCS11)	16.73	5.00	21.73	30.00	-8.27
			AVG	106	54	53.1/62.5 (MCS11)	16.70	5.00	21.70	30.00	-8.30
	6415	93	AVG	106	53	53.1/62.5 (MCS11)	16.92	5.00	21.92	30.00	-8.08
			AVG	106	54	53.1/62.5 (MCS11)	16.70	5.00	21.70	30.00	-8.30
	6435	97	AVG	106	53	53.1/62.5 (MCS11)	16.88	0.80	17.68	30.00	-12.32
			AVG	106	54	53.1/62.5 (MCS11)	16.66	0.80	17.46	30.00	-12.54
	6475	105	AVG	106	53	53.1/62.5 (MCS11)	16.63	0.80	17.43	30.00	-12.57
			AVG	106	54	53.1/62.5 (MCS11)	16.86	0.80	17.66	30.00	-12.34
	6515	113	AVG	106	53	53.1/62.5 (MCS11)	16.88	0.80	17.68	30.00	-12.32
			AVG	106	54	53.1/62.5 (MCS11)	16.87	0.80	17.67	30.00	-12.33
	6535	117	AVG	106	53	53.1/62.5 (MCS11)	16.75	2.10	18.85	30.00	-11.15
			AVG	106	54	53.1/62.5 (MCS11)	16.73	2.10	18.83	30.00	-11.17
	6695	149	AVG	106	53	53.1/62.5 (MCS11)	16.94	2.10	19.04	30.00	-10.96
			AVG	106	54	53.1/62.5 (MCS11)	16.89	2.10	18.99	30.00	-11.01
	6855	181	AVG	106	53	53.1/62.5 (MCS11)	16.80	2.10	18.90	30.00	-11.10
			AVG	106	54	53.1/62.5 (MCS11)	16.73	2.10	18.83	30.00	-11.17

Table 7-15. Antenna WF8 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 60 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	242	61	121.9/143.4 (MCS11)	19.91	5.00	24.91	30.00	-5.09
			AVG	242	62	121.9/143.4 (MCS11)	19.89	5.00	24.89	30.00	-5.11
	6165	43	AVG	242	61	121.9/143.4 (MCS11)	19.92	5.00	24.92	30.00	-5.08
			AVG	242	62	121.9/143.4 (MCS11)	19.95	5.00	24.95	30.00	-5.05
	6405	91	AVG	242	61	121.9/143.4 (MCS11)	19.82	5.00	24.82	30.00	-5.18
			AVG	242	62	121.9/143.4 (MCS11)	19.86	5.00	24.86	30.00	-5.14
	6445	99	AVG	242	61	121.9/143.4 (MCS11)	19.78	0.80	20.58	30.00	-9.42
			AVG	242	62	121.9/143.4 (MCS11)	19.87	0.80	20.67	30.00	-9.33
	6485	107	AVG	242	61	121.9/143.4 (MCS11)	19.67	0.80	20.47	30.00	-9.53
			AVG	242	62	121.9/143.4 (MCS11)	19.76	0.80	20.56	30.00	-9.44
	6525	115	AVG	242	61	121.9/143.4 (MCS11)	19.89	2.10	21.99	30.00	-8.01
			AVG	242	62	121.9/143.4 (MCS11)	19.92	2.10	22.02	30.00	-7.98
	6565	123	AVG	242	61	121.9/143.4 (MCS11)	19.68	2.10	21.78	30.00	-8.22
			AVG	242	62	121.9/143.4 (MCS11)	19.75	2.10	21.85	30.00	-8.15
	6725	155	AVG	242	61	121.9/143.4 (MCS11)	19.93	2.10	22.03	30.00	-7.97
			AVG	242	62	121.9/143.4 (MCS11)	19.75	2.10	21.85	30.00	-8.15
	6845	179	AVG	242	61	121.9/143.4 (MCS11)	19.81	2.10	21.91	30.00	-8.09
			AVG	242	62	121.9/143.4 (MCS11)	19.85	2.10	21.95	30.00	-8.06

Table 7-16. Antenna WF8 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	484	65	243.8/286.8 (MCS11)	19.72	5.00	24.72	30.00	-5.28
			AVG	484	66	243.8/286.8 (MCS11)	19.99	5.00	24.99	30.00	-5.01
	6145	39	AVG	484	65	243.8/286.8 (MCS11)	19.75	5.00	24.75	30.00	-5.25
			AVG	484	66	243.8/286.8 (MCS11)	19.74	5.00	24.74	30.00	-5.26
	6385	87	AVG	484	65	243.8/286.8 (MCS11)	19.68	5.00	24.68	30.00	-5.32
			AVG	484	66	243.8/286.8 (MCS11)	19.94	5.00	24.94	30.00	-5.06
	6465	103	AVG	484	65	243.8/286.8 (MCS11)	19.71	0.80	20.51	30.00	-9.49
			AVG	484	66	243.8/286.8 (MCS11)	19.61	0.80	20.41	30.00	-9.59
	6545	119	AVG	484	65	243.8/286.8 (MCS11)	19.88	2.10	21.98	30.00	-8.02
			AVG	484	66	243.8/286.8 (MCS11)	19.84	2.10	21.94	30.00	-8.06
	6625	135	AVG	484	65	243.8/286.8 (MCS11)	19.84	2.10	21.94	30.00	-8.06
			AVG	484	66	243.8/286.8 (MCS11)	19.80	2.10	21.90	30.00	-8.10
	6705	151	AVG	484	65	243.8/286.8 (MCS11)	19.91	2.10	22.01	30.00	-8.00
			AVG	484	66	243.8/286.8 (MCS11)	19.87	2.10	21.97	30.00	-8.03
	6785	167	AVG	484	65	243.8/286.8 (MCS11)	19.91	2.10	22.01	30.00	-7.99
			AVG	484	66	243.8/286.8 (MCS11)	19.94	2.10	22.04	30.00	-7.96

Table 7-17. Antenna WF8 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.73	5.00	24.73	30.00	-5.27
		15 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.84	5.00	24.84	30.00	-5.16
	6185	47 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.90	5.00	24.90	30.00	-5.10
		47 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.92	5.00	24.92	30.00	-5.09
	6345	79 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.78	5.00	24.78	30.00	-5.23
		79 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.68	5.00	24.68	30.00	-5.32
	6505	111 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.77	0.80	20.57	30.00	-9.43
		111 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.83	0.80	20.63	30.00	-9.38
	6665	143 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.83	2.10	21.93	30.00	-8.08
		143 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.82	2.10	21.92	30.00	-8.08

Table 7-18. Antenna WF8 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 61 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	242	61	121.9/143.4 (MCS11)	19.98	5.00	24.98	30.00	-5.02
	6175	45	AVG	242	61	121.9/143.4 (MCS11)	19.96	5.00	24.96	30.00	-5.04
	6415	93	AVG	242	61	121.9/143.4 (MCS11)	19.64	5.00	24.64	30.00	-5.36
	6435	97	AVG	242	61	121.9/143.4 (MCS11)	19.66	0.80	20.46	30.00	-9.54
	6475	105	AVG	242	61	121.9/143.4 (MCS11)	19.83	0.80	20.63	30.00	-9.37
	6515	113	AVG	242	61	121.9/143.4 (MCS11)	19.80	0.80	20.60	30.00	-9.40
	6535	117	AVG	242	61	121.9/143.4 (MCS11)	19.83	2.10	21.93	30.00	-8.07
	6695	149	AVG	242	61	121.9/143.4 (MCS11)	19.83	2.10	21.93	30.00	-8.07
	6855	181	AVG	242	61	121.9/143.4 (MCS11)	19.78	2.10	21.88	30.00	-8.12

Table 7-19. Antenna WF8 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	484	65	243.8/286.8 (MCS11)	19.90	5.00	24.90	30.00	-5.10
	6165	43	AVG	484	65	243.8/286.8 (MCS11)	19.88	5.00	24.88	30.00	-5.12
	6405	91	AVG	484	65	243.8/286.8 (MCS11)	19.89	5.00	24.89	30.00	-5.11
	6445	99	AVG	484	65	243.8/286.8 (MCS11)	19.75	0.80	20.55	30.00	-9.45
	6485	107	AVG	484	65	243.8/286.8 (MCS11)	19.98	0.80	20.78	30.00	-9.22
	6525	115	AVG	484	65	243.8/286.8 (MCS11)	19.88	2.10	21.98	30.00	-8.02
	6565	123	AVG	484	65	243.8/286.8 (MCS11)	19.81	2.10	21.91	30.00	-8.09
	6725	155	AVG	484	65	243.8/286.8 (MCS11)	19.80	2.10	21.90	30.00	-8.10
	6845	179	AVG	484	65	243.8/286.8 (MCS11)	19.73	2.10	21.83	30.00	-8.17

Table 7-20. Antenna WF8 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	996	67	510.4/600.5 (MCS11)	19.88	5.00	24.88	30.00	-5.12
	6145	39	AVG	996	67	510.4/600.5 (MCS11)	19.98	5.00	24.98	30.00	-5.02
	6385	87	AVG	996	67	510.4/600.5 (MCS11)	19.64	5.00	24.64	30.00	-5.36
	6465	103	AVG	996	67	510.4/600.5 (MCS11)	19.91	0.80	20.71	30.00	-9.29
	6545	119	AVG	996	67	510.4/600.5 (MCS11)	19.96	2.10	22.06	30.00	-7.94
	6625	135	AVG	996	67	510.4/600.5 (MCS11)	19.76	2.10	21.86	30.00	-8.14
	6705	151	AVG	996	67	510.4/600.5 (MCS11)	19.76	2.10	21.86	30.00	-8.14
	6785	167	AVG	996	67	510.4/600.5 (MCS11)	19.86	2.10	21.96	30.00	-8.04

Table 7-21. Antenna WF8 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15	AVG	996x2	68	1020.8/1201 (MCS11)	20.00	5.00	25.00	30.00	-5.00
	6185	47	AVG	996x2	68	1020.8/1201 (MCS11)	19.86	5.00	24.86	30.00	-5.14
	6345	79	AVG	996x2	68	1020.8/1201 (MCS11)	19.78	5.00	24.78	30.00	-5.22
	6505	111	AVG	996x2	68	1020.8/1201 (MCS11)	19.94	0.80	20.74	30.00	-9.26
	6665	143	AVG	996x2	68	1020.8/1201 (MCS11)	19.87	2.10	21.97	30.00	-8.03

Table 7-22. Antenna WF8 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 62 of 342

7.3.2 Antenna WF8 Conducted Output Power Measurements – LPI

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	26	0	12.5/14.7 (MCS11)	-5.51	5.00	-0.51	24.00	-24.51
			AVG	26	4	12.5/14.7 (MCS11)	-5.64	5.00	-0.64	24.00	-24.64
			AVG	26	8	12.5/14.7 (MCS11)	-5.51	5.00	-0.51	24.00	-24.51
	6175	45	AVG	26	0	12.5/14.7 (MCS11)	-5.14	5.00	-0.14	24.00	-24.14
			AVG	26	4	12.5/14.7 (MCS11)	-5.06	5.00	-0.06	24.00	-24.06
			AVG	26	8	12.5/14.7 (MCS11)	-5.20	5.00	-0.20	24.00	-24.20
	6415	93	AVG	26	0	12.5/14.7 (MCS11)	-4.22	5.00	0.78	24.00	-23.22
			AVG	26	4	12.5/14.7 (MCS11)	-4.22	5.00	0.78	24.00	-23.22
			AVG	26	8	12.5/14.7 (MCS11)	-4.02	5.00	0.98	24.00	-23.02
	6435	97	AVG	26	0	12.5/14.7 (MCS11)	-4.72	0.80	-3.92	24.00	-27.92
			AVG	26	4	12.5/14.7 (MCS11)	-4.65	0.80	-3.85	24.00	-27.85
			AVG	26	8	12.5/14.7 (MCS11)	-4.61	0.80	-3.81	24.00	-27.81
	6475	105	AVG	26	0	12.5/14.7 (MCS11)	-4.60	0.80	-3.80	24.00	-27.80
			AVG	26	4	12.5/14.7 (MCS11)	-4.51	0.80	-3.71	24.00	-27.71
			AVG	26	8	12.5/14.7 (MCS11)	-4.67	0.80	-3.87	24.00	-27.87
	6515	113	AVG	26	0	12.5/14.7 (MCS11)	-4.72	0.80	-3.92	24.00	-27.92
			AVG	26	4	12.5/14.7 (MCS11)	-4.65	0.80	-3.85	24.00	-27.85
			AVG	26	8	12.5/14.7 (MCS11)	-4.56	0.80	-3.76	24.00	-27.76
	6535	117	AVG	26	0	12.5/14.7 (MCS11)	-4.35	2.10	-2.25	24.00	-26.25
			AVG	26	4	12.5/14.7 (MCS11)	-4.25	2.10	-2.15	24.00	-26.15
			AVG	26	8	12.5/14.7 (MCS11)	-4.18	2.10	-2.08	24.00	-26.08
	6695	149	AVG	26	0	12.5/14.7 (MCS11)	-4.34	2.10	-2.24	24.00	-26.24
			AVG	26	4	12.5/14.7 (MCS11)	-4.25	2.10	-2.15	24.00	-26.15
			AVG	26	8	12.5/14.7 (MCS11)	-4.38	2.10	-2.28	24.00	-26.28
	6875	185	AVG	26	0	12.5/14.7 (MCS11)	-4.16	2.10	-2.06	24.00	-26.06
			AVG	26	4	12.5/14.7 (MCS11)	-4.07	2.10	-1.97	24.00	-25.97
			AVG	26	8	12.5/14.7 (MCS11)	-4.30	2.10	-2.20	24.00	-26.20
	6895	189	AVG	26	0	12.5/14.7 (MCS11)	-2.26	1.50	-0.76	24.00	-24.76
			AVG	26	4	12.5/14.7 (MCS11)	-2.61	1.50	-1.11	24.00	-25.11
			AVG	26	8	12.5/14.7 (MCS11)	-2.65	1.50	-1.15	24.00	-25.15
	6995	209	AVG	26	0	12.5/14.7 (MCS11)	-2.57	1.50	-1.07	24.00	-25.07
			AVG	26	4	12.5/14.7 (MCS11)	-2.41	1.50	-0.91	24.00	-24.91
			AVG	26	8	12.5/14.7 (MCS11)	-2.74	1.50	-1.24	24.00	-25.24
	7095	229	AVG	26	0	12.5/14.7 (MCS11)	-2.39	1.50	-0.89	24.00	-24.89
			AVG	26	4	12.5/14.7 (MCS11)	-2.75	1.50	-1.25	24.00	-25.25
			AVG	26	8	12.5/14.7 (MCS11)	-2.56	1.50	-1.06	24.00	-25.06

Table 7-23. Antenna WF8 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 63 of 342

V 10.6 10/27/2023

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	26	0	12.5/14.7 (MCS11)	-5.62	5.00	-0.62	24.00	-24.62
			AVG	26	8	12.5/14.7 (MCS11)	-5.85	5.00	-0.85	24.00	-24.85
			AVG	26	17	12.5/14.7 (MCS11)	-5.60	5.00	-0.60	24.00	-24.60
	6165	43	AVG	26	0	12.5/14.7 (MCS11)	-5.25	5.00	-0.25	24.00	-24.25
			AVG	26	8	12.5/14.7 (MCS11)	-5.08	5.00	-0.08	24.00	-24.08
			AVG	26	17	12.5/14.7 (MCS11)	-5.18	5.00	-0.18	24.00	-24.18
	6405	91	AVG	26	0	12.5/14.7 (MCS11)	-4.17	5.00	0.83	24.00	-23.17
			AVG	26	8	12.5/14.7 (MCS11)	-4.27	5.00	0.73	24.00	-23.27
			AVG	26	17	12.5/14.7 (MCS11)	-4.35	5.00	0.65	24.00	-23.35
	6445	99	AVG	26	0	12.5/14.7 (MCS11)	-4.83	0.80	-4.03	24.00	-28.03
			AVG	26	8	12.5/14.7 (MCS11)	-4.88	0.80	-4.08	24.00	-28.08
			AVG	26	17	12.5/14.7 (MCS11)	-4.85	0.80	-4.05	24.00	-28.05
	6485	107	AVG	26	0	12.5/14.7 (MCS11)	-4.73	0.80	-3.93	24.00	-27.93
			AVG	26	8	12.5/14.7 (MCS11)	-4.66	0.80	-3.86	24.00	-27.86
			AVG	26	17	12.5/14.7 (MCS11)	-4.70	0.80	-3.90	24.00	-27.90
	6525	115	AVG	26	0	12.5/14.7 (MCS11)	-4.64	2.10	-2.54	24.00	-26.54
			AVG	26	8	12.5/14.7 (MCS11)	-4.64	2.10	-2.54	24.00	-26.54
			AVG	26	17	12.5/14.7 (MCS11)	-4.80	2.10	-2.70	24.00	-26.70
	6565	123	AVG	26	0	12.5/14.7 (MCS11)	-4.16	2.10	-2.06	24.00	-26.06
			AVG	26	8	12.5/14.7 (MCS11)	-4.09	2.10	-1.99	24.00	-25.99
			AVG	26	17	12.5/14.7 (MCS11)	-4.11	2.10	-2.01	24.00	-26.01
	6725	155	AVG	26	0	12.5/14.7 (MCS11)	-4.26	2.10	-2.16	24.00	-26.16
			AVG	26	8	12.5/14.7 (MCS11)	-4.10	2.10	-2.00	24.00	-26.00
			AVG	26	17	12.5/14.7 (MCS11)	-4.14	2.10	-2.04	24.00	-26.04
	6845	179	AVG	26	0	12.5/14.7 (MCS11)	-4.29	2.10	-2.19	24.00	-26.19
			AVG	26	8	12.5/14.7 (MCS11)	-4.29	2.10	-2.19	24.00	-26.19
			AVG	26	17	12.5/14.7 (MCS11)	-4.15	2.10	-2.05	24.00	-26.05
	6885	187	AVG	26	0	12.5/14.7 (MCS11)	-4.26	1.50	-2.76	24.00	-26.76
			AVG	26	8	12.5/14.7 (MCS11)	-4.06	1.50	-2.56	24.00	-26.56
			AVG	26	17	12.5/14.7 (MCS11)	-4.20	1.50	-2.70	24.00	-26.70
	7005	211	AVG	26	0	12.5/14.7 (MCS11)	-2.27	1.50	-0.77	24.00	-24.77
			AVG	26	8	12.5/14.7 (MCS11)	-2.48	1.50	-0.98	24.00	-24.98
			AVG	26	17	12.5/14.7 (MCS11)	-2.41	1.50	-0.91	24.00	-24.91
	7085	227	AVG	26	0	12.5/14.7 (MCS11)	-2.45	1.50	-0.95	24.00	-24.95
			AVG	26	8	12.5/14.7 (MCS11)	-2.59	1.50	-1.09	24.00	-25.09
			AVG	26	17	12.5/14.7 (MCS11)	-2.41	1.50	-0.91	24.00	-24.91

Table 7-24. Antenna WF8 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 64 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	26	0	12.5/14.7 (MCS11)	-5.63	5.00	-0.63	24.00	-24.63
			AVG	26	18	12.5/14.7 (MCS11)	-5.55	5.00	-0.55	24.00	-24.55
			AVG	26	36	12.5/14.7 (MCS11)	-5.55	5.00	-0.55	24.00	-24.55
	6145	39	AVG	26	0	12.5/14.7 (MCS11)	-5.25	5.00	-0.25	24.00	-24.25
			AVG	26	18	12.5/14.7 (MCS11)	-5.31	5.00	-0.31	24.00	-24.31
			AVG	26	36	12.5/14.7 (MCS11)	-5.24	5.00	-0.24	24.00	-24.24
	6385	87	AVG	26	0	12.5/14.7 (MCS11)	-4.31	5.00	0.69	24.00	-23.31
			AVG	26	18	12.5/14.7 (MCS11)	-4.34	5.00	0.66	24.00	-23.34
			AVG	26	36	12.5/14.7 (MCS11)	-4.38	5.00	0.62	24.00	-23.38
	6465	103	AVG	26	0	12.5/14.7 (MCS11)	-4.74	0.80	-3.94	24.00	-27.94
			AVG	26	18	12.5/14.7 (MCS11)	-4.60	0.80	-3.80	24.00	-27.80
			AVG	26	36	12.5/14.7 (MCS11)	-4.63	0.80	-3.83	24.00	-27.83
	6545	119	AVG	26	0	12.5/14.7 (MCS11)	-4.54	2.10	-2.44	24.00	-26.44
			AVG	26	18	12.5/14.7 (MCS11)	-4.62	2.10	-2.52	24.00	-26.52
			AVG	26	36	12.5/14.7 (MCS11)	-4.59	2.10	-2.49	24.00	-26.49
	6705	151	AVG	26	0	12.5/14.7 (MCS11)	-4.12	2.10	-2.02	24.00	-26.02
			AVG	26	18	12.5/14.7 (MCS11)	-4.29	2.10	-2.19	24.00	-26.19
			AVG	26	36	12.5/14.7 (MCS11)	-4.32	2.10	-2.22	24.00	-26.22
	6865	183	AVG	26	0	12.5/14.7 (MCS11)	-4.01	2.10	-1.91	24.00	-25.91
			AVG	26	18	12.5/14.7 (MCS11)	-4.26	2.10	-2.16	24.00	-26.16
			AVG	26	36	12.5/14.7 (MCS11)	-4.37	2.10	-2.27	24.00	-26.27
	6945	199	AVG	26	0	12.5/14.7 (MCS11)	-2.34	1.50	-0.84	24.00	-24.84
			AVG	26	18	12.5/14.7 (MCS11)	-2.50	1.50	-1.00	24.00	-25.00
			AVG	26	36	12.5/14.7 (MCS11)	-2.38	1.50	-0.88	24.00	-24.88
	7025	215	AVG	26	0	12.5/14.7 (MCS11)	-2.36	1.50	-0.86	24.00	-24.86
			AVG	26	18	12.5/14.7 (MCS11)	-2.46	1.50	-0.96	24.00	-24.96
			AVG	26	36	12.5/14.7 (MCS11)	-2.37	1.50	-0.87	24.00	-24.87

Table 7-25. Antenna WF8 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15 (L)	AVG	26	0	12.5/14.7 (MCS11)	-5.86	5.00	-0.86	24.00	-24.86
		15 (U)	AVG	26	36	12.5/14.7 (MCS11)	-5.84	5.00	-0.84	24.00	-24.84
	6185	47 (L)	AVG	26	0	12.5/14.7 (MCS11)	-5.07	5.00	-0.07	24.00	-24.07
		47 (U)	AVG	26	36	12.5/14.7 (MCS11)	-5.05	5.00	-0.05	24.00	-24.05
	6345	79 (L)	AVG	26	0	12.5/14.7 (MCS11)	-4.39	5.00	0.61	24.00	-23.39
		79 (U)	AVG	26	36	12.5/14.7 (MCS11)	-4.17	5.00	0.83	24.00	-23.17
	6505	111 (L)	AVG	26	0	12.5/14.7 (MCS11)	-4.72	0.80	-3.92	24.00	-27.92
		111 (U)	AVG	26	36	12.5/14.7 (MCS11)	-4.84	0.80	-4.04	24.00	-28.04
	6665	143 (L)	AVG	26	0	12.5/14.7 (MCS11)	-4.13	2.10	-2.03	24.00	-26.03
		143 (U)	AVG	26	36	12.5/14.7 (MCS11)	-4.33	2.10	-2.23	24.00	-26.23
	6825	175 (L)	AVG	26	0	12.5/14.7 (MCS11)	-4.12	2.10	-2.02	24.00	-26.02
		175 (U)	AVG	26	36	12.5/14.7 (MCS11)	-4.31	2.10	-2.21	24.00	-26.21
	6985	207 (L)	AVG	26	0	12.5/14.7 (MCS11)	-2.51	1.50	-1.01	24.00	-25.01
		207 (U)	AVG	26	36	12.5/14.7 (MCS11)	-2.42	1.50	-0.92	24.00	-24.92

Table 7-26. Antenna WF8 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 65 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	106	53	53.1/62.5 (MCS11)	0.19	5.00	5.19	24.00	-18.81
			AVG	106	54	53.1/62.5 (MCS11)	0.27	5.00	5.27	24.00	-18.73
	6175	45	AVG	106	53	53.1/62.5 (MCS11)	0.79	5.00	5.79	24.00	-18.21
			AVG	106	54	53.1/62.5 (MCS11)	0.75	5.00	5.75	24.00	-18.25
	6415	93	AVG	106	53	53.1/62.5 (MCS11)	1.86	5.00	6.86	24.00	-17.14
			AVG	106	54	53.1/62.5 (MCS11)	1.85	5.00	6.85	24.00	-17.15
	6435	97	AVG	106	53	53.1/62.5 (MCS11)	1.31	0.80	2.11	24.00	-21.90
			AVG	106	54	53.1/62.5 (MCS11)	1.22	0.80	2.02	24.00	-21.98
	6475	105	AVG	106	53	53.1/62.5 (MCS11)	1.14	0.80	1.94	24.00	-22.06
			AVG	106	54	53.1/62.5 (MCS11)	1.30	0.80	2.10	24.00	-21.90
	6515	113	AVG	106	53	53.1/62.5 (MCS11)	1.14	0.80	1.94	24.00	-22.06
			AVG	106	54	53.1/62.5 (MCS11)	1.28	0.80	2.08	24.00	-21.92
	6535	117	AVG	106	53	53.1/62.5 (MCS11)	1.87	2.10	3.97	24.00	-20.03
			AVG	106	54	53.1/62.5 (MCS11)	1.81	2.10	3.91	24.00	-20.09
	6695	149	AVG	106	53	53.1/62.5 (MCS11)	1.78	2.10	3.88	24.00	-20.12
			AVG	106	54	53.1/62.5 (MCS11)	1.74	2.10	3.84	24.00	-20.16
	6875	185	AVG	106	53	53.1/62.5 (MCS11)	1.95	2.10	4.05	24.00	-19.95
			AVG	106	54	53.1/62.5 (MCS11)	1.92	2.10	4.02	24.00	-19.99
	6895	189	AVG	106	53	53.1/62.5 (MCS11)	3.60	1.50	5.10	24.00	-18.90
			AVG	106	54	53.1/62.5 (MCS11)	3.52	1.50	5.02	24.00	-18.98
	6995	209	AVG	106	53	53.1/62.5 (MCS11)	3.74	1.50	5.24	24.00	-18.76
			AVG	106	54	53.1/62.5 (MCS11)	3.63	1.50	5.13	24.00	-18.87
	7095	229	AVG	106	53	53.1/62.5 (MCS11)	3.61	1.50	5.11	24.00	-18.89
			AVG	106	54	53.1/62.5 (MCS11)	3.45	1.50	4.95	24.00	-19.05

Table 7-27. Antenna WF8 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	242	61	121.9/143.4 (MCS11)	3.95	5.00	8.95	24.00	-15.05
			AVG	242	62	121.9/143.4 (MCS11)	3.94	5.00	8.94	24.00	-15.06
	6165	43	AVG	242	61	121.9/143.4 (MCS11)	4.49	5.00	9.49	24.00	-14.51
			AVG	242	62	121.9/143.4 (MCS11)	4.40	5.00	9.40	24.00	-14.60
	6405	91	AVG	242	61	121.9/143.4 (MCS11)	5.30	5.00	10.30	24.00	-13.70
			AVG	242	62	121.9/143.4 (MCS11)	5.27	5.00	10.27	24.00	-13.73
	6445	99	AVG	242	61	121.9/143.4 (MCS11)	4.87	0.80	5.67	24.00	-18.33
			AVG	242	62	121.9/143.4 (MCS11)	4.81	0.80	5.61	24.00	-18.39
	6485	107	AVG	242	61	121.9/143.4 (MCS11)	4.67	0.80	5.47	24.00	-18.53
			AVG	242	62	121.9/143.4 (MCS11)	4.70	0.80	5.50	24.00	-18.50
	6525	115	AVG	242	61	121.9/143.4 (MCS11)	4.84	2.10	6.94	24.00	-17.06
			AVG	242	62	121.9/143.4 (MCS11)	4.92	2.10	7.02	24.00	-16.98
	6565	123	AVG	242	61	121.9/143.4 (MCS11)	5.43	2.10	7.53	24.00	-16.47
			AVG	242	62	121.9/143.4 (MCS11)	5.34	2.10	7.44	24.00	-16.56
	6725	155	AVG	242	61	121.9/143.4 (MCS11)	5.48	2.10	7.58	24.00	-16.42
			AVG	242	62	121.9/143.4 (MCS11)	5.47	2.10	7.57	24.00	-16.43
	6845	179	AVG	242	61	121.9/143.4 (MCS11)	5.43	2.10	7.53	24.00	-16.48
			AVG	242	62	121.9/143.4 (MCS11)	5.47	2.10	7.57	24.00	-16.43
	6885	187	AVG	242	61	121.9/143.4 (MCS11)	5.18	1.50	6.68	24.00	-17.32
			AVG	242	62	121.9/143.4 (MCS11)	5.48	1.50	6.98	24.00	-17.02
	7005	211	AVG	242	61	121.9/143.4 (MCS11)	6.96	1.50	8.46	24.00	-15.54
			AVG	242	62	121.9/143.4 (MCS11)	6.99	1.50	8.49	24.00	-15.51
	7085	227	AVG	242	61	121.9/143.4 (MCS11)	7.14	1.50	8.64	24.00	-15.36
			AVG	242	62	121.9/143.4 (MCS11)	7.14	1.50	8.64	24.00	-15.36

Table 7-28. Antenna WF8 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 66 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	484	65	243.8/286.8 (MCS11)	6.68	5.00	11.68	24.00	-12.32
			AVG	484	66	243.8/286.8 (MCS11)	6.60	5.00	11.60	24.00	-12.40
	6145	39	AVG	484	65	243.8/286.8 (MCS11)	7.14	5.00	12.14	24.00	-11.86
			AVG	484	66	243.8/286.8 (MCS11)	7.15	5.00	12.15	24.00	-11.85
	6385	87	AVG	484	65	243.8/286.8 (MCS11)	8.31	5.00	13.31	24.00	-10.69
			AVG	484	66	243.8/286.8 (MCS11)	8.23	5.00	13.23	24.00	-10.77
	6465	103	AVG	484	65	243.8/286.8 (MCS11)	7.99	0.80	8.79	24.00	-15.21
			AVG	484	66	243.8/286.8 (MCS11)	7.95	0.80	8.75	24.00	-15.25
	6545	119	AVG	484	65	243.8/286.8 (MCS11)	7.91	2.10	10.01	24.00	-13.99
			AVG	484	66	243.8/286.8 (MCS11)	7.79	2.10	9.89	24.00	-14.11
	6705	151	AVG	484	65	243.8/286.8 (MCS11)	8.40	2.10	10.50	24.00	-13.50
			AVG	484	66	243.8/286.8 (MCS11)	8.39	2.10	10.49	24.00	-13.52
	6865	183	AVG	484	65	243.8/286.8 (MCS11)	8.29	2.10	10.39	24.00	-13.62
			AVG	484	66	243.8/286.8 (MCS11)	8.30	2.10	10.40	24.00	-13.60
	6945	199	AVG	484	65	243.8/286.8 (MCS11)	10.06	1.50	11.56	24.00	-12.45
			AVG	484	66	243.8/286.8 (MCS11)	10.12	1.50	11.62	24.00	-12.38
	7025	215	AVG	484	65	243.8/286.8 (MCS11)	10.09	1.50	11.59	24.00	-12.41
			AVG	484	66	243.8/286.8 (MCS11)	10.03	1.50	11.53	24.00	-12.47

Table 7-29. Antenna WF8 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15 (L)	AVG	996	67	510.4/600.5 (MCS11)	9.38	5.00	14.38	24.00	-9.62
		15 (U)	AVG	996	67	510.4/600.5 (MCS11)	9.12	5.00	14.12	24.00	-9.89
	6185	47 (L)	AVG	996	67	510.4/600.5 (MCS11)	9.91	5.00	14.91	24.00	-9.09
		47 (U)	AVG	996	67	510.4/600.5 (MCS11)	9.94	5.00	14.94	24.00	-9.06
	6345	79 (L)	AVG	996	67	510.4/600.5 (MCS11)	10.72	5.00	15.72	24.00	-8.28
		79 (U)	AVG	996	67	510.4/600.5 (MCS11)	10.63	5.00	15.63	24.00	-8.37
	6505	111 (L)	AVG	996	67	510.4/600.5 (MCS11)	10.46	0.80	11.26	24.00	-12.74
		111 (U)	AVG	996	67	510.4/600.5 (MCS11)	10.39	0.80	11.19	24.00	-12.81
	6665	143 (L)	AVG	996	67	510.4/600.5 (MCS11)	10.85	2.10	12.95	24.00	-11.05
		143 (U)	AVG	996	67	510.4/600.5 (MCS11)	10.70	2.10	12.80	24.00	-11.20
	6825	175 (L)	AVG	996	67	510.4/600.5 (MCS11)	10.73	2.10	12.83	24.00	-11.17
		175 (U)	AVG	996	67	510.4/600.5 (MCS11)	10.70	2.10	12.80	24.00	-11.20
	6985	207 (L)	AVG	996	67	510.4/600.5 (MCS11)	12.61	1.50	14.11	24.00	-9.89
		207 (U)	AVG	996	67	510.4/600.5 (MCS11)	12.41	1.50	13.91	24.00	-10.09

Table 7-30. Antenna WF8 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	242	61	121.9/143.4 (MCS11)	3.99	5.00	8.99	24.00	-15.01
	6175	45	AVG	242	61	121.9/143.4 (MCS11)	4.38	5.00	9.38	24.00	-14.62
	6415	93	AVG	242	61	121.9/143.4 (MCS11)	5.49	5.00	10.49	24.00	-13.51
	6435	97	AVG	242	61	121.9/143.4 (MCS11)	4.75	0.80	5.55	24.00	-18.45
	6475	105	AVG	242	61	121.9/143.4 (MCS11)	4.75	0.80	5.55	24.00	-18.45
	6515	113	AVG	242	61	121.9/143.4 (MCS11)	4.95	0.80	5.75	24.00	-18.25
	6535	117	AVG	242	61	121.9/143.4 (MCS11)	5.14	2.10	7.24	24.00	-16.76
	6695	149	AVG	242	61	121.9/143.4 (MCS11)	5.47	2.10	7.57	24.00	-16.43
	6875	185	AVG	242	61	121.9/143.4 (MCS11)	5.21	2.10	7.31	24.00	-16.70
	6895	189	AVG	242	61	121.9/143.4 (MCS11)	6.90	1.50	8.40	24.00	-15.60
	6995	209	AVG	242	61	121.9/143.4 (MCS11)	6.86	1.50	8.36	24.00	-15.64
	7095	229	AVG	242	61	121.9/143.4 (MCS11)	7.23	1.50	8.73	24.00	-15.28

Table 7-31. Antenna WF8 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 67 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	484	65	243.8/286.8 (MCS11)	6.69	5.00	11.69	24.00	-12.31
	6165	43	AVG	484	65	243.8/286.8 (MCS11)	7.36	5.00	12.36	24.00	-11.64
	6405	91	AVG	484	65	243.8/286.8 (MCS11)	8.19	5.00	13.19	24.00	-10.81
	6445	99	AVG	484	65	243.8/286.8 (MCS11)	7.86	0.80	8.66	24.00	-15.35
	6485	107	AVG	484	65	243.8/286.8 (MCS11)	7.79	0.80	8.59	24.00	-15.41
	6525	115	AVG	484	65	243.8/286.8 (MCS11)	7.87	2.10	9.97	24.00	-14.03
	6565	123	AVG	484	65	243.8/286.8 (MCS11)	8.22	2.10	10.32	24.00	-13.68
	6725	155	AVG	484	65	243.8/286.8 (MCS11)	8.42	2.10	10.52	24.00	-13.48
	6845	179	AVG	484	65	243.8/286.8 (MCS11)	8.25	2.10	10.35	24.00	-13.65
	6885	187	AVG	484	65	243.8/286.8 (MCS11)	8.36	1.50	9.86	24.00	-14.14
	7005	211	AVG	484	65	243.8/286.8 (MCS11)	9.98	1.50	11.48	24.00	-12.52
	7085	227	AVG	484	65	243.8/286.8 (MCS11)	10.11	1.50	11.61	24.00	-12.39

Table 7-32. Antenna WF8 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	996	67	510.4/600.5 (MCS11)	9.12	5.00	14.12	24.00	-9.88
	6145	39	AVG	996	67	510.4/600.5 (MCS11)	9.66	5.00	14.66	24.00	-9.34
	6385	87	AVG	996	67	510.4/600.5 (MCS11)	10.68	5.00	15.68	24.00	-8.32
	6465	103	AVG	996	67	510.4/600.5 (MCS11)	10.22	0.80	11.02	24.00	-12.98
	6545	119	AVG	996	67	510.4/600.5 (MCS11)	10.36	2.10	12.46	24.00	-11.54
	6705	151	AVG	996	67	510.4/600.5 (MCS11)	10.87	2.10	12.97	24.00	-11.03
	6865	183	AVG	996	67	510.4/600.5 (MCS11)	10.69	2.10	12.79	24.00	-11.22
	6945	199	AVG	996	67	510.4/600.5 (MCS11)	12.67	1.50	14.17	24.00	-9.83
	7025	215	AVG	996	67	510.4/600.5 (MCS11)	12.40	1.50	13.90	24.00	-10.10

Table 7-33. Antenna WF8 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15	AVG	996x2	68	1020.8/1201 (MCS11)	11.94	5.00	16.94	24.00	-7.06
	6185	47	AVG	996x2	68	1020.8/1201 (MCS11)	12.25	5.00	17.25	24.00	-6.75
	6345	79	AVG	996x2	68	1020.8/1201 (MCS11)	13.16	5.00	18.16	24.00	-5.84
	6505	111	AVG	996x2	68	1020.8/1201 (MCS11)	12.90	0.80	13.70	24.00	-10.30
	6665	143	AVG	996x2	68	1020.8/1201 (MCS11)	13.15	2.10	15.25	24.00	-8.75
	6825	175	AVG	996x2	68	1020.8/1201 (MCS11)	13.31	2.10	15.41	24.00	-8.59
	6985	207	AVG	996x2	68	1020.8/1201 (MCS11)	15.17	1.50	16.67	24.00	-7.33

Table 7-34. Antenna WF8 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 68 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.3.3 Antenna WF7a Conducted Output Power Measurements – SP

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	26	0	12.5/14.7 (MCS11)	10.85	3.50	14.35	30.00	-15.66
			AVG	26	4	12.5/14.7 (MCS11)	10.95	3.50	14.45	30.00	-15.55
			AVG	26	8	12.5/14.7 (MCS11)	10.64	3.50	14.14	30.00	-15.87
	6175	45	AVG	26	0	12.5/14.7 (MCS11)	10.90	3.50	14.40	30.00	-15.60
			AVG	26	4	12.5/14.7 (MCS11)	10.75	3.50	14.25	30.00	-15.75
			AVG	26	8	12.5/14.7 (MCS11)	10.99	3.50	14.49	30.00	-15.51
	6415	93	AVG	26	0	12.5/14.7 (MCS11)	10.82	3.50	14.32	30.00	-15.68
			AVG	26	4	12.5/14.7 (MCS11)	10.96	3.50	14.46	30.00	-15.54
			AVG	26	8	12.5/14.7 (MCS11)	10.77	3.50	14.27	30.00	-15.73
	6435	97	AVG	26	0	12.5/14.7 (MCS11)	10.60	4.00	14.60	30.00	-15.40
			AVG	26	4	12.5/14.7 (MCS11)	10.67	4.00	14.67	30.00	-15.33
			AVG	26	8	12.5/14.7 (MCS11)	10.76	4.00	14.76	30.00	-15.24
	6475	105	AVG	26	0	12.5/14.7 (MCS11)	11.00	4.00	15.00	30.00	-15.01
			AVG	26	4	12.5/14.7 (MCS11)	10.93	4.00	14.93	30.00	-15.07
			AVG	26	8	12.5/14.7 (MCS11)	10.81	4.00	14.81	30.00	-15.19
	6515	113	AVG	26	0	12.5/14.7 (MCS11)	10.76	4.00	14.76	30.00	-15.24
			AVG	26	4	12.5/14.7 (MCS11)	10.84	4.00	14.84	30.00	-15.16
			AVG	26	8	12.5/14.7 (MCS11)	10.97	4.00	14.97	30.00	-15.03
	6535	117	AVG	26	0	12.5/14.7 (MCS11)	10.62	3.30	13.92	30.00	-16.08
			AVG	26	4	12.5/14.7 (MCS11)	10.69	3.30	13.99	30.00	-16.01
			AVG	26	8	12.5/14.7 (MCS11)	10.67	3.30	13.97	30.00	-16.03
	6695	149	AVG	26	0	12.5/14.7 (MCS11)	10.88	3.30	14.18	30.00	-15.82
			AVG	26	4	12.5/14.7 (MCS11)	10.91	3.30	14.21	30.00	-15.79
			AVG	26	8	12.5/14.7 (MCS11)	10.95	3.30	14.25	30.00	-15.75
	6855	181	AVG	26	0	12.5/14.7 (MCS11)	10.78	3.30	14.08	30.00	-15.93
			AVG	26	4	12.5/14.7 (MCS11)	10.84	3.30	14.14	30.00	-15.87
			AVG	26	8	12.5/14.7 (MCS11)	10.89	3.30	14.19	30.00	-15.82

Table 7-35. Antenna WF7a 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 69 of 342

V 10.6 10/27/2023

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	26	0	12.5/14.7 (MCS11)	10.73	3.50	14.23	30.00	-15.77
			AVG	26	8	12.5/14.7 (MCS11)	10.78	3.50	14.28	30.00	-15.72
			AVG	26	17	12.5/14.7 (MCS11)	10.69	3.50	14.19	30.00	-15.81
	6165	43	AVG	26	0	12.5/14.7 (MCS11)	10.81	3.50	14.31	30.00	-15.69
			AVG	26	8	12.5/14.7 (MCS11)	10.97	3.50	14.47	30.00	-15.53
			AVG	26	17	12.5/14.7 (MCS11)	10.84	3.50	14.34	30.00	-15.66
	6405	91	AVG	26	0	12.5/14.7 (MCS11)	10.79	3.50	14.29	30.00	-15.71
			AVG	26	8	12.5/14.7 (MCS11)	10.73	3.50	14.23	30.00	-15.77
			AVG	26	17	12.5/14.7 (MCS11)	10.68	3.50	14.18	30.00	-15.83
	6445	99	AVG	26	0	12.5/14.7 (MCS11)	10.68	4.00	14.68	30.00	-15.32
			AVG	26	8	12.5/14.7 (MCS11)	10.70	4.00	14.70	30.00	-15.30
			AVG	26	17	12.5/14.7 (MCS11)	10.75	4.00	14.75	30.00	-15.25
	6485	107	AVG	26	0	12.5/14.7 (MCS11)	10.79	4.00	14.79	30.00	-15.21
			AVG	26	8	12.5/14.7 (MCS11)	10.82	4.00	14.82	30.00	-15.18
			AVG	26	17	12.5/14.7 (MCS11)	10.67	4.00	14.67	30.00	-15.33
	6525	115	AVG	26	0	12.5/14.7 (MCS11)	10.61	3.30	13.91	30.00	-16.09
			AVG	26	8	12.5/14.7 (MCS11)	10.76	3.30	14.06	30.00	-15.94
			AVG	26	17	12.5/14.7 (MCS11)	10.79	3.30	14.09	30.00	-15.91
	6565	123	AVG	26	0	12.5/14.7 (MCS11)	10.60	3.30	13.90	30.00	-16.10
			AVG	26	8	12.5/14.7 (MCS11)	10.91	3.30	14.21	30.00	-15.79
			AVG	26	17	12.5/14.7 (MCS11)	10.76	3.30	14.06	30.00	-15.94
	6725	155	AVG	26	0	12.5/14.7 (MCS11)	10.67	3.30	13.97	30.00	-16.03
			AVG	26	8	12.5/14.7 (MCS11)	10.63	3.30	13.93	30.00	-16.07
			AVG	26	17	12.5/14.7 (MCS11)	10.64	3.30	13.94	30.00	-16.06
	6845	179	AVG	26	0	12.5/14.7 (MCS11)	10.68	3.30	13.98	30.00	-16.02
			AVG	26	8	12.5/14.7 (MCS11)	10.82	3.30	14.12	30.00	-15.88
			AVG	26	17	12.5/14.7 (MCS11)	10.68	3.30	13.98	30.00	-16.02

Table 7-36. Antenna WF7a 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	26	0	12.5/14.7 (MCS11)	10.84	3.50	14.34	30.00	-15.66
			AVG	26	18	12.5/14.7 (MCS11)	10.99	3.50	14.49	30.00	-15.51
			AVG	26	36	12.5/14.7 (MCS11)	10.92	3.50	14.42	30.00	-15.59
	6145	39	AVG	26	0	12.5/14.7 (MCS11)	10.75	3.50	14.25	30.00	-15.75
			AVG	26	18	12.5/14.7 (MCS11)	10.97	3.50	14.47	30.00	-15.53
			AVG	26	36	12.5/14.7 (MCS11)	10.95	3.50	14.45	30.00	-15.55
	6385	87	AVG	26	0	12.5/14.7 (MCS11)	10.97	3.50	14.47	30.00	-15.53
			AVG	26	18	12.5/14.7 (MCS11)	10.66	3.50	14.16	30.00	-15.84
			AVG	26	36	12.5/14.7 (MCS11)	10.68	3.50	14.18	30.00	-15.82
	6465	103	AVG	26	0	12.5/14.7 (MCS11)	10.67	4.00	14.67	30.00	-15.33
			AVG	26	18	12.5/14.7 (MCS11)	10.57	4.00	14.57	30.00	-15.43
			AVG	26	36	12.5/14.7 (MCS11)	10.71	4.00	14.71	30.00	-15.29
	6545	119	AVG	26	0	12.5/14.7 (MCS11)	10.75	3.30	14.05	30.00	-15.95
			AVG	26	18	12.5/14.7 (MCS11)	10.75	3.30	14.05	30.00	-15.95
			AVG	26	36	12.5/14.7 (MCS11)	10.67	3.30	13.97	30.00	-16.04
	6625	135	AVG	26	0	12.5/14.7 (MCS11)	10.97	3.30	14.27	30.00	-15.73
			AVG	26	18	12.5/14.7 (MCS11)	10.70	3.30	14.00	30.00	-16.00
			AVG	26	36	12.5/14.7 (MCS11)	10.90	3.30	14.20	30.00	-15.81
	6705	151	AVG	26	0	12.5/14.7 (MCS11)	10.93	3.30	14.23	30.00	-15.77
			AVG	26	18	12.5/14.7 (MCS11)	10.83	3.30	14.13	30.00	-15.87
			AVG	26	36	12.5/14.7 (MCS11)	10.90	3.30	14.20	30.00	-15.80
	6785	167	AVG	26	0	12.5/14.7 (MCS11)	10.75	3.30	14.05	30.00	-15.95
			AVG	26	18	12.5/14.7 (MCS11)	10.73	3.30	14.03	30.00	-15.97
			AVG	26	36	12.5/14.7 (MCS11)	10.97	3.30	14.27	30.00	-15.73

Table 7-37. Antenna WF7a 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 70 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15	AVG	26	0	12.5/14.7 (MCS11)	10.77	3.50	14.27	30.00	-15.73
			AVG	26	18	12.5/14.7 (MCS11)	10.99	3.50	14.49	30.00	-15.51
			AVG	26	36	12.5/14.7 (MCS11)	10.72	3.50	14.22	30.00	-15.78
	6185	47	AVG	26	0	12.5/14.7 (MCS11)	10.79	3.50	14.29	30.00	-15.71
			AVG	26	18	12.5/14.7 (MCS11)	10.91	3.50	14.41	30.00	-15.59
			AVG	26	36	12.5/14.7 (MCS11)	10.63	3.50	14.13	30.00	-15.87
	6345	79	AVG	26	0	12.5/14.7 (MCS11)	10.81	3.50	14.31	30.00	-15.69
			AVG	26	18	12.5/14.7 (MCS11)	10.72	3.50	14.22	30.00	-15.78
			AVG	26	36	12.5/14.7 (MCS11)	10.75	3.50	14.25	30.00	-15.75
	6505	111	AVG	26	0	12.5/14.7 (MCS11)	10.87	4.00	14.87	30.00	-15.13
			AVG	26	18	12.5/14.7 (MCS11)	10.75	4.00	14.75	30.00	-15.25
			AVG	26	36	12.5/14.7 (MCS11)	10.98	4.00	14.98	30.00	-15.02
	6665	143	AVG	26	0	12.5/14.7 (MCS11)	10.79	3.30	14.09	30.00	-15.91
			AVG	26	18	12.5/14.7 (MCS11)	10.75	3.30	14.05	30.00	-15.95
			AVG	26	36	12.5/14.7 (MCS11)	10.75	3.30	14.05	30.00	-15.95

Table 7-38. Antenna WF7a 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	106	53	53.1/62.5 (MCS11)	16.78	3.50	20.28	30.00	-9.72
			AVG	106	54	53.1/62.5 (MCS11)	16.84	3.50	20.34	30.00	-9.66
	6175	45	AVG	106	53	53.1/62.5 (MCS11)	16.73	3.50	20.23	30.00	-9.77
			AVG	106	54	53.1/62.5 (MCS11)	16.75	3.50	20.25	30.00	-9.75
	6415	93	AVG	106	53	53.1/62.5 (MCS11)	16.82	3.50	20.32	30.00	-9.68
			AVG	106	54	53.1/62.5 (MCS11)	16.80	3.50	20.30	30.00	-9.70
	6435	97	AVG	106	53	53.1/62.5 (MCS11)	16.70	4.00	20.70	30.00	-9.30
			AVG	106	54	53.1/62.5 (MCS11)	16.62	4.00	20.62	30.00	-9.39
	6475	105	AVG	106	53	53.1/62.5 (MCS11)	16.73	4.00	20.73	30.00	-9.27
			AVG	106	54	53.1/62.5 (MCS11)	16.69	4.00	20.69	30.00	-9.31
	6515	113	AVG	106	53	53.1/62.5 (MCS11)	16.70	4.00	20.70	30.00	-9.30
			AVG	106	54	53.1/62.5 (MCS11)	16.61	4.00	20.61	30.00	-9.39
	6535	117	AVG	106	53	53.1/62.5 (MCS11)	16.99	3.30	20.29	30.00	-9.72
			AVG	106	54	53.1/62.5 (MCS11)	16.88	3.30	20.18	30.00	-9.82
	6695	149	AVG	106	53	53.1/62.5 (MCS11)	16.89	3.30	20.19	30.00	-9.81
			AVG	106	54	53.1/62.5 (MCS11)	16.78	3.30	20.08	30.00	-9.92
	6855	181	AVG	106	53	53.1/62.5 (MCS11)	16.91	3.30	20.21	30.00	-9.79
			AVG	106	54	53.1/62.5 (MCS11)	16.85	3.30	20.15	30.00	-9.85

Table 7-39. Antenna WF7a 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 71 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	242	61	121.9/143.4 (MCS11)	19.84	3.50	23.34	30.00	-6.66
			AVG	242	62	121.9/143.4 (MCS11)	19.87	3.50	23.37	30.00	-6.63
	6165	43	AVG	242	61	121.9/143.4 (MCS11)	19.80	3.50	23.30	30.00	-6.70
			AVG	242	62	121.9/143.4 (MCS11)	19.78	3.50	23.28	30.00	-6.72
	6405	91	AVG	242	61	121.9/143.4 (MCS11)	19.85	3.50	23.35	30.00	-6.66
			AVG	242	62	121.9/143.4 (MCS11)	19.80	3.50	23.30	30.00	-6.70
	6445	99	AVG	242	61	121.9/143.4 (MCS11)	19.93	4.00	23.93	30.00	-6.07
			AVG	242	62	121.9/143.4 (MCS11)	19.89	4.00	23.89	30.00	-6.12
	6485	107	AVG	242	61	121.9/143.4 (MCS11)	19.89	4.00	23.89	30.00	-6.11
			AVG	242	62	121.9/143.4 (MCS11)	19.93	4.00	23.93	30.00	-6.08
	6525	115	AVG	242	61	121.9/143.4 (MCS11)	19.99	3.30	23.29	30.00	-6.71
			AVG	242	62	121.9/143.4 (MCS11)	19.88	3.30	23.18	30.00	-6.83
	6565	123	AVG	242	61	121.9/143.4 (MCS11)	19.92	3.30	23.22	30.00	-6.79
			AVG	242	62	121.9/143.4 (MCS11)	19.86	3.30	23.16	30.00	-6.84
	6725	155	AVG	242	61	121.9/143.4 (MCS11)	19.83	3.30	23.13	30.00	-6.87
			AVG	242	62	121.9/143.4 (MCS11)	19.76	3.30	23.06	30.00	-6.94
	6845	179	AVG	242	61	121.9/143.4 (MCS11)	19.84	3.30	23.14	30.00	-6.86
			AVG	242	62	121.9/143.4 (MCS11)	19.94	3.30	23.24	30.00	-6.76

Table 7-40. Antenna WF7a 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	484	65	243.8/286.8 (MCS11)	19.76	3.50	23.26	30.00	-6.74
			AVG	484	66	243.8/286.8 (MCS11)	19.64	3.50	23.14	30.00	-6.86
	6145	39	AVG	484	65	243.8/286.8 (MCS11)	19.76	3.50	23.26	30.00	-6.74
			AVG	484	66	243.8/286.8 (MCS11)	19.73	3.50	23.23	30.00	-6.77
	6385	87	AVG	484	65	243.8/286.8 (MCS11)	19.86	3.50	23.36	30.00	-6.64
			AVG	484	66	243.8/286.8 (MCS11)	19.86	3.50	23.36	30.00	-6.64
	6465	103	AVG	484	65	243.8/286.8 (MCS11)	19.75	4.00	23.75	30.00	-6.25
			AVG	484	66	243.8/286.8 (MCS11)	19.71	4.00	23.71	30.00	-6.29
	6545	119	AVG	484	65	243.8/286.8 (MCS11)	19.89	3.30	23.19	30.00	-6.81
			AVG	484	66	243.8/286.8 (MCS11)	19.82	3.30	23.12	30.00	-6.88
	6625	135	AVG	484	65	243.8/286.8 (MCS11)	19.90	3.30	23.20	30.00	-6.80
			AVG	484	66	243.8/286.8 (MCS11)	19.89	3.30	23.19	30.00	-6.81
	6705	151	AVG	484	65	243.8/286.8 (MCS11)	19.71	3.30	23.01	30.00	-6.99
			AVG	484	66	243.8/286.8 (MCS11)	19.73	3.30	23.03	30.00	-6.97
	6785	167	AVG	484	65	243.8/286.8 (MCS11)	19.79	3.30	23.09	30.00	-6.91
			AVG	484	66	243.8/286.8 (MCS11)	19.71	3.30	23.01	30.00	-6.99

Table 7-41. Antenna WF7a 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.84	3.50	23.34	30.00	-6.66
		15 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.84	3.50	23.34	30.00	-6.66
	6185	47 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.63	3.50	23.13	30.00	-6.87
		47 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.90	3.50	23.40	30.00	-6.60
	6345	79 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.57	3.50	23.07	30.00	-6.93
		79 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.65	3.50	23.15	30.00	-6.85
	6505	111 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.78	4.00	23.78	30.00	-6.22
		111 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.78	4.00	23.78	30.00	-6.22
	6665	143 (L)	AVG	996	67	510.4/600.5 (MCS11)	19.78	3.30	23.08	30.00	-6.93
		143 (U)	AVG	996	67	510.4/600.5 (MCS11)	19.75	3.30	23.05	30.00	-6.95

Table 7-42. Antenna WF7a 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 72 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	242	61	121.9/143.4 (MCS11)	19.90	3.50	23.40	30.00	-6.60
	6175	45	AVG	242	61	121.9/143.4 (MCS11)	19.78	3.50	23.28	30.00	-6.72
	6415	93	AVG	242	61	121.9/143.4 (MCS11)	19.61	3.50	23.11	30.00	-6.89
	6435	97	AVG	242	61	121.9/143.4 (MCS11)	19.97	4.00	23.97	30.00	-6.03
	6475	105	AVG	242	61	121.9/143.4 (MCS11)	19.76	4.00	23.76	30.00	-6.24
	6515	113	AVG	242	61	121.9/143.4 (MCS11)	19.73	4.00	23.73	30.00	-6.27
	6535	117	AVG	242	61	121.9/143.4 (MCS11)	19.86	3.30	23.16	30.00	-6.84
	6695	149	AVG	242	61	121.9/143.4 (MCS11)	19.85	3.30	23.15	30.00	-6.85
	6855	181	AVG	242	61	121.9/143.4 (MCS11)	19.81	3.30	23.11	30.00	-6.89

Table 7-43. Antenna WF7a 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	484	65	243.8/286.8 (MCS11)	19.87	3.50	23.37	30.00	-6.63
	6165	43	AVG	484	65	243.8/286.8 (MCS11)	19.93	3.50	23.43	30.00	-6.57
	6405	91	AVG	484	65	243.8/286.8 (MCS11)	19.73	3.50	23.23	30.00	-6.77
	6445	99	AVG	484	65	243.8/286.8 (MCS11)	19.62	4.00	23.62	30.00	-6.38
	6485	107	AVG	484	65	243.8/286.8 (MCS11)	19.60	4.00	23.60	30.00	-6.40
	6525	115	AVG	484	65	243.8/286.8 (MCS11)	19.63	3.30	22.93	30.00	-7.08
	6565	123	AVG	484	65	243.8/286.8 (MCS11)	19.75	3.30	23.05	30.00	-6.95
	6725	155	AVG	484	65	243.8/286.8 (MCS11)	19.66	3.30	22.96	30.00	-7.04
	6845	179	AVG	484	65	243.8/286.8 (MCS11)	19.81	3.30	23.11	30.00	-6.89

Table 7-44. Antenna WF7a 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	996	67	510.4/600.5 (MCS11)	19.69	3.50	23.19	30.00	-6.81
	6145	39	AVG	996	67	510.4/600.5 (MCS11)	19.94	3.50	23.44	30.00	-6.56
	6385	87	AVG	996	67	510.4/600.5 (MCS11)	19.81	3.50	23.31	30.00	-6.69
	6465	103	AVG	996	67	510.4/600.5 (MCS11)	19.69	4.00	23.69	30.00	-6.31
	6545	119	AVG	996	67	510.4/600.5 (MCS11)	19.70	3.30	23.00	30.00	-7.00
	6625	135	AVG	996	67	510.4/600.5 (MCS11)	19.66	3.30	22.96	30.00	-7.04
	6705	151	AVG	996	67	510.4/600.5 (MCS11)	19.82	3.30	23.12	30.00	-6.88
	6785	167	AVG	996	67	510.4/600.5 (MCS11)	19.90	3.30	23.20	30.00	-6.80

Table 7-45. Antenna WF7a 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15	AVG	996x2	68	1020.8/1201 (MCS11)	19.87	3.50	23.37	30.00	-6.63
	6185	47	AVG	996x2	68	1020.8/1201 (MCS11)	19.86	3.50	23.36	30.00	-6.64
	6345	79	AVG	996x2	68	1020.8/1201 (MCS11)	19.73	3.50	23.23	30.00	-6.77
	6505	111	AVG	996x2	68	1020.8/1201 (MCS11)	19.74	4.00	23.74	30.00	-6.26
	6665	143	AVG	996x2	68	1020.8/1201 (MCS11)	20.00	3.30	23.30	30.00	-6.70

Table 7-46. Antenna WF7a 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 73 of 342

7.3.4 Antenna WF7a Conducted Output Power Measurements – LPI

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
			AVG	26	0	12.5/14.7 (MCS11)	-5.75	3.50	-2.25	24.00	-26.25
	5955	1	AVG	26	4	12.5/14.7 (MCS11)	-5.59	3.50	-2.09	24.00	-26.09
			AVG	26	8	12.5/14.7 (MCS11)	-5.82	3.50	-2.32	24.00	-26.32
	6175	45	AVG	26	0	12.5/14.7 (MCS11)	-5.39	3.50	-1.89	24.00	-25.89
			AVG	26	4	12.5/14.7 (MCS11)	-5.19	3.50	-1.69	24.00	-25.69
			AVG	26	8	12.5/14.7 (MCS11)	-5.31	3.50	-1.81	24.00	-25.81
	6415	93	AVG	26	0	12.5/14.7 (MCS11)	-4.19	3.50	-0.69	24.00	-24.69
			AVG	26	4	12.5/14.7 (MCS11)	-4.26	3.50	-0.76	24.00	-24.76
			AVG	26	8	12.5/14.7 (MCS11)	-4.08	3.50	-0.58	24.00	-24.58
	6435	97	AVG	26	0	12.5/14.7 (MCS11)	-4.64	4.00	-0.64	24.00	-24.64
			AVG	26	4	12.5/14.7 (MCS11)	-4.82	4.00	-0.82	24.00	-24.82
			AVG	26	8	12.5/14.7 (MCS11)	-4.55	4.00	-0.55	24.00	-24.55
	6475	105	AVG	26	0	12.5/14.7 (MCS11)	-4.72	4.00	-0.72	24.00	-24.72
			AVG	26	4	12.5/14.7 (MCS11)	-4.75	4.00	-0.75	24.00	-24.75
			AVG	26	8	12.5/14.7 (MCS11)	-4.60	4.00	-0.60	24.00	-24.60
	6515	113	AVG	26	0	12.5/14.7 (MCS11)	-4.71	4.00	-0.71	24.00	-24.71
			AVG	26	4	12.5/14.7 (MCS11)	-4.74	4.00	-0.74	24.00	-24.74
			AVG	26	8	12.5/14.7 (MCS11)	-4.65	4.00	-0.65	24.00	-24.65
	6535	117	AVG	26	0	12.5/14.7 (MCS11)	-4.32	3.30	-1.02	24.00	-25.02
			AVG	26	4	12.5/14.7 (MCS11)	-4.17	3.30	-0.87	24.00	-24.87
			AVG	26	8	12.5/14.7 (MCS11)	-4.17	3.30	-0.87	24.00	-24.87
	6695	149	AVG	26	0	12.5/14.7 (MCS11)	-4.06	3.30	-0.76	24.00	-24.76
			AVG	26	4	12.5/14.7 (MCS11)	-4.13	3.30	-0.83	24.00	-24.83
			AVG	26	8	12.5/14.7 (MCS11)	-4.08	3.30	-0.78	24.00	-24.78
	6875	185	AVG	26	0	12.5/14.7 (MCS11)	-4.12	3.30	-0.82	24.00	-24.82
			AVG	26	4	12.5/14.7 (MCS11)	-4.36	3.30	-1.06	24.00	-25.06
			AVG	26	8	12.5/14.7 (MCS11)	-4.30	3.30	-1.00	24.00	-25.00
	6895	189	AVG	26	0	12.5/14.7 (MCS11)	-2.31	1.70	-0.61	24.00	-24.61
			AVG	26	4	12.5/14.7 (MCS11)	-2.26	1.70	-0.56	24.00	-24.56
			AVG	26	8	12.5/14.7 (MCS11)	-2.45	1.70	-0.75	24.00	-24.75
	6995	209	AVG	26	0	12.5/14.7 (MCS11)	-2.34	1.70	-0.64	24.00	-24.64
			AVG	26	4	12.5/14.7 (MCS11)	-2.53	1.70	-0.83	24.00	-24.83
			AVG	26	8	12.5/14.7 (MCS11)	-2.27	1.70	-0.57	24.00	-24.57
	7095	229	AVG	26	0	12.5/14.7 (MCS11)	-2.31	1.70	-0.61	24.00	-24.61
			AVG	26	4	12.5/14.7 (MCS11)	-2.56	1.70	-0.86	24.00	-24.86
			AVG	26	8	12.5/14.7 (MCS11)	-2.42	1.70	-0.72	24.00	-24.72

Table 7-47. Antenna WF7a 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 74 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	26	0	12.5/14.7 (MCS11)	-5.79	3.50	-2.29	24.00	-26.29
			AVG	26	8	12.5/14.7 (MCS11)	-5.59	3.50	-2.09	24.00	-26.09
			AVG	26	17	12.5/14.7 (MCS11)	-5.82	3.50	-2.32	24.00	-26.32
	6165	43	AVG	26	0	12.5/14.7 (MCS11)	-5.17	3.50	-1.67	24.00	-25.67
			AVG	26	8	12.5/14.7 (MCS11)	-5.34	3.50	-1.84	24.00	-25.84
			AVG	26	17	12.5/14.7 (MCS11)	-5.35	3.50	-1.85	24.00	-25.85
	6405	91	AVG	26	0	12.5/14.7 (MCS11)	-4.00	3.50	-0.50	24.00	-24.50
			AVG	26	8	12.5/14.7 (MCS11)	-4.29	3.50	-0.79	24.00	-24.79
			AVG	26	17	12.5/14.7 (MCS11)	-4.19	3.50	-0.69	24.00	-24.69
	6445	99	AVG	26	0	12.5/14.7 (MCS11)	-4.83	4.00	-0.83	24.00	-24.83
			AVG	26	8	12.5/14.7 (MCS11)	-4.50	4.00	-0.50	24.00	-24.50
			AVG	26	17	12.5/14.7 (MCS11)	-4.75	4.00	-0.75	24.00	-24.75
	6485	107	AVG	26	0	12.5/14.7 (MCS11)	-4.53	4.00	-0.53	24.00	-24.53
			AVG	26	8	12.5/14.7 (MCS11)	-4.74	4.00	-0.74	24.00	-24.74
			AVG	26	17	12.5/14.7 (MCS11)	-4.89	4.00	-0.89	24.00	-24.89
	6525	115	AVG	26	0	12.5/14.7 (MCS11)	-4.57	3.30	-1.27	24.00	-25.27
			AVG	26	8	12.5/14.7 (MCS11)	-4.72	3.30	-1.42	24.00	-25.42
			AVG	26	17	12.5/14.7 (MCS11)	-4.86	3.30	-1.56	24.00	-25.56
	6565	123	AVG	26	0	12.5/14.7 (MCS11)	-4.04	3.30	-0.74	24.00	-24.74
			AVG	26	8	12.5/14.7 (MCS11)	-4.36	3.30	-1.06	24.00	-25.06
			AVG	26	17	12.5/14.7 (MCS11)	-4.04	3.30	-0.74	24.00	-24.74
	6725	155	AVG	26	0	12.5/14.7 (MCS11)	-4.20	3.30	-0.90	24.00	-24.90
			AVG	26	8	12.5/14.7 (MCS11)	-4.26	3.30	-0.96	24.00	-24.96
			AVG	26	17	12.5/14.7 (MCS11)	-4.02	3.30	-0.72	24.00	-24.72
	6845	179	AVG	26	0	12.5/14.7 (MCS11)	-4.04	3.30	-0.74	24.00	-24.74
			AVG	26	8	12.5/14.7 (MCS11)	-4.36	3.30	-1.06	24.00	-25.06
			AVG	26	17	12.5/14.7 (MCS11)	-4.29	3.30	-0.99	24.00	-24.99
	6885	187	AVG	26	0	12.5/14.7 (MCS11)	-4.34	1.70	-2.64	24.00	-26.64
			AVG	26	8	12.5/14.7 (MCS11)	-4.29	1.70	-2.59	24.00	-26.59
			AVG	26	17	12.5/14.7 (MCS11)	-4.08	1.70	-2.38	24.00	-26.38
	7005	211	AVG	26	0	12.5/14.7 (MCS11)	-2.39	1.70	-0.69	24.00	-24.69
			AVG	26	8	12.5/14.7 (MCS11)	-2.36	1.70	-0.66	24.00	-24.66
			AVG	26	17	12.5/14.7 (MCS11)	-2.38	1.70	-0.68	24.00	-24.68
	7085	227	AVG	26	0	12.5/14.7 (MCS11)	-2.40	1.70	-0.70	24.00	-24.70
			AVG	26	8	12.5/14.7 (MCS11)	-2.44	1.70	-0.74	24.00	-24.74
			AVG	26	17	12.5/14.7 (MCS11)	-2.42	1.70	-0.72	24.00	-24.72

Table 7-48. Antenna WF7a 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 75 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	26	0	12.5/14.7 (MCS11)	-5.50	3.50	-2.00	24.00	-26.00
			AVG	26	18	12.5/14.7 (MCS11)	-5.73	3.50	-2.23	24.00	-26.23
			AVG	26	36	12.5/14.7 (MCS11)	-5.61	3.50	-2.11	24.00	-26.11
	6145	39	AVG	26	0	12.5/14.7 (MCS11)	-5.34	3.50	-1.84	24.00	-25.84
			AVG	26	18	12.5/14.7 (MCS11)	-5.22	3.50	-1.72	24.00	-25.72
			AVG	26	36	12.5/14.7 (MCS11)	-5.26	3.50	-1.76	24.00	-25.76
	6385	87	AVG	26	0	12.5/14.7 (MCS11)	-4.30	3.50	-0.80	24.00	-24.80
			AVG	26	18	12.5/14.7 (MCS11)	-4.17	3.50	-0.67	24.00	-24.67
			AVG	26	36	12.5/14.7 (MCS11)	-4.25	3.50	-0.75	24.00	-24.75
	6465	103	AVG	26	0	12.5/14.7 (MCS11)	-4.67	4.00	-0.67	24.00	-24.67
			AVG	26	18	12.5/14.7 (MCS11)	-4.88	4.00	-0.88	24.00	-24.88
			AVG	26	36	12.5/14.7 (MCS11)	-4.89	4.00	-0.89	24.00	-24.89
	6545	119	AVG	26	0	12.5/14.7 (MCS11)	-4.57	3.30	-1.27	24.00	-25.27
			AVG	26	18	12.5/14.7 (MCS11)	-4.67	3.30	-1.37	24.00	-25.37
			AVG	26	36	12.5/14.7 (MCS11)	-4.54	3.30	-1.24	24.00	-25.24
	6705	151	AVG	26	0	12.5/14.7 (MCS11)	-4.39	3.30	-1.09	24.00	-25.09
			AVG	26	18	12.5/14.7 (MCS11)	-4.29	3.30	-0.99	24.00	-24.99
			AVG	26	36	12.5/14.7 (MCS11)	-4.38	3.30	-1.08	24.00	-25.08
	6865	183	AVG	26	0	12.5/14.7 (MCS11)	-4.02	3.30	-0.72	24.00	-24.72
			AVG	26	18	12.5/14.7 (MCS11)	-4.07	3.30	-0.77	24.00	-24.77
			AVG	26	36	12.5/14.7 (MCS11)	-4.08	3.30	-0.78	24.00	-24.78
	6945	199	AVG	26	0	12.5/14.7 (MCS11)	-2.31	1.70	-0.61	24.00	-24.61
			AVG	26	18	12.5/14.7 (MCS11)	-2.45	1.70	-0.75	24.00	-24.75
			AVG	26	36	12.5/14.7 (MCS11)	-2.46	1.70	-0.76	24.00	-24.76
	7025	215	AVG	26	0	12.5/14.7 (MCS11)	-2.49	1.70	-0.79	24.00	-24.79
			AVG	26	18	12.5/14.7 (MCS11)	-2.31	1.70	-0.61	24.00	-24.61
			AVG	26	36	12.5/14.7 (MCS11)	-2.34	1.70	-0.64	24.00	-24.64

Table 7-49. Antenna WF7a 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15 (L)	AVG	26	0	12.5/14.7 (MCS11)	-5.63	3.50	-2.13	24.00	-26.13
		15 (U)	AVG	26	36	12.5/14.7 (MCS11)	-5.65	3.50	-2.15	24.00	-26.15
	6185	47 (L)	AVG	26	0	12.5/14.7 (MCS11)	-5.34	3.50	-1.84	24.00	-25.84
		47 (U)	AVG	26	36	12.5/14.7 (MCS11)	-5.21	3.50	-1.71	24.00	-25.71
	6345	79 (L)	AVG	26	0	12.5/14.7 (MCS11)	-4.32	3.50	-0.82	24.00	-24.82
		79 (U)	AVG	26	36	12.5/14.7 (MCS11)	-4.10	3.50	-0.60	24.00	-24.60
	6505	111 (L)	AVG	26	0	12.5/14.7 (MCS11)	-4.93	4.00	-0.93	24.00	-24.93
		111 (U)	AVG	26	36	12.5/14.7 (MCS11)	-4.75	4.00	-0.75	24.00	-24.75
	6665	143 (L)	AVG	26	0	12.5/14.7 (MCS11)	-4.19	3.30	-0.89	24.00	-24.89
		143 (U)	AVG	26	36	12.5/14.7 (MCS11)	-4.21	3.30	-0.91	24.00	-24.91
	6825	175 (L)	AVG	26	0	12.5/14.7 (MCS11)	-4.11	3.30	-0.81	24.00	-24.81
		175 (U)	AVG	26	36	12.5/14.7 (MCS11)	-4.25	3.30	-0.95	24.00	-24.95
	6985	207 (L)	AVG	26	0	12.5/14.7 (MCS11)	-2.53	1.70	-0.83	24.00	-24.83
		207 (U)	AVG	26	36	12.5/14.7 (MCS11)	-2.35	1.70	-0.65	24.00	-24.65

Table 7-50. Antenna WF7a 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 76 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	106	53	53.1/62.5 (MCS11)	0.21	3.50	3.71	24.00	-20.29
			AVG	106	54	53.1/62.5 (MCS11)	0.23	3.50	3.73	24.00	-20.27
	6175	45	AVG	106	53	53.1/62.5 (MCS11)	0.62	3.50	4.12	24.00	-19.88
			AVG	106	54	53.1/62.5 (MCS11)	0.69	3.50	4.19	24.00	-19.81
	6415	93	AVG	106	53	53.1/62.5 (MCS11)	1.78	3.50	5.28	24.00	-18.72
			AVG	106	54	53.1/62.5 (MCS11)	1.73	3.50	5.23	24.00	-18.78
	6435	97	AVG	106	53	53.1/62.5 (MCS11)	1.36	4.00	5.36	24.00	-18.64
			AVG	106	54	53.1/62.5 (MCS11)	1.28	4.00	5.28	24.00	-18.73
	6475	105	AVG	106	53	53.1/62.5 (MCS11)	1.28	4.00	5.28	24.00	-18.72
			AVG	106	54	53.1/62.5 (MCS11)	1.14	4.00	5.14	24.00	-18.86
	6515	113	AVG	106	53	53.1/62.5 (MCS11)	1.12	4.00	5.12	24.00	-18.89
			AVG	106	54	53.1/62.5 (MCS11)	1.32	4.00	5.32	24.00	-18.68
	6535	117	AVG	106	53	53.1/62.5 (MCS11)	1.82	3.30	5.12	24.00	-18.89
			AVG	106	54	53.1/62.5 (MCS11)	1.78	3.30	5.08	24.00	-18.92
	6695	149	AVG	106	53	53.1/62.5 (MCS11)	1.68	3.30	4.98	24.00	-19.02
			AVG	106	54	53.1/62.5 (MCS11)	1.96	3.30	5.26	24.00	-18.74
	6875	185	AVG	106	53	53.1/62.5 (MCS11)	1.79	3.30	5.09	24.00	-18.91
			AVG	106	54	53.1/62.5 (MCS11)	1.67	3.30	4.97	24.00	-19.03
	6895	189	AVG	106	53	53.1/62.5 (MCS11)	3.74	1.70	5.44	24.00	-18.56
			AVG	106	54	53.1/62.5 (MCS11)	3.59	1.70	5.29	24.00	-18.71
	6995	209	AVG	106	53	53.1/62.5 (MCS11)	3.40	1.70	5.10	24.00	-18.90
			AVG	106	54	53.1/62.5 (MCS11)	3.68	1.70	5.38	24.00	-18.62
	7095	229	AVG	106	53	53.1/62.5 (MCS11)	3.63	1.70	5.33	24.00	-18.67
			AVG	106	54	53.1/62.5 (MCS11)	3.49	1.70	5.19	24.00	-18.81

Table 7-51. Antenna WF7a 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	242	61	121.9/143.4 (MCS11)	3.88	3.50	7.38	24.00	-16.62
			AVG	242	62	121.9/143.4 (MCS11)	3.94	3.50	7.44	24.00	-16.56
	6165	43	AVG	242	61	121.9/143.4 (MCS11)	4.49	3.50	7.99	24.00	-16.01
			AVG	242	62	121.9/143.4 (MCS11)	4.43	3.50	7.93	24.00	-16.07
	6405	91	AVG	242	61	121.9/143.4 (MCS11)	5.30	3.50	8.80	24.00	-15.20
			AVG	242	62	121.9/143.4 (MCS11)	5.23	3.50	8.73	24.00	-15.27
	6445	99	AVG	242	61	121.9/143.4 (MCS11)	4.66	4.00	8.66	24.00	-15.35
			AVG	242	62	121.9/143.4 (MCS11)	4.60	4.00	8.60	24.00	-15.40
	6485	107	AVG	242	61	121.9/143.4 (MCS11)	4.83	4.00	8.83	24.00	-15.17
			AVG	242	62	121.9/143.4 (MCS11)	4.72	4.00	8.72	24.00	-15.28
	6525	115	AVG	242	61	121.9/143.4 (MCS11)	4.91	3.30	8.21	24.00	-15.79
			AVG	242	62	121.9/143.4 (MCS11)	4.93	3.30	8.23	24.00	-15.77
	6565	123	AVG	242	61	121.9/143.4 (MCS11)	5.47	3.30	8.77	24.00	-15.23
			AVG	242	62	121.9/143.4 (MCS11)	5.45	3.30	8.75	24.00	-15.25
	6725	155	AVG	242	61	121.9/143.4 (MCS11)	5.23	3.30	8.53	24.00	-15.47
			AVG	242	62	121.9/143.4 (MCS11)	5.27	3.30	8.57	24.00	-15.43
	6845	179	AVG	242	61	121.9/143.4 (MCS11)	5.30	3.30	8.60	24.00	-15.41
			AVG	242	62	121.9/143.4 (MCS11)	5.36	3.30	8.66	24.00	-15.34
	6885	187	AVG	242	61	121.9/143.4 (MCS11)	5.44	1.70	7.14	24.00	-16.86
			AVG	242	62	121.9/143.4 (MCS11)	5.41	1.70	7.11	24.00	-16.89
	7005	211	AVG	242	61	121.9/143.4 (MCS11)	7.15	1.70	8.85	24.00	-15.15
			AVG	242	62	121.9/143.4 (MCS11)	7.08	1.70	8.78	24.00	-15.22
	7085	227	AVG	242	61	121.9/143.4 (MCS11)	6.86	1.70	8.56	24.00	-15.44
			AVG	242	62	121.9/143.4 (MCS11)	7.14	1.70	8.84	24.00	-15.16

Table 7-52. Antenna WF7a 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 77 of 342

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	484	65	243.8/286.8 (MCS11)	6.56	3.50	10.06	24.00	-13.94
			AVG	484	66	243.8/286.8 (MCS11)	6.66	3.50	10.16	24.00	-13.84
	6145	39	AVG	484	65	243.8/286.8 (MCS11)	7.45	3.50	10.95	24.00	-13.05
			AVG	484	66	243.8/286.8 (MCS11)	7.38	3.50	10.88	24.00	-13.12
	6385	87	AVG	484	65	243.8/286.8 (MCS11)	8.12	3.50	11.62	24.00	-12.38
			AVG	484	66	243.8/286.8 (MCS11)	8.34	3.50	11.84	24.00	-12.16
	6465	103	AVG	484	65	243.8/286.8 (MCS11)	7.86	4.00	11.86	24.00	-12.14
			AVG	484	66	243.8/286.8 (MCS11)	7.77	4.00	11.77	24.00	-12.23
	6545	119	AVG	484	65	243.8/286.8 (MCS11)	8.00	3.30	11.30	24.00	-12.70
			AVG	484	66	243.8/286.8 (MCS11)	7.88	3.30	11.18	24.00	-12.82
	6705	151	AVG	484	65	243.8/286.8 (MCS11)	8.28	3.30	11.58	24.00	-12.42
			AVG	484	66	243.8/286.8 (MCS11)	8.24	3.30	11.54	24.00	-12.46
	6865	183	AVG	484	65	243.8/286.8 (MCS11)	8.30	3.30	11.60	24.00	-12.40
			AVG	484	66	243.8/286.8 (MCS11)	8.30	3.30	11.60	24.00	-12.40
	6945	199	AVG	484	65	243.8/286.8 (MCS11)	10.14	1.70	11.84	24.00	-12.16
			AVG	484	66	243.8/286.8 (MCS11)	10.17	1.70	11.87	24.00	-12.13
	7025	215	AVG	484	65	243.8/286.8 (MCS11)	9.93	1.70	11.63	24.00	-12.37
			AVG	484	66	243.8/286.8 (MCS11)	9.89	1.70	11.59	24.00	-12.41

Table 7-53. Antenna WF7a 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15 (L)	AVG	996	67	510.4/600.5 (MCS11)	9.46	3.50	12.96	24.00	-11.04
		15 (U)	AVG	996	67	510.4/600.5 (MCS11)	9.38	3.50	12.88	24.00	-11.12
	6185	47 (L)	AVG	996	67	510.4/600.5 (MCS11)	9.86	3.50	13.36	24.00	-10.64
		47 (U)	AVG	996	67	510.4/600.5 (MCS11)	9.69	3.50	13.19	24.00	-10.81
	6345	79 (L)	AVG	996	67	510.4/600.5 (MCS11)	10.79	3.50	14.29	24.00	-9.71
		79 (U)	AVG	996	67	510.4/600.5 (MCS11)	10.93	3.50	14.43	24.00	-9.57
	6505	111 (L)	AVG	996	67	510.4/600.5 (MCS11)	10.27	4.00	14.27	24.00	-9.73
		111 (U)	AVG	996	67	510.4/600.5 (MCS11)	10.34	4.00	14.34	24.00	-9.67
	6665	143 (L)	AVG	996	67	510.4/600.5 (MCS11)	10.70	3.30	14.00	24.00	-10.01
		143 (U)	AVG	996	67	510.4/600.5 (MCS11)	10.83	3.30	14.13	24.00	-9.87
	6825	175 (L)	AVG	996	67	510.4/600.5 (MCS11)	10.80	3.30	14.10	24.00	-9.90
		175 (U)	AVG	996	67	510.4/600.5 (MCS11)	10.92	3.30	14.22	24.00	-9.78
	6985	207 (L)	AVG	996	67	510.4/600.5 (MCS11)	12.59	1.70	14.29	24.00	-9.71
		207 (U)	AVG	996	67	510.4/600.5 (MCS11)	12.46	1.70	14.16	24.00	-9.84

Table 7-54. Antenna WF7a 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5955	1	AVG	242	61	121.9/143.4 (MCS11)	3.89	3.50	7.39	24.00	-16.61
	6175	45	AVG	242	61	121.9/143.4 (MCS11)	4.46	3.50	7.96	24.00	-16.04
	6415	93	AVG	242	61	121.9/143.4 (MCS11)	5.37	3.50	8.87	24.00	-15.13
	6435	97	AVG	242	61	121.9/143.4 (MCS11)	4.96	4.00	8.96	24.00	-15.04
	6475	105	AVG	242	61	121.9/143.4 (MCS11)	4.83	4.00	8.83	24.00	-15.17
	6515	113	AVG	242	61	121.9/143.4 (MCS11)	4.76	4.00	8.76	24.00	-15.24
	6535	117	AVG	242	61	121.9/143.4 (MCS11)	5.34	3.30	8.64	24.00	-15.36
	6695	149	AVG	242	61	121.9/143.4 (MCS11)	5.12	3.30	8.42	24.00	-15.58
	6875	185	AVG	242	61	121.9/143.4 (MCS11)	5.18	3.30	8.48	24.00	-15.53
	6895	189	AVG	242	61	121.9/143.4 (MCS11)	7.03	1.70	8.73	24.00	-15.27
	6995	209	AVG	242	61	121.9/143.4 (MCS11)	7.16	1.70	8.86	24.00	-15.14
	7095	229	AVG	242	61	121.9/143.4 (MCS11)	7.05	1.70	8.75	24.00	-15.25

Table 7-55. Antenna WF7a 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 78 of 342

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5965	3	AVG	484	65	243.8/286.8 (MCS11)	6.62	3.50	10.12	24.00	-13.88
	6165	43	AVG	484	65	243.8/286.8 (MCS11)	7.19	3.50	10.69	24.00	-13.31
	6405	91	AVG	484	65	243.8/286.8 (MCS11)	8.14	3.50	11.64	24.00	-12.36
	6445	99	AVG	484	65	243.8/286.8 (MCS11)	7.68	4.00	11.68	24.00	-12.32
	6485	107	AVG	484	65	243.8/286.8 (MCS11)	7.80	4.00	11.80	24.00	-12.20
	6525	115	AVG	484	65	243.8/286.8 (MCS11)	7.71	3.30	11.01	24.00	-12.99
	6565	123	AVG	484	65	243.8/286.8 (MCS11)	8.37	3.30	11.67	24.00	-12.33
	6725	155	AVG	484	65	243.8/286.8 (MCS11)	8.22	3.30	11.52	24.00	-12.48
	6845	179	AVG	484	65	243.8/286.8 (MCS11)	8.28	3.30	11.58	24.00	-12.42
	6885	187	AVG	484	65	243.8/286.8 (MCS11)	8.32	1.70	10.02	24.00	-13.98
	7005	211	AVG	484	65	243.8/286.8 (MCS11)	10.23	1.70	11.93	24.00	-12.07
	7085	227	AVG	484	65	243.8/286.8 (MCS11)	10.05	1.70	11.75	24.00	-12.25

Table 7-56. Antenna WF7a 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	5985	7	AVG	996	67	510.4/600.5 (MCS11)	9.12	3.50	12.62	24.00	-11.38
	6145	39	AVG	996	67	510.4/600.5 (MCS11)	9.70	3.50	13.20	24.00	-10.80
	6385	87	AVG	996	67	510.4/600.5 (MCS11)	10.86	3.50	14.36	24.00	-9.64
	6465	103	AVG	996	67	510.4/600.5 (MCS11)	10.11	4.00	14.11	24.00	-9.89
	6545	119	AVG	996	67	510.4/600.5 (MCS11)	10.30	3.30	13.60	24.00	-10.40
	6705	151	AVG	996	67	510.4/600.5 (MCS11)	10.82	3.30	14.12	24.00	-9.88
	6865	183	AVG	996	67	510.4/600.5 (MCS11)	10.85	3.30	14.15	24.00	-9.85
	6945	199	AVG	996	67	510.4/600.5 (MCS11)	12.64	1.70	14.34	24.00	-9.66
	7025	215	AVG	996	67	510.4/600.5 (MCS11)	12.44	1.70	14.14	24.00	-9.86

Table 7-57. Antenna WF7a 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Power [dBm]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	6025	15	AVG	996x2	68	1020.8/1201 (MCS11)	11.90	3.50	15.40	24.00	-8.60
	6185	47	AVG	996x2	68	1020.8/1201 (MCS11)	12.39	3.50	15.89	24.00	-8.12
	6345	79	AVG	996x2	68	1020.8/1201 (MCS11)	13.44	3.50	16.94	24.00	-7.06
	6505	111	AVG	996x2	68	1020.8/1201 (MCS11)	12.98	4.00	16.98	24.00	-7.02
	6665	143	AVG	996x2	68	1020.8/1201 (MCS11)	13.28	3.30	16.58	24.00	-7.42
	6825	175	AVG	996x2	68	1020.8/1201 (MCS11)	13.45	3.30	16.75	24.00	-7.25
	6985	207	AVG	996x2	68	1020.8/1201 (MCS11)	14.91	1.70	16.61	24.00	-7.39

Table 7-58. Antenna WF7a 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 79 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.3.5 CDD/SDM Conducted Output Power Measurements – SP

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5955	1	SDM	AVG	26	0	25/29.4 (MCS11)	9.88	10.03	12.97	4.31	17.28	30.00	-12.72
			SDM	AVG	26	4	25/29.4 (MCS11)	10.18	9.96	13.08	4.31	17.39	30.00	-12.61
			SDM	AVG	26	8	25/29.4 (MCS11)	10.20	9.88	13.05	4.31	17.36	30.00	-12.64
	6175	45	SDM	AVG	26	0	25/29.4 (MCS11)	10.67	10.54	13.62	4.31	17.93	30.00	-12.07
			SDM	AVG	26	4	25/29.4 (MCS11)	10.64	10.47	13.57	4.31	17.88	30.00	-12.12
			SDM	AVG	26	8	25/29.4 (MCS11)	10.71	10.67	13.70	4.31	18.01	30.00	-11.99
	6415	93	SDM	AVG	26	0	25/29.4 (MCS11)	10.92	10.63	13.79	4.31	18.10	30.00	-11.90
			SDM	AVG	26	4	25/29.4 (MCS11)	10.64	10.73	13.69	4.31	18.00	30.00	-12.00
			SDM	AVG	26	8	25/29.4 (MCS11)	10.60	10.80	13.71	4.31	18.02	30.00	-11.98
	6435	97	SDM	AVG	26	0	25/29.4 (MCS11)	10.68	10.62	13.66	2.69	16.35	30.00	-13.65
			SDM	AVG	26	4	25/29.4 (MCS11)	10.78	10.76	13.78	2.69	16.47	30.00	-13.53
			SDM	AVG	26	8	25/29.4 (MCS11)	10.92	10.87	13.90	2.69	16.59	30.00	-13.41
	6475	105	SDM	AVG	26	0	25/29.4 (MCS11)	10.63	10.62	13.64	2.69	16.33	30.00	-13.67
			SDM	AVG	26	4	25/29.4 (MCS11)	10.68	10.64	13.67	2.69	16.36	30.00	-13.64
			SDM	AVG	26	8	25/29.4 (MCS11)	10.73	10.76	13.75	2.69	16.44	30.00	-13.56
	6515	113	SDM	AVG	26	0	25/29.4 (MCS11)	10.83	10.61	13.73	2.69	16.42	30.00	-13.58
			SDM	AVG	26	4	25/29.4 (MCS11)	10.91	10.72	13.83	2.69	16.52	30.00	-13.48
			SDM	AVG	26	8	25/29.4 (MCS11)	10.98	10.80	13.90	2.69	16.59	30.00	-13.41
	6535	117	SDM	AVG	26	0	25/29.4 (MCS11)	10.95	10.73	13.85	2.74	16.59	30.00	-13.41
			SDM	AVG	26	4	25/29.4 (MCS11)	10.62	10.89	13.77	2.74	16.51	30.00	-13.49
			SDM	AVG	26	8	25/29.4 (MCS11)	10.64	10.92	13.79	2.74	16.53	30.00	-13.47
	6695	149	SDM	AVG	26	0	25/29.4 (MCS11)	10.72	10.71	13.72	2.74	16.46	30.00	-13.54
			SDM	AVG	26	4	25/29.4 (MCS11)	10.91	10.76	13.84	2.74	16.58	30.00	-13.42
			SDM	AVG	26	8	25/29.4 (MCS11)	10.80	10.79	13.81	2.74	16.55	30.00	-13.45
	6855	181	SDM	AVG	26	0	25/29.4 (MCS11)	10.88	10.98	13.94	2.74	16.68	30.00	-13.32
			SDM	AVG	26	4	25/29.4 (MCS11)	10.98	10.72	13.86	2.74	16.60	30.00	-13.40
			SDM	AVG	26	8	25/29.4 (MCS11)	10.99	10.85	13.93	2.74	16.67	30.00	-13.33

Table 7-59. SDM 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5965	3	SDM	AVG	26	0	25/29.4 (MCS11)	9.95	10.16	13.07	4.31	17.38	30.00	-12.62
			SDM	AVG	26	8	25/29.4 (MCS11)	9.93	10.10	13.03	4.31	17.34	30.00	-12.66
			SDM	AVG	26	17	25/29.4 (MCS11)	10.21	10.15	13.19	4.31	17.50	30.00	-12.50
	6165	43	SDM	AVG	26	0	25/29.4 (MCS11)	10.64	10.49	13.57	4.31	17.88	30.00	-12.12
			SDM	AVG	26	8	25/29.4 (MCS11)	10.72	10.72	13.73	4.31	18.04	30.00	-11.96
			SDM	AVG	26	17	25/29.4 (MCS11)	10.58	10.54	13.57	4.31	17.88	30.00	-12.12
	6405	91	SDM	AVG	26	0	25/29.4 (MCS11)	10.63	10.79	13.72	4.31	18.03	30.00	-11.97
			SDM	AVG	26	8	25/29.4 (MCS11)	10.65	10.81	13.74	4.31	18.05	30.00	-11.95
			SDM	AVG	26	17	25/29.4 (MCS11)	10.80	10.71	13.77	4.31	18.08	30.00	-11.92
	6445	99	SDM	AVG	26	0	25/29.4 (MCS11)	10.76	10.99	13.89	2.69	16.58	30.00	-13.42
			SDM	AVG	26	8	25/29.4 (MCS11)	10.85	10.75	13.81	2.69	16.50	30.00	-13.50
			SDM	AVG	26	17	25/29.4 (MCS11)	10.68	10.72	13.71	2.69	16.40	30.00	-13.60
	6485	107	SDM	AVG	26	0	25/29.4 (MCS11)	10.73	10.72	13.73	2.69	16.42	30.00	-13.58
			SDM	AVG	26	8	25/29.4 (MCS11)	10.73	10.59	13.67	2.69	16.36	30.00	-13.64
			SDM	AVG	26	17	25/29.4 (MCS11)	10.90	10.98	13.95	2.69	16.64	30.00	-13.36
	6525	115	SDM	AVG	26	0	25/29.4 (MCS11)	10.87	10.62	13.75	2.74	16.49	30.00	-13.51
			SDM	AVG	26	8	25/29.4 (MCS11)	10.88	10.97	13.93	2.74	16.67	30.00	-13.33
			SDM	AVG	26	17	25/29.4 (MCS11)	10.80	10.88	13.85	2.74	16.59	30.00	-13.41
	6565	123	SDM	AVG	26	0	25/29.4 (MCS11)	10.61	10.60	13.62	2.74	16.36	30.00	-13.64
			SDM	AVG	26	8	25/29.4 (MCS11)	10.64	10.81	13.73	2.74	16.47	30.00	-13.53
			SDM	AVG	26	17	25/29.4 (MCS11)	10.91	10.72	13.83	2.74	16.57	30.00	-13.43
	6725	155	SDM	AVG	26	0	25/29.4 (MCS11)	10.82	10.77	13.80	2.74	16.54	30.00	-13.46
			SDM	AVG	26	8	25/29.4 (MCS11)	10.88	10.65	13.78	2.74	16.52	30.00	-13.48
			SDM	AVG	26	17	25/29.4 (MCS11)	10.80	10.67	13.75	2.74	16.49	30.00	-13.51
	6845	179	SDM	AVG	26	0	25/29.4 (MCS11)	11.00	10.68	13.85	2.74	16.59	30.00	-13.41
			SDM	AVG	26	8	25/29.4 (MCS11)	10.67	10.71	13.70	2.74	16.44	30.00	-13.56
			SDM	AVG	26	17	25/29.4 (MCS11)	10.66	10.75	13.72	2.74	16.46	30.00	-13.54

Table 7-60. SDM 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 80 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
5985	7		SDM	AVG	26	0	25/29.4 (MCS11)	10.20	9.99	13.11	4.31	17.42	30.00	-12.58
			SDM	AVG	26	18	25/29.4 (MCS11)	10.09	10.17	13.14	4.31	17.45	30.00	-12.55
			SDM	AVG	26	36	25/29.4 (MCS11)	9.88	9.92	12.91	4.31	17.22	30.00	-12.78
6145	39		SDM	AVG	26	0	25/29.4 (MCS11)	10.42	10.74	13.59	4.31	17.90	30.00	-12.10
			SDM	AVG	26	18	25/29.4 (MCS11)	10.58	10.38	13.49	4.31	17.80	30.00	-12.20
			SDM	AVG	26	36	25/29.4 (MCS11)	10.33	10.67	13.51	4.31	17.82	30.00	-12.18
6385	87		SDM	AVG	26	0	25/29.4 (MCS11)	10.90	10.81	13.86	4.31	18.17	30.00	-11.83
			SDM	AVG	26	18	25/29.4 (MCS11)	10.91	10.95	13.94	4.31	18.25	30.00	-11.75
			SDM	AVG	26	36	25/29.4 (MCS11)	10.62	10.78	13.71	4.31	18.02	30.00	-11.98
6465	103		SDM	AVG	26	0	25/29.4 (MCS11)	10.78	10.77	13.79	2.69	16.48	30.00	-13.52
			SDM	AVG	26	18	25/29.4 (MCS11)	10.96	10.83	13.90	2.69	16.59	30.00	-13.41
			SDM	AVG	26	36	25/29.4 (MCS11)	10.95	10.99	13.98	2.69	16.67	30.00	-13.33
6545	119		SDM	AVG	26	0	25/29.4 (MCS11)	10.77	10.61	13.70	2.74	16.44	30.00	-13.56
			SDM	AVG	26	18	25/29.4 (MCS11)	10.88	10.79	13.85	2.74	16.59	30.00	-13.41
			SDM	AVG	26	36	25/29.4 (MCS11)	10.66	10.66	13.67	2.74	16.41	30.00	-13.59
6625	135		SDM	AVG	26	0	25/29.4 (MCS11)	10.73	10.77	13.76	2.74	16.50	30.00	-13.50
			SDM	AVG	26	18	25/29.4 (MCS11)	10.69	10.76	13.73	2.74	16.47	30.00	-13.53
			SDM	AVG	26	36	25/29.4 (MCS11)	10.76	10.94	13.86	2.74	16.60	30.00	-13.40
6705	151		SDM	AVG	26	0	25/29.4 (MCS11)	10.92	10.90	13.92	2.74	16.66	30.00	-13.34
			SDM	AVG	26	18	25/29.4 (MCS11)	10.82	10.74	13.79	2.74	16.53	30.00	-13.47
			SDM	AVG	26	36	25/29.4 (MCS11)	10.74	10.92	13.84	2.74	16.58	30.00	-13.42
6785	167		SDM	AVG	26	0	25/29.4 (MCS11)	10.96	10.75	13.87	2.74	16.61	30.00	-13.39
			SDM	AVG	26	18	25/29.4 (MCS11)	10.93	10.97	13.96	2.74	16.70	30.00	-13.30
			SDM	AVG	26	36	25/29.4 (MCS11)	10.80	10.63	13.73	2.74	16.47	30.00	-13.53

Table 7-61. SDM 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
6025	15		SDM	AVG	26	0	25/29.4 (MCS11)	9.99	10.06	13.04	4.31	17.35	30.00	-12.65
			SDM	AVG	26	18	25/29.4 (MCS11)	9.97	10.25	13.12	4.31	17.43	30.00	-12.57
			SDM	AVG	26	36	25/29.4 (MCS11)	10.19	10.04	13.13	4.31	17.44	30.00	-12.56
6185	47		SDM	AVG	26	0	25/29.4 (MCS11)	10.60	10.55	13.59	4.31	17.90	30.00	-12.10
			SDM	AVG	26	18	25/29.4 (MCS11)	10.47	10.64	13.56	4.31	17.87	30.00	-12.13
			SDM	AVG	26	36	25/29.4 (MCS11)	10.38	10.52	13.46	4.31	17.77	30.00	-12.23
6345	79		SDM	AVG	26	0	25/29.4 (MCS11)	10.99	10.76	13.89	4.31	18.20	30.00	-11.80
			SDM	AVG	26	18	25/29.4 (MCS11)	10.69	10.80	13.76	4.31	18.07	30.00	-11.93
			SDM	AVG	26	36	25/29.4 (MCS11)	10.64	10.91	13.79	4.31	18.10	30.00	-11.90
6505	111		SDM	AVG	26	0	25/29.4 (MCS11)	10.96	10.66	13.82	2.69	16.51	30.00	-13.49
			SDM	AVG	26	18	25/29.4 (MCS11)	10.80	10.87	13.85	2.69	16.54	30.00	-13.46
			SDM	AVG	26	36	25/29.4 (MCS11)	10.97	10.86	13.92	2.69	16.61	30.00	-13.39
6665	143		SDM	AVG	26	0	25/29.4 (MCS11)	11.00	11.00	14.01	2.74	16.75	30.00	-13.25
			SDM	AVG	26	18	25/29.4 (MCS11)	10.86	10.97	13.93	2.74	16.67	30.00	-13.33
			SDM	AVG	26	36	25/29.4 (MCS11)	10.64	10.72	13.69	2.74	16.43	30.00	-13.57

Table 7-62. SDM 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
5955	1		SDM	AVG	106	53	106.3/125 (MCS11)	16.15	16.12	19.14	4.31	23.45	30.00	-6.55
			SDM	AVG	106	54	106.3/125 (MCS11)	16.23	16.15	19.20	4.31	23.51	30.00	-6.49
			SDM	AVG	106	53	106.3/125 (MCS11)	16.66	16.56	19.62	4.31	23.93	30.00	-6.07
6175	45		SDM	AVG	106	54	106.3/125 (MCS11)	16.64	16.52	19.59	4.31	23.90	30.00	-6.10
			SDM	AVG	106	53	106.3/125 (MCS11)	16.76	16.91	19.85	4.31	24.16	30.00	-5.84
			SDM	AVG	106	54	106.3/125 (MCS11)	16.67	16.90	19.80	4.31	24.11	30.00	-5.89
6435	97		SDM	AVG	106	53	106.3/125 (MCS11)	16.65	16.94	19.81	2.69	22.50	30.00	-7.50
			SDM	AVG	106	54	106.3/125 (MCS11)	16.62	16.91	19.78	2.69	22.47	30.00	-7.53
			SDM	AVG	106	53	106.3/125 (MCS11)	16.63	16.87	19.76	2.69	22.45	30.00	-7.55
6475	105		SDM	AVG	106	54	106.3/125 (MCS11)	16.83	16.78	19.81	2.69	22.50	30.00	-7.50
			SDM	AVG	106	53	106.3/125 (MCS11)	16.81	16.77	19.80	2.69	22.49	30.00	-7.51
			SDM	AVG	106	54	106.3/125 (MCS11)	16.74	16.72	19.74	2.69	22.43	30.00	-7.57
6515	113		SDM	AVG	106	53	106.3/125 (MCS11)	16.94	16.61	19.79	2.74	22.53	30.00	-7.47
			SDM	AVG	106	54	106.3/125 (MCS11)	16.86	16.93	19.90	2.74	22.64	30.00	-7.36
			SDM	AVG	106	53	106.3/125 (MCS11)	16.62	16.74	19.69	2.74	22.43	30.00	-7.57
6695	149		SDM	AVG	106	54	106.3/125 (MCS11)	16.99	16.63	19.82	2.74	22.56	30.00	-7.44
			SDM	AVG	106	53	106.3/125 (MCS11)	16.97	16.76	19.88	2.74	22.62	30.00	-7.38
			SDM	AVG	106	54	106.3/125 (MCS11)	16.91	16.70	19.82	2.74	22.56	30.00	-7.44

Table 7-63. SDM 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 81 of 342

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
							Antenna WF8	Antenna WF7a	Summed					
	5965	3	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.63	19.63	22.64	4.31	26.95	30.00	-3.05
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.65	19.54	22.61	4.31	26.92	30.00	-3.08	
6165	43	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.65	19.83	22.75	4.31	27.06	30.00	-2.94	
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.65	19.84	22.75	4.31	27.06	30.00	-2.94	
6405	91	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.82	19.87	22.85	4.31	27.16	30.00	-2.84	
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.85	19.92	22.89	4.31	27.20	30.00	-2.80	
6445	99	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.77	19.90	22.84	2.69	25.53	30.00	-4.47	
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.77	19.94	22.87	2.69	25.56	30.00	-4.44	
6485	107	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.61	19.64	22.64	2.69	25.33	30.00	-4.67	
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.67	19.68	22.68	2.69	25.37	30.00	-4.63	
6525	115	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.91	19.87	22.90	2.74	25.64	30.00	-4.36	
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.86	19.86	22.87	2.74	25.61	30.00	-4.39	
6565	123	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.63	19.63	22.64	2.74	25.38	30.00	-4.62	
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.70	19.66	22.69	2.74	25.43	30.00	-4.57	
6725	155	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.83	19.73	22.79	2.74	25.53	30.00	-4.47	
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.66	19.86	22.77	2.74	25.51	30.00	-4.49	
6845	179	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.77	19.97	22.88	2.74	25.62	30.00	-4.38	
		SDM	AVG	242	62	243.8/286.8 (MCS11)	19.84	19.71	22.79	2.74	25.53	30.00	-4.47	

Table 7-64. SDM 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				Antenna WF8	Antenna WF7a	Summed								
5985	7	SDM	AVG	484	65	487.5/573.5 (MCS11)	19.68	19.83	22.76	4.31	27.07	30.00	-2.93	
		SDM	AVG	484	66	487.5/573.5 (MCS11)	19.93	19.76	22.85	4.31	27.16	30.00	-2.84	
6145	39	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.69	19.62	22.66	5.00	27.66	30.00	-2.34	
		CDD	AVG	484	66	487.5/573.5 (MCS11)	19.64	19.79	22.73	5.00	27.73	30.00	-2.27	
6385	87	CDD	AVG	484	65	487.5/573.5 (MCS11)	20.00	19.86	22.94	5.00	27.94	30.00	-2.06	
		CDD	AVG	484	66	487.5/573.5 (MCS11)	19.89	19.72	22.82	5.00	27.82	30.00	-2.18	
6465	103	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.68	19.81	22.75	4.00	26.75	30.00	-3.25	
		CDD	AVG	484	66	487.5/573.5 (MCS11)	19.92	19.80	22.87	4.00	26.87	30.00	-3.13	
6545	119	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.71	19.84	22.79	3.30	26.09	30.00	-3.91	
		CDD	AVG	484	66	487.5/573.5 (MCS11)	19.92	19.83	22.89	3.30	26.19	30.00	-3.81	
6625	135	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.80	19.61	22.72	3.30	26.02	30.00	-3.98	
		CDD	AVG	484	66	487.5/573.5 (MCS11)	19.79	19.99	22.90	3.30	26.20	30.00	-3.80	
6705	151	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.85	19.92	22.89	3.30	26.19	30.00	-3.81	
		CDD	AVG	484	66	487.5/573.5 (MCS11)	19.84	19.95	22.91	3.30	26.21	30.00	-3.79	
6785	167	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.89	19.85	22.88	3.30	26.18	30.00	-3.82	
		CDD	AVG	484	66	487.5/573.5 (MCS11)	19.94	19.85	22.90	3.30	26.20	30.00	-3.80	

Table 7-65. CDD/SDM 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	6025	15 (L)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.73	19.57	22.66	5.00	27.66	30.00	-2.34
		15 (U)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.70	19.62	22.67	5.00	27.67	30.00	-2.33
	6185	47 (L)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.72	19.58	22.66	5.00	27.66	30.00	-2.34
		47 (U)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.73	19.56	22.66	5.00	27.66	30.00	-2.34
	6345	79 (L)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.56	19.68	22.63	5.00	27.63	30.00	-2.37
		79 (U)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.55	19.51	22.54	5.00	27.54	30.00	-2.46
	6505	111 (L)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.82	19.88	22.86	4.00	26.86	30.00	-3.14
		111 (U)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.92	19.80	22.87	4.00	26.87	30.00	-3.13
6665	143 (L)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.61	19.59	22.61	3.30	25.91	30.00	-4.09	
	143 (U)	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.71	19.54	22.64	3.30	25.94	30.00	-4.06	

Table 7-66. CDD 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5955	1	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.73	19.65	22.70	4.31	27.01	30.00	-2.99
	6175	45	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.90	19.83	22.88	4.31	27.19	30.00	-2.81
	6415	93	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.62	19.71	22.67	4.31	26.98	30.00	-3.02
	6435	97	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.73	19.72	22.73	2.69	25.42	30.00	-4.58
	6475	105	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.61	19.88	22.75	2.69	25.44	30.00	-4.56
	6515	113	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.81	19.66	22.74	2.69	25.43	30.00	-4.57
	6535	117	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.66	19.89	22.79	2.74	25.53	30.00	-4.47
	6695	149	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.87	19.93	22.91	2.74	25.65	30.00	-4.35
6855	181	SDM	AVG	242	61	243.8/286.8 (MCS11)	19.67	19.64	22.67	2.74	25.41	30.00	-4.59	

Table 7-67. SDM 20MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 82 of 342

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5965	3	SDM	AVG	484	65	487.5/573.5 (MCS11)	19.73	19.82	22.79	4.31	27.10	30.00	-2.90
	6165	43	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.73	19.81	22.78	5.00	27.78	30.00	-2.22
	6405	91	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.53	19.99	22.78	5.00	27.78	30.00	-2.22
	6445	99	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.72	19.89	22.82	4.00	26.82	30.00	-3.18
	6485	107	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.97	19.96	22.98	4.00	26.98	30.00	-3.02
	6525	115	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.93	20.00	22.97	3.30	26.27	30.00	-3.73
	6565	123	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.64	19.80	22.73	3.30	26.03	30.00	-3.97
	6725	155	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.87	19.88	22.88	3.30	26.18	30.00	-3.82
	6845	179	CDD	AVG	484	65	487.5/573.5 (MCS11)	19.84	19.94	22.90	3.30	26.20	30.00	-3.80

Table 7-68. CDD/SDM 40MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5985	7	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.87	19.84	22.87	5.00	27.87	30.00	-2.13
	6145	39	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.87	19.72	22.81	5.00	27.81	30.00	-2.19
	6385	87	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.75	19.85	22.81	5.00	27.81	30.00	-2.19
	6465	103	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.93	19.71	22.83	4.00	26.83	30.00	-3.17
	6545	119	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.80	19.74	22.78	3.30	26.08	30.00	-3.92
	6625	135	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.83	19.73	22.79	3.30	26.09	30.00	-3.91
	6705	151	CDD	AVG	996	67	1020.8/1201 (MCS11)	19.90	19.78	22.85	3.30	26.15	30.00	-3.85
	6785	167	CDD	AVG	996	67	1020.8/1201 (MCS11)	20.00	19.89	22.96	3.30	26.26	30.00	-3.74

Table 7-69. CDD 80MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	6025	15	CDD	AVG	996x2	68	2041.6/2402 (MCS11)	19.98	19.70	22.85	5.00	27.85	30.00	-2.15
	6185	47	CDD	AVG	996x2	68	2041.6/2402 (MCS11)	19.67	19.83	22.76	5.00	27.76	30.00	-2.24
	6345	79	CDD	AVG	996x2	68	2041.6/2402 (MCS11)	19.66	19.73	22.70	5.00	27.70	30.00	-2.30
	6505	111	CDD	AVG	996x2	68	2041.6/2402 (MCS11)	19.58	19.87	22.74	4.00	26.74	30.00	-3.26
	6665	143	CDD	AVG	996x2	68	2041.6/2402 (MCS11)	19.83	19.88	22.86	3.30	26.16	30.00	-3.84

Table 7-70. CDD 160MHz BW 802.11ax SP Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 83 of 342

7.3.6 SDM Conducted Output Power Measurements – LPI

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5955	1	SDM	AVG	26	0	25/29.4 (MCS11)	-7.95	-7.82	-4.87	4.31	-0.56	24.00	-24.56
			SDM	AVG	26	4	25/29.4 (MCS11)	-7.91	-8.08	-4.98	4.31	-0.67	24.00	-24.67
			SDM	AVG	26	8	25/29.4 (MCS11)	-7.87	-7.84	-4.84	4.31	-0.53	24.00	-24.53
	6175	45	SDM	AVG	26	0	25/29.4 (MCS11)	-7.34	-7.35	-4.34	4.31	-0.03	24.00	-24.03
			SDM	AVG	26	4	25/29.4 (MCS11)	-7.57	-7.48	-4.51	4.31	-0.20	24.00	-24.20
			SDM	AVG	26	8	25/29.4 (MCS11)	-7.36	-7.38	-4.36	4.31	-0.05	24.00	-24.05
	6415	93	SDM	AVG	26	0	25/29.4 (MCS11)	-6.67	-6.51	-3.58	4.31	0.73	24.00	-23.27
			SDM	AVG	26	4	25/29.4 (MCS11)	-6.57	-6.94	-3.74	4.31	0.57	24.00	-23.43
			SDM	AVG	26	8	25/29.4 (MCS11)	-6.52	-6.69	-3.59	4.31	0.72	24.00	-23.28
	6435	97	SDM	AVG	26	0	25/29.4 (MCS11)	-6.42	-6.43	-3.41	2.69	-0.72	24.00	-24.72
			SDM	AVG	26	4	25/29.4 (MCS11)	-6.44	-6.31	-3.37	2.69	-0.68	24.00	-24.68
			SDM	AVG	26	8	25/29.4 (MCS11)	-6.48	-6.33	-3.39	2.69	-0.70	24.00	-24.70
	6475	105	SDM	AVG	26	0	25/29.4 (MCS11)	-6.52	-6.38	-3.44	2.69	-0.75	24.00	-24.75
			SDM	AVG	26	4	25/29.4 (MCS11)	-6.37	-6.47	-3.41	2.69	-0.72	24.00	-24.72
			SDM	AVG	26	8	25/29.4 (MCS11)	-6.45	-6.49	-3.46	2.69	-0.77	24.00	-24.77
	6515	113	SDM	AVG	26	0	25/29.4 (MCS11)	-6.44	-6.55	-3.49	2.69	-0.80	24.00	-24.80
			SDM	AVG	26	4	25/29.4 (MCS11)	-6.67	-6.47	-3.56	2.69	-0.87	24.00	-24.87
			SDM	AVG	26	8	25/29.4 (MCS11)	-6.48	-6.43	-3.44	2.69	-0.75	24.00	-24.75
	6535	117	SDM	AVG	26	0	25/29.4 (MCS11)	-6.43	-6.32	-3.36	2.74	-0.62	24.00	-24.62
			SDM	AVG	26	4	25/29.4 (MCS11)	-6.40	-6.64	-3.51	2.74	-0.77	24.00	-24.77
			SDM	AVG	26	8	25/29.4 (MCS11)	-6.48	-6.37	-3.41	2.74	-0.67	24.00	-24.67
	6695	149	SDM	AVG	26	0	25/29.4 (MCS11)	-6.38	-6.45	-3.40	2.74	-0.66	24.00	-24.66
			SDM	AVG	26	4	25/29.4 (MCS11)	-6.25	-6.48	-3.36	2.74	-0.62	24.00	-24.62
			SDM	AVG	26	8	25/29.4 (MCS11)	-6.47	-6.36	-3.40	2.74	-0.66	24.00	-24.66
	6875	185	SDM	AVG	26	0	25/29.4 (MCS11)	-6.47	-6.38	-3.41	2.74	-0.67	24.00	-24.67
			SDM	AVG	26	4	25/29.4 (MCS11)	-6.31	-6.47	-3.38	2.74	-0.64	24.00	-24.64
			SDM	AVG	26	8	25/29.4 (MCS11)	-6.29	-6.57	-3.42	2.74	-0.68	24.00	-24.68
	6895	189	SDM	AVG	26	0	25/29.4 (MCS11)	-5.55	-5.34	-2.43	1.60	-0.83	24.00	-24.83
			SDM	AVG	26	4	25/29.4 (MCS11)	-5.41	-5.29	-2.34	1.60	-0.74	24.00	-24.74
			SDM	AVG	26	8	25/29.4 (MCS11)	-5.47	-5.54	-2.49	1.60	-0.89	24.00	-24.89
	6995	209	SDM	AVG	26	0	25/29.4 (MCS11)	-5.44	-5.58	-2.50	1.60	-0.90	24.00	-24.90
			SDM	AVG	26	4	25/29.4 (MCS11)	-5.43	-5.57	-2.49	1.60	-0.89	24.00	-24.89
			SDM	AVG	26	8	25/29.4 (MCS11)	-5.70	-5.54	-2.61	1.60	-1.01	24.00	-25.01
	7095	229	SDM	AVG	26	0	25/29.4 (MCS11)	-5.39	-5.43	-2.40	1.60	-0.80	24.00	-24.80
			SDM	AVG	26	4	25/29.4 (MCS11)	-5.37	-5.38	-2.36	1.60	-0.76	24.00	-24.76
			SDM	AVG	26	8	25/29.4 (MCS11)	-5.56	-5.58	-2.56	1.60	-0.96	24.00	-24.96

Table 7-71. SDM 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 84 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
5965	3	SDM	AVG	26	0	25/29.4 (MCS11)	-8.09	-7.87	-4.97	4.31	-0.66	24.00	-24.66	
		SDM	AVG	26	8	25/29.4 (MCS11)	-8.00	-7.75	-4.86	4.31	-0.55	24.00	-24.55	
		SDM	AVG	26	17	25/29.4 (MCS11)	-7.94	-7.88	-4.90	4.31	-0.59	24.00	-24.59	
6165	43	SDM	AVG	26	0	25/29.4 (MCS11)	-7.28	-7.35	-4.31	4.31	0.00	24.00	-24.00	
		SDM	AVG	26	8	25/29.4 (MCS11)	-7.43	-7.46	-4.43	4.31	-0.12	24.00	-24.12	
		SDM	AVG	26	17	25/29.4 (MCS11)	-7.43	-7.62	-4.51	4.31	-0.20	24.00	-24.20	
6405	91	SDM	AVG	26	0	25/29.4 (MCS11)	-6.52	-6.64	-3.57	4.31	0.74	24.00	-23.26	
		SDM	AVG	26	8	25/29.4 (MCS11)	-6.51	-6.78	-3.63	4.31	0.68	24.00	-23.32	
		SDM	AVG	26	17	25/29.4 (MCS11)	-6.70	-6.84	-3.76	4.31	0.55	24.00	-23.45	
6445	99	SDM	AVG	26	0	25/29.4 (MCS11)	-6.41	-6.64	-3.51	2.69	-0.82	24.00	-24.82	
		SDM	AVG	26	8	25/29.4 (MCS11)	-6.56	-6.43	-3.49	2.69	-0.80	24.00	-24.80	
		SDM	AVG	26	17	25/29.4 (MCS11)	-6.28	-6.43	-3.35	2.69	-0.66	24.00	-24.66	
6485	107	SDM	AVG	26	0	25/29.4 (MCS11)	-6.38	-6.55	-3.45	2.69	-0.76	24.00	-24.76	
		SDM	AVG	26	8	25/29.4 (MCS11)	-6.25	-6.60	-3.41	2.69	-0.72	24.00	-24.72	
		SDM	AVG	26	17	25/29.4 (MCS11)	-6.36	-6.38	-3.36	2.69	-0.67	24.00	-24.67	
6525	115	SDM	AVG	26	0	25/29.4 (MCS11)	-6.46	-6.30	-3.37	2.74	-0.63	24.00	-24.63	
		SDM	AVG	26	8	25/29.4 (MCS11)	-6.59	-6.31	-3.43	2.74	-0.69	24.00	-24.69	
		SDM	AVG	26	17	25/29.4 (MCS11)	-6.30	-6.61	-3.44	2.74	-0.70	24.00	-24.70	
6565	123	SDM	AVG	26	0	25/29.4 (MCS11)	-6.37	-6.44	-3.39	2.74	-0.65	24.00	-24.65	
		SDM	AVG	26	8	25/29.4 (MCS11)	-6.48	-6.43	-3.44	2.74	-0.70	24.00	-24.70	
		SDM	AVG	26	17	25/29.4 (MCS11)	-6.31	-6.30	-3.29	2.74	-0.55	24.00	-24.55	
6725	155	SDM	AVG	26	0	25/29.4 (MCS11)	-6.27	-6.34	-3.29	2.74	-0.55	24.00	-24.55	
		SDM	AVG	26	8	25/29.4 (MCS11)	-6.36	-6.59	-3.46	2.74	-0.72	24.00	-24.72	
		SDM	AVG	26	17	25/29.4 (MCS11)	-6.56	-6.29	-3.41	2.74	-0.67	24.00	-24.67	
6845	179	SDM	AVG	26	0	25/29.4 (MCS11)	-6.55	-6.63	-3.58	2.74	-0.84	24.00	-24.84	
		SDM	AVG	26	8	25/29.4 (MCS11)	-6.61	-6.61	-3.60	2.74	-0.86	24.00	-24.86	
		SDM	AVG	26	17	25/29.4 (MCS11)	-6.59	-6.27	-3.42	2.74	-0.68	24.00	-24.68	
6885	187	SDM	AVG	26	0	25/29.4 (MCS11)	-6.53	-6.57	-3.54	1.60	-1.94	24.00	-25.94	
		SDM	AVG	26	8	25/29.4 (MCS11)	-6.57	-6.34	-3.44	1.60	-1.84	24.00	-25.84	
		SDM	AVG	26	17	25/29.4 (MCS11)	-6.57	-6.53	-3.54	1.60	-1.94	24.00	-25.94	
7005	211	SDM	AVG	26	0	25/29.4 (MCS11)	-5.47	-5.53	-2.49	1.60	-0.89	24.00	-24.89	
		SDM	AVG	26	8	25/29.4 (MCS11)	-5.38	-5.64	-2.50	1.60	-0.90	24.00	-24.90	
		SDM	AVG	26	17	25/29.4 (MCS11)	-5.43	-5.46	-2.43	1.60	-0.83	24.00	-24.83	
7085	227	SDM	AVG	26	0	25/29.4 (MCS11)	-5.41	-5.36	-2.37	1.60	-0.77	24.00	-24.77	
		SDM	AVG	26	8	25/29.4 (MCS11)	-5.44	-5.39	-2.40	1.60	-0.80	24.00	-24.80	
		SDM	AVG	26	17	25/29.4 (MCS11)	-5.53	-5.50	-2.50	1.60	-0.90	24.00	-24.90	

Table 7-72. SDM 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
6GHz (80MHz Bandwidth)	5985	7	SDM	AVG	26	0	25/29.4 (MCS11)	-8.06	-7.98	-5.01	4.31	-0.70	24.00	-24.70
			SDM	AVG	26	18	25/29.4 (MCS11)	-7.94	-7.77	-4.84	4.31	-0.53	24.00	-24.53
			SDM	AVG	26	36	25/29.4 (MCS11)	-7.88	-7.81	-4.84	4.31	-0.53	24.00	-24.53
	6145	39	SDM	AVG	26	0	25/29.4 (MCS11)	-7.40	-7.49	-4.43	4.31	-0.12	24.00	-24.12
			SDM	AVG	26	18	25/29.4 (MCS11)	-7.67	-7.64	-4.64	4.31	-0.33	24.00	-24.33
			SDM	AVG	26	36	25/29.4 (MCS11)	-7.28	-7.47	-4.37	4.31	-0.06	24.00	-24.06
	6385	87	SDM	AVG	26	0	25/29.4 (MCS11)	-6.60	-6.63	-3.60	4.31	0.71	24.00	-23.29
			SDM	AVG	26	18	25/29.4 (MCS11)	-6.52	-6.71	-3.60	4.31	0.71	24.00	-23.29
			SDM	AVG	26	36	25/29.4 (MCS11)	-6.79	-6.59	-3.68	4.31	0.63	24.00	-23.37
	6465	103	SDM	AVG	26	0	25/29.4 (MCS11)	-6.42	-6.54	-3.47	2.69	-0.78	24.00	-24.78
			SDM	AVG	26	18	25/29.4 (MCS11)	-6.26	-6.63	-3.43	2.69	-0.74	24.00	-24.74
			SDM	AVG	26	36	25/29.4 (MCS11)	-6.49	-6.58	-3.53	2.69	-0.84	24.00	-24.84
	6545	119	SDM	AVG	26	0	25/29.4 (MCS11)	-6.35	-6.41	-3.37	2.74	-0.63	24.00	-24.63
			SDM	AVG	26	18	25/29.4 (MCS11)	-6.29	-6.49	-3.38	2.74	-0.64	24.00	-24.64
			SDM	AVG	26	36	25/29.4 (MCS11)	-6.38	-6.49	-3.42	2.74	-0.68	24.00	-24.68
	6705	151	SDM	AVG	26	0	25/29.4 (MCS11)	-6.40	-6.27	-3.33	2.74	-0.59	24.00	-24.59
			SDM	AVG	26	18	25/29.4 (MCS11)	-6.31	-6.56	-3.42	2.74	-0.68	24.00	-24.68
			SDM	AVG	26	36	25/29.4 (MCS11)	-6.47	-6.47	-3.46	2.74	-0.72	24.00	-24.72
	6865	183	SDM	AVG	26	0	25/29.4 (MCS11)	-6.32	-6.44	-3.37	2.74	-0.63	24.00	-24.63
			SDM	AVG	26	18	25/29.4 (MCS11)	-6.55	-6.31	-3.42	2.74	-0.68	24.00	-24.68
			SDM	AVG	26	36	25/29.4 (MCS11)	-6.60	-6.59	-3.58	2.74	-0.84	24.00	-24.84
	6945	199	SDM	AVG	26	0	25/29.4 (MCS11)	-5.27	-5.61	-2.42	1.60	-0.82	24.00	-24.82
			SDM	AVG	26	18	25/29.4 (MCS11)	-5.48	-5.31	-2.38	1.60	-0.78	24.00	-24.78
			SDM	AVG	26	36	25/29.4 (MCS11)	-5.74	-5.45	-2.58	1.60	-0.98	24.00	-24.98
7025	215	SDM	AVG	26	0	25/29.4 (MCS11)	-5.35	-5.48	-2.41	1.60	-0.81	24.00	-24.81	
		SDM	AVG	26	18	25/29.4 (MCS11)	-5.67	-5.61	-2.63	1.60	-1.03	24.00	-25.03	
		SDM	AVG	26	36	25/29.4 (MCS11)	-5.65	-5.33	-2.47	1.60	-0.87	24.00	-24.87	

Table 7-73. SDM 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 85 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	6025	15 (L)	SDM	AVG	26	0	25/29.4 (MCS11)	-8.11	-7.96	-5.02	4.31	-0.71	24.00	-24.71
		15 (U)	SDM	AVG	26	36	25/29.4 (MCS11)	-8.06	-7.98	-5.01	4.31	-0.70	24.00	-24.70
	6185	47 (L)	SDM	AVG	26	0	25/29.4 (MCS11)	-7.53	-7.62	-4.56	4.31	-0.25	24.00	-24.25
		47 (U)	SDM	AVG	26	36	25/29.4 (MCS11)	-7.64	-7.39	-4.50	4.31	-0.19	24.00	-24.19
	6345	79 (L)	SDM	AVG	26	0	25/29.4 (MCS11)	-6.74	-6.60	-3.66	4.31	0.65	24.00	-23.35
		79 (U)	SDM	AVG	26	36	25/29.4 (MCS11)	-6.53	-6.61	-3.56	4.31	0.75	24.00	-23.25
	6505	111 (L)	SDM	AVG	26	0	25/29.4 (MCS11)	-6.36	-6.41	-3.38	2.69	-0.69	24.00	-24.69
		111 (U)	SDM	AVG	26	36	25/29.4 (MCS11)	-6.59	-6.30	-3.43	2.69	-0.74	24.00	-24.74
	6665	143 (L)	SDM	AVG	26	0	25/29.4 (MCS11)	-6.62	-6.33	-3.46	2.74	-0.72	24.00	-24.72
		143 (U)	SDM	AVG	26	36	25/29.4 (MCS11)	-6.55	-6.32	-3.42	2.74	-0.68	24.00	-24.68
	6825	175 (L)	SDM	AVG	26	0	25/29.4 (MCS11)	-6.41	-6.32	-3.36	2.74	-0.62	24.00	-24.62
		175 (U)	SDM	AVG	26	36	25/29.4 (MCS11)	-6.36	-6.54	-3.44	2.74	-0.70	24.00	-24.70
	6985	207 (L)	SDM	AVG	26	0	25/29.4 (MCS11)	-5.60	-5.32	-2.45	1.60	-0.85	24.00	-24.85
		207 (U)	SDM	AVG	26	36	25/29.4 (MCS11)	-5.43	-5.44	-2.42	1.60	-0.82	24.00	-24.82

Table 7-74. SDM 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (RU26)

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5955	1	SDM	AVG	106	53	106.3/125 (MCS11)	-1.77	-1.81	1.22	4.31	5.53	24.00	-18.47
			SDM	AVG	106	54	106.3/125 (MCS11)	-1.94	-1.77	1.16	4.31	5.47	24.00	-18.53
	6175	45	SDM	AVG	106	53	106.3/125 (MCS11)	-1.40	-1.32	1.65	4.31	5.96	24.00	-18.04
			SDM	AVG	106	54	106.3/125 (MCS11)	-1.38	-1.38	1.63	4.31	5.94	24.00	-18.06
	6415	93	SDM	AVG	106	53	106.3/125 (MCS11)	-0.83	-0.55	2.33	4.31	6.64	24.00	-17.36
			SDM	AVG	106	54	106.3/125 (MCS11)	-0.60	-0.82	2.30	4.31	6.61	24.00	-17.39
	6435	97	SDM	AVG	106	53	106.3/125 (MCS11)	-0.64	-0.28	2.56	2.69	5.25	24.00	-18.75
			SDM	AVG	106	54	106.3/125 (MCS11)	-0.45	-0.34	2.62	2.69	5.31	24.00	-18.69
	6475	105	SDM	AVG	106	53	106.3/125 (MCS11)	-0.43	-0.65	2.47	2.69	5.16	24.00	-18.84
			SDM	AVG	106	54	106.3/125 (MCS11)	-0.55	-0.27	2.61	2.69	5.30	24.00	-18.70
	6515	113	SDM	AVG	106	53	106.3/125 (MCS11)	-0.42	-0.49	2.56	2.69	5.25	24.00	-18.75
			SDM	AVG	106	54	106.3/125 (MCS11)	-0.49	-0.28	2.63	2.69	5.32	24.00	-18.68
	6535	117	SDM	AVG	106	53	106.3/125 (MCS11)	-0.59	-0.39	2.52	2.74	5.26	24.00	-18.74
			SDM	AVG	106	54	106.3/125 (MCS11)	-0.44	-0.45	2.57	2.74	5.31	24.00	-18.69
	6695	149	SDM	AVG	106	53	106.3/125 (MCS11)	-0.28	-0.36	2.69	2.74	5.43	24.00	-18.57
			SDM	AVG	106	54	106.3/125 (MCS11)	-0.37	-0.42	2.62	2.74	5.36	24.00	-18.64
	6875	185	SDM	AVG	106	53	106.3/125 (MCS11)	-0.34	-0.36	2.66	2.74	5.40	24.00	-18.60
			SDM	AVG	106	54	106.3/125 (MCS11)	-0.43	-0.43	2.58	2.74	5.32	24.00	-18.68
	6895	189	SDM	AVG	106	53	106.3/125 (MCS11)	0.63	0.49	3.57	1.60	5.17	24.00	-18.83
			SDM	AVG	106	54	106.3/125 (MCS11)	0.51	0.40	3.47	1.60	5.07	24.00	-18.93
	6995	209	SDM	AVG	106	53	106.3/125 (MCS11)	0.39	0.39	3.40	1.60	5.00	24.00	-19.00
			SDM	AVG	106	54	106.3/125 (MCS11)	0.54	0.72	3.64	1.60	5.24	24.00	-18.76
	7095	229	SDM	AVG	106	53	106.3/125 (MCS11)	0.59	0.56	3.58	1.60	5.18	24.00	-18.82
			SDM	AVG	106	54	106.3/125 (MCS11)	0.46	0.40	3.44	1.60	5.04	24.00	-18.96

Table 7-75. SDM 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 86 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5965	3	SDM	AVG	242	61	243.8/286.8 (MCS11)	1.59	1.58	4.59	4.31	8.90	24.00	-15.10
			SDM	AVG	242	62	243.8/286.8 (MCS11)	1.62	1.61	4.62	4.31	8.93	24.00	-15.07
	6165	43	SDM	AVG	242	61	243.8/286.8 (MCS11)	2.25	1.94	5.11	4.31	9.42	24.00	-14.58
			SDM	AVG	242	62	243.8/286.8 (MCS11)	2.20	1.94	5.08	4.31	9.39	24.00	-14.61
	6405	91	SDM	AVG	242	61	243.8/286.8 (MCS11)	2.99	2.60	5.81	4.31	10.12	24.00	-13.88
			SDM	AVG	242	62	243.8/286.8 (MCS11)	2.95	2.64	5.81	4.31	10.12	24.00	-13.88
	6445	99	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.10	2.87	6.00	2.69	8.69	24.00	-15.31
			SDM	AVG	242	62	243.8/286.8 (MCS11)	3.08	2.88	5.99	2.69	8.68	24.00	-15.32
	6485	107	SDM	AVG	242	61	243.8/286.8 (MCS11)	2.97	2.96	5.98	2.69	8.67	24.00	-15.33
			SDM	AVG	242	62	243.8/286.8 (MCS11)	3.01	2.97	6.00	2.69	8.69	24.00	-15.31
	6525	115	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.05	2.89	5.98	2.74	8.72	24.00	-15.28
			SDM	AVG	242	62	243.8/286.8 (MCS11)	3.05	3.17	6.12	2.74	8.86	24.00	-15.14
	6565	123	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.21	3.09	6.16	2.74	8.90	24.00	-15.10
			SDM	AVG	242	62	243.8/286.8 (MCS11)	3.21	3.09	6.16	2.74	8.90	24.00	-15.10
	6725	155	SDM	AVG	242	61	243.8/286.8 (MCS11)	2.95	3.05	6.01	2.74	8.75	24.00	-15.25
			SDM	AVG	242	62	243.8/286.8 (MCS11)	3.00	3.08	6.05	2.74	8.79	24.00	-15.21
	6845	179	SDM	AVG	242	61	243.8/286.8 (MCS11)	2.85	3.06	5.97	2.74	8.71	24.00	-15.29
			SDM	AVG	242	62	243.8/286.8 (MCS11)	2.88	3.12	6.01	2.74	8.75	24.00	-15.25
	6885	187	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.02	3.06	6.05	1.60	7.65	24.00	-16.35
			SDM	AVG	242	62	243.8/286.8 (MCS11)	2.99	3.07	6.04	1.60	7.64	24.00	-16.36
	7005	211	SDM	AVG	242	61	243.8/286.8 (MCS11)	4.22	4.07	7.16	1.60	8.76	24.00	-15.24
			SDM	AVG	242	62	243.8/286.8 (MCS11)	4.15	4.03	7.10	1.60	8.70	24.00	-15.30
	7085	227	SDM	AVG	242	61	243.8/286.8 (MCS11)	4.18	3.99	7.10	1.60	8.70	24.00	-15.30
			SDM	AVG	242	62	243.8/286.8 (MCS11)	4.15	3.96	7.07	1.60	8.67	24.00	-15.33

Table 7-76. SDM 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5985	7	SDM	AVG	484	65	487.5/573.5 (MCS11)	4.66	4.53	7.60	4.31	11.91	24.00	-12.09
			SDM	AVG	484	66	487.5/573.5 (MCS11)	4.58	4.53	7.56	4.31	11.87	24.00	-12.13
	6145	39	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.02	5.23	8.13	4.31	12.44	24.00	-11.56
			SDM	AVG	484	66	487.5/573.5 (MCS11)	4.99	5.14	8.08	4.31	12.39	24.00	-11.61
	6385	87	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.89	5.64	8.78	4.31	13.09	24.00	-10.91
			SDM	AVG	484	66	487.5/573.5 (MCS11)	5.90	5.62	8.77	4.31	13.08	24.00	-10.92
	6465	103	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.88	6.00	8.95	2.69	11.64	24.00	-12.36
			SDM	AVG	484	66	487.5/573.5 (MCS11)	6.11	6.00	9.06	2.69	11.75	24.00	-12.25
	6545	119	SDM	AVG	484	65	487.5/573.5 (MCS11)	6.01	5.97	9.00	2.74	11.74	24.00	-12.26
			SDM	AVG	484	66	487.5/573.5 (MCS11)	5.94	5.93	8.95	2.74	11.69	24.00	-12.31
	6705	151	SDM	AVG	484	65	487.5/573.5 (MCS11)	6.07	6.23	9.16	2.74	11.90	24.00	-12.10
			SDM	AVG	484	66	487.5/573.5 (MCS11)	6.02	6.05	9.04	2.74	11.78	24.00	-12.22
	6865	183	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.92	6.13	9.04	2.74	11.78	24.00	-12.22
			SDM	AVG	484	66	487.5/573.5 (MCS11)	5.92	6.09	9.01	2.74	11.75	24.00	-12.25
	6945	199	SDM	AVG	484	65	487.5/573.5 (MCS11)	7.24	7.05	10.16	1.60	11.76	24.00	-12.24
			SDM	AVG	484	66	487.5/573.5 (MCS11)	7.23	7.02	10.14	1.60	11.74	24.00	-12.26
	7025	215	SDM	AVG	484	65	487.5/573.5 (MCS11)	6.96	6.92	9.95	1.60	11.55	24.00	-12.45
			SDM	AVG	484	66	487.5/573.5 (MCS11)	6.99	6.88	9.95	1.60	11.55	24.00	-12.45

Table 7-77. SDM 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	6025	15 (L)	SDM	AVG	996	67	1020.8/1201 (MCS11)	7.04	7.24	10.15	4.31	14.46	24.00	-9.54
		15 (U)	SDM	AVG	996	67	1020.8/1201 (MCS11)	7.15	7.23	10.20	4.31	14.51	24.00	-9.49
	6185	47 (L)	SDM	AVG	996	67	1020.8/1201 (MCS11)	7.39	7.61	10.51	4.31	14.82	24.00	-9.18
		47 (U)	SDM	AVG	996	67	1020.8/1201 (MCS11)	7.56	7.69	10.64	4.31	14.95	24.00	-9.05
	6345	79 (L)	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.33	8.42	11.38	4.31	15.69	24.00	-8.31
		79 (U)	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.44	8.48	11.47	4.31	15.78	24.00	-8.22
	6505	111 (L)	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.48	8.73	11.62	2.69	14.31	24.00	-9.69
		111 (U)	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.55	8.69	11.63	2.69	14.32	24.00	-9.68
	6665	143 (L)	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.59	8.75	11.68	2.74	14.42	24.00	-9.58
		143 (U)	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.62	8.64	11.64	2.74	14.38	24.00	-9.62
	6825	175 (L)	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.70	8.62	11.67	2.74	14.41	24.00	-9.59
		175 (U)	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.67	8.69	11.69	2.74	14.43	24.00	-9.57
	6985	207 (L)	SDM	AVG	996	67	1020.8/1201 (MCS11)	9.51	9.36	12.45	1.60	14.05	24.00	-9.95
		207 (U)	SDM	AVG	996	67	1020.8/1201 (MCS11)	9.63	9.73	12.69	1.60	14.29	24.00	-9.71

Table 7-78. SDM 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Highest Power Among Partially Loaded RU's)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 87 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6GHz (20MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5955	1	SDM	AVG	242	61	243.8/286.8 (MCS11)	1.58	1.45	4.53	4.31	8.84	24.00	-15.16
	6175	45	SDM	AVG	242	61	243.8/286.8 (MCS11)	2.20	1.93	5.08	4.31	9.39	24.00	-14.61
	6415	93	SDM	AVG	242	61	243.8/286.8 (MCS11)	2.88	2.94	5.92	4.31	10.23	24.00	-13.77
	6435	97	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.08	2.87	5.99	2.69	8.68	24.00	-15.32
	6475	105	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.05	2.96	6.01	2.69	8.70	24.00	-15.30
	6515	113	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.15	3.06	6.11	2.69	8.80	24.00	-15.20
	6535	117	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.12	3.19	6.17	2.74	8.91	24.00	-15.09
	6695	149	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.23	3.06	6.15	2.74	8.89	24.00	-15.11
	6875	185	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.04	3.06	6.06	2.74	8.80	24.00	-15.20
	6895	189	SDM	AVG	242	61	243.8/286.8 (MCS11)	4.02	4.23	7.14	1.60	8.74	24.00	-15.26
	6995	209	SDM	AVG	242	61	243.8/286.8 (MCS11)	4.04	4.08	7.07	1.60	8.67	24.00	-15.33
	7095	229	SDM	AVG	242	61	243.8/286.8 (MCS11)	3.93	4.24	7.10	1.60	8.70	24.00	-15.30

Table 7-79. SDM 20MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (40MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5965	3	SDM	AVG	484	65	487.5/573.5 (MCS11)	4.72	4.60	7.67	4.31	11.98	24.00	-12.02
	6165	43	SDM	AVG	484	65	487.5/573.5 (MCS11)	4.90	4.94	7.93	4.31	12.24	24.00	-11.76
	6405	91	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.89	5.90	8.90	4.31	13.21	24.00	-10.79
	6445	99	SDM	AVG	484	65	487.5/573.5 (MCS11)	6.01	5.97	9.00	2.69	11.69	24.00	-12.31
	6485	107	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.86	6.20	9.04	2.69	11.73	24.00	-12.27
	6525	115	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.92	5.98	8.96	2.74	11.70	24.00	-12.30
	6565	123	SDM	AVG	484	65	487.5/573.5 (MCS11)	6.08	6.16	9.13	2.74	11.87	24.00	-12.13
	6725	155	SDM	AVG	484	65	487.5/573.5 (MCS11)	6.10	6.01	9.07	2.74	11.81	24.00	-12.19
	6845	179	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.96	6.09	9.04	2.74	11.78	24.00	-12.22
	6885	187	SDM	AVG	484	65	487.5/573.5 (MCS11)	5.96	6.05	9.02	1.60	10.62	24.00	-13.38
	7005	211	SDM	AVG	484	65	487.5/573.5 (MCS11)	7.17	7.10	10.15	1.60	11.75	24.00	-12.25
	7085	227	SDM	AVG	484	65	487.5/573.5 (MCS11)	6.91	6.88	9.91	1.60	11.51	24.00	-12.49

Table 7-80. SDM 40MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (80MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	5985	7	SDM	AVG	996	67	1020.8/1201 (MCS11)	7.19	7.11	10.16	4.31	14.47	24.00	-9.53
	6145	39	SDM	AVG	996	67	1020.8/1201 (MCS11)	7.54	7.53	10.55	4.31	14.86	24.00	-9.14
	6385	87	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.10	8.21	11.17	4.31	15.48	24.00	-8.52
	6465	103	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.66	8.68	11.68	2.69	14.37	24.00	-9.63
	6545	119	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.37	8.62	11.50	2.74	14.24	24.00	-9.76
	6705	151	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.68	8.53	11.62	2.74	14.36	24.00	-9.64
	6865	183	SDM	AVG	996	67	1020.8/1201 (MCS11)	8.51	8.58	11.55	2.74	14.29	24.00	-9.71
	6945	199	SDM	AVG	996	67	1020.8/1201 (MCS11)	9.53	9.37	12.46	1.60	14.06	24.00	-9.94
	7025	215	SDM	AVG	996	67	1020.8/1201 (MCS11)	9.71	9.71	12.72	1.60	14.32	24.00	-9.68

Table 7-81. SDM 80MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

6GHz (160MHz Bandwidth)	Frequency [MHz]	Channel	Mode	Detector	RU Size	RU Index	Data Rate [Mbps]	Conducted Powers [dBm]			Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
								Antenna WF8	Antenna WF7a	Summed				
	6025	15	SDM	AVG	996x2	68	2041.6/2402 (MCS11)	9.42	9.36	12.40	4.31	16.71	24.00	-7.29
	6185	47	SDM	AVG	996x2	68	2041.6/2402 (MCS11)	9.91	9.88	12.91	4.31	17.22	24.00	-6.78
	6345	79	SDM	AVG	996x2	68	2041.6/2402 (MCS11)	10.71	10.96	13.85	4.31	18.16	24.00	-5.84
	6505	111	SDM	AVG	996x2	68	2041.6/2402 (MCS11)	11.15	11.10	14.13	2.69	16.82	24.00	-7.18
	6665	143	SDM	AVG	996x2	68	2041.6/2402 (MCS11)	10.89	11.08	13.99	2.74	16.73	24.00	-7.27
	6825	175	SDM	AVG	996x2	68	2041.6/2402 (MCS11)	11.22	11.17	14.21	2.74	16.95	24.00	-7.05
	6985	207	SDM	AVG	996x2	68	2041.6/2402 (MCS11)	12.10	12.11	15.11	1.60	16.71	24.00	-7.29

Table 7-82. SDM 160MHz BW 802.11ax LPI Maximum Conducted Output Power and Max EIRP (Fully-loaded RU)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 88 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Note:

Per ANSI C63.10-2020 and KDB 662911 v02r01 Section E1), the conducted powers at Antenna WF8 and Antenna WF7a were first measured separately during CDD/SDM transmission as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Per ANSI C63.10-2020 Subclause 14.6.3, the correlated directional gain is calculated using the following formula, where G_N is the gain of the nth antenna and N_{ANT} , the total number of antennas used.

$$\text{Directional gain} = G_{ANT} + \text{Array Gain dBi}$$

Per ANSI C63.10-2020 Subclause 14.6.3, the uncorrelated directional gain is calculated using the following formula, where G_N is the gain of the nth antenna and N_{ANT} , the total number of antennas used.

$$\text{Directional gain} = 10 \log [(10^{G_1/10} + 10^{G_2/10} + \dots + 10^{G_N/10}) / N_{ANT}] \text{ dBi}$$

Sample SDM Calculation:

At 5955MHz in 802.11ax (20MHz BW) mode, the average conducted output power was measured to be 1.58 dBm for Antenna WF8 and 1.45 dBm for Antenna WF7a.

$$\text{Antenna WF8} + \text{Antenna WF7a} = \text{SDM}$$

$$(1.58 \text{ dBm} + 1.45 \text{ dBm}) = (1.44 \text{ mW} + 1.40 \text{ mW}) = 2.84 \text{ mW} = 4.53 \text{ dBm}$$

Sample e.i.r.p. Calculation:

At 5955MHz in 802.11ax (20MHz BW), SDM mode, the average SDM conducted power was calculated to be 4.53 dBm with directional gain of 4.31 dBi.

$$\text{e.i.r.p. (dBm)} = \text{Conducted Power (dBm)} + \text{Ant gain (dBi)}$$

$$4.53 \text{ dBm} + 4.31 \text{ dBi} = 8.84 \text{ dBm}$$

FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 89 of 342

V 10.6 10/27/2023

7.4 Maximum Power Spectral Density

§15.407(a)(7)(8), RSS-248 [4.5.3], [4.5.5]

Test Overview and Limit

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, and at the appropriate frequencies. Method SA-1, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, was used to measure the power spectral density.

The maximum permissible power spectral density must not exceed -1dBm e.i.r.p. in any 1-megahertz band for Low Power Indoor operating modes.

The maximum permissible power spectral density must not exceed 17dBm e.i.r.p. in any 1-megahertz band for Standard Power operating modes

Test Procedure Used

ANSI C63.10-2020 – Section 12.4.2.2

KDB 789033 D02 v02r01 – Section F

ANSI C63.10-2020 – Section 14.5.2.2 Measure-and-Sum Technique

KDB 662911 v02r01 – Section E)2) Measure-and-Sum Technique

Test Settings

1. Analyzer was set to the center frequency of the UNII channel under investigation
2. Set span to encompass the entire 99% OBW of the signal
3. RBW = 1MHz
4. VBW = 3MHz
5. Number of sweep points $\geq 2 \times (\text{span}/\text{RBW})$
6. Sweep time = auto
7. Detector = power averaging (RMS)
8. Trigger was set to free run for all modes
9. Trace was averaged over 100 sweeps
10. The peak search function of the spectrum analyzer was used to find the peak of the spectrum.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup

Test Notes

1. All RU's were investigated and only worst case partially loaded and fully loaded RU's were reported.
2. Low, mid, and high channels were tested and tabular data has been reported. Only worst case channel PSD plots have been reported.

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 90 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.4.1 Antenna WF8 Power Spectral Density Measurements – SP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5935	1	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.35	5.00	12.35	17	-4.65
	5935	1	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.15	5.00	11.15	17	-5.85
	5935	1	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.20	5.00	12.20	17	-4.80
	6175	45	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.28	5.00	12.28	17	-4.72
	6175	45	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.09	5.00	11.09	17	-5.91
	6175	45	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.93	5.00	11.93	17	-5.08
	6415	93	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.15	5.00	12.15	17	-4.85
	6415	93	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.32	5.00	11.32	17	-5.68
	6415	93	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.16	5.00	12.16	17	-4.84
	5965	3	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.14	5.00	12.14	17	-4.86
	5965	3	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.45	5.00	12.45	17	-4.55
	5965	3	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.69	5.00	11.69	17	-5.31
	6165	43	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.13	5.00	12.13	17	-4.87
	6165	43	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.06	5.00	12.06	17	-4.94
	6165	43	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.07	5.00	12.07	17	-4.93
	6165	91	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.60	5.00	11.60	17	-5.40
	6165	91	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.16	5.00	12.16	17	-4.85
	6165	91	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.11	5.00	12.11	17	-4.89
	5985	7	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.94	5.00	11.94	17	-5.07
	5985	7	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.80	5.00	10.80	17	-6.20
	5985	7	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.98	5.00	11.98	17	-5.02
	6145	39	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.44	5.00	11.44	17	-5.56
	6145	39	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.60	5.00	10.60	17	-6.40
	6145	39	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.35	5.00	11.35	17	-5.65
	6385	87	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.15	5.00	12.15	17	-4.85
	6385	87	ax (80MHz)	26	18	12.5/14.7 (MCS11)	6.21	5.00	11.21	17	-5.79
	6385	87	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.25	5.00	12.25	17	-4.75
	6025	15 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.29	5.00	11.29	17	-5.71
	6025	15 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.36	5.00	11.36	17	-5.64
	6025	15 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.55	5.00	11.55	17	-5.45
	6181	47 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.29	5.00	11.29	17	-5.71
	6181	47 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.48	5.00	11.48	17	-5.52
	6181	47 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.44	5.00	11.44	17	-5.56
	6345	79 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.19	5.00	11.19	17	-5.81
	6345	79 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	7.07	5.00	12.07	17	-4.93
	6345	79 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.55	5.00	11.55	17	-5.45
Band 6	6345	97	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.38	0.80	8.18	17	-8.82
	6345	97	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.86	0.80	6.66	17	-10.34
	6345	97	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.41	0.80	8.21	17	-8.79
	6475	105	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.67	0.80	7.47	17	-9.53
	6475	105	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.77	0.80	6.57	17	-10.43
	6475	105	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.45	0.80	8.25	17	-8.75
	6515	113	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.05	0.80	7.85	17	-9.15
	6515	113	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.60	0.80	7.40	17	-9.60
	6515	113	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.12	0.80	7.92	17	-9.08
	6445	99	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.40	0.80	8.20	17	-8.80
	6445	99	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.60	0.80	8.40	17	-8.60
	6445	99	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.42	0.80	8.22	17	-8.78
	6485	107	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.24	0.80	8.04	17	-8.96
	6485	107	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.54	0.80	8.34	17	-8.66
	6485	107	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.31	0.80	8.11	17	-8.89
	6525	115	ax (40MHz)	26	0	12.5/14.7 (MCS11)	8.22	0.80	9.02	17	-7.98
	6525	115	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.67	0.80	8.47	17	-8.53
	6525	115	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.29	0.80	8.09	17	-8.92
	6465	103	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.19	0.80	7.99	17	-9.01
	6465	103	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.70	0.80	6.50	17	-10.50
Band 7	6465	103	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.35	0.80	8.15	17	-8.85
	6505	111 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.66	0.80	7.46	17	-9.55
	6505	111 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	7.03	0.80	7.83	17	-9.17
	6505	111 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	7.13	0.80	7.93	17	-9.07
	6535	117	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.84	2.10	8.94	17	-8.06
	6535	117	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.59	2.10	8.69	17	-8.31
	6535	117	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.66	2.10	8.76	17	-8.24
	6695	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.67	2.10	8.77	17	-8.23
	6695	149	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.07	2.10	8.17	17	-8.83
	6695	149	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.75	2.10	8.85	17	-8.15
	6875	181	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.15	2.10	8.25	17	-8.75
	6875	181	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.43	2.10	7.53	17	-9.47
	6875	181	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.36	2.10	8.46	17	-8.54
	6565	123	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.40	2.10	8.50	17	-8.50
	6565	123	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.90	2.10	9.00	17	-8.00
	6565	123	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.46	2.10	8.56	17	-8.45
	6725	155	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.72	2.10	8.82	17	-8.18
	6725	155	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.89	2.10	8.99	17	-8.01
	6725	155	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.69	2.10	8.79	17	-8.21
	6845	179	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.43	2.10	8.53	17	-8.47
Band 7	6845	179	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.30	2.10	8.40	17	-8.60
	6845	179	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.02	2.10	8.12	17	-8.88
	6545	135	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.50	2.10	8.60	17	-8.40
	6545	135	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.01	2.10	7.11	17	-9.89
	6545	135	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.73	2.10	8.83	17	-8.17
	6705	151	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.39	2.10	8.49	17	-8.51
	6705	151	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.48	2.10	7.58	17	-9.42
	6705	151	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.49	2.10	8.59	17	-8.41
	6865	167	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.89	2.10	8.99	17	-8.01
	6865	167	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.60	2.10	7.70	17	-9.30
Band 7	6865	167	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.00	2.10	9.10	17	-7.90
	6665	143 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.51	2.10	8.61	17	-8.39
	6665	143 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.22	2.10	8.32	17	-8.69
	6665	143 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.70	2.10	8.80	17	-8.20

Table 7-83. Power Spectral Density Measurements Antenna WF8 (RU26)

FCC ID: BCGA3266 IC: 579C-A3266		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 91 of 342


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5935	1	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.55	5.00	12.55	17	-4.45
	6175	45	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.60	5.00	12.60	17	-4.40
	6415	93	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.36	5.00	12.36	17	-4.64
	5965	3	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.66	5.00	9.66	17	-7.34
	6165	43	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.69	5.00	9.69	17	-7.31
	6165	91	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.85	5.00	9.85	17	-7.16
	5985	7	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.71	5.00	6.71	17	-10.29
	6145	39	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.95	5.00	6.95	17	-10.06
	6385	87	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.98	5.00	6.98	17	-10.02
	6025	15	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.24	5.00	4.76	17	-12.24
Band 6	6181	47	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.31	5.00	4.70	17	-12.31
	6345	79	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.87	5.00	4.13	17	-12.87
	6345	97	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.32	0.80	8.12	17	-8.88
	6475	105	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.60	0.80	8.40	17	-8.60
	6515	113	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.34	0.80	8.14	17	-8.86
	6445	99	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.05	0.80	5.85	17	-11.15
	6485	107	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.39	0.80	6.19	17	-10.81
	6525	115	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.30	0.80	6.10	17	-10.90
	6465	103	ax (80MHz)	996	67	510.4/600.5 (MCS11)	2.55	0.80	3.35	17	-13.65
	6505	111	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.42	0.80	0.38	17	-16.62
Band 7	6535	117	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.69	2.10	9.79	17	-7.21
	6695	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.90	2.10	10.00	17	-7.00
	6875	181	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.30	2.10	9.40	17	-7.60
	6565	123	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.67	2.10	6.77	17	-10.23
	6725	155	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.65	2.10	6.75	17	-10.25
	6845	179	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.03	2.10	6.13	17	-10.87
	6545	135	ax (80MHz)	996	67	510.4/600.5 (MCS11)	0.99	2.10	3.09	17	-13.91
	6705	151	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.47	2.10	3.57	17	-13.43
	6865	167	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.52	2.10	3.62	17	-13.38
	6665	143	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.85	2.10	1.25	17	-15.75

Table 7-84. Power Spectral Density Measurements Antenna WF8 (Fully – Loaded RU)


FCC ID: BCGA3266 IC: 579C-A3266	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 92 of 342

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-113. PSD Plot Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 1)



Plot 7-115. PSD Plot Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 87)



Plot 7-114. PSD Plot Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 3)




Plot 7-116. PSD Plot Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 79)


FCC ID: BCGA3266 IC: 579C-A3266			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 93 of 342	

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-117. PSD Plot Antenna WF8 (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)



Plot 7-119. PSD Plot Antenna WF8 (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 87)



Plot 7-118. PSD Plot Antenna WF8 (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 91)




Plot 7-120. PSD Plot Antenna WF8 (160MHz 802.11ax RU996x2 (UNII Band 5) – Ch. 15)


FCC ID: BCGA3266 IC: 579C-A3266			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 94 of 342	

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-121. PSD Plot Antenna WF8 (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 105)



Plot 7-123. PSD Plot Antenna WF8 (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)



Plot 7-122. PSD Plot Antenna WF8 (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 115)



Plot 7-124. PSD Plot Antenna WF8 (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)

FCC ID: BCGA3266 IC: 579C-A3266	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210072-13-R2.BCG	Test Dates: 10/25/2024 - 01/03/2025	EUT Type: Tablet Device	Page 95 of 342

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.