


Plot 7-97. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 52)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5260MHz  
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10520.00	Peak	V	-	-	-70.26	14.60	51.33	68.23	-16.90
* 15780.00	Average	H	-	-	-85.16	24.99	46.82	53.98	-7.16
* 15780.00	Peak	H	-	-	-73.36	24.46	58.10	73.98	-15.88

Table 7-117. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-98. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 56)




Plot 7-99. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n – Ch.56)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5280MHz  
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.35	15.24	51.88	68.23	-16.35
* 15840.00	Average	H	-	-	-84.46	23.86	46.40	53.98	-7.58
* 15840.00	Peak	H	-	-	-73.01	24.28	58.27	73.98	-15.71

Table 7-118. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				Page 138 of 264




**Plot 7-100. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 64)**

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turtable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 10640.00	Average	V	-	-	-81.33	15.28	40.95	53.98	-13.03
* 10640.00	Peak	V	-	-	-69.95	15.28	52.33	73.98	-21.65
* 15960.00	Average	H	-	-	-84.21	23.74	46.53	53.98	-7.45
* 15960.00	Peak	H	-	-	-73.12	23.73	57.62	73.98	-16.36

**Table 7-119. Radiated Measurements CDD Primary**

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			




**Plot 7-101. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 100)**

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11000.00	Average	H	-	-	-81.91	15.67	40.77	53.98	-13.21
* 11000.00	Peak	H	-	-	-70.71	15.97	52.26	73.98	-21.72
16500.00	Peak	H	-	-	-72.33	24.00	58.67	68.23	-9.56

**Table 7-120. Radiated Measurements CDD Primary**

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-102. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 116)




Plot 7-103. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5580MHz  
 Channel: 116

	Frequency [MHz]	Detector	Ant. Pol.	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
*	11160.00	Average	H	-	-	-81.78	15.92	41.14	53.98	-12.84
*	11160.00	Peak	H	-	-	-71.49	16.72	52.23	73.98	-21.75
	16740.00	Peak	V	-	-	-71.70	23.95	59.25	68.23	-8.98

Table 7-121. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				Page 141 of 264



Plot 7-104. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 144)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5720MHz  
 Channel: 144


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11440.00	Average	V	-	-	-82.66	16.89	41.23	53.98	-12.75
* 11440.00	Peak	V	-	-	-70.95	16.67	52.72	73.98	-21.26
17160.00	Peak	V	-	-	-72.10	24.26	59.15	68.23	-9.08

Table 7-122. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-105. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 149)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11490.00	Average	H	-	-	-81.82	16.31	41.49	53.98	-12.49
* 11490.00	Peak	H	-	-	-70.82	16.27	52.45	73.98	-21.53
17235.00	Peak	H	-	-	-72.12	24.44	59.32	68.23	-8.91

Table 7-123. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-106. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 157)




Plot 7-107. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11n – Ch.157)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5785MHz  
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11570.00	Average	H	-	-	-82.13	16.95	41.82	53.98	-12.16
* 11570.00	Peak	H	-	-	-70.83	17.32	53.48	73.98	-20.50
17355.00	Peak	H	-	-	-72.25	24.27	59.02	68.23	-9.21

Table 7-124. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				Page 144 of 264




Plot 7-108. Radiated Spurious Emissions above 1GHz CDD Primary (802.11n – Ch. 165)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turtable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11650.00	Average	H	-	-	-81.97	17.00	42.03	53.98	-11.95
* 11650.00	Peak	H	-	-	-71.11	17.54	53.42	73.98	-20.56
17475.00	Peak	H	-	-	-71.81	24.56	59.75	68.23	-8.48

Table 7-125. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			




Plot 7-109. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5180MHz  
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10360.00	Peak	H	-	-	-70.06	15.08	52.02	68.23	-16.21
* 15540.00	Average	V	-	-	-84.13	22.85	45.73	53.98	-8.25
* 15540.00	Peak	V	-	-	-72.65	22.85	57.20	73.98	-16.78

Table 7-126. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-110. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 40)



Plot 7-111. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.40)

Mode:	802.11ax(SU)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10400.00	Peak	V	-	-	-70.27	15.10	51.83	68.23	-16.40
* 15600.00	Average	V	-	-	-84.37	23.71	46.34	53.98	-7.64
* 15600.00	Peak	V	-	-	-72.10	22.68	57.57	73.98	-16.41

Table 7-127. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-112. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5240MHz  
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10480.00	Peak	V	-	-	-70.27	15.04	51.77	68.23	-16.46
* 15720.00	Average	V	-	-	-84.55	24.36	46.82	53.98	-7.16
* 15720.00	Peak	V	-	-	-73.43	24.42	57.99	73.98	-15.99

Table 7-128. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			




Plot 7-113. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5260MHz  
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10520.00	Peak	V	-	-	-70.27	14.86	51.59	68.23	-16.64
* 15780.00	Average	H	-	-	-84.65	24.46	46.81	53.98	-7.17
* 15780.00	Peak	H	-	-	-72.92	24.46	58.54	73.98	-15.44

Table 7-129. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 149 of 264



Plot 7-114. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 56)



Plot 7-115. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.56, Pol. H)

Mode:	802.11ax(SU)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5280MHz
Channel:	56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.34	14.94	51.60	68.23	-16.63
* 15840.00	Average	H	-	-	-83.66	23.10	46.44	53.98	-7.54
* 15840.00	Peak	H	-	-	-73.73	24.28	57.54	73.98	-16.44

Table 7-130. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-116. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 10640.00	Average	V	-	-	-81.52	15.28	40.75	53.98	-13.23
* 10640.00	Peak	V	-	-	-70.33	15.28	51.95	73.98	-22.03
* 15960.00	Average	H	-	-	-84.45	23.79	46.35	53.98	-7.63
* 15960.00	Peak	H	-	-	-72.39	23.11	57.73	73.98	-16.25

Table 7-131. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



**Plot 7-117. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 100)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
*	11000.00	Average	H	-	-	-82.26	15.97	40.71	53.98	-13.27
*	11000.00	Peak	H	-	-	-70.49	15.67	52.18	73.98	-21.80
	16500.00	Peak	V	-	-	-71.36	23.34	58.98	68.23	-9.25

**Table 7-132. Radiated Measurements CDD Primary**


FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



**Plot 7-118. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 116)**




**Plot 7-119. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.116)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5580MHz  
 Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
*	11160.00	Average	V	-	-	-82.44	16.72	41.28	53.98	-12.70
*	11160.00	Peak	V	-	-	-70.62	15.92	52.31	73.98	-21.67
	16740.00	Peak	V	-	-	-72.01	23.80	58.79	68.23	-9.44

**Table 7-133. Radiated Measurements CDD Primary**

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				




Plot 7-120. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 144)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5720MHz  
 Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11440.00	Average	V	-	-	-82.37	16.44	41.07	53.98	-12.91
* 11440.00	Peak	V	-	-	-71.15	16.67	52.52	73.98	-21.46
17160.00	Peak	V	-	-	-72.88	24.52	58.64	68.23	-9.59

Table 7-134. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 154 of 264




Plot 7-121. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 149)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11490.00	Average	V	-	-	-82.48	16.84	41.36	53.98	-12.62
* 11490.00	Peak	V	-	-	-70.74	16.84	53.10	73.98	-20.88
17235.00	Peak	H	-	-	-72.21	24.44	59.24	68.23	-8.99

Table 7-135. Radiated Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 155 of 264



**Plot 7-122. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 157)**



**Plot 7-123. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11ax(SU) – Ch.157)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5785MHz  
 Channel: 157


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
*	11570.00	Average	H	-	-	-82.13	16.95	41.82	53.98	-12.16
*	11570.00	Peak	H	-	-	-70.97	17.32	53.34	73.98	-20.64
	17355.00	Peak	V	-	-	-72.39	24.27	58.88	68.23	-9.35

**Table 7-136. Radiated Measurements CDD Primary**

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



**Plot 7-124. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax(SU) – Ch. 165)**


Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11650.00	Average	V	-	-	-82.66	17.54	41.88	53.98	-12.10
* 11650.00	Peak	V	-	-	-70.75	17.03	53.28	73.98	-20.70
17475.00	Peak	H	-	-	-72.38	24.89	59.50	68.23	-8.73

**Table 7-137. Radiated Measurements CDD Primary**

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			

## 7.6.2 CDD Diversity Radiated Spurious Emission




Plot 7-125. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 36)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5180MHz  
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	V	-	-	-69.92	14.91	51.99	68.23	-16.24
* 15540.00	Average	V	-	-	-83.99	22.57	45.58	53.98	-8.40
* 15540.00	Peak	V	-	-	-72.82	22.76	56.94	73.98	-17.04

Table 7-138. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				



Plot 7-126. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 40)




Plot 7-127. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.40, Pol. H)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5200MHz  
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10400.00	Peak	V	-	-	-70.29	15.10	51.81	68.23	-16.42
*	Average	V	-	-	-83.36	22.68	46.32	53.98	-7.66
*	Peak	V	-	-	-71.62	22.27	57.65	73.98	-16.33

Table 7-139. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				Page 159 of 264




**Plot 7-128. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 48)**

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5240MHz  
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10480.00	Peak	V	-	-	-70.40	14.76	51.36	68.23	-16.87
* 15720.00	Average	H	-	-	-84.63	24.36	46.73	53.98	-7.25
* 15720.00	Peak	H	-	-	-73.52	24.42	57.91	73.98	-16.07

**Table 7-140. Radiated Measurements CDD Diversity**

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				




**Plot 7-129. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 52)**

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5260MHz  
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10520.00	Peak	V	-	-	-70.29	14.86	51.57	68.23	-16.66
* 15780.00	Average	H	-	-	-85.21	24.99	46.78	53.98	-7.20
* 15780.00	Peak	H	-	-	-73.86	24.99	58.13	73.98	-15.85

**Table 7-141. Radiated Measurements CDD Diversity**

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-130. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 56)




Plot 7-131. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.56)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5280MHz  
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.21	14.82	51.61	68.23	-16.62
* 15840.00	Average	V	-	-	-84.63	24.28	46.65	53.98	-7.33
* 15840.00	Peak	V	-	-	-73.44	24.28	57.83	73.98	-16.15

Table 7-142. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device					Page 162 of 264




Plot 7-132. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 64)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turtable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 10640.00	Average	V	-	-	-81.96	15.82	40.86	53.98	-13.12
* 10640.00	Peak	V	-	-	-69.49	15.82	53.33	73.98	-20.65
* 15960.00	Average	H	-	-	-84.03	23.74	46.71	53.98	-7.27
* 15960.00	Peak	H	-	-	-73.20	23.79	57.60	73.98	-16.38

Table 7-143. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			




**Plot 7-133. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 100)**

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11000.00	Average	H	-	-	-82.07	15.97	40.90	53.98	-13.08
* 11000.00	Peak	H	-	-	-70.99	15.97	51.97	73.98	-22.01
16500.00	Peak	V	-	-	-71.94	23.34	58.40	68.23	-9.83

**Table 7-144. Radiated Measurements CDD Diversity**

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-134. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 116)




Plot 7-135. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.116)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5580MHz  
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11160.00	Average	H	-	-	-81.91	16.32	41.41	53.98	-12.57
* 11160.00	Peak	H	-	-	-71.18	16.32	52.13	73.98	-21.85
16740.00	Peak	H	-	-	-71.36	23.80	59.43	68.23	-8.80

Table 7-145. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				Page 165 of 264



Plot 7-136. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 144)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5720MHz  
 Channel: 144


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
*	11440.00	Average	H	-	-	-82.43	16.44	41.01	53.98	-12.97
*	11440.00	Peak	H	-	-	-70.94	16.67	52.73	73.98	-21.25
	17160.00	Peak	H	-	-	-72.60	24.52	58.92	68.23	-9.31

Table 7-146. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-137. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 149)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5745MHz  
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turtable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11490.00	Average	V	-	-	-82.55	16.84	41.28	53.98	-12.70
* 11490.00	Peak	V	-	-	-71.14	16.84	52.70	73.98	-21.28
17235.00	Peak	V	-	-	-72.06	24.61	59.55	68.23	-8.68

Table 7-147. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-138. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.157, Pol. V)




Plot 7-139. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 157)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5785MHz  
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11570.00	Average	V	-	-	-81.99	16.95	41.96	53.98	-12.02
* 11570.00	Peak	V	-	-	-71.38	17.32	52.93	73.98	-21.05
17355.00	Peak	H	-	-	-72.57	24.00	58.44	68.23	-9.79

Table 7-148. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device					Page 168 of 264




Plot 7-140. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 165)

Mode: 802.11n  
 Data Rate: MCS8  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5825MHz  
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turtable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11650.00	Average	V	-	-	-83.11	17.87	41.76	53.98	-12.22
* 11650.00	Peak	V	-	-	-71.32	17.54	53.22	73.98	-20.76
17475.00	Peak	V	-	-	-73.11	24.67	58.56	68.23	-9.67

Table 7-149. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			




Plot 7-141. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 36)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5180MHz  
 Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turtable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10360.00	Peak	V	-	-	-70.29	14.91	51.62	68.23	-16.61
* 15540.00	Average	V	-	-	-83.96	22.57	45.61	53.98	-8.37
* 15540.00	Peak	V	-	-	-73.03	22.85	56.82	73.98	-17.16

Table 7-150. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



**Plot 7-142. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 40)**




**Plot 7-143. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) – Ch.40,)**

Mode:	802.11ax(SU)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10400.00	Peak	H	-	-	-69.96	15.10	52.14	68.23	-16.09
* 15600.00	Average	H	-	-	-84.02	22.68	45.66	53.98	-8.32
* 15600.00	Peak	H	-	-	-71.66	22.27	57.61	73.98	-16.37

**Table 7-151. Radiated Measurements CDD Diversity**

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				Page 171 of 264




Plot 7-144. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 48)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5240MHz  
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10480.00	Peak	V	-	-	-69.89	14.83	51.94	68.23	-16.29
* 15720.00	Average	H	-	-	-84.42	24.21	46.79	53.98	-7.19
* 15720.00	Peak	H	-	-	-73.30	24.21	57.92	73.98	-16.06

Table 7-152. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			




Plot 7-145. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 52)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5260MHz  
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10520.00	Peak	H	-	-	-70.83	15.04	51.21	68.23	-17.02
* 15780.00	Average	V	-	-	-84.44	24.08	46.64	53.98	-7.34
* 15780.00	Peak	V	-	-	-74.25	24.99	57.73	73.98	-16.25

Table 7-153. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



**Plot 7-146. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 56)**




**Plot 7-147. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11ax(SU) – Ch.56)**

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5280MHz  
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
10560.00	Peak	V	-	-	-70.40	14.82	51.42	68.23	-16.81
*	Average	V	-	-	-84.68	24.28	46.60	53.98	-7.38
*	Peak	V	-	-	-73.69	24.28	57.58	73.98	-16.40

**Table 7-154. Radiated Measurements CDD Diversity**

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				Page 174 of 264




Plot 7-148. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 64)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5320MHz  
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turtable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 10640.00	Average	V	-	-	-81.85	15.82	40.97	53.98	-13.01
* 10640.00	Peak	V	-	-	-70.11	15.31	52.20	73.98	-21.78
* 15960.00	Average	V	-	-	-84.02	23.73	46.71	53.98	-7.27
* 15960.00	Peak	V	-	-	-72.31	23.73	58.42	73.98	-15.56

Table 7-155. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	element			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-149. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax(SU) – Ch. 100)

Mode: 802.11ax(SU)  
 Data Rate: MCS0  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 5500MHz  
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
* 11000.00	Average	V	-	-	-82.23	15.97	40.74	53.98	-13.24
* 11000.00	Peak	V	-	-	-71.13	15.69	51.56	73.98	-22.42
16500.00	Peak	V	-	-	-72.28	24.00	58.72	68.23	-9.51

Table 7-156. Radiated Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-21.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			