


Plot 7-68. RSE above 1GHz CDD Primary (11ax – Ch.157 – RU26)




Plot 7-69. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.157 — RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11570.00	Average	H	-	-	-82.42	17.32	41.90	53.98	-12.08
* 11570.00	Peak	H	-	-	-71.50	17.32	52.82	73.98	-21.16
17355.00	Peak	H	-	-	-72.63	24.38	58.75	68.23	-9.48

Table 7-213. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				




Plot 7-70. RSE above 1GHz CDD Primary (11ax – Ch.165 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11650.00	Average	V	-	-	-82.56	17.54	41.97	53.98	-12.01
*	11650.00	Peak	V	-	-	-71.80	17.87	53.08	73.98	-20.90
	17475.00	Peak	H	-	-	-72.95	24.67	58.72	68.23	-9.51

Table 7-214. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 152 of 282


RU242

Plot 7-71. RSE above 1GHz CDD Primary (11ax – Ch.36 – RU242)

Mode:	11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36


	Frequency [MHz]	Detector	Ant. Pol.	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
	10360.00	Peak	H	-	-	-70.78	15.08	51.30	68.23	-16.93
*	15540.00	Average	V	-	-	-83.88	22.85	45.97	53.98	-8.01
*	15540.00	Peak	V	-	-	-73.08	22.57	56.49	73.98	-17.49

Table 7-215. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 153 of 282



Plot 7-72. RSE above 1GHz CDD Primary (11ax – Ch.40 – RU242)



Plot 7-73. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.40 — RU242, Pol. H)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10400.00	Peak	V	-	-	-70.54	15.10	51.57	68.23	-16.66
* 15600.00	Average	H	-	-	-83.72	22.68	45.96	53.98	-8.02
* 15600.00	Peak	H	-	-	-71.98	22.27	57.30	73.98	-16.68

Table 7-216. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-74. RSE above 1GHz CDD Primary (11ax – Ch.48 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	H	-	-	-70.22	14.76	51.55	68.23	-16.68
15720.00	Average	H	-	-	-84.52	24.36	46.84	53.98	-7.14
15720.00	Peak	H	-	-	-73.13	24.36	58.23	73.98	-15.75

Table 7-217. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 155 of 282




Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10520.00	Peak	H	-	-	-69.63	14.60	51.97	68.23	-16.26
15780.00	Average	V	-	-	-84.68	24.46	46.78	53.98	-7.20
15780.00	Peak	V	-	-	-73.05	24.08	58.03	73.98	-15.95

Table 7-218. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 156 of 282



Plot 7-76. RSE above 1GHz CDD Primary (11ax – Ch.56 – RU242)




Plot 7-77. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.56 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10560.00	Peak	H	-	-	-69.90	15.24	52.34	68.23	-15.89
* 15840.00	Average	H	-	-	-84.31	23.86	46.54	53.98	-7.44
* 15840.00	Peak	H	-	-	-72.78	23.10	57.32	73.98	-16.66

Table 7-219. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device					



Plot 7-78. RSE above 1GHz CDD Primary (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	10640.00	Average	V	-	-	-81.96	15.82	40.86	53.98	-13.12
*	10640.00	Peak	V	-	-	-69.95	15.31	52.36	73.98	-21.62
*	15960.00	Average	H	-	-	-83.59	23.13	46.55	53.98	-7.43
*	15960.00	Peak	H	-	-	-72.40	23.73	58.33	73.98	-15.65

Table 7-220. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 158 of 282





Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11000.00	Average	H	-	-	-81.71	15.67	40.97	53.98	-13.01
*	11000.00	Peak	H	-	-	-70.85	15.69	51.84	73.98	-22.14
	16500.00	Peak	V	-	-	-72.10	24.00	58.90	68.23	-9.33

Table 7-221. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 159 of 282



Plot 7-80. RSE above 1GHz CDD Primary (11ax – Ch.116 – RU242)

Plot 7-81. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.116 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-81.69	15.92	41.24	53.98	-12.74
* 11160.00	Peak	H	-	-	-70.97	16.72	52.74	73.98	-21.24
16740.00	Peak	V	-	-	-72.27	23.93	58.67	68.23	-9.56

Table 7-222. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				



Plot 7-82. RSE above 1GHz CDD Primary (11ax – Ch.144 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11440.00	Average	V	-	-	-82.82	16.89	41.06	53.98	-12.92
*	11440.00	Peak	V	-	-	-70.98	16.44	52.46	73.98	-21.52
	17160.00	Peak	H	-	-	-72.25	24.68	59.43	68.23	-8.80

Table 7-223. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 161 of 282





Plot 7-83. RSE above 1GHz CDD Primary (11ax – Ch.149 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11490.00	Average	H	-	-	-82.60	16.84	41.23	53.98	-12.75
*	11490.00	Peak	H	-	-	-70.09	16.84	53.74	73.98	-20.24
	17235.00	Peak	V	-	-	-72.34	24.44	59.11	68.23	-9.12

Table 7-224. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 162 of 282



Plot 7-84. RSE above 1GHz CDD Primary (11ax – Ch.157 – RU242)

Plot 7-85. RSE 18GHz – 40 GHz CDD Primary (11ax Ch.157 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11570.00	Average	V	-	-	-82.42	17.32	41.90	53.98	-12.08
* 11570.00	Peak	V	-	-	-70.25	16.58	53.33	73.98	-20.65
17355.00	Peak	H	-	-	-72.67	25.69	60.02	68.23	-8.21

Table 7-225. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				



Plot 7-86. RSE above 1GHz CDD Primary (11ax – Ch.165 – RU242)


Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
11650.00	Average	H	-	-	-82.93	17.87	41.94	53.98	-12.04
11650.00	Peak	H	-	-	-71.49	17.54	53.05	73.98	-20.93
17475.00	Peak	H	-	-	-73.02	24.89	58.87	68.23	-9.36

Table 7-226. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 164 of 282

7.6.2 CDD Diversity Radiated Spurious Emissions RU26





Plot 7-87. RSE above 1GHz CDD Diversity (11ax – Ch.36 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10360.00	Peak	V	-	-	-70.40	14.91	51.52	68.23	-16.71
*	Average	H	-	-	-84.10	22.76	45.66	53.98	-8.32
*	Peak	H	-	-	-73.01	22.76	56.75	73.98	-17.23

Table 7-227. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 165 of 282



Plot 7-88. RSE above 1GHz CDD Diversity (11ax – Ch.40 – RU26)

Plot 7-89. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.40 — RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10400.00	Peak	H	-	-	-70.35	15.10	51.75	68.23	-16.48
* 15600.00	Average	H	-	-	-83.58	22.68	46.10	53.98	-7.88
* 15600.00	Peak	H	-	-	-71.50	22.68	58.18	73.98	-15.80

Table 7-228. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device					



Plot 7-90. RSE above 1GHz CDD Diversity (11ax – Ch.48 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	H	-	-	-70.56	14.86	51.30	68.23	-16.93
* 15720.00	Average	V	-	-	-84.47	24.36	46.90	53.98	-7.08
* 15720.00	Peak	V	-	-	-73.19	24.42	58.23	73.98	-15.75

Table 7-229. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 167 of 282



Plot 7-91. RSE above 1GHz CDD Diversity (11ax – Ch.52 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10520.00	Peak	V	-	-	-70.38	14.94	51.56	68.23	-16.67
* 15780.00	Average	H	-	-	-84.60	24.46	46.86	53.98	-7.12
* 15780.00	Peak	H	-	-	-73.71	24.99	58.27	73.98	-15.71

Table 7-230. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 168 of 282



Plot 7-92. RSE above 1GHz CDD Diversity (11ax – Ch.56 – RU26)




Plot 7-93. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.56 — RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10560.00	Peak	V	-	-	-69.91	15.24	52.33	68.23	-15.90
* 15840.00	Average	V	-	-	-84.69	24.28	46.59	53.98	-7.39
* 15840.00	Peak	V	-	-	-72.14	24.28	59.14	73.98	-14.84

Table 7-231. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				




Plot 7-94. RSE above 1GHz CDD Diversity (11ax – Ch.64 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	10640.00	Average	H	-	-	-81.81	15.82	41.01	53.98	-12.97
*	10640.00	Peak	H	-	-	-70.36	15.82	52.46	73.98	-21.52
*	15960.00	Average	V	-	-	-84.16	23.73	46.57	53.98	-7.41
*	15960.00	Peak	V	-	-	-73.30	23.74	57.44	73.98	-16.54

Table 7-232. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 170 of 282





Plot 7-95. RSE above 1GHz CDD Diversity (11ax – Ch.100 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11000.00	Average	H	-	-	-81.73	15.69	40.96	53.98	-13.02
*	11000.00	Peak	H	-	-	-70.75	15.69	51.94	73.98	-22.04
	16500.00	Peak	V	-	-	-72.40	24.00	58.60	68.23	-9.63

Table 7-233. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 171 of 282



Plot 7-96. RSE above 1GHz CDD Diversity (11ax – Ch.116 – RU26)

Plot 7-97. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.116 — RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
11160.00	Average	H	-	-	-81.70	15.92	41.22	53.98	-12.76
11160.00	Peak	H	-	-	-70.91	16.32	52.41	73.98	-21.57
16740.00	Peak	V	-	-	-71.86	23.95	59.10	68.23	-9.13

Table 7-234. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				Page 172 of 282




Plot 7-98. RSE above 1GHz CDD Diversity (11ax – Ch.144 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11440.00	Average	H	-	-	-82.26	16.44	41.18	53.98	-12.80
*	11440.00	Peak	H	-	-	-71.03	16.89	52.86	73.98	-21.12
	17160.00	Peak	H	-	-	-72.73	24.54	58.81	68.23	-9.42

Table 7-235. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-99. RSE above 1GHz CDD Diversity (11ax – Ch.149 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11490.00	Average	H	-	-	-82.51	16.84	41.32	53.98	-12.66
*	11490.00	Peak	H	-	-	-71.03	16.84	52.80	73.98	-21.18
	17235.00	Peak	H	-	-	-72.80	24.61	58.81	68.23	-9.42

Table 7-236. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 174 of 282



Plot 7-100. RSE above 1GHz CDD Diversity (11ax – Ch.157 – RU26)




Plot 7-101. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.157 — RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11570.00	Average	V	-	-	-82.52	17.32	41.79	53.98	-12.19
* 11570.00	Peak	V	-	-	-70.86	17.32	53.46	73.98	-20.52
17355.00	Peak	H	-	-	-72.11	24.27	59.16	68.23	-9.07

Table 7-237. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				




Plot 7-102. RSE above 1GHz CDD Diversity (11ax – Ch.165 – RU26)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11650.00	Average	V	-	-	-82.97	17.87	41.90	53.98	-12.08
*	11650.00	Peak	V	-	-	-71.34	17.54	53.19	73.98	-20.79
	17475.00	Peak	H	-	-	-72.86	24.89	59.03	68.23	-9.20

Table 7-238. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 176 of 282


RU242

Plot 7-103. RSE above 1GHz CDD Diversity (11ax – Ch.36 – RU242)

Mode:	11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36


	Frequency [MHz]	Detector	Ant. Pol.	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
	10360.00	Peak	V	-	-	-70.46	14.91	51.45	68.23	-16.78
*	15540.00	Average	V	-	-	-83.94	22.57	45.62	53.98	-8.36
*	15540.00	Peak	V	-	-	-72.62	22.76	57.14	73.98	-16.84

Table 7-239. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 177 of 282



Plot 7-104. RSE above 1GHz CDD Diversity (11ax – Ch.40 – RU242)




Plot 7-105. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.40 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10400.00	Peak	H	-	-	-70.11	15.08	51.97	68.23	-16.26
*	Average	V	-	-	-84.60	23.71	46.11	53.98	-7.87
*	Peak	V	-	-	-72.65	23.71	58.06	73.98	-15.92

Table 7-240. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				




Plot 7-106. RSE above 1GHz CDD Diversity (11ax – Ch.48 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10480.00	Peak	V	-	-	-70.29	14.86	51.57	68.23	-16.66
* 15720.00	Average	V	-	-	-85.09	24.99	46.89	53.98	-7.09
* 15720.00	Peak	V	-	-	-72.89	24.42	58.53	73.98	-15.45

Table 7-241. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 179 of 282




Plot 7-107. RSE above 1GHz CDD Diversity (11ax – Ch.52 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10520.00	Peak	V	-	-	-70.53	14.91	51.37	68.23	-16.86
* 15780.00	Average	V	-	-	-84.47	24.08	46.61	53.98	-7.37
* 15780.00	Peak	V	-	-	-73.65	24.99	58.34	73.98	-15.64

Table 7-242. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			



Plot 7-108. RSE above 1GHz CDD Diversity (11ax – Ch.56 – RU242)



Plot 7-109. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.56 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
10560.00	Peak	V	-	-	-69.17	14.60	52.42	68.23	-15.81
* 15840.00	Average	H	-	-	-84.61	24.28	46.66	53.98	-7.32
* 15840.00	Peak	H	-	-	-73.15	23.67	57.52	73.98	-16.46

Table 7-243. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-110. RSE above 1GHz CDD Diversity (11ax – Ch.64 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	10640.00	Average	V	-	-	-81.85	15.82	40.97	53.98	-13.01
*	10640.00	Peak	V	-	-	-70.74	15.82	52.08	73.98	-21.90
*	15960.00	Average	V	-	-	-84.12	23.73	46.61	53.98	-7.37
*	15960.00	Peak	V	-	-	-72.78	23.73	57.95	73.98	-16.03

Table 7-244. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 182 of 282




Plot 7-111. RSE above 1GHz CDD Diversity (11ax – Ch.100 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11000.00	Average	H	-	-	-82.01	15.97	40.96	53.98	-13.02
*	11000.00	Peak	H	-	-	-70.44	15.97	52.53	73.98	-21.45
	16500.00	Peak	V	-	-	-72.12	24.00	58.88	68.23	-9.35

Table 7-245. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 183 of 282



Plot 7-112. RSE above 1GHz CDD Diversity (11ax – Ch.116 – RU242)



Plot 7-113. RSE 18GHz – 40 GHz CDD Diversity (11ax Ch.116 — RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
11160.00	Average	V	-	-	-81.70	15.92	41.23	53.98	-12.75
11160.00	Peak	V	-	-	-70.55	15.92	52.37	73.98	-21.61
16740.00	Peak	H	-	-	-72.22	23.95	58.73	68.23	-9.50

Table 7-246. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device				

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-114. RSE above 1GHz CDD Diversity (11ax – Ch.144 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5720MHz
 Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11440.00	Average	V	-	-	-82.31	16.34	41.03	53.98	-12.95
*	11440.00	Peak	V	-	-	-71.19	16.44	52.25	73.98	-21.73
	17160.00	Peak	V	-	-	-72.12	24.52	59.40	68.23	-8.83

Table 7-247. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device			


Plot 7-115. RSE above 1GHz CDD Diversity (11ax – Ch.149 – RU242)

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	11490.00	Average	V	-	-	-82.47	16.84	41.36	53.98	-12.62
*	11490.00	Peak	V	-	-	-70.58	16.31	52.73	73.98	-21.25
	17235.00	Peak	H	-	-	-73.10	24.61	58.51	68.23	-9.72

Table 7-248. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-22.BCG	Test Dates: 10/25/2024 - 1/2/2025	EUT Type: Tablet Device	Page 186 of 282