


Plot 7-542. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11ax – Ch.117)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13070.00	Average	V	-	-	-85.14	21.89	43.75	68.23	-24.48
13070.00	Peak	V	-	-	-73.46	21.84	55.38	88.23	-32.85

Table 7-78. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			




Plot 7-543. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11ax – Ch.149)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 13390.00	Average	V	-	-	-85.49	22.21	43.72	53.98	-10.26
* 13390.00	Peak	V	-	-	-73.33	22.13	55.79	88.23	-32.44

Table 7-79. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			



Plot 7-544. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11ax – Ch.185)




Plot 7-545. Radiated Spurious Emissions 18-40GHz CDD Primary (802.11ax – Ch. 185)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13750.00	Average	V	-	-	-85.13	21.79	43.65	68.23	-24.58
13750.00	Peak	V	-	-	-74.10	21.79	54.69	88.23	-33.54

Table 7-80. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device					Page 206 of 262



Plot 7-546. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11ax – Ch.189)




Plot 7-547. Radiated Spurious Emissions 18-40GHz CDD Primary (802.11ax – Ch. 189)

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6895MHz
Channel:	189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13790.00	Average	V	-	-	-85.35	21.99	43.64	68.23	-24.59
13790.00	Peak	V	-	-	-74.11	21.99	54.88	88.23	-33.35

Table 7-81. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device					Page 207 of 262




Plot 7-548. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11ax – Ch.209)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13990.00	Average	V	-	-	-86.03	22.05	43.03	68.23	-25.20
13990.00	Peak	V	-	-	-74.97	22.05	54.08	88.23	-34.15

Table 7-82. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			



Plot 7-549. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11ax – Ch.233)


Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
14230.00	Average	V	-	-	-86.21	22.72	43.51	68.23	-24.72
14230.00	Peak	V	-	-	-74.86	22.57	54.71	88.23	-33.52


Table 7-83. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			

7.7.2 CDD Diversity Primary Radiated Spurious Emission



Plot 7-550. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.1)



Plot 7-551. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11ax – Ch. 1)

FCC ID: BCGA3267 IC: 579C-A3267	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 210 of 262	

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 11910.00	Average	H	-	-	-85.25	20.40	42.16	53.98	-11.82
* 11910.00	Peak	H	-	-	-74.21	20.40	53.19	73.98	-20.79
* 17865.00	Average	V	-	-	-86.10	25.27	46.17	53.98	-7.81
* 17865.00	Peak	V	-	-	-74.57	25.27	57.71	73.98	-16.27

Table 7-84. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 211 of 262	

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Material Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-552. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.45)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
*	12350.00	Average	V	-	-	-85.11	20.94	42.84	53.98	-11.14
*	12350.00	Peak	V	-	-	-74.51	21.00	53.49	73.98	-20.49

Table 7-85. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			




Plot 7-553. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.93)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6415MHz
 Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12830.00	Average	H	-	-	-85.51	22.27	43.76	68.23	-24.47
12830.00	Peak	H	-	-	-74.16	22.27	55.12	88.23	-33.11

Table 7-86. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	element				MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device				Page 213 of 262




Plot 7-554. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.97)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6435MHz
 Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12870.00	Average	V	-	-	-84.67	21.65	43.98	68.23	-24.25
12870.00	Peak	V	-	-	-73.21	21.85	55.64	88.23	-32.59

Table 7-87. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			




Plot 7-555. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.105)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
12950.00	Average	V	-	-	-85.09	21.91	43.82	68.23	-24.41
12950.00	Peak	V	-	-	-73.26	21.91	55.65	88.23	-32.58

Table 7-88. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			



Plot 7-556. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax – Ch. 113)




Plot 7-557. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11ax – Ch. 113)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13030.00	Average	V	-	-	-85.40	22.34	43.94	68.23	-24.29
13030.00	Peak	V	-	-	-73.43	22.34	55.91	88.23	-32.32

Table 7-89. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Technical Manager	
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device						




Plot 7-558. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.117)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6535MHz
 Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13070.00	Average	V	-	-	-85.68	22.36	43.68	68.23	-24.55
13070.00	Peak	V	-	-	-74.50	22.21	54.71	88.23	-33.52

Table 7-90. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			Page 217 of 262




Plot 7-559. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.149)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.82	22.06	43.24	53.98	-10.74
* 13390.00	Peak	H	-	-	-73.90	21.88	54.97	73.98	-19.01

Table 7-91. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	element				MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device				Page 218 of 262



Plot 7-560. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.185)



Plot 7-561. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11ax – Ch. 185)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13750.00	Average	V	-	-	-85.53	21.79	43.26	68.23	-24.97
13750.00	Peak	V	-	-	-74.75	21.83	54.08	88.23	-34.15

Table 7-92. Radiated Spurious Emission Measurements CDD Diversity


FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Technical Manager	
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device						

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Material Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-562. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.189)




Plot 7-563. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11ax – Ch. 189)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6895MHz
 Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13790.00	Average	V	-	-	-85.72	21.99	43.26	68.23	-24.97
13790.00	Peak	V	-	-	-73.83	21.83	55.01	88.23	-33.22

Table 7-93. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)						Approved by: Technical Manager	
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device						




Plot 7-564. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.209)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6995MHz
 Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
13990.00	Average	H	-	-	-86.24	22.04	42.79	68.23	-25.44
13990.00	Peak	H	-	-	-74.58	22.11	54.54	88.23	-33.69

Table 7-94. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			



Plot 7-565. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11ax – Ch.233)

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7115MHz
 Channel: 233


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
5375.00	Average	H	346	268	-70.59	16.00	52.42	68.23	-15.82
5375.00	Peak	H	346	268	-60.73	16.00	62.27	88.23	-25.96
14230.00	Average	H	-	-	-86.32	22.50	43.17	68.23	-25.06
14230.00	Peak	H	-	-	-75.10	22.72	54.62	88.23	-33.61

Table 7-95. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device			


7.7.3 Antenna 3c Radiated Band Edge Measurements (20MHz BW)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-566 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-567 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3267 IC: 579C-A3267	element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 223 of 262

Worst Case Mode:
 Worst Case Transfer Rate:
 Distance of Measurements:
 Operating Frequency:
 Channel:

802.11a
 54Mbps
 3 Meters
 7115MHz
 233




Plot 7-568. Antenna 3c Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-569. Antenna 3c Radiated Upper Band Edge (Average – UNII Band 8)

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11ax-SU
 MCS11
 3 Meters
 5955MHz
 1



Plot 7-570 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3267 IC: 579C-A3267	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 224 of 262

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7095MHz
Channel 229




Plot 7-571 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode: 802.11ax SU
Worst Case Transfer Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-572. Antenna 3c Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-573. Antenna 3c Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 225 of 262


7.7.4 Antenna 3c Radiated Band Edge Measurements (40MHz BW)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5965MHz
Channel	3



Plot 7-574 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7085MHz
Channel	227




Plot 7-575 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 226 of 262

7.7.5 Antenna 3c Radiated Band Edge Measurements (80MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7


Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7



Plot 7-576 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215



Plot 7-577 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 227 of 262


7.7.6 Antenna 3c Radiated Band Edge Measurements (160MHz BW)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6025MHz
Channel	15



Plot 7-578 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6985MHz
Channel	207




Plot 7-579 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 228 of 262


7.7.7 Antenna 3a Radiated Band Edge Measurements (20MHz BW)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-580 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-581 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3267 IC: 579C-A3267	element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 229 of 262

Worst Case Mode:
Worst Case Transfer Rate:
Distance of Measurements:
Operating Frequency:
Channel:

802.11a
54Mbps
3 Meters
7115MHz
233




Plot 7-582. Antenna 3a Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-583. Antenna 3a Radiated Upper Band Edge (Average – UNII Band 8)

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11ax-SU
MCS11
3 Meters
5955MHz
1



Plot 7-584 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3267 IC: 579C-A3267	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 230 of 262

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7095MHz
Channel 229




Plot 7-585 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode: 802.11ax SU
Worst Case Transfer Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-586. Antenna 3a Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-587. Antenna 3a Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 231 of 262

7.7.8 Antenna 3a Radiated Band Edge Measurements (40MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5965MHz
Channel 3


Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5965MHz
Channel 3



Plot 7-588 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7085MHz
Channel 227

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7085MHz
Channel 227




Plot 7-589 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 232 of 262

7.7.9 Antenna 3a Radiated Band Edge Measurements (80MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7


Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7



Plot 7-590 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215




Plot 7-591 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 233 of 262

7.7.10 Antenna 3a Radiated Band Edge Measurements (160MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 6025MHz
Channel 15


Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 6025MHz
Channel 15



Plot 7-592 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 6985MHz
Channel 207

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 6985MHz
Channel 207




Plot 7-593 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 234 of 262

7.7.11 Antenna 1b Radiated Band Edge Measurements (20MHz BW)

Mode 802.11a
Data Rate MCS54
Distance of Measurement 3 Meters
Operating Frequency 5955MHz
Channel 1


Mode 802.11a
Data Rate MCS54
Distance of Measurement 3 Meters
Operating Frequency 5955MHz
Channel 1



Plot 7-594 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11a
Data Rate MCS54
Distance of Measurement 3 Meters
Operating Frequency 7095MHz
Channel 229

Mode 802.11a
Data Rate MCS54
Distance of Measurement 3 Meters
Operating Frequency 7095MHz
Channel 229




Plot 7-595 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 235 of 262

Worst Case Mode:
Worst Case Transfer Rate:
Distance of Measurements:
Operating Frequency:
Channel:

802.11a
54Mbps
3 Meters
7115MHz
233




Plot 7-596. Antenna 1b Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-597. Antenna 1b Radiated Upper Band Edge (Average – UNII Band 8)

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11ax-SU
MCS11
3 Meters
5955MHz
1



Plot 7-598 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3267 IC: 579C-A3267	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 236 of 262

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7095MHz
Channel 229




Plot 7-599 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Worst Case Mode: 802.11ax SU
Worst Case Transfer Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-600. Antenna 1b Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-601. Antenna 1b Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 237 of 262


7.7.12 Antenna 1b Radiated Band Edge Measurements (40MHz BW)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5965MHz
Channel	3



Plot 7-602 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7085MHz
Channel	227




Plot 7-603 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 238 of 262


7.7.13 Antenna 1b Radiated Band Edge Measurements (80MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7



Plot 7-604 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215




Plot 7-605 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 239 of 262

7.7.14 Antenna 1b Radiated Band Edge Measurements (160MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 6025MHz
Channel 15


Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 6025MHz
Channel 15



Plot 7-606 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 6985MHz
Channel 207

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 6985MHz
Channel 207




Plot 7-607 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 240 of 262


7.7.15 CDD Primary Radiated Band Edge Measurements (20MHz BW)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-608 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-609 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3267 IC: 579C-A3267	element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 241 of 262

Worst Case Mode:
Worst Case Transfer Rate:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax SU
MCS11
3 Meters
7115MHz
233



Plot 7-610. CDD Primary Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-611. CDD Primary Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 242 of 262


7.7.16 CDD Primary Radiated Band Edge Measurements (40MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5965MHz
Channel 3



Plot 7-612 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7085MHz
Channel 227




Plot 7-613 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 243 of 262

7.7.17 CDD Primary Radiated Band Edge Measurements (80MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7


Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7



Plot 7-614 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215




Plot 7-615 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 244 of 262


7.7.18 CDD Primary Radiated Band Edge Measurements (160MHz BW)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6025MHz
Channel	15



Plot 7-616 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11ax-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6985MHz
Channel	207




Plot 7-617 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 245 of 262


7.7.19 CDD Diversity Radiated Band Edge Measurements (20MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5955MHz
Channel 1



Plot 7-618 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7095MHz
Channel 229




Plot 7-619 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3267 IC: 579C-A3267	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 246 of 262

Worst Case Mode:
Worst Case Transfer Rate:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax SU
MCS11
3 Meters
7115MHz
233



Plot 7-620. CDD Diversity Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-621. CDD Diversity Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device	Page 247 of 262

7.7.20 CDD Diversity Radiated Band Edge Measurements (40MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5965MHz
Channel 3


Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5965MHz
Channel 3



Plot 7-622 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7085MHz
Channel 227

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7085MHz
Channel 227




Plot 7-623 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	 element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 248 of 262

7.7.21 CDD Diversity Radiated Band Edge Measurements (80MHz BW)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7


Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 5985MHz
Channel 7



Plot 7-624 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215

Mode 802.11ax-SU
Data Rate MCS11
Distance of Measurement 3 Meters
Operating Frequency 7025MHz
Channel 215



Plot 7-625 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3267 IC: 579C-A3267	element		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210073-23.BCG	Test Dates: 10/25/2024 - 1/6/2025	EUT Type: Tablet Device		Page 249 of 262