





FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 72 of 161



FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 73 of 161





Plot 7-76. Band Edge Plot Antenna 1a (802.11g – Ch. 12)




**Plot 7-77. Band Edge Plot Antenna 1a (802.11g – Ch. 13)**


<b>FCC ID:</b> BCGA3269 <b>IC:</b> 579C-A3269	 <b>element</b>	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1C2410210075-14.BCG	<b>Test Dates:</b> 10/25/2024 - 1/4/2025	<b>EUT Type:</b> Tablet Device	Page 74 of 161



FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 75 of 161





Plot 7-80. Band Edge Plot Antenna 1a (802.11n (2.4GHz) – Ch. 3)




Plot 7-81. Band Edge Plot Antenna 1a (802.11n (2.4GHz) – Ch. 4)


FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 76 of 161



FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 77 of 161




**Plot 7-84. Band Edge Plot Antenna 1a (802.11n (2.4GHz) – Ch. 8)**




**Plot 7-85. Band Edge Plot Antenna 1a (802.11n (2.4GHz) – Ch. 9)**

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 78 of 161




Plot 7-86. Band Edge Plot Antenna 1a (802.11n (2.4GHz) – Ch. 10)




Plot 7-87. Band Edge Plot Antenna 1a (802.11n (2.4GHz) – Ch. 11)

FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 79 of 161




**Plot 7-88. Band Edge Plot Antenna 1a (802.11n (2.4GHz) – Ch. 12)**




**Plot 7-89. Band Edge Plot Antenna 1a (802.11n (2.4GHz) – Ch. 13)**

FCC ID: BCGA3269 IC: 579C-A3269	 <b>element</b>	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 80 of 161




Plot 7-90. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 1)




Plot 7-91. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 2)

FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 81 of 161



Plot 7-92. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 3)




Plot 7-93. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 4)

FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 82 of 161




**Plot 7-94. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 5)**




**Plot 7-95. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 7)**

FCC ID: BCGA3269	 <b>element</b>	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 83 of 161




Plot 7-96. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 8)




Plot 7-97. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 9)

FCC ID: BCGA3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 84 of 161




Plot 7-98. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 10)



Plot 7-99. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 11)

FCC ID: BCGA3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 85 of 161



Plot 7-100. Band Edge Plot Antenna 1a (802.11ax (SU - 2.4GHz) – Ch. 12)

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 86 of 161

## 7.6 Conducted Spurious Emissions

§15.247(d); RSS-247 [5.5]

### Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. For the following out of band conducted spurious emissions plots, the EUT was investigated in all available data rates for "b", "g", "n", "ax-SU" modes. The worst case spurious emissions for the 2.4GHz band were found while transmitting in "b" mode at 11 Mbps and are shown in the plots below.

***The limit for out-of-band spurious emissions at the band edge is 20dB below the fundamental emission level, as determined from the in-band power Measurement of the DTS channel performed in a 100kHz bandwidth per the procedure in Section 11.11 of ANSI C63.10-2020 and KDB 558074 D01 v05r02.***

### Test Procedure Used

ANSI C63.10-2020 – Subclause 11.11.3  
 KDB 558074 D01 v05r02 – Section 8.5  
 ANSI C63.10-2020 – Subclause 14.3.3  
 KDB 662911 D01 v02r01 – Section E)3)b)

### Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 25GHz (separated into two plots per channel)
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = Peak
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

### Test Setup

The EUT and Measurement equipment were set up as shown in the diagram below.



**Figure 7-5. Test Instrument & Measurement Setup**



FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 87 of 161

## Test Notes



1. RBW was set to 1MHz rather than 100kHz in order to increase the Measurement speed.
2. The display line shown in the following plots denotes the limit at 20dB below the fundamental emission level measured in a 100kHz bandwidth. However, since the traces in the following plots are measured with a 1MHz RBW, the display line may not necessarily appear to be 20dB below the level of the fundamental in a 1MHz bandwidth.
3. For plots showing conducted spurious emissions near the limit, the frequencies were investigated with a reduced RBW to ensure that no emissions were present.
4. The conducted spurious emissions were measured to relative limits. Therefore, in accordance with ANSI C63.10-2020 and KDB 662911 D01 v02r01 Section E)3)b), it was unnecessary to show compliance through the summation of test results of the individual outputs.
5. All modes, data rates, and antenna configurations were investigated and only the worse case is reported.

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 88 of 161


## 7.6.1 Antenna 3a Conducted Spurious Emission




FCC ID: BCGA3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 89 of 161



FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 90 of 161





Plot 7-105. Conducted Spurious Plot Antenna 3a (802.11b – Ch. 11)





Plot 7-106. Conducted Spurious Plot Antenna 3a (802.11b – Ch. 11)

FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 91 of 161



## 7.6.2 Antenna 1a Conducted Spurious Emissions



FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 92 of 161



FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 93 of 161



FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 94 of 161

## 7.7 Radiated Spurious Emissions – Above 1 GHz

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]

### Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

***All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-29 per Section 15.209 and RSS-Gen (8.9).***

Frequency	Field Strength [ $\mu$ V/m]	Measured Distance [Meters]
Above 960.0 MHz	500	3

**Table 7-29. Radiated Limits**

### Test Procedures Used

ANSI C63.10-2020 – Subclause 6.6.4.3  
KDB 558074 D01 v05r02 – Sections 8.6, 8.7

### Test Settings

#### Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of Measurement points = 1001 (Number of points must be  $\geq 2 \times$  span/RBW)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces


#### Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 95 of 161

## Test Setup

The EUT and Measurement equipment were set up as shown in the diagram below.



**Figure 7-6. Radiated Measurement Setup**

## Test Notes

1. The optional test procedures for antenna port conducted Measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All Radiated Spurious Emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in Section 15.205 and Section 8.10 of RSS-Gen are below the limit shown in Table 7-29.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak Measurements were taken using linearly polarized horn antennas.
6. D is the Measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
8. The "-" shown in the following RSE tables are used to denote a noise floor Measurement.
9. All data rates and antenna configurations were investigated and only the worst case is reported.
10. The unit was tested at its highest output power.
11. The unit was tested with all possible modes and only the highest emission is reported.

FCC ID: BCGA3269 IC: 579C-A3269	 <b>element</b>	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 96 of 161

## Sample Calculations

### Determining Spurious Emissions Levels

- Field Strength Level  $[\text{dB}_{\mu\text{V/m}}]$  = Analyzer Level  $[\text{dBm}]$  + 107 + AFCL  $[\text{dB/m}]$
- AFCL  $[\text{dB/m}]$  = Antenna Factor  $[\text{dB/m}]$  + Cable Loss  $[\text{dB}]$  – Preamplifier Gain  $[\text{dB}]$
- Margin  $[\text{dB}]$  = Field Strength Level  $[\text{dB}_{\mu\text{V/m}}]$  – Limit  $[\text{dB}_{\mu\text{V/m}}]$


### Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Section 7.7.4 to Section 7.7.6 was calculated using the formula:  
Offset (dB) = (Antenna Factor + Cable Loss + Attenuator) – Preamplifier Gain

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 97 of 161

### 7.7.1 Antenna 3a Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



**Plot 7-113. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11b – Ch. 1)**

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Average	H	-	-	-78.91	7.06	35.15	53.98	-18.83
4824.00	Peak	H	-	-	-67.78	7.00	46.22	73.98	-27.76
12060.00	Average	V	-	-	-82.47	18.03	42.55	53.98	-11.43
12060.00	Peak	V	-	-	-71.05	17.58	53.52	73.98	-20.46

**Table 7-30. Radiated Measurements Antenna 3a**

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device			

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




**Plot 7-114. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11b – Ch. 6)**

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Average	V	-	-	-79.24	7.23	34.99	53.98	-18.99
4874.00	Peak	V	-	-	-67.61	7.06	46.45	73.98	-27.53
7311.00	Average	H	-	-	-79.75	10.43	37.68	53.98	-16.30
7311.00	Peak	H	-	-	-67.96	10.57	49.61	73.98	-24.37
12185.00	Average	V	-	-	-82.10	17.38	42.28	53.98	-11.70
12185.00	Peak	V	-	-	-71.17	17.58	53.41	73.98	-20.57

**Table 7-31. Radiated Measurements Antenna 3a**

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 99 of 161



**Plot 7-115. Radiated Spurious Emissions above 1GHz Antenna 3a (802.11b – Ch. 11)**

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Average	V	-	-	-79.49	7.20	34.72	53.98	-19.26
4924.00	Peak	V	-	-	-67.99	7.20	46.21	73.98	-27.77
7386.00	Average	V	-	-	-80.09	10.55	37.47	53.98	-16.51
7386.00	Peak	V	-	-	-69.10	10.76	48.66	73.98	-25.32
12310.00	Average	V	-	-	-82.40	18.39	42.99	53.98	-10.99
12310.00	Peak	V	-	-	-71.55	18.71	54.16	73.98	-19.82

**Table 7-32. Radiated Measurements Antenna 3a**

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 100 of 161

## 7.7.2 Antenna 1a Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-116. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11b – Ch. 1)

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Average	V	-	-	-79.33	7.06	34.73	53.98	-19.25
4824.00	Peak	V	-	-	-67.87	7.00	46.14	73.98	-27.84
12060.00	Average	V	-	-	-82.60	18.03	42.43	53.98	-11.55
12060.00	Peak	V	-	-	-70.67	17.58	53.91	73.98	-20.07
14472.00	Average	V	-	-	-83.23	20.45	44.21	53.98	-9.77
14472.00	Peak	V	-	-	-72.13	20.65	55.52	73.98	-18.46

Table 7-33. Radiated Measurements Antenna 1a

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device			




**Plot 7-117. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11b – Ch. 6)**

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Average	H	-	-	-79.10	7.23	35.13	53.98	-18.85
4874.00	Peak	H	-	-	-68.10	7.23	46.12	73.98	-27.86
7311.00	Average	H	-	-	-80.06	10.48	37.42	53.98	-16.56
7311.00	Peak	H	-	-	-68.75	10.43	48.68	73.98	-25.30
12185.00	Average	V	-	-	-82.65	17.90	42.25	53.98	-11.73
12185.00	Peak	V	-	-	-71.04	17.38	53.34	73.98	-20.64

**Table 7-34. Radiated Measurements Antenna 1a**

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 102 of 161



**Plot 7-118. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11b – Ch. 11)**

Mode: 802.11b  
 Data Rate: 11Mbps  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Average	V	-	-	-79.75	7.58	34.83	53.98	-19.15
4924.00	Peak	V	-	-	-68.11	7.40	46.29	73.98	-27.69
7386.00	Average	H	-	-	-80.09	10.48	37.39	53.98	-16.59
7386.00	Peak	H	-	-	-68.93	10.55	48.63	73.98	-25.35
12310.00	Average	V	-	-	-82.81	18.71	42.90	53.98	-11.08
12310.00	Peak	V	-	-	-71.58	18.74	54.16	73.98	-19.82

**Table 7-35. Radiated Measurements Antenna 1a**

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 103 of 161

### 7.7.3 CDD Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




**Plot 7-119. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 1)**

Mode:	802.11n
Data Rate:	MCS15
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Average	V	-	-	-79.73	7.47	34.74	53.98	-19.24
4824.00	Peak	V	-	-	-67.64	7.08	46.44	73.98	-27.54
12060.00	Average	H	-	-	-82.26	17.58	42.31	53.98	-11.67
12060.00	Peak	H	-	-	-70.21	17.58	54.36	73.98	-19.62

**Table 7-36. Radiated Measurements CDD**

FCC ID: BCGA3269 IC: 579C-A3269		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 104 of 161



**Plot 7-120. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 6)**




**Plot 7-121. Radiated Spurious Emissions above 18GHz CDD (802.11n – Ch.6)**

Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Average	H	-	-	-79.55	7.57	35.02	53.98	-18.96
4874.00	Peak	H	-	-	-68.08	7.23	46.15	73.98	-27.83
7311.00	Average	V	-	-	-79.95	10.57	37.62	53.98	-16.36
7311.00	Peak	V	-	-	-68.59	10.57	48.98	73.98	-25.00
12185.00	Average	V	-	-	-82.03	17.38	42.35	53.98	-11.63
12185.00	Peak	V	-	-	-70.86	17.38	53.52	73.98	-20.46

**Table 7-37. Radiated Measurements CDD**

FCC ID: BCGA3269 IC: 579C-A3269	 <b>element</b> MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device				Page 105 of 161




**Plot 7-122. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 11)**

Mode: 802.11n  
 Data Rate: MCS15  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Average	V	-	-	-79.56	7.47	34.91	53.98	-19.07
4924.00	Peak	V	-	-	-68.53	7.58	46.05	73.98	-27.93
7386.00	Average	H	-	-	-80.02	10.51	37.49	53.98	-16.49
7386.00	Peak	H	-	-	-68.61	10.51	48.90	73.98	-25.08
12310.00	Average	V	-	-	-82.78	18.71	42.93	53.98	-11.05
12310.00	Peak	V	-	-	-70.72	18.39	54.67	73.98	-19.31

**Table 7-38. Radiated Measurements CDD**

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 106 of 161



**Plot 7-123. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 1)**

Mode: 802.11ax (SU)  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2412MHz  
 Channel: 01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4824.00	Average	V	-	-	-79.86	7.47	34.61	53.98	-19.37
4824.00	Peak	V	-	-	-67.76	7.06	46.30	73.98	-27.68
12060.00	Average	V	-	-	-82.45	18.03	42.57	53.98	-11.41
12060.00	Peak	V	-	-	-71.45	18.03	53.58	73.98	-20.40
14472.00	Average	V	-	-	-83.55	20.65	44.10	53.98	-9.88
14472.00	Peak	V	-	-	-71.96	20.22	55.27	68.23	-12.96

**Table 7-39. Radiated Measurements CDD**


FCC ID: BCGA3269 IC: 579C-A3269	 <b>element</b> MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device			

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



**Plot 7-124. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 6)**




**Plot 7-125. Radiated Spurious Emissions above 18GHz CDD (802.11ax (SU) – Ch.6)**

Mode: 802.11ax (SU)  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2437MHz  
 Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4874.00	Average	V	-	-	-79.32	7.57	35.25	53.98	-18.73
4874.00	Peak	V	-	-	-67.85	7.23	46.37	73.98	-27.61
7311.00	Average	V	-	-	-80.12	10.57	37.45	53.98	-16.53
7311.00	Peak	V	-	-	-68.68	10.43	48.75	73.98	-25.23
12185.00	Average	V	-	-	-82.28	17.90	42.63	53.98	-11.35
12185.00	Peak	V	-	-	-70.52	17.90	54.39	73.98	-19.59

**Table 7-40. Radiated Measurements CDD**

FCC ID: BCGA3269 IC: 579C-A3269	MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device				Page 108 of 161



**Plot 7-126. Radiated Spurious Emissions above 1GHz CDD (802.11ax (SU) – Ch. 11)**

Mode: 802.11ax (SU)  
 Data Rate: MCS5  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 2462MHz  
 Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB $\mu$ V/m]	Limit [dB $\mu$ V/m]	Margin [dB]
4924.00	Average	V	-	-	-79.82	7.58	34.77	53.98	-19.21
4924.00	Peak	V	-	-	-68.07	7.20	46.13	73.98	-27.85
7386.00	Average	H	-	-	-80.37	10.76	37.39	53.98	-16.59
7386.00	Peak	H	-	-	-68.67	10.76	49.08	73.98	-24.90
12310.00	Average	V	-	-	-82.44	18.39	42.95	53.98	-11.03
12310.00	Peak	V	-	-	-71.70	18.71	54.01	73.98	-19.97


**Table 7-41. Radiated Measurements CDD**

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 109 of 161

## 7.7.4 Antenna 3a Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-127 Radiated Restricted Lower Band Edge Measurement Antenna 3a


Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11



Plot 7-128 Radiated Restricted Upper Band Edge Measurement Antenna 3a


FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 110 of 161

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-129 Radiated Restricted Upper Band Edge Measurement Antenna 3a


Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13



Plot 7-130 Radiated Restricted Upper Band Edge Measurement Antenna 3a


FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 111 of 161

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2412MHz  
**Channel** 1



Plot 7-131 Radiated Restricted Lower Band Edge Measurement Antenna 3a


**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2417MHz  
**Channel** 2



Plot 7-132 Radiated Restricted Lower Band Edge Measurement Antenna 3a


FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 112 of 161

**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2422MHz  
**Channel** 3



Plot 7-133 Radiated Restricted Lower Band Edge Measurement Antenna 3a


**Mode** 802.11n  
**Data Rate** MCS7  
**Distance of Measurement** 3 Meters  
**Operating Frequency** 2427MHz  
**Channel** 4



Plot 7-134 Radiated Restricted Lower Band Edge Measurement Antenna 3a


FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 113 of 161

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2432MHz
Channel	5



Plot 7-135 Radiated Restricted Lower Band Edge Measurement Antenna 3a

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2442MHz
Channel	7



Plot 7-136 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3269 IC: 579C-A3269	 element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210075-14.BCG	Test Dates: 10/25/2024 - 1/4/2025	EUT Type: Tablet Device	Page 114 of 161