



|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2447MHz  |
| Channel                 | 8        |



Plot 7-137 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2452MHz  |
| Channel                 | 9        |




Plot 7-138 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 115 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2457MHz  |
| Channel                 | 10       |



Plot 7-139 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2462MHz  |
| Channel                 | 11       |




Plot 7-140 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 116 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2467MHz  |
| Channel                 | 12       |



Plot 7-141 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2472MHz  |
| Channel                 | 13       |




Plot 7-142 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 117 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2412MHz     |
| Channel                 | 1           |



Plot 7-143 Radiated Restricted Lower Band Edge Measurement Antenna 3a

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2417MHz     |
| Channel                 | 2           |




Plot 7-144 Radiated Restricted Lower Band Edge Measurement Antenna 3a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 118 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2422MHz     |
| Channel                 | 3           |



Plot 7-145 Radiated Restricted Lower Band Edge Measurement Antenna 3a

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2427MHz     |
| Channel                 | 4           |




Plot 7-146 Radiated Restricted Lower Band Edge Measurement Antenna 3a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 119 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2432MHz     |
| Channel                 | 5           |



Plot 7-147 Radiated Restricted Lower Band Edge Measurement Antenna 3a

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2442MHz     |
| Channel                 | 7           |




Plot 7-148 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 120 of 161                   |

V 10.6 09/14/2023




|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2447MHz     |
| Channel                 | 8           |



Plot 7-149 Radiated Restricted Upper Band Edge Measurement Antenna 3a


|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2452MHz     |
| Channel                 | 9           |



Plot 7-150 Radiated Restricted Upper Band Edge Measurement Antenna 3a


|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 121 of 161                   |

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2457MHz     |
| Channel                 | 10          |



Plot 7-151 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2462MHz     |
| Channel                 | 11          |




Plot 7-152 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 122 of 161                   |

V 10.6 09/14/2023



|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2467MHz     |
| Channel                 | 12          |




Plot 7-153 Radiated Restricted Upper Band Edge Measurement Antenna 3a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 123 of 161                   |

V 10.6 09/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11b  |
| Data Rate               | MCS11    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2467MHz  |
| Channel                 | 12       |



Plot 7-156 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11b  |
| Data Rate               | MCS11    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2472MHz  |
| Channel                 | 13       |




Plot 7-157 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                                         |                                                                                                                                   |                            |                                   |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                                                              | EUT Type:<br>Tablet Device | Page 125 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2412MHz  |
| Channel                 | 1        |



Plot 7-158 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2417MHz  |
| Channel                 | 2        |




Plot 7-159 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 126 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2422MHz  |
| Channel                 | 3        |



Plot 7-160 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2427MHz  |
| Channel                 | 4        |




Plot 7-161 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 127 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2432MHz  |
| Channel                 | 5        |



Plot 7-162 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2442MHz  |
| Channel                 | 7        |




Plot 7-163 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 128 of 161                   |

V 10.6 09/14/2023




|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2447MHz  |
| Channel                 | 8        |



Plot 7-164 Radiated Restricted Upper Band Edge Measurement Antenna 1a


|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2452MHz  |
| Channel                 | 9        |



Plot 7-165 Radiated Restricted Upper Band Edge Measurement Antenna 1a


|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 129 of 161                   |

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2457MHz  |
| Channel                 | 10       |



Plot 7-166 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2462MHz  |
| Channel                 | 11       |




Plot 7-167 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 130 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2467MHz  |
| Channel                 | 12       |



Plot 7-168 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS7     |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2472MHz  |
| Channel                 | 13       |




Plot 7-169 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 131 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2412MHz     |
| Channel                 | 1           |



Plot 7-170 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2417MHz     |
| Channel                 | 2           |




Plot 7-171 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 132 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2422MHz     |
| Channel                 | 3           |



Plot 7-172 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2427MHz     |
| Channel                 | 4           |




Plot 7-173 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 133 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2432MHz     |
| Channel                 | 5           |



Plot 7-174 Radiated Restricted Lower Band Edge Measurement Antenna 1a

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2442MHz     |
| Channel                 | 7           |




Plot 7-175 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 134 of 161                   |




|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2447MHz     |
| Channel                 | 8           |



Plot 7-176 Radiated Restricted Upper Band Edge Measurement Antenna 1a


|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2452MHz     |
| Channel                 | 9           |



Plot 7-177 Radiated Restricted Upper Band Edge Measurement Antenna 1a


|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 135 of 161                   |

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2457MHz     |
| Channel                 | 10          |



Plot 7-178 Radiated Restricted Upper Band Edge Measurement Antenna 1a


|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2462MHz     |
| Channel                 | 11          |



Plot 7-179 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 136 of 161                   |

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2467MHz     |
| Channel                 | 12          |




Plot 7-180 Radiated Restricted Upper Band Edge Measurement Antenna 1a

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 137 of 161                   |

## 7.7.6 CDD Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2412MHz  |
| Channel                 | 1        |



Plot 7-181 Radiated Restricted Lower Band Edge Measurement CDD

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2417MHz  |
| Channel                 | 2        |




Plot 7-182 Radiated Restricted Lower Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 138 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2422MHz  |
| Channel                 | 3        |



Plot 7-183 Radiated Restricted Lower Band Edge Measurement CDD

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2427MHz  |
| Channel                 | 4        |




Plot 7-184 Radiated Restricted Lower Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 139 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2432MHz  |
| Channel                 | 5        |



Plot 7-185 Radiated Restricted Lower Band Edge Measurement CDD

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2442MHz  |
| Channel                 | 7        |




Plot 7-186 Radiated Restricted Upper Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 140 of 161                   |

V 10.6 09/14/2023




|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2447MHz  |
| Channel                 | 8        |



Plot 7-187 Radiated Restricted Upper Band Edge Measurement CDD

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2452MHz  |
| Channel                 | 9        |




Plot 7-188 Radiated Restricted Upper Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 141 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2457MHz  |
| Channel                 | 10       |



Plot 7-189 Radiated Restricted Upper Band Edge Measurement CDD

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2462MHz  |
| Channel                 | 11       |




Plot 7-190 Radiated Restricted Upper Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 142 of 161                   |


V 10.6 09/14/2023

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2467MHz  |
| Channel                 | 12       |



Plot 7-191 Radiated Restricted Upper Band Edge Measurement CDD

|                         |          |
|-------------------------|----------|
| Mode                    | 802.11n  |
| Data Rate               | MCS15    |
| Distance of Measurement | 3 Meters |
| Operating Frequency     | 2472MHz  |
| Channel                 | 13       |




Plot 7-192 Radiated Restricted Upper Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 143 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2412MHz     |
| Channel                 | 1           |



Plot 7-193 Radiated Restricted Lower Band Edge Measurement CDD


|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2417MHz     |
| Channel                 | 2           |



Plot 7-194 Radiated Restricted Lower Band Edge Measurement CDD


|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 144 of 161                   |

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2422MHz     |
| Channel                 | 3           |



Plot 7-195 Radiated Restricted Lower Band Edge Measurement CDD

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2427MHz     |
| Channel                 | 4           |




Plot 7-196 Radiated Restricted Lower Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 145 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2432MHz     |
| Channel                 | 5           |



Plot 7-197 Radiated Restricted Lower Band Edge Measurement CDD

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2437MHz     |
| Channel                 | 6           |




Plot 7-198 Radiated Restricted Lower Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 146 of 161                   |

V 10.6 09/14/2023




|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2442MHz     |
| Channel                 | 7           |



Plot 7-199 Radiated Restricted Upper Band Edge Measurement CDD

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2447MHz     |
| Channel                 | 8           |




Plot 7-200 Radiated Restricted Upper Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 147 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2452MHz     |
| Channel                 | 9           |



Plot 7-201 Radiated Restricted Upper Band Edge Measurement CDD

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2457MHz     |
| Channel                 | 10          |




Plot 7-202 Radiated Restricted Upper Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 148 of 161                   |


V 10.6 09/14/2023

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2462MHz     |
| Channel                 | 11          |



Plot 7-203 Radiated Restricted Upper Band Edge Measurement CDD

|                         |             |
|-------------------------|-------------|
| Mode                    | 802.11ax-SU |
| Data Rate               | MCS9        |
| Distance of Measurement | 3 Meters    |
| Operating Frequency     | 2467MHz     |
| Channel                 | 12          |



Plot 7-204 Radiated Restricted Upper Band Edge Measurement CDD

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 149 of 161                   |

V 10.6 09/14/2023

## 7.8 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

### Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

***All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-42 per Section 15.209 and RSS-Gen (8.9).***

| Frequency         | Field Strength<br>[μV/m] | Measured Distance<br>[Meters] |
|-------------------|--------------------------|-------------------------------|
| 0.009 – 0.490 MHz | 2400/F (kHz)             | 300                           |
| 0.490 – 1.705 MHz | 24000/F (kHz)            | 30                            |
| 1.705 – 30.00 MHz | 30                       | 30                            |
| 30.00 – 88.00 MHz | 100                      | 3                             |
| 88.00 – 216.0 MHz | 150                      | 3                             |
| 216.0 – 960.0 MHz | 200                      | 3                             |
| Above 960.0 MHz   | 500                      | 3                             |

**Table 7-42. Radiated Limits**

### Test Procedures Used

ANSI C63.10-2020

### Test Settings

#### Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

#### Peak Field Strength Measurements


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 150 of 161                   |


V 10.6 09/14/2023

**Test Setup**

The EUT and Measurement equipment were set up as shown in the diagrams below.



**Figure 7-7. Radiated Test Setup < 30Mhz**



**Figure 7-8. Radiated Test Setup < 1GHz**

|                                                  |                                                                                     |                                               |                                          |
|--------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3269<br><b>IC:</b> 579C-A3269 |  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2410210075-14.BCG   | <b>Test Dates:</b><br>10/25/2024 - 1/4/2025                                         | <b>EUT Type:</b><br>Tablet Device             | Page 151 of 161                          |

V 10.6 09/14/2023

## Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-42.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final Measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. Both configurations below were investigated, and the worst case has been reported.
  - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
  - b. EUT powered by host PC via USB-C cable with wire charger
9. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the Measurement antenna was found to be less than 2:1.
10. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification.
11. The unit was tested with all possible modes and only the highest emission is reported.
12. All antenna configurations were investigated and only the worst case is reported.

## Sample Calculations

### Determining Spurious Emissions Levels

- Field Strength Level  $_{[dB\mu V/m]} = \text{Analyzer Level}_{[dBm]} + 107 + \text{AFCL}_{[dB/m]}$
- $\text{AFCL}_{[dB/m]} = \text{Antenna Factor}_{[dB/m]} + \text{Cable Loss}_{[dB]} - \text{Preamplifier Gain}_{[dB]}$
- $\text{Margin}_{[dB]} = \text{Field Strength Level}_{[dB\mu V/m]} - \text{Limit}_{[dB\mu V/m]}$


|                                         |                                                                                                                                   |                            |                                          |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                            | <b>Approved by:</b><br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                                                              | EUT Type:<br>Tablet Device | Page 152 of 161                          |

V 10.6 09/14/2023



## CDD Radiated Spurious Emissions Measurements (Below 1GHz)

§15.209; RSS-Gen [8.9]



Plot 7-205. Radiated Spurious Emissions below 1GHz CDD 11n Ch.6, with AC/DC Adapter


| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBµV/m] | Limit [dBµV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 40.04           | Max-Peak | V               | 300                 | 336                        | -60.96               | -15.76      | 30.28                   | 40.00          | -9.72       |
| 65.26           | Max-Peak | V               | 200                 | 135                        | -63.33               | -17.41      | 26.26                   | 40.00          | -13.74      |
| 101.20          | Max-Peak | V               | 200                 | 12                         | -65.15               | -16.47      | 25.38                   | 43.52          | -18.14      |
| 198.00          | Max-Peak | H               | 100                 | 73                         | -70.26               | -15.71      | 21.03                   | 43.52          | -22.49      |
| 257.32          | Max-Peak | V               | 300                 | 57                         | -69.51               | -14.15      | 23.34                   | 46.02          | -22.68      |
| 544.49          | Max-Peak | V               | 100                 | 15                         | -72.45               | -7.92       | 26.63                   | 46.02          | -19.39      |

Table 7-43. Radiated Spurious Emissions below 1GHz CDD 11n Ch.6, with AC/DC Adapter

|                                         |                                                                                                                                   |                            |                                   |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                                                              | EUT Type:<br>Tablet Device | Page 153 of 161                   |

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



**Plot 7-206. Radiated Spurious Emissions below 1GHz CDD 11ax - SU Ch.6, with AC/DC Adapter**

| Frequency [MHz] | Detector | Ant. Pol. [H/V] | Antenna Height [cm] | Turntable Azimuth [degree] | Analyzer Level [dBm] | AFCL [dB/m] | Field Strength [dBμV/m] | Limit [dBμV/m] | Margin [dB] |
|-----------------|----------|-----------------|---------------------|----------------------------|----------------------|-------------|-------------------------|----------------|-------------|
| 47.85           | Max-Peak | V               | 100                 | 119                        | -59.80               | -14.36      | 32.84                   | 40.00          | -7.16       |
| 76.08           | Max-Peak | H               | 300                 | 65                         | -58.24               | -21.19      | 27.57                   | 40.00          | -12.43      |
| 102.27          | Max-Peak | H               | 200                 | 261                        | -66.49               | -16.41      | 24.10                   | 43.52          | -19.42      |
| 174.97          | Max-Peak | H               | 100                 | 129                        | -61.33               | -18.30      | 27.37                   | 43.52          | -16.15      |
| 325.37          | Max-Peak | H               | 100                 | 255                        | -66.86               | -12.48      | 27.66                   | 46.02          | -18.36      |
| 838.16          | Max-Peak | V               | 100                 | 113                        | -75.26               | -2.25       | 29.49                   | 46.02          | -16.53      |

**Table 7-44. Radiated Spurious Emissions below 1GHz CDD 11ax - SU Ch.6, with AC/DC Adapter**

|                                         |                                                                                                                                   |                            |                                   |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                                                              | EUT Type:<br>Tablet Device | Page 154 of 161                   |

V 10.6 09/14/2023

## 7.9 AC Line-Conducted Emissions Measurement

§15.207; RSS-Gen [8.8]

### Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

***All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (8.8).***

| Frequency of emission (MHz) | Conducted Limit (dBμV) |           |
|-----------------------------|------------------------|-----------|
|                             | Quasi-peak             | Average   |
| 0.15 – 0.5                  | 66 to 56*              | 56 to 46* |
| 0.5 – 5                     | 56                     | 46        |
| 5 – 30                      | 60                     | 50        |

**Table 7-45. Conducted Limits**

\*Decreases with the logarithm of the frequency.

### Test Procedures Used

ANSI C63.10-2020, Subclause 6.2

### Test Settings

#### Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

#### Average Measurements


1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

|                                         |                                                                                                                                   |                            |                                   |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                                                              | EUT Type:<br>Tablet Device | Page 155 of 161                   |

V 10.6 09/14/2023

## Test Setup

The EUT and Measurement equipment were set up as shown in the diagram below.




**Figure 7-9. Test Instrument & Measurement Setup**

## Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. Both configurations below were investigated, and the worst case has been reported.
  - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
  - b. EUT powered by host PC via USB-C cable with wire charger
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in Part 15.207 and RSS-Gen(8.8).
4.  $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5.  $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Corr. (dB)}$
6.  $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plot are made using quasi peak and average detectors.
8. Deviations to the Specifications: None.
9. The unit was tested with all possible modes and only the highest emission is reported.

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 156 of 161                   |

V 10.6 09/14/2023



**Plot 7-207. AC Line Conducted Plot with CDD 11n Ch.6 (L1, with AC/DC Adapter)**


| Frequency [MHz] | Process State | QuasiPeak [dBμV] | Average [dBμV] | Limit [dBμV] | Margin [dB] | Line | PE  |
|-----------------|---------------|------------------|----------------|--------------|-------------|------|-----|
| 0.166           | FINAL         | 52.7             | ---            | 65.17        | -12.52      | L1   | GND |
| 0.168           | FINAL         | ---              | 41.10          | 55.06        | -13.96      | L1   | GND |
| 0.249           | FINAL         | 48.0             | ---            | 61.79        | -13.83      | L1   | GND |
| 0.254           | FINAL         | ---              | 34.57          | 51.64        | -17.07      | L1   | GND |
| 0.510           | FINAL         | ---              | 23.03          | 46.00        | -22.97      | L1   | GND |
| 0.512           | FINAL         | 39.9             | ---            | 56.00        | -16.10      | L1   | GND |
| 1.280           | FINAL         | 33.0             | ---            | 56.00        | -23.01      | L1   | GND |
| 1.280           | FINAL         | ---              | 17.97          | 46.00        | -28.03      | L1   | GND |
| 5.044           | FINAL         | ---              | 18.87          | 50.00        | -31.13      | L1   | GND |
| 5.048           | FINAL         | 33.6             | ---            | 60.00        | -26.40      | L1   | GND |
| 16.595          | FINAL         | ---              | 10.58          | 50.00        | -39.42      | L1   | GND |
| 16.595          | FINAL         | 16.1             | ---            | 60.00        | -43.94      | L1   | GND |

**Table 7-46. AC Line Conducted Data with CDD 11n Ch.6 (L1, with AC/DC Adapter)**

|                                         |                                                                                     |                                       |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                | EUT Type:<br>Tablet Device            | Page 157 of 161                   |

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



**Plot 7-208. AC Line Conducted Plot with CDD 11n Ch.6 (N, with AC/DC Adapter)**


| Frequency [MHz] | Process State | QuasiPeak [dBμV] | Average [dBμV] | Limit [dBμV] | Margin [dB] | Line | PE  |
|-----------------|---------------|------------------|----------------|--------------|-------------|------|-----|
| 0.168           | FINAL         | ---              | 39.63          | 55.06        | -15.42      | N    | GND |
| 0.170           | FINAL         | 51.0             | ---            | 64.95        | -13.98      | N    | GND |
| 0.249           | FINAL         | 47.0             | ---            | 61.79        | -14.80      | N    | GND |
| 0.251           | FINAL         | ---              | 33.96          | 51.72        | -17.76      | N    | GND |
| 0.503           | FINAL         | ---              | 24.47          | 46.00        | -21.53      | N    | GND |
| 0.512           | FINAL         | 39.1             | ---            | 56.00        | -16.92      | N    | GND |
| 1.280           | FINAL         | ---              | 18.61          | 46.00        | -27.39      | N    | GND |
| 1.282           | FINAL         | 33.3             | ---            | 56.00        | -22.69      | N    | GND |
| 5.044           | FINAL         | ---              | 21.57          | 50.00        | -28.43      | N    | GND |
| 5.051           | FINAL         | 35.6             | ---            | 60.00        | -24.37      | N    | GND |
| 28.806          | FINAL         | 15.9             | ---            | 60.00        | -44.14      | N    | GND |
| 29.218          | FINAL         | ---              | 10.09          | 50.00        | -39.91      | N    | GND |

**Table 7-47. AC Line Conducted Data with CDD 11n Ch.6 (N, with AC/DC Adapter)**

|                                         |                                                                                                                               |                            |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  <b>MEASUREMENT REPORT (CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                                                          | EUT Type:<br>Tablet Device | Page 158 of 161                   |

V 10.6 09/14/2023






**Plot 7-209. AC Line Conducted Plot with CDD 11ax - SU Ch.6 (L1, with AC/DC Adapter)**

| Frequency [MHz] | Process State | QuasiPeak [dBμV] | Average [dBμV] | Limit [dBμV] | Margin [dB] | Line | PE  |
|-----------------|---------------|------------------|----------------|--------------|-------------|------|-----|
| 0.166           | FINAL         | 51.1             | ---            | 65.17        | -14.11      | L1   | GND |
| 0.168           | FINAL         | ---              | 39.28          | 55.06        | -15.77      | L1   | GND |
| 0.249           | FINAL         | 46.9             | ---            | 61.79        | -14.90      | L1   | GND |
| 0.251           | FINAL         | ---              | 33.53          | 51.72        | -18.19      | L1   | GND |
| 0.510           | FINAL         | ---              | 22.44          | 46.00        | -23.56      | L1   | GND |
| 0.512           | FINAL         | 39.5             | ---            | 56.00        | -16.51      | L1   | GND |
| 1.280           | FINAL         | ---              | 17.79          | 46.00        | -28.21      | L1   | GND |
| 1.284           | FINAL         | 32.7             | ---            | 56.00        | -23.34      | L1   | GND |
| 5.051           | FINAL         | 33.6             | ---            | 60.00        | -26.39      | L1   | GND |
| 5.053           | FINAL         | ---              | 19.02          | 50.00        | -30.98      | L1   | GND |
| 16.586          | FINAL         | ---              | 10.65          | 50.00        | -39.35      | L1   | GND |
| 16.586          | FINAL         | 16.1             | ---            | 60.00        | -43.94      | L1   | GND |

**Table 7-48. AC Line Conducted Data with CDD 11ax - SU Ch.6 (L1, with AC/DC Adapter)**

|                                         |                                                                                                                               |                            |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  <b>MEASUREMENT REPORT (CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                                                          | EUT Type:<br>Tablet Device | Page 159 of 161                   |

V 10.6 09/14/2023



**Plot 7-210. AC Line Conducted Plot with CDD 11ax - SU Ch.6 (N, with AC/DC Adapter)**

| Frequency [MHz] | Process State | QuasiPeak [dBµV] | Average [dBµV] | Limit [dBµV] | Margin [dB] | Line | PE  |
|-----------------|---------------|------------------|----------------|--------------|-------------|------|-----|
| 0.168           | FINAL         | ---              | 40.26          | 55.06        | -14.80      | N    | GND |
| 0.170           | FINAL         | 52.0             | ---            | 64.95        | -13.00      | N    | GND |
| 0.251           | FINAL         | ---              | 34.29          | 51.72        | -17.42      | N    | GND |
| 0.254           | FINAL         | 47.2             | ---            | 61.64        | -14.44      | N    | GND |
| 0.508           | FINAL         | ---              | 23.72          | 46.00        | -22.28      | N    | GND |
| 0.512           | FINAL         | 39.2             | ---            | 56.00        | -16.80      | N    | GND |
| 1.273           | FINAL         | ---              | 18.55          | 46.00        | -27.45      | N    | GND |
| 1.282           | FINAL         | 33.3             | ---            | 56.00        | -22.71      | N    | GND |
| 5.042           | FINAL         | 35.8             | ---            | 60.00        | -24.18      | N    | GND |
| 5.042           | FINAL         | ---              | 21.60          | 50.00        | -28.40      | N    | GND |
| 29.418          | FINAL         | ---              | 10.46          | 50.00        | -39.54      | N    | GND |
| 29.585          | FINAL         | 17.0             | ---            | 60.00        | -43.05      | N    | GND |

**Table 7-49. AC Line Conducted Data with CDD 11ax - SU Ch.6 (N, with AC/DC Adapter)**

|                                         |                                                                                                                               |                            |                                   |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3269<br>IC: 579C-A3269      |  <b>MEASUREMENT REPORT (CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2410210075-14.BCG | Test Dates:<br>10/25/2024 - 1/4/2025                                                                                          | EUT Type:<br>Tablet Device | Page 160 of 161                   |

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

## 8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device FCC ID: BCGA3269, IC: 579C-A3269** is in compliance with Part 15 Subpart C (15.247) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

|                                                  |                                                                                     |                                               |                                          |
|--------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------------------|
| <b>FCC ID:</b> BCGA3269<br><b>IC:</b> 579C-A3269 |  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2410210075-14.BCG   | <b>Test Dates:</b><br>10/25/2024 - 1/4/2025                                         | <b>EUT Type:</b><br>Tablet Device             | Page 161 of 161                          |

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).