



Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-153 Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13




Plot 7-154 Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 128 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-155 Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2




Plot 7-156 Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 129 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2422MHz
Channel	3



Plot 7-157 Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2427MHz
Channel	4




Plot 7-158 Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 130 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2432MHz
Channel	5



Plot 7-159 Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2437MHz
Channel	6




Plot 7-160 Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 131 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2437MHz
Channel	6



Plot 7-161 Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2442MHz
Channel	7




Plot 7-162 Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 132 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-163 Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9




Plot 7-164 Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 133 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2457MHz
Channel	10



Plot 7-165 Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11




Plot 7-166 Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 134 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-167 Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13




Plot 7-168 Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 135 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-169 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2



Plot 7-170 Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 136 of 181

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2422MHz
Channel	3



Plot 7-171 Radiated Restricted Lower Band Edge Measurement Antenna WF8


Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2427MHz
Channel	4



Plot 7-172 Radiated Restricted Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 137 of 181

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2432MHz
Channel	5



Plot 7-173 Radiated Restricted Lower Band Edge Measurement Antenna WF8

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2437MHz
Channel	6




Plot 7-174 Radiated Restricted Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 138 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2437MHz
Channel	6



Plot 7-175 Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2442MHz
Channel	7




Plot 7-176 Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 139 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-177 Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9




Plot 7-178 Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 140 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2457MHz
Channel	10



Plot 7-179 Radiated Restricted Upper Band Edge Measurement Antenna WF8

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11




Plot 7-180 Radiated Restricted Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 141 of 181

V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-181 Radiated Restricted Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 142 of 181

V 10.6 09/14/2023

7.7.4 Antenna WF7b Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-182 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11




Plot 7-183 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 143 of 181


V 10.6 09/14/2023

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-184 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode	802.11b
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13




Plot 7-185 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 144 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-186 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2




Plot 7-187 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 145 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2422MHz
Channel	3



Plot 7-188 Radiated Restricted Lower Band Edge Measurement Antenna WF7b


Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2427MHz
Channel	4



Plot 7-189 Radiated Restricted Lower Band Edge Measurement Antenna WF7b


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 146 of 181

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2432MHz
Channel	5



Plot 7-190 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9




Plot 7-191 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 147 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2457MHz
Channel	10



Plot 7-192 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11




Plot 7-193 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 148 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-194 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13




Plot 7-195 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 149 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-196 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2




Plot 7-197 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 150 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2422MHz
Channel	3



Plot 7-198 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2427MHz
Channel	4




Plot 7-199 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 151 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2432MHz
Channel	5



Plot 7-200 Radiated Restricted Lower Band Edge Measurement Antenna WF7b

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2442MHz
Channel	7




Plot 7-201 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 152 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-202 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9




Plot 7-203 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 153 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2457MHz
Channel	10



Plot 7-204 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11




Plot 7-205 Radiated Restricted Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 154 of 181

V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-206 Radiated Restricted Upper Band Edge Measurement Antenna WF7b


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 155 of 181

V 10.6 09/14/2023

7.7.5 CDD Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-207 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2




Plot 7-208 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 156 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2422MHz
Channel	3



Plot 7-209 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2427MHz
Channel	4




Plot 7-210 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 157 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2432MHz
Channel	5



Plot 7-211 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2437MHz
Channel	6




Plot 7-212 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 158 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2437MHz
Channel	6



Plot 7-213 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2442MHz
Channel	7




Plot 7-214 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 159 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-215 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9




Plot 7-216 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 160 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2457MHz
Channel	10



Plot 7-217 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11




Plot 7-218 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 161 of 181


V 10.6 09/14/2023

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-219 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

Mode	802.11n
Data Rate	MCS15
Distance of Measurement	3 Meters
Operating Frequency	2472MHz
Channel	13




Plot 7-220 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 162 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-221 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2




Plot 7-222 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 163 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2422MHz
Channel	3



Plot 7-223 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2427MHz
Channel	4




Plot 7-224 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 164 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2432MHz
Channel	5



Plot 7-225 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2437MHz
Channel	6




Plot 7-226 Radiated Restricted Lower Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 165 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2437MHz
Channel	6



Plot 7-227 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2442MHz
Channel	7




Plot 7-228 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 166 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-229 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9




Plot 7-230 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 167 of 181


V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2457MHz
Channel	10



Plot 7-231 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11




Plot 7-232 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 168 of 181

V 10.6 09/14/2023

Mode	802.11ax-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2467MHz
Channel	12



Plot 7-233 Radiated Restricted Upper Band Edge Measurement CDD Dedicated

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 169 of 181

7.8 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-40 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μ V/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-40. Radiated Limits

Test Procedures Used

ANSI C63.10-2020

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 170 of 181

V 10.6 09/14/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-7. Radiated Test Setup < 30Mhz




Figure 7-8. Radiated Test Setup < 1GHz

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 171 of 181

V 10.6 09/14/2023

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-40.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
9. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
10. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification.
11. The unit was tested with all possible modes and only the highest emission is reported.
12. All antenna configurations were investigated and only the worst case is reported.

Sample Calculations

Determining Spurious Emissions Levels


- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level}_{[dBm]} + 107 + \text{AFCL}_{[dB/m]}$
- $\text{AFCL}_{[dB/m]} = \text{Antenna Factor}_{[dB/m]} + \text{Cable Loss}_{[dB]} - \text{Preamplifier Gain}_{[dB]}$
- $\text{Margin}_{[dB]} = \text{Field Strength Level}_{[dB\mu V/m]} - \text{Limit}_{[dB\mu V/m]}$

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 172 of 181

V 10.6 09/14/2023

CDD Radiated Spurious Emissions Measurements (Below 1GHz)

§15.209; RSS-Gen [8.9]




Plot 7-234. Radiated Spurious Emissions below 1GHz CDD 11n Ch.6, with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
33.54	Max Peak	V	300	290	-61.25	-18.22	27.53	40.00	-12.47
53.96	Max Peak	H	100	151	-68.71	-14.50	23.79	40.00	-16.21
101.83	Max Peak	V	100	243	-68.88	-16.44	21.68	43.52	-21.84
193.40	Max Peak	H	100	332	-63.48	-16.12	27.40	43.52	-16.12
302.33	Max Peak	H	100	264	-62.98	-13.21	30.81	46.02	-15.21
896.60	Max Peak	V	300	284	-75.40	-1.63	29.97	46.02	-16.05

Table 7-41. Radiated Spurious Emissions below 1GHz CDD 11n Ch.6, with AC/DC Adapter

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 173 of 181

V 10.6 09/14/2023



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
34.37	Quasi-Peak	V	105	252	-64.48	-17.89	24.63	40.00	-15.37
61.72	Max Peak	V	100	279	-62.57	-16.30	28.13	40.00	-11.87
86.07	Max Peak	V	100	256	-66.98	-19.89	20.13	40.00	-19.87
192.43	Max Peak	H	100	9	-61.30	-16.23	29.47	43.52	-14.05
301.12	Max Peak	H	100	247	-67.32	-13.32	26.36	46.02	-19.66
752.02	Max Peak	H	100	227	-73.87	-3.93	29.20	46.02	-16.82

Table 7-42. Radiated Spurious Emissions below 1GHz CDD 11ax - SU Ch.6, with AC/DC Adapter

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 174 of 181

V 10.6 09/14/2023

7.9 AC Line-Conducted Emissions Measurement

§15.207; RSS-Gen [8.8]

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (8.8).

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-43. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10-2020, Subclause 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 175 of 181

V 10.6 09/14/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-9. Test Instrument & Measurement Setup

Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in Part 15.207 and RSS-Gen(8.8).
4. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Corr. (dB)}$
6. $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plot are made using quasi peak and average detectors.
8. Deviations to the Specifications: None.
9. The unit was tested with all possible modes and only the highest emission is reported.

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 176 of 181

V 10.6 09/14/2023




Plot 7-236. AC Line Conducted Plot with CDD 11n Ch.6 (L1, with AC/DC Adapter)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.17	FINAL	51.25	---	64.95	-13.70	L1	GND
0.18	FINAL	---	38.74	54.73	-15.99	L1	GND
0.26	FINAL	45.18	---	61.50	-16.32	L1	GND
0.26	FINAL	---	31.68	51.42	-19.74	L1	GND
0.58	FINAL	---	21.97	46.00	-24.03	L1	GND
0.58	FINAL	37.33	---	56.00	-18.67	L1	GND
1.25	FINAL	---	18.73	46.00	-27.27	L1	GND
1.27	FINAL	32.92	---	56.00	-23.08	L1	GND
5.04	FINAL	33.25	---	60.00	-26.75	L1	GND
5.06	FINAL	---	19.16	50.00	-30.84	L1	GND
16.29	FINAL	15.43	---	60.00	-44.57	L1	GND
16.29	FINAL	---	9.92	50.00	-40.08	L1	GND

Table 7-44. AC Line Conducted Data with CDD 11n Ch.6 (L1, with AC/DC Adapter)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 177 of 181

V 10.6 09/14/2023




Plot 7-237. AC Line Conducted Plot with CDD 11n Ch.6 (N, with AC/DC Adapter)

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.175	FINAL	—	41.52	54.73	-13.21	N	GND
0.175	FINAL	53.9	—	64.73	-10.87	N	GND
0.260	FINAL	—	33.82	51.42	-17.60	N	GND
0.265	FINAL	47.4	—	61.28	-13.86	N	GND
0.578	FINAL	—	23.44	46.00	-22.56	N	GND
0.584	FINAL	38.4	—	56.00	-17.56	N	GND
1.246	FINAL	—	19.41	46.00	-26.59	N	GND
1.268	FINAL	33.3	—	56.00	-22.67	N	GND
5.026	FINAL	—	21.27	50.00	-28.73	N	GND
5.033	FINAL	35.2	—	60.00	-24.84	N	GND
28.867	FINAL	16.1	—	60.00	-43.88	N	GND
28.961	FINAL	—	9.92	50.00	-40.08	N	GND

Table 7-45. AC Line Conducted Data with CDD 11n Ch.6 (N, with AC/DC Adapter)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 178 of 181

V 10.6 09/14/2023




Plot 7-238. AC Line Conducted Plot with CDD 11ax - SU Ch.6 (L1, with AC/DC Adapter)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.18	FINAL	---	37.67	54.73	-17.06	L1	GND
0.18	FINAL	49.97	---	64.63	-14.66	L1	GND
0.26	FINAL	---	30.86	51.42	-20.56	L1	GND
0.26	FINAL	44.56	---	61.42	-16.86	L1	GND
0.58	FINAL	---	21.47	46.00	-24.53	L1	GND
0.58	FINAL	37.15	---	56.00	-18.85	L1	GND
1.25	FINAL	---	18.46	46.00	-27.54	L1	GND
1.27	FINAL	32.88	---	56.00	-23.12	L1	GND
5.03	FINAL	---	19.51	50.00	-30.49	L1	GND
5.03	FINAL	33.86	---	60.00	-26.14	L1	GND
16.41	FINAL	---	10.20	50.00	-39.80	L1	GND
16.41	FINAL	15.69	---	60.00	-44.31	L1	GND

Table 7-46. AC Line Conducted Data with CDD 11ax - SU Ch.6 (L1, with AC/DC Adapter)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 179 of 181

V 10.6 09/14/2023



Plot 7-239. AC Line Conducted Plot with CDD 11ax - SU Ch.6 (N, with AC/DC Adapter)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.18	FINAL	---	36.81	54.73	-17.92	N	GND
0.18	FINAL	48.93	---	64.63	-15.70	N	GND
0.26	FINAL	---	30.44	51.42	-20.98	N	GND
0.26	FINAL	43.94	---	61.42	-17.48	N	GND
0.58	FINAL	---	21.89	46.00	-24.11	N	GND
0.58	FINAL	37.25	---	56.00	-18.75	N	GND
1.27	FINAL	---	19.03	46.00	-26.97	N	GND
1.27	FINAL	33.17	---	56.00	-22.83	N	GND
5.03	FINAL	35.54	---	60.00	-24.46	N	GND
5.03	FINAL	---	21.76	50.00	-28.24	N	GND
28.63	FINAL	---	8.81	50.00	-41.19	N	GND
28.76	FINAL	15.52	---	60.00	-44.48	N	GND

Table 7-47. AC Line Conducted Data with CDD 11ax - SU Ch.6 (N, with AC/DC Adapter)

FCC ID: BCGA3354 IC: 579C-A3354			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 180 of 181	

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device FCC ID: BCGA3354, IC: 579C-A3354** is in compliance with Part 15 Subpart C (15.247) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2410210076-03-R1.BCG	Test Dates: 10/25/2024 - 1/24/2025	EUT Type: Tablet Device	Page 181 of 181

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.