




Figure 253 - 802.11ac VHT80 Minimum 26 dB EBW




Figure 254 - 802.11ac VHT80 Maximum 26 dB EBW




Figure 255 - 802.11ac VHT160 Minimum 26 dB EBW




Figure 256 - 802.11ac VHT160 Maximum 26 dB EBW




Figure 257 - 802.11ax HE20 SU Minimum 26 dB EBW




Figure 258 - 802.11ax HE20 SU Maximum 26 dB EBW




Figure 259 - 802.11ax HE40 SU Minimum 26 dB EBW




Figure 260 - 802.11ax HE40 SU Maximum 26 dB EBW




Figure 261 - 802.11ax HE80 SU Minimum 26 dB EBW




Figure 262 - 802.11ax HE80 SU Maximum 26 dB EBW




Figure 263 - 802.11ax HE160 SU Minimum 26 dB EBW




Figure 264 - 802.11ax HE160 SU Maximum 26 dB EBW



| Protocol         | 6 dB Bandwidth (MHz) |         |
|------------------|----------------------|---------|
|                  | Minimum              | Maximum |
| 802.11n HT20     | 16.680               | 17.640  |
| 802.11n HT40     | 35.280               | 35.640  |
| 802.11ac VHT80   | 75.680               | 75.680  |
| 802.11ax HE20 SU | 18.840               | 18.960  |
| 802.11ax HE40 SU | 37.920               | 38.040  |
| 802.11ax HE80 SU | 75.900               | 76.340  |

Table 100 - 6 dB Bandwidth Summary Results - MIMO CDD




Figure 265 - 802.11n HT20 Minimum 6 dB EBW




Figure 266 - 802.11n HT20 Maximum 6 dB EBW




Figure 267 - 802.11n HT40 Minimum 6 dB EBW




Figure 268 - 802.11n HT40 Maximum 6 dB EBW




Figure 269 - 802.11ac VHT80 Minimum 6 dB  
EBW




Figure 270 - 802.11ac VHT80 Maximum 6 dB  
EBW




Figure 271 - 802.11ax HE20 SU Minimum 6 dB  
EBW




Figure 272 - 802.11ax HE20 SU Maximum 6 dB  
EBW




Figure 273 - 802.11ax HE40 SU Minimum 6 dB  
EBW




Figure 274 - 802.11ax HE40 SU Maximum 6 dB  
EBW




Figure 275 - 802.11ax HE80 SU Minimum 6 dB  
EBW




Figure 276 - 802.11ax HE80 SU Maximum 6 dB  
EBW



| Protocol          | 99% Bandwidth (MHz) |         |
|-------------------|---------------------|---------|
|                   | Minimum             | Maximum |
| 802.11n HT20      | 17.640              | 17.820  |
| 802.11n HT40      | 36.240              | 36.720  |
| 802.11ac VHT80    | 75.680              | 75.900  |
| 802.11ac VHT160   | 154.140             | 154.560 |
| 802.11ax HE20 SU  | 18.900              | 19.020  |
| 802.11ax HE40 SU  | 37.680              | 37.920  |
| 802.11ax HE80 SU  | 76.780              | 77.000  |
| 802.11ax HE160 SU | 155.400             | 155.820 |

Table 101 - 99% Bandwidth Summary Results - MIMO CDD




Figure 277 - 802.11n HT20 Minimum 99% OBW



Figure 278 - 802.11n HT20 Maximum 99% OBW




Figure 279 - 802.11n HT40 Minimum 99% OBW




Figure 280 - 802.11n HT40 Maximum 99% OBW




Figure 281 - 802.11ac VHT80 Minimum 99% OBW




Figure 282 - 802.11ac VHT80 Maximum 99% OBW




Figure 283 - 802.11ac VHT160 Minimum 99% OBW




Figure 284 - 802.11ac VHT160 Maximum 99% OBW




Figure 285 - 802.11ax HE20 SU Minimum 99% OBW




Figure 286 - 802.11ax HE20 SU Maximum 99% OBW



Figure 287 - 802.11ax HE40 SU Minimum 99% OBW




Figure 288 - 802.11ax HE40 SU Maximum 99% OBW




Figure 289 - 802.11ax HE80 SU Minimum 99% OBW




Figure 290 - 802.11ax HE80 SU Maximum 99% OBW




Figure 291 - 802.11ax HE160 SU Minimum 99% OBW




Figure 292 - 802.11ax HE160 SU Maximum 99% OBW



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5180                 | 22.020                | 22.260 | - | - | -           |
| 5220                 | 20.940                | 20.940 | - | - | -           |
| 5240                 | 21.000                | 20.940 | - | - | -           |

**Table 102 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5180                 | 17.820              | 17.820 | - | - | -           |
| 5220                 | 17.700              | 17.700 | - | - | -           |
| 5240                 | 17.700              | 17.700 | - | - | -           |

**Table 103 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5190                 | 42.840                | 43.200 | - | - | -           |
| 5230                 | 41.400                | 41.400 | - | - | -           |

**Table 104 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5190                 | 36.600              | 36.600 | - | - | -           |
| 5230                 | 36.360              | 36.300 | - | - | -           |

**Table 105 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5210                 | 84.260                | 84.480 | - | - | -           |

**Table 106 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5210                 | 75.900              | 75.900 | - | - | -           |

**Table 107 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT160       | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 82.320                | 82.740 | - | - | -           |

**Table 108 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 76.860              | 76.860 | - | - | -           |

**Table 109 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5180                 | 22.440                | 22.020 | - | - | -           |
| 5220                 | 20.940                | 21.120 | - | - | -           |
| 5240                 | 21.000                | 21.120 | - | - | -           |

**Table 110 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5180                 | 18.960              | 19.020 | - | - | -           |
| 5220                 | 18.900              | 18.900 | - | - | -           |
| 5240                 | 18.900              | 18.900 | - | - | -           |

**Table 111 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5190                 | 43.200                | 43.560 | - | - | -           |
| 5230                 | 41.760                | 41.520 | - | - | -           |

**Table 112 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5190                 | 37.920              | 37.920 | - | - | -           |
| 5230                 | 37.800              | 37.920 | - | - | -           |

**Table 113 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5210                 | 83.600                | 82.500 | - | - | -           |

**Table 114 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5210                 | 76.780              | 76.780 | - | - | -           |

**Table 115 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE160 SU     | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 82.740                | 82.740 | - | - | -           |

**Table 116 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 77.700              | 77.700 | - | - | -           |

**Table 117 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5260                 | 21.000                | 21.000 | - | - | -           |
| 5300                 | 21.060                | 21.060 | - | - | -           |
| 5320                 | 22.020                | 22.200 | - | - | -           |

**Table 118 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5260                 | 17.700              | 17.700 | - | - | -           |
| 5300                 | 17.760              | 17.700 | - | - | -           |
| 5320                 | 17.820              | 17.820 | - | - | -           |

**Table 119 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5270                 | 41.640                | 41.280 | - | - | -           |
| 5310                 | 43.680                | 43.800 | - | - | -           |

**Table 120 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5270                 | 36.360              | 36.360 | - | - | -           |
| 5310                 | 36.600              | 36.600 | - | - | -           |

**Table 121 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5290                 | 84.260                | 84.260 | - | - | -           |

**Table 122 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5290                 | 75.680              | 75.680 | - | - | -           |

**Table 123 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT160       | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 77.280              | 77.280 | - | - | -           |

**Table 124 - 99% Bandwidth Results**

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 83.160                | 82.740 | - | - | -           |

**Table 125 - 26 dB Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5260                 | 21.060                | 21.180 | - | - | -           |
| 5300                 | 20.880                | 21.120 | - | - | -           |
| 5320                 | 22.440                | 21.780 | - | - | -           |

**Table 126 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5260                 | 18.900              | 18.900 | - | - | -           |
| 5300                 | 18.900              | 18.900 | - | - | -           |
| 5320                 | 19.020              | 19.020 | - | - | -           |

**Table 127 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5270                 | 41.520                | 41.520 | - | - | -           |
| 5310                 | 43.800                | 43.440 | - | - | -           |

**Table 128 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5270                 | 37.800              | 37.680 | - | - | -           |
| 5310                 | 37.920              | 37.920 | - | - | -           |

**Table 129 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5290                 | 83.160                | 84.040 | - | - | -           |

**Table 130 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5290                 | 77.000              | 76.780 | - | - | -           |

**Table 131 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.250-5.350 GHz | Band:           | U-NII-2A                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE160 SU     | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 77.700              | 77.700 | - | - | -           |

**Table 132 - 99% Bandwidth Results**

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 83.160                | 82.740 | - | - | -           |

**Table 133 - 26 dB Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5500                 | 22.680                | 21.780 | - | - | -           |
| 5580                 | 21.060                | 21.120 | - | - | -           |
| 5700                 | 22.980                | 22.380 | - | - | -           |
| 5720                 | 15.500                | 15.500 | - | - | -           |

**Table 134 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5500                 | 17.820              | 17.820 | - | - | -           |
| 5580                 | 17.640              | 17.700 | - | - | -           |
| 5700                 | 17.760              | 17.760 | - | - | -           |
| 5720                 | 13.700              | 13.700 | - | - | -           |

**Table 135 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5510                 | 43.080                | 43.560 | - | - | -           |
| 5550                 | 41.600                | 41.400 | - | - | -           |
| 5670                 | 42.960                | 44.040 | - | - | -           |
| 5710                 | 35.520                | 35.640 | - | - | -           |

**Table 136 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5510                 | 36.480              | 36.600 | - | - | -           |
| 5550                 | 36.400              | 36.240 | - | - | -           |
| 5670                 | 36.600              | 36.600 | - | - | -           |
| 5710                 | 32.880              | 32.760 | - | - | -           |

**Table 137 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5530                 | 87.120                | 86.460 | - | - | -           |
| 5610                 | 91.520                | 84.920 | - | - | -           |
| 5690                 | 75.920                | 75.920 | - | - | -           |

**Table 138 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5530                 | 75.680              | 75.680 | - | - | -           |
| 5610                 | 75.900              | 75.680 | - | - | -           |
| 5690                 | 72.180              | 72.180 | - | - | -           |

**Table 139 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT160       | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|-----------------------|---------|---|---|-------------|
|                      | A                     | B       | C | D |             |
| 5570                 | 165.480               | 165.900 | - | - | -           |

**Table 140 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|---------------------|---------|---|---|-------------|
|                      | A                   | B       | C | D |             |
| 5570                 | 154.140             | 154.560 | - | - | -           |

**Table 141 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5500                 | 21.420                | 23.220 | - | - | -           |
| 5580                 | 21.060                | 21.120 | - | - | -           |
| 5700                 | 22.020                | 21.960 | - | - | -           |
| 5720                 | 15.500                | 15.500 | - | - | -           |

**Table 142 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5500                 | 18.960              | 19.020 | - | - | -           |
| 5580                 | 18.900              | 18.900 | - | - | -           |
| 5700                 | 19.020              | 19.020 | - | - | -           |
| 5720                 | 14.300              | 14.300 | - | - | -           |

**Table 143 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5510                 | 43.560                | 43.920 | - | - | -           |
| 5550                 | 41.640                | 41.400 | - | - | -           |
| 5670                 | 43.800                | 43.440 | - | - | -           |
| 5710                 | 35.880                | 35.640 | - | - | -           |

**Table 144 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5510                 | 37.920              | 37.920 | - | - | -           |
| 5550                 | 37.680              | 37.800 | - | - | -           |
| 5670                 | 37.920              | 37.920 | - | - | -           |
| 5710                 | 33.600              | 33.600 | - | - | -           |

**Table 145 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5530                 | 83.820                | 82.940 | - | - | -           |
| 5610                 | 85.140                | 86.020 | - | - | -           |
| 5690                 | 75.920                | 75.920 | - | - | -           |

**Table 146 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5530                 | 77.000              | 77.000 | - | - | -           |
| 5610                 | 77.000              | 77.000 | - | - | -           |
| 5690                 | 72.840              | 72.840 | - | - | -           |

**Table 147 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.470-5.725 GHz | Band:           | U-NII-2C                      |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE160 SU     | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|-----------------------|---------|---|---|-------------|
|                      | A                     | B       | C | D |             |
| 5570                 | 165.480               | 166.320 | - | - | -           |

**Table 148 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |         |   |   | Limit (kHz) |
|----------------------|---------------------|---------|---|---|-------------|
|                      | A                   | B       | C | D |             |
| 5570                 | 155.820             | 155.400 | - | - | -           |

**Table 149 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5720                 | 3.520                | 3.520  | - | - | ≥500.0      |
| 5745                 | 16.680               | 16.680 | - | - | ≥500.0      |
| 5785                 | 16.980               | 16.740 | - | - | ≥500.0      |
| 5825                 | 17.040               | 17.640 | - | - | ≥500.0      |

**Table 150 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5720                 | 4.180               | 4.240  | - | - | -           |
| 5745                 | 17.760              | 17.760 | - | - | -           |
| 5785                 | 17.760              | 17.760 | - | - | -           |
| 5825                 | 17.760              | 17.760 | - | - | -           |

**Table 151 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2                  | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5710                 | 3.000                | 3.000  | - | - | ≥500.0      |
| 5755                 | 35.280               | 35.400 | - | - | ≥500.0      |
| 5795                 | 35.640               | 35.280 | - | - | ≥500.0      |

**Table 152 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5710                 | 4.560               | 4.440  | - | - | -           |
| 5755                 | 36.600              | 36.600 | - | - | -           |
| 5795                 | 36.720              | 36.480 | - | - | -           |

**Table 153 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5690                 | 3.280                | 3.280  | - | - | ≥500.0      |
| 5775                 | 75.680               | 75.680 | - | - | ≥500.0      |

**Table 154 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5690                 | 7.020               | 5.480  | - | - | -           |
| 5775                 | 75.900              | 75.900 | - | - | -           |

**Table 155 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5720                 | 4.540                | 4.540  | - | - | ≥500.0      |
| 5745                 | 18.840               | 18.900 | - | - | ≥500.0      |
| 5785                 | 18.960               | 18.900 | - | - | ≥500.0      |
| 5825                 | 18.960               | 18.960 | - | - | ≥500.0      |

**Table 156 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5720                 | 4.660               | 4.660  | - | - | -           |
| 5745                 | 18.960              | 18.900 | - | - | -           |
| 5785                 | 19.020              | 18.960 | - | - | -           |
| 5825                 | 18.960              | 18.960 | - | - | -           |

**Table 157 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5710                 | 4.080                | 4.080  | - | - | ≥500.0      |
| 5755                 | 38.040               | 37.920 | - | - | ≥500.0      |
| 5795                 | 37.920               | 38.040 | - | - | ≥500.0      |

**Table 158 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5710                 | 4.560               | 4.560  | - | - | -           |
| 5755                 | 37.920              | 37.920 | - | - | -           |
| 5795                 | 37.920              | 37.920 | - | - | -           |

**Table 159 - 99% Bandwidth Results**



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO CDD              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|----------------------|--------|---|---|-------------|
|                      | A                    | B      | C | D |             |
| 5690                 | 3.940                | 3.940  | - | - | ≥500.0      |
| 5775                 | 76.340               | 75.900 | - | - | ≥500.0      |

**Table 160 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5690                 | 5.480               | 5.040  | - | - | -           |
| 5775                 | 77.000              | 77.000 | - | - | -           |

**Table 161 - 99% Bandwidth Results**



## MIMO SDM

| Protocol          | 26 dB Bandwidth (MHz) |         |
|-------------------|-----------------------|---------|
|                   | Minimum               | Maximum |
| 802.11n HT20      | 20.820                | 22.560  |
| 802.11n HT40      | 41.160                | 45.120  |
| 802.11ac VHT80    | 84.260                | 86.900  |
| 802.11ac VHT160   | 165.480               | 166.320 |
| 802.11ax HE20 SU  | 20.940                | 24.420  |
| 802.11ax HE40 SU  | 41.520                | 44.760  |
| 802.11ax HE80 SU  | 83.160                | 84.920  |
| 802.11ax HE160 SU | 165.480               | 165.900 |

Table 162 - 26 dB Bandwidth Summary Results - MIMO SDM




Figure 293 - 802.11n HT20 Minimum 26 dB EBW




Figure 294 - 802.11n HT20 Maximum 26 dB EBW




Figure 295 - 802.11n HT40 Minimum 26 dB EBW




Figure 296 - 802.11n HT40 Maximum 26 dB EBW




Figure 297 - 802.11ac VHT80 Minimum 26 dB EBW




Figure 298 - 802.11ac VHT80 Maximum 26 dB EBW




Figure 299 - 802.11ac VHT160 Minimum 26 dB EBW




Figure 300 - 802.11ac VHT160 Maximum 26 dB EBW




Figure 301 - 802.11ax HE20 SU Minimum 26 dB EBW




Figure 302 - 802.11ax HE20 SU Maximum 26 dB EBW




Figure 303 - 802.11ax HE40 SU Minimum 26 dB  
EBW



Figure 304 - 802.11ax HE40 SU Maximum 26 dB  
EBW




Figure 305 - 802.11ax HE80 SU Minimum 26 dB  
EBW




Figure 306 - 802.11ax HE80 SU Maximum 26 dB  
EBW




Figure 307 - 802.11ax HE160 SU Minimum 26 dB  
EBW




Figure 308 - 802.11ax HE160 SU Maximum 26 dB  
EBW



| Protocol         | 6 dB Bandwidth (MHz) |         |
|------------------|----------------------|---------|
|                  | Minimum              | Maximum |
| 802.11n HT20     | 16.980               | 17.340  |
| 802.11n HT40     | 35.280               | 35.520  |
| 802.11ac VHT80   | 75.680               | 75.680  |
| 802.11ax HE20 SU | 18.840               | 18.960  |
| 802.11ax HE40 SU | 37.320               | 38.040  |
| 802.11ax HE80 SU | 76.120               | 76.340  |

Table 163 - 6 dB Bandwidth Summary Results - MIMO SDM




Figure 309 - 802.11n HT20 Minimum 6 dB EBW




Figure 310 - 802.11n HT20 Maximum 6 dB EBW




Figure 311 - 802.11n HT40 Minimum 6 dB EBW




Figure 312 - 802.11n HT40 Maximum 6 dB EBW



Figure 313 - 802.11ac VHT80 Minimum 6 dB  
EBW




Figure 314 - 802.11ac VHT80 Maximum 6 dB  
EBW




Figure 315 - 802.11ax HE20 SU Minimum 6 dB  
EBW




Figure 316 - 802.11ax HE20 SU Maximum 6 dB  
EBW




Figure 317 - 802.11ax HE40 SU Minimum 6 dB  
EBW





Figure 318 - 802.11ax HE40 SU Maximum 6 dB  
EBW



**Figure 320 - 802.11ax HE80 SU Maximum 6 dB  
EBW**



| Protocol          | 99% Bandwidth (MHz) |         |
|-------------------|---------------------|---------|
|                   | Minimum             | Maximum |
| 802.11n HT20      | 17.640              | 17.880  |
| 802.11n HT40      | 36.300              | 36.720  |
| 802.11ac VHT80    | 75.680              | 76.120  |
| 802.11ac VHT160   | 154.140             | 154.560 |
| 802.11ax HE20 SU  | 18.900              | 19.020  |
| 802.11ax HE40 SU  | 37.680              | 37.920  |
| 802.11ax HE80 SU  | 76.780              | 77.000  |
| 802.11ax HE160 SU | 155.400             | 155.820 |

Table 164 - 99% Bandwidth Summary Results - MIMO SDM




Figure 321 - 802.11n HT20 Minimum 99% OBW




Figure 322 - 802.11n HT20 Maximum 99% OBW




Figure 323 - 802.11n HT40 Minimum 99% OBW




Figure 324 - 802.11n HT40 Maximum 99% OBW




Figure 325 - 802.11ac VHT80 Minimum 99% OBW




Figure 326 - 802.11ac VHT80 Maximum 99% OBW




Figure 327 - 802.11ac VHT160 Minimum 99% OBW




Figure 328 - 802.11ac VHT160 Maximum 99% OBW




Figure 329 - 802.11ax HE20 SU Minimum 99% OBW




Figure 330 - 802.11ax HE20 SU Maximum 99% OBW




Figure 331 - 802.11ax HE40 SU Minimum 99% OBW




Figure 332 - 802.11ax HE40 SU Maximum 99% OBW




Figure 333 - 802.11ax HE80 SU Minimum 99% OBW




Figure 334 - 802.11ax HE80 SU Maximum 99% OBW




Figure 335 - 802.11ax HE160 SU Minimum 99% OBW




Figure 336 - 802.11ax HE160 SU Maximum 99% OBW



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT20          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS10                 | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO SDM              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5180                 | 22.560                | 21.660 | - | - | -           |
| 5220                 | 20.880                | 21.060 | - | - | -           |
| 5240                 | 21.060                | 21.000 | - | - | -           |

**Table 165 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5180                 | 17.820              | 17.820 | - | - | -           |
| 5220                 | 17.700              | 17.700 | - | - | -           |
| 5240                 | 17.700              | 17.700 | - | - | -           |

**Table 166 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11n HT40          | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS10                 | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO SDM              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5190                 | 43.080                | 45.120 | - | - | -           |
| 5230                 | 41.280                | 41.280 | - | - | -           |

**Table 167 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5190                 | 36.600              | 36.600 | - | - | -           |
| 5230                 | 36.360              | 36.300 | - | - | -           |

**Table 168 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT80        | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x2                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO SDM              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5210                 | 84.260                | 84.700 | - | - | -           |

**Table 169 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5210                 | 75.900              | 75.680 | - | - | -           |

**Table 170 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ac VHT160       | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x2                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO SDM              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5250                 | 82.320                | 82.320 | - | - | -           |

**Table 171 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5250                 | 76.860              | 77.280 | - | - | -           |

**Table 172 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE20 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x2                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO SDM              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5180                 | 21.840                | 24.420 | - | - | -           |
| 5220                 | 20.940                | 21.060 | - | - | -           |
| 5240                 | 21.000                | 21.000 | - | - | -           |

**Table 173 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5180                 | 19.020              | 19.020 | - | - | -           |
| 5220                 | 18.900              | 18.960 | - | - | -           |
| 5240                 | 18.900              | 18.900 | - | - | -           |

**Table 174 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE40 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x2                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO SDM              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5190                 | 42.960                | 42.720 | - | - | -           |
| 5230                 | 41.640                | 41.640 | - | - | -           |

**Table 175 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5190                 | 37.920              | 37.920 | - | - | -           |
| 5230                 | 37.800              | 37.800 | - | - | -           |

**Table 176 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                               |
|--------------------------|-----------------|-----------------|-------------------------------|
| Frequency Range:         | 5.150-5.250 GHz | Band:           | U-NII-1                       |
| Limit Clause(s):         | -               | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | -               |                 |                               |

| DUT Configuration         |                       |                          |     |
|---------------------------|-----------------------|--------------------------|-----|
| Mode:                     | 802.11ax HE80 SU      | Duty Cycle (%):          | -   |
| Modulation Coding Scheme: | MCS2x2                | DCCF (dB):               | -   |
| Antenna Configuration:    | MIMO SDM              | Peak Antenna Gain (dBi): | -   |
| Active Port(s):           | A+B (Core 0 + Core 1) | Active Chain(s):         | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5210                 | 83.600                | 84.920 | - | - | -           |

**Table 177 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (kHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5210                 | 77.000              | 76.780 | - | - | -           |

**Table 178 - 99% Bandwidth Results**