



LG FCC ID: BEJCB795D FCC/B
640 x 480 NI 43KHz./85Hz. LINE A PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.166	46.95	65.18	-18.23	39.21	54.61	-15.40
2	.221	42.33	62.79	-20.46	34.95	52.91	-17.96
3	.265	38.94	61.26	-22.32	37.51	51.28	-13.77
4	.310	36.91	59.97	-23.06	35.77	50.00	-14.23
5	2.098	32.46	56.00	-23.54	29.19	46.00	-16.81
6	.355	35.15	58.86	-23.71	33.13	48.89	-15.76
7	.444	29.37	56.99	-27.62	26.86	47.00	-20.14
8	.667	26.88	56.00	-29.12	23.21	46.00	-22.79
9	.399	30.08	57.87	-27.79	27.76	47.88	-20.12
10	1.915	28.88	56.00	-27.12	24.94	46.00	-21.06


LG FCC ID: BEJCB795D FCC/B
640 x 480 NI 43KHz./85Hz. LINE B PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.164	49.57	65.26	-15.69	42.45	54.80	-12.35
2	.211	43.34	63.15	-19.81	38.04	52.91	-14.87
3	.265	40.30	61.26	-20.96	37.61	51.31	-13.70
4	.311	37.68	59.96	-22.28	35.43	50.00	-14.57
5	.355	35.30	58.85	-23.55	33.14	48.88	-15.74
6	.443	30.75	57.00	-26.25	26.71	46.99	-20.28
7	.236	40.65	62.22	-21.57	32.77	51.89	-19.12
8	2.053	30.91	56.00	-25.09	28.69	46.00	-17.31
9	.355	35.54	58.85	-23.31	33.07	48.88	-15.81
10	.528	26.33	56.00	-29.67	19.57	46.00	-26.43




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	48.87	65.95	-17.08	35.92	55.74	-19.82
2	.320	38.14	59.72	-21.58	37.00	49.73	-12.73
3	2.095	33.10	56.00	-22.90	30.55	46.00	-15.45
4	.204	41.60	63.45	-21.85	32.15	53.27	-21.12
5	.266	39.35	61.24	-21.89	37.69	51.25	-13.56
6	18.886	31.99	60.00	-28.01	23.58	50.00	-26.42
7	1.983	30.63	56.00	-25.37	27.83	46.00	-18.17
8	.374	33.71	58.42	-24.71	32.03	48.44	-16.41
9	1.929	29.37	56.00	-26.63	24.43	46.00	-21.57
10	1.071	29.29	56.00	-26.71	26.40	46.00	-19.60



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	51.32	65.94	-14.62	45.49	55.45	-9.96
2	.320	38.99	59.71	-20.72	37.81	49.74	-11.93
3	.202	44.55	63.54	-18.99	38.46	53.26	-14.80
4	2.094	34.40	56.00	-21.60	32.70	46.00	-13.30
5	.266	40.77	61.24	-20.47	38.68	51.28	-12.60
6	.374	34.92	58.42	-23.50	32.71	48.44	-15.73
7	.427	31.40	57.31	-25.91	28.09	47.32	-19.23
8	.481	30.43	56.33	-25.90	26.93	46.35	-19.42
9	.535	27.54	56.00	-28.46	22.80	46.00	-23.20
10	.379	32.95	58.31	-25.36	22.76	48.09	-25.33

LG FCC ID: BEJCB795D FCC/B
1024 x 768 NI 69KHz./85Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.205	44.58	63.42	-18.84	42.21	53.45	-11.24
2	.273	41.44	61.01	-19.57	39.94	51.03	-11.09
3	.342	38.65	59.15	-20.50	37.89	49.17	-11.28
4	.411	34.17	57.62	-23.45	32.37	47.64	-15.27
5	2.138	34.60	56.00	-21.40	32.97	46.00	-13.03
6	23.154	37.14	60.00	-22.86	33.69	50.00	-16.31
7	2.070	32.79	56.00	-23.21	30.15	46.00	-15.85
8	1.996	31.39	56.00	-24.61	28.79	46.00	-17.21
9	2.208	31.73	56.00	-24.27	28.01	46.00	-17.99
10	1.858	30.59	56.00	-25.41	26.63	46.00	-19.37


LG FCC ID: BEJCB795D FCC/B
1024 x 768 NI 69KHz./85Hz. LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.192	46.29	63.95	-17.66	39.98	53.57	-13.59
2	.342	38.70	59.14	-20.44	37.10	49.17	-12.07
3	.273	41.20	61.01	-19.81	39.49	51.03	-11.54
4	.411	34.23	57.63	-23.40	31.95	47.62	-15.67
5	2.139	33.25	56.00	-22.75	31.36	46.00	-14.64
6	23.154	35.99	60.00	-24.01	32.17	50.00	-17.83
7	.509	26.16	56.00	-29.84	19.98	46.00	-26.04
8	2.070	31.50	56.00	-24.50	28.73	46.00	-17.27
9	2.207	31.78	56.00	-24.22	27.57	46.00	-18.43
10	.311	33.83	59.95	-26.12	27.08	49.82	-22.74

LG FCC ID: BEJCB795D FCC/B
1280 x 1024 NI 91KHz./85Hz. LINE A PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.179	51.07	64.54	-13.47	44.85	54.57	-9.72
2	.269	46.02	61.14	-15.12	44.03	51.16	-7.13
3	.360	40.40	58.74	-18.34	39.32	48.77	-9.45
4	2.082	36.95	56.00	-19.05	34.87	46.00	-11.13
5	1.987	34.77	56.00	-21.23	30.50	46.00	-15.50
6	1.897	33.34	56.00	-22.66	30.02	46.00	-15.98
7	27.758	24.97	60.00	-35.03	19.16	50.00	-30.84
8	1.173	32.02	56.00	-23.98	27.85	46.00	-18.15
9	1.716	30.89	56.00	-25.11	25.38	46.00	-20.62
10	1.083	31.24	56.00	-24.76	28.15	46.00	-17.85


LG FCC ID: BEJCB795D FCC/B
1280 x 1024 NI 91KHz./85Hz. LINE B PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.179	50.24	64.54	-14.30	45.29	54.53	-9.24
2	.269	45.26	61.14	-15.88	43.79	51.15	-7.36
3	.360	40.17	58.74	-18.57	39.28	48.76	-9.48
4	2.082	34.93	56.00	-21.07	31.55	46.00	-14.45
5	.360	40.22	58.74	-18.52	39.11	48.77	-9.66
6	2.172	34.75	56.00	-21.25	34.43	46.00	-11.57
7	1.987	32.53	56.00	-23.47	28.68	46.00	-17.32
8	1.173	30.53	56.00	-25.47	26.84	46.00	-19.16
9	1.897	31.74	56.00	-24.26	28.90	46.00	-17.10
10	.540	29.60	56.00	-26.40	24.69	46.00	-21.31



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.186	46.84	64.20	-17.36	36.50	54.37	-17.87
2	.281	43.65	60.80	-17.15	42.96	50.82	-7.86
3	.375	38.62	58.39	-19.77	38.15	48.41	-10.26
4	2.265	33.94	56.00	-22.06	29.86	46.00	-16.14
5	2.170	34.12	56.00	-21.88	30.86	46.00	-15.14
6	2.076	33.62	56.00	-22.38	31.99	46.00	-14.01
7	1.883	31.46	56.00	-24.54	27.01	46.00	-18.99
8	1.789	31.43	56.00	-24.57	28.26	46.00	-17.74
9	1.129	31.46	56.00	-24.54	28.41	46.00	-17.59
10	.469	28.88	56.52	-27.64	25.09	46.54	-21.45



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.186	49.92	64.20	-14.28	45.99	54.22	-8.23
2	.281	44.47	60.80	-16.33	43.39	50.81	-7.42
3	.375	39.76	58.39	-18.63	38.87	48.41	-9.54
4	2.264	36.62	56.00	-19.38	33.31	46.00	-12.69
5	2.076	33.56	56.00	-22.44	31.42	46.00	-14.58
6	2.170	33.14	56.00	-22.86	31.50	46.00	-14.50
7	1.883	31.51	56.00	-24.49	29.04	46.00	-16.96
8	1.129	31.60	56.00	-24.40	29.64	46.00	-16.36
9	1.600	30.94	56.00	-25.06	27.45	46.00	-18.55
10	1.789	31.11	56.00	-24.89	28.29	46.00	-17.71