



ATTACHMENT D – TEST PLOT(S)

LGE FCC ID: BEJFM776F FCC Class B
1280 x 1024 64KHz./60Hz. LINE A PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.193	31.69	56.00	-24.31	23.39	46.00	-22.61
2	.191	40.03	63.99	-23.96	32.15	54.01	-21.86
3	.706	33.74	56.00	-22.26	23.09	46.00	-22.91
4	.449	34.20	56.90	-22.70	21.76	46.91	-25.15
5	.900	32.54	56.00	-23.46	22.25	46.00	-23.75
6	2.000	26.18	56.00	-29.82	19.49	46.00	-26.51
7	2.257	29.35	56.00	-26.65	21.18	46.00	-24.82
8	2.386	29.62	56.00	-26.38	20.65	46.00	-25.35
9	.385	33.46	58.18	-24.72	23.04	48.20	-25.16
10	.965	29.95	56.00	-26.05	21.04	46.00	-24.96


LGE FCC ID: BEJFM776F FCC Class B
1280 x 1024 64KHz./60Hz. LINE B PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.193	35.83	56.00	-20.17	25.17	46.00	-20.83
2	2.321	35.96	56.00	-20.04	25.09	46.00	-20.91
3	2.063	35.41	56.00	-20.59	23.47	46.00	-22.53
4	.707	35.97	56.00	-20.03	25.23	46.00	-20.77
5	.191	42.94	63.97	-21.03	36.14	54.01	-17.87
6	.900	35.31	56.00	-20.69	25.60	46.00	-20.40
7	.449	35.11	56.89	-21.78	24.40	46.90	-22.50
8	1.998	32.64	56.00	-23.36	22.24	46.00	-23.76
9	.514	33.86	56.00	-22.14	23.55	46.00	-22.45
10	2.387	34.25	56.00	-21.75	24.43	46.00	-21.57




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.148	36.74	56.00	-19.26	24.79	46.00	-21.21
2	2.217	37.20	56.00	-18.80	25.69	46.00	-20.31
3	.482	36.95	56.30	-19.35	25.58	46.32	-20.74
4	.759	36.24	56.00	-19.76	25.54	46.00	-20.46
5	2.287	36.50	56.00	-19.50	26.00	46.00	-20.00
6	2.356	35.49	56.00	-20.51	24.98	46.00	-21.02
7	2.079	35.47	56.00	-20.53	23.92	46.00	-22.08
8	.275	37.77	60.97	-23.20	28.13	50.97	-22.84
9	.690	33.65	56.00	-22.35	23.18	46.00	-22.82
10	.552	33.64	56.00	-22.36	23.47	46.00	-22.53




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.148	37.05	56.00	-18.95	24.50	46.00	-21.50
2	.483	37.60	56.30	-18.70	26.18	46.31	-20.13
3	.759	37.44	56.00	-18.56	27.17	46.00	-18.83
4	2.287	36.96	56.00	-19.04	25.94	46.00	-20.06
5	.205	42.67	63.39	-20.72	35.98	53.39	-17.41
6	.690	33.31	56.00	-22.69	23.18	46.00	-22.82
7	.552	34.00	56.00	-22.00	23.65	46.00	-22.35
8	2.079	35.79	56.00	-20.21	24.00	46.00	-22.00
9	.275	39.10	60.97	-21.87	30.38	51.01	-20.63
10	.967	32.80	56.00	-23.20	23.49	46.00	-22.51




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.226	36.12	56.00	-19.88	25.23	46.00	-20.77
2	.172	42.13	64.84	-22.71	33.53	54.86	-21.33
3	1.960	31.95	56.00	-24.05	21.90	46.00	-24.10
4	1.917	30.56	56.00	-25.44	20.59	46.00	-25.41
5	1.873	29.33	56.00	-26.67	20.72	46.00	-25.28
6	.216	36.98	62.99	-26.01	28.66	53.01	-24.35
7	1.829	28.63	56.00	-27.37	20.13	46.00	-25.87
8	.347	33.11	59.04	-25.93	24.27	49.06	-24.79
9	1.001	29.37	56.00	-26.63	21.56	46.00	-24.44
10	4.668	26.99	56.00	-29.01	22.41	46.00	-23.59



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.139	35.88	56.00	-20.12	24.00	46.00	-22.00
2	.172	42.87	64.84	-21.97	35.25	54.87	-19.62
3	1.960	32.24	56.00	-23.76	21.43	46.00	-24.57
4	1.916	30.80	56.00	-25.20	21.13	46.00	-24.87
5	2.402	33.23	56.00	-22.77	22.72	46.00	-23.28
6	1.873	29.39	56.00	-26.61	20.68	46.00	-25.32
7	.347	34.00	59.04	-25.04	25.48	49.07	-23.59
8	.216	36.98	62.98	-26.00	28.39	53.12	-24.73
9	4.756	27.86	56.00	-28.14	21.15	46.00	-24.85
10	1.001	29.31	56.00	-26.69	21.40	46.00	-24.60



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.164	35.39	56.00	-20.61	24.19	46.00	-21.81
2	2.109	34.83	56.00	-21.17	23.52	46.00	-22.48
3	2.326	34.89	56.00	-21.11	24.45	46.00	-21.55
4	2.055	33.91	56.00	-22.09	22.58	46.00	-23.42
5	.917	32.88	56.00	-23.12	23.79	46.00	-22.21
6	.160	42.18	65.46	-23.28	35.03	55.50	-20.47
7	.539	31.77	56.00	-24.23	22.25	46.00	-23.75
8	.754	31.59	56.00	-24.41	22.69	46.00	-23.31
9	1.943	30.58	56.00	-25.42	20.38	46.00	-25.62
10	.322	35.67	59.65	-23.98	25.72	49.68	-23.96



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.109	37.05	56.00	-18.95	24.94	46.00	-21.06
2	2.218	37.40	56.00	-18.60	25.41	46.00	-20.59
3	.917	34.82	56.00	-21.18	25.53	46.00	-20.47
4	.160	45.28	65.46	-20.18	39.20	55.52	-16.32
5	.322	38.43	59.65	-21.22	29.79	49.66	-19.87
6	.538	33.85	56.00	-22.15	23.90	46.00	-22.10
7	.754	33.68	56.00	-22.32	24.44	46.00	-21.56
8	1.943	32.44	56.00	-23.56	22.05	46.00	-23.95
9	.701	31.94	56.00	-24.06	23.15	46.00	-22.85
10	.863	32.19	56.00	-23.81	23.19	46.00	-22.81