



9.5.38. 802.11be EHT80 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.39. 802.11be EHT160 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.56112	-76.06	RMS	13.9	2.6	-59.56	-49.37	-10.19
2	6.82104	-26	RMS	14	2.6	-9.4	-9.37	-.03
3	7.09212	-75.53	RMS	14.1	2.6	-58.83	-49.37	-9.46

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72004	-75.57	RMS	14	2.6	-58.97	-48.71	-10.26
2	6.9814	-25.7	RMS	14.2	2.6	-8.9	-8.71	-.19
3	7.25104	-75.75	RMS	14.1	2.6	-59.05	-48.71	-10.34


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72508	-76.8	RMS	14	2.6	-60.2	-48.93	-11.27
2	6.99076	-25.73	RMS	14.1	2.6	-9.03	-8.94	-.09
3	7.24888	-76.57	RMS	14.2	2.6	-59.77	-48.94	-10.83

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.56148	-76.42	RMS	13.9	2.6	-59.92	-49.07	-10.85
2	6.81852	-25.69	RMS	14	2.6	-9.09	-9.07	-.02
3	7.09284	-75.89	RMS	14.1	2.6	-59.19	-49.07	-10.12

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72004	-75.22	RMS	14	2.6	-58.62	-48.6	-10.02
2	6.98176	-25.67	RMS	14.2	2.6	-8.87	-8.6	-.27
3	7.25716	-75.67	RMS	14.1	2.6	-58.97	-48.6	-10.37


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71536	-76.06	RMS	14	2.6	-59.46	-49.17	-10.29
2	6.97672	-26.07	RMS	14.1	2.6	-9.37	-9.17	-.2
3	7.24996	-75.91	RMS	14.2	2.6	-59.11	-49.17	-9.94


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72436	-75.34	RMS	14	2.6	-58.74	-48.28	-10.46
2	6.99076	-25.31	RMS	14.2	2.6	-8.51	-8.28	-.23
3	7.25428	-75.9	RMS	14.1	2.6	-59.2	-48.28	-10.92

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72184	-75.79	RMS	14	2.6	-59.19	-49	-10.19
2	6.99112	-25.82	RMS	14.1	2.6	-9.12	-9	-.12
3	7.25068	-75.89	RMS	14.2	2.6	-59.09	-49	-10.09

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55788	-75.7	RMS	13.9	2.6	-59.2	-48.91	-10.29
2	6.82968	-25.58	RMS	14	2.6	-8.98	-8.91	-.07
3	7.08816	-75.48	RMS	14.1	2.6	-58.78	-48.91	-9.87


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54744	-76.27	RMS	13.9	2.6	-59.77	-49.27	-10.5
2	6.83004	-25.97	RMS	14	2.6	-9.37	-9.27	-.1
3	7.09212	-75.54	RMS	14.1	2.6	-58.84	-49.27	-9.57


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5568	-76.66	RMS	13.9	2.6	-60.16	-51.64	-8.52
2	6.81924	-28.46	RMS	14	2.6	-11.86	-11.64	-.22
3	7.10148	-75.88	RMS	14.1	2.6	-59.18	-51.64	-7.54

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55644	-77.67	RMS	13.9	2.6	-61.17	-52.09	-9.08
2	6.83436	-28.87	RMS	14	2.6	-12.27	-12.09	-.18
3	7.10652	-76.68	RMS	14.1	2.6	-59.98	-52.09	-7.89

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72112	-76.6	RMS	14	2.6	-60	-51.16	-8.84
2	6.99184	-28.05	RMS	14.2	2.6	-11.25	-11.16	-.09
3	7.24996	-76.59	RMS	14.1	2.6	-59.89	-51.16	-8.73


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71428	-76.74	RMS	14	2.6	-60.14	-51.85	-8.29
2	6.98212	-28.7	RMS	14.1	2.6	-12	-11.85	-.15
3	7.255	-76.65	RMS	14.2	2.6	-59.85	-51.85	-8


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54672	-76.93	RMS	13.9	2.6	-60.43	-51.77	-8.66
2	6.83112	-28.49	RMS	14	2.6	-11.89	-11.77	-.12
3	7.09356	-76.34	RMS	14.1	2.6	-59.64	-51.77	-7.87

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55428	-77.24	RMS	13.9	2.6	-60.74	-51.83	-8.91
2	6.8196	-28.59	RMS	14	2.6	-11.99	-11.83	-.16
3	7.09716	-76.59	RMS	14.1	2.6	-59.89	-51.83	-8.06

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71608	-76.54	RMS	14	2.6	-59.94	-51.38	-8.56
2	6.99112	-28.36	RMS	14.2	2.6	-11.56	-11.38	-.18
3	7.2568	-76.65	RMS	14.1	2.6	-59.95	-51.38	-8.57


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7186	-76.87	RMS	14	2.6	-60.27	-51.95	-8.32
2	6.9904	-28.79	RMS	14.1	2.6	-12.09	-11.95	-.14
3	7.25104	-76.74	RMS	14.2	2.6	-59.94	-51.95	-7.99


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55644	-76.57	RMS	13.9	2.6	-60.07	-51.66	-8.41
2	6.8304	-28.43	RMS	14	2.6	-11.83	-11.66	-.17
3	7.10364	-75.77	RMS	14.1	2.6	-59.07	-51.66	-7.41

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.546	-77.32	RMS	13.9	2.6	-60.82	-52.01	-8.81
2	6.83724	-28.75	RMS	14	2.6	-12.15	-12.01	-.14
3	7.09356	-76.31	RMS	14.1	2.6	-59.61	-52.01	-7.6

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71608	-76.32	RMS	14	2.6	-59.72	-50.97	-8.75
2	6.99148	-27.98	RMS	14.2	2.6	-11.18	-10.97	-.21
3	7.26004	-76.08	RMS	14.1	2.6	-59.38	-50.97	-8.41


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71968	-76.88	RMS	14	2.6	-60.28	-51.73	-8.55
2	6.99328	-28.51	RMS	14.1	2.6	-11.81	-11.73	-.08
3	7.25356	-76.73	RMS	14.2	2.6	-59.93	-51.73	-8.2


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54924	-76.49	RMS	13.9	2.6	-59.99	-51.74	-8.25
2	6.81852	-28.35	RMS	14	2.6	-11.75	-11.74	-.01
3	7.09932	-76	RMS	14.1	2.6	-59.3	-51.74	-7.56

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54672	-77.5	RMS	13.9	2.6	-61	-52.11	-8.89
2	6.81762	-28.8	RMS	14	2.6	-12.2	-12.11	-.09
3	7.09356	-76.2	RMS	14.1	2.6	-59.5	-52.11	-7.39

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72004	-76.54	RMS	14	2.6	-59.94	-51.65	-8.29
2	6.99328	-28.55	RMS	14.2	2.6	-11.75	-11.65	-.1
3	7.25284	-76.68	RMS	14.1	2.6	-59.98	-51.65	-8.33


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71932	-76.75	RMS	14	2.6	-60.15	-51.78	-8.37
2	6.99256	-28.6	RMS	14.1	2.6	-11.9	-11.78	-.12
3	7.24924	-76.85	RMS	14.2	2.6	-60.05	-51.78	-8.27


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5586	-76.57	RMS	13.9	2.6	-60.07	-51.71	-8.36
2	6.82104	-28.47	RMS	14	2.6	-11.87	-11.71	-.16
3	7.09968	-76.08	RMS	14.1	2.6	-59.38	-51.71	-7.67

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.54888	-77.38	RMS	13.9	2.6	-60.88	-52.13	-8.75
2	6.83112	-28.96	RMS	14	2.6	-12.36	-12.13	-.23
3	7.09824	-76.07	RMS	14.1	2.6	-59.37	-52.13	-7.24

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.72004	-76.75	RMS	14	2.6	-60.15	-51.32	-8.83
2	6.98932	-28.15	RMS	14.2	2.6	-11.35	-11.32	-.03
3	7.25464	-76.6	RMS	14.1	2.6	-59.9	-51.32	-8.58


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71896	-76.73	RMS	14	2.6	-60.13	-51.39	-8.74
2	6.99148	-28.28	RMS	14.1	2.6	-11.58	-11.39	-.19
3	7.25464	-76.74	RMS	14.2	2.6	-59.94	-51.39	-8.55


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.56004	-76.77	RMS	13.9	2.6	-60.27	-51.67	-8.6
2	6.81672	-28.44	RMS	14	2.6	-11.84	-11.67	-.17
3	7.09572	-76.09	RMS	14.1	2.6	-59.39	-51.67	-7.72

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55104	-77.57	RMS	13.9	2.6	-61.07	-51.94	-9.13
2	6.81708	-28.72	RMS	14	2.6	-12.12	-11.94	-.18
3	7.09248	-76.36	RMS	14.1	2.6	-59.66	-51.94	-7.72

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71428	-76.54	RMS	14	2.6	-59.94	-51.25	-8.69
2	6.98104	-28.27	RMS	14.2	2.6	-11.47	-11.25	-.22
3	7.26544	-76.9	RMS	14.2	2.6	-60.1	-51.25	-8.85


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.71284	-76.83	RMS	14	2.6	-60.23	-51.58	-8.65
2	6.9796	-28.4	RMS	14.1	2.6	-11.7	-11.58	-.12
3	7.26274	-76.76	RMS	14.1	2.6	-60.06	-51.58	-8.48


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55608	-76.76	RMS	13.9	2.6	-60.26	-51.71	-8.55
2	6.81708	-28.49	RMS	14	2.6	-11.89	-11.71	-.18
3	7.0878	-76.01	RMS	14.1	2.6	-59.31	-51.71	-7.6

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5568	-77.14	RMS	13.9	2.6	-60.64	-51.8	-8.84
2	6.83652	-28.62	RMS	14	2.6	-12.02	-11.8	-.22
3	7.09248	-76.23	RMS	14.1	2.6	-59.53	-51.8	-7.73

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7204	-76.79	RMS	14	2.6	-60.19	-51.63	-8.56
2	6.98896	-28.45	RMS	14.1	2.6	-11.75	-11.63	-.12
3	7.25464	-76.86	RMS	14.2	2.6	-60.06	-51.63	-8.43


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.715	-76.69	RMS	14	2.6	-60.09	-51.33	-8.76
2	6.99184	-28.28	RMS	14.2	2.6	-11.48	-11.33	-.15
3	7.2586	-76.7	RMS	14.1	2.6	-60	-51.33	-8.67


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.55356	-75.77	RMS	13.9	2.6	-59.27	-48.9	-10.37
2	6.83184	-25.67	RMS	14	2.6	-9.07	-8.9	-.17
3	7.09536	-75.51	RMS	14.1	2.6	-58.81	-48.9	-9.91

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.56364	-76.28	RMS	13.9	2.6	-59.78	-49.06	-10.72
2	6.82176	-25.91	RMS	14	2.6	-9.31	-9.06	-.25
3	7.09032	-75.45	RMS	14.1	2.6	-58.75	-49.06	-9.69

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7186	-75.47	RMS	14	2.6	-58.87	-48.25	-10.62
2	6.98212	-25.3	RMS	14.2	2.6	-8.5	-8.25	-.25
3	7.25104	-75.82	RMS	14.1	2.6	-59.12	-48.25	-10.87

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7204	-74.66	RMS	14	2.6	-58.06	-48.84	-9.22
2	6.98896	-25.59	RMS	14.1	2.6	-8.89	-8.84	-.05
3	7.24924	-74.5	RMS	14.2	2.6	-57.7	-48.84	-8.86

RMS - RMS detection


9.5.40. 802.11be EHT320 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7372	-25.73	RMS	14	2.6	-9.13	-9.05	-.08
2	6.5782	-73.72	RMS	13.9	2.6	-57.22	-9.05	-48.17
3	6.9148	-71.47	RMS	14	2.6	-54.87	-29.14	-25.73

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.739	-25.88	RMS	14	2.6	-9.28	-9.12	-.16
2	6.5788	-73.08	RMS	13.9	2.6	-56.58	-9.12	-47.46
3	6.9148	-71.01	RMS	14	2.6	-54.41	-29.21	-25.2

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9206	-23.63	RMS	14	2.6	-7.03	-6.85	-.18
2	6.7382	-68.2	RMS	14	2.6	-51.6	-6.85	-44.75
3	7.073	-67.01	RMS	14.1	2.6	-50.31	-26.85	-23.46


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9158	-24.07	RMS	14	2.6	-7.47	-7.43	-.04
2	6.7382	-70.54	RMS	14	2.6	-53.94	-7.43	-46.51
3	7.0742	-68.1	RMS	14.1	2.6	-51.4	-27.49	-23.91


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7372	-26.29	RMS	14	2.6	-9.69	-9.62	-.07
2	6.5806	-71.83	RMS	13.9	2.6	-55.33	-9.62	-45.71
3	6.9148	-69.84	RMS	14	2.6	-53.24	-29.71	-23.53

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7492	-26.07	RMS	14	2.6	-9.47	-9.39	-.08
2	6.5788	-72.58	RMS	13.9	2.6	-56.08	-9.39	-46.69
3	6.916	-71.29	RMS	14	2.6	-54.69	-29.54	-25.15

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.917	-23.71	RMS	14	2.6	-7.11	-6.99	-.12
2	6.7358	-70.49	RMS	14	2.6	-53.89	-27.05	-26.84
3	7.0754	-66.97	RMS	14.1	2.6	-50.27	-27.11	-23.16


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9158	-24.24	RMS	14	2.6	-7.64	-7.57	-.07
2	6.7364	-69.9	RMS	14	2.6	-53.3	-27.6	-25.7
3	7.0736	-66.41	RMS	14.1	2.6	-49.71	-27.6	-22.11


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7582	-23.61	RMS	14	2.6	-7.01	-6.97	-.04
2	6.5782	-69.95	RMS	13.9	2.6	-53.45	-6.97	-46.48
3	6.9154	-69.62	RMS	14	2.6	-53.02	-27.09	-25.93

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7546	-24.1	RMS	14	2.6	-7.5	-7.48	-.02
2	6.5764	-70.41	RMS	13.9	2.6	-53.91	-27.51	-26.4
3	6.913	-66.03	RMS	14	2.6	-49.43	-27.48	-21.95

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9176	-23.18	RMS	14	2.6	-6.58	-6.43	-.15
2	6.7388	-70.28	RMS	14	2.6	-53.68	-6.43	-47.25
3	7.0742	-67.77	RMS	14.1	2.6	-51.07	-26.49	-24.58


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9176	-23.99	RMS	14	2.6	-7.39	-7.34	-.05
2	6.737	-71.08	RMS	14	2.6	-54.48	-27.34	-27.14
3	7.0742	-69.24	RMS	14.1	2.6	-52.54	-27.4	-25.14


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.73	-23.9	RMS	14	2.6	-7.3	-7.12	-1.18
2	6.5758	-67.78	RMS	13.9	2.6	-51.28	-27.18	-24.1
3	6.913	-66.5	RMS	14	2.6	-49.9	-27.12	-22.78

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7366	-24.15	RMS	14	2.6	-7.55	-7.47	-.08
2	6.5782	-70.89	RMS	13.9	2.6	-54.39	-7.47	-46.92
3	6.9136	-67.79	RMS	14	2.6	-51.19	-27.5	-23.69

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.8984	-23.56	RMS	14	2.6	-6.96	-6.92	-.04
2	6.7388	-67.95	RMS	14	2.6	-51.35	-6.92	-44.43
3	7.0736	-68.14	RMS	14.1	2.6	-51.44	-26.95	-24.49


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.8936	-23.43	RMS	14	2.6	-6.83	-6.71	-.12
2	6.7364	-70.68	RMS	14	2.6	-54.08	-26.74	-27.34
3	7.0724	-62.59	RMS	14.1	2.6	-45.89	-14.71	-31.18

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.736	-24.04	RMS	14	2.6	-7.44	-7.39	-.05
2	6.5758	-69.49	RMS	13.9	2.6	-52.99	-27.45	-25.54
3	6.9136	-68.98	RMS	14	2.6	-52.38	-27.42	-24.96

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9134	-23.55	RMS	14	2.6	-6.95	-6.89	-.06
2	6.737	-63.45	RMS	14	2.6	-46.85	-26.89	-19.96
3	7.073	-65.7	RMS	14.1	2.6	-49	-26.89	-22.11


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.9164	-23.94	RMS	14	2.6	-7.34	-7.17	-1.17
2	6.7388	-68.9	RMS	14	2.6	-52.3	-7.17	-45.13
3	7.0754	-68.54	RMS	14.1	2.6	-51.84	-27.29	-24.55


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.247	-74.39	RMS	13.8	2.3	-58.29	-50.48	-7.81
2	6.7519	-27.42	RMS	14	2.6	-10.82	-10.63	-.19
3	7.2526	-74.94	RMS	14.1	2.6	-58.24	-50.63	-7.61

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2656	-73.48	RMS	13.8	2.3	-57.38	-48.58	-8.8
2	6.7516	-26.78	RMS	14	2.6	-10.18	-10.09	-.09
3	7.246	-75.43	RMS	14.2	2.6	-58.63	-50.09	-8.54

RMS - RMS detection




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.395	-73.13	RMS	13.8	2.3	-57.03	-47.74	-9.29
2	6.8948	-24.42	RMS	14	2.6	-7.82	-7.74	-.08
3	7.4162	-73.3	RMS	14.1	2.6	-56.6	-47.74	-8.86


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.238	-75.22	RMS	13.8	2.3	-59.12	-50.39	-8.73
2	6.7558	-27.18	RMS	14	2.6	-10.58	-10.39	-1.19
3	7.2556	-75.24	RMS	14.1	2.6	-58.54	-50.39	-8.15

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2368	-75.13	RMS	13.8	2.3	-59.03	-50.19	-8.84
2	6.7546	-26.81	RMS	14	2.6	-10.21	-10.19	-.02
3	7.2568	-75.09	RMS	14.2	2.6	-58.29	-50.19	-8.1

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3956	-72.3	RMS	13.8	2.3	-56.2	-46.47	-9.73
2	6.9104	-23.17	RMS	14	2.6	-6.57	-6.47	-.1
3	7.4162	-73.16	RMS	14.2	2.6	-56.36	-46.47	-9.89


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3998	-72.87	RMS	13.8	2.3	-56.77	-47.75	-9.02
2	6.9194	-24.45	RMS	14	2.6	-7.85	-7.75	-.1
3	7.4198	-73.1	RMS	14.1	2.6	-56.4	-47.75	-8.65


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER
INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2254	-75.03	RMS	13.8	2.3	-58.93	-50.51	-8.42
2	6.7414	-27.24	RMS	14	2.6	-10.64	-10.51	-.13
3	7.249	-74.96	RMS	14.1	2.6	-58.26	-50.51	-7.75

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2416	-75.4	RMS	13.8	2.3	-59.3	-49.95	-9.35
2	6.7354	-26.67	RMS	14	2.6	-10.07	-9.95	-.12
3	7.252	-75.37	RMS	14.2	2.6	-58.57	-49.95	-8.62

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4004	-72.01	RMS	13.9	2.3	-55.81	-47.16	-8.65
2	6.896	-24.02	RMS	14	2.6	-7.42	-7.16	-.26
3	7.4384	-73.34	RMS	14.2	2.6	-56.54	-47.16	-9.38


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.392	-73.16	RMS	13.8	2.3	-57.06	-47.64	-9.42
2	6.8936	-24.48	RMS	14	2.6	-7.88	-7.64	-.24
3	7.4222	-73.41	RMS	14.1	2.6	-56.71	-47.64	-9.07


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2356	-75	RMS	13.8	2.3	-58.9	-51.56	-7.34
2	6.7738	-28.25	RMS	14	2.6	-11.65	-11.56	-.09
3	7.2562	-75.12	RMS	14.1	2.6	-58.42	-51.56	-6.86

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2614	-72.56	RMS	13.8	2.3	-56.46	-49.42	-7.04
2	6.7348	-27.44	RMS	14	2.6	-10.84	-10.62	-.22
3	7.2556	-75.45	RMS	14.2	2.6	-58.65	-50.62	-8.03

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4004	-72.67	RMS	13.9	2.3	-56.47	-48.47	-8
2	6.8984	-25.26	RMS	14	2.6	-8.66	-8.47	-.19
3	7.4165	-73.28	RMS	14.2	2.6	-56.48	-48.47	-8.01


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4028	-73.3	RMS	13.8	2.3	-57.2	-49.41	-7.79
2	6.8966	-26.14	RMS	14	2.6	-9.54	-9.41	-.13
3	7.412	-73.31	RMS	14.1	2.6	-56.61	-49.41	-7.2


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2332	-74.79	RMS	13.8	2.3	-58.69	-51.44	-7.25
2	6.7384	-28.2	RMS	14	2.6	-11.6	-11.44	-.16
3	7.2592	-74.8	RMS	14.1	2.6	-58.1	-51.44	-6.66

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.265	-74.47	RMS	13.8	2.3	-58.37	-49.12	-9.25
2	6.739	-27.3	RMS	14	2.6	-10.7	-10.58	-.12
3	7.2526	-75.61	RMS	14.2	2.6	-58.81	-50.58	-8.23

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.395	-72.8	RMS	13.8	2.3	-56.7	-48.34	-8.36
2	6.8972	-25.11	RMS	14	2.6	-8.51	-8.34	-.17
3	7.4102	-73.17	RMS	14.2	2.6	-56.37	-48.34	-8.03


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4016	-73.3	RMS	13.8	2.3	-57.2	-49.14	-8.06
2	6.896	-25.93	RMS	14	2.6	-9.33	-9.14	-.19
3	7.412	-73.37	RMS	14.1	2.6	-56.67	-49.14	-7.53


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2326	-74.83	RMS	13.8	2.3	-58.73	-51.38	-7.35
2	6.6946	-28.14	RMS	13.9	2.6	-11.64	-11.38	-.26
3	7.2592	-74.96	RMS	14.1	2.6	-58.26	-51.38	-6.88

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2272	-75.24	RMS	13.8	2.3	-59.14	-50.61	-8.53
2	6.7594	-27.46	RMS	14	2.6	-10.86	-10.61	-.25
3	7.2592	-74.98	RMS	14.1	2.6	-58.28	-50.61	-7.67

RMS - RMS detection




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3992	-72.81	RMS	13.8	2.3	-56.71	-49.04	-7.67
2	6.9152	-25.88	RMS	14	2.6	-9.28	-9.04	-.24
3	7.4144	-72.89	RMS	14.1	2.6	-56.19	-49.04	-7.15


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2224	-74.76	RMS	13.8	2.3	-58.66	-51.3	-7.36
2	6.7516	-28.02	RMS	14	2.6	-11.42	-11.3	-.12
3	7.2568	-75.19	RMS	14.1	2.6	-58.49	-51.3	-7.19

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2314	-75.32	RMS	13.8	2.3	-59.22	-50.69	-8.53
2	6.7402	-27.54	RMS	14	2.6	-10.94	-10.69	-.25
3	7.2502	-75.19	RMS	14.2	2.6	-58.39	-50.69	-7.7

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4034	-72.69	RMS	13.9	2.3	-56.49	-48.88	-7.61
2	6.9104	-25.74	RMS	14	2.6	-9.14	-8.88	-.26
3	7.4084	-73.13	RMS	14.2	2.6	-56.33	-48.88	-7.45


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3854	-73.47	RMS	13.8	2.3	-57.37	-49.48	-7.89
2	6.8981	-26.18	RMS	14	2.6	-9.58	-9.48	-.1
3	7.4138	-73.38	RMS	14.1	2.6	-56.68	-49.48	-7.2


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2422	-74.63	RMS	13.8	2.3	-58.53	-51.37	-7.16
2	6.7504	-28.06	RMS	14	2.6	-11.46	-11.37	-.09
3	7.249	-74.85	RMS	14.1	2.6	-58.15	-51.37	-6.78

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2368	-75.15	RMS	13.8	2.3	-59.05	-51.05	-8
2	6.757	-27.7	RMS	14	2.6	-11.1	-11.05	-.05
3	7.2502	-75.07	RMS	14.2	2.6	-58.27	-51.05	-7.22

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3974	-72.77	RMS	13.8	2.3	-56.67	-48.44	-8.23
2	6.9176	-25.28	RMS	14	2.6	-8.68	-8.44	-.24
3	7.4138	-73.3	RMS	14.2	2.6	-56.5	-48.44	-8.06


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3992	-73.4	RMS	13.8	2.3	-57.3	-49.18	-8.12
2	6.9158	-26.04	RMS	14	2.6	-9.44	-9.18	-.26
3	7.406	-73.23	RMS	14.1	2.6	-56.53	-49.18	-7.35


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.7378	-27.57	RMS	14	2.6	-10.97	-10.92	-.05
2	6.5794	-70.25	RMS	13.9	2.6	-53.75	-10.92	-42.83
3	6.9124	-69.62	RMS	14	2.6	-53.02	-18.92	-34.1

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.739	-27.31	RMS	14	2.6	-10.71	-10.6	-.11
2	6.5776	-71.56	RMS	13.9	2.6	-55.06	-18.6	-36.46
3	6.9118	-69.61	RMS	14	2.6	-53.01	-10.6	-42.41

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3968	-72.84	RMS	13.8	2.3	-56.74	-48.31	-8.43
2	6.8894	-25.04	RMS	14	2.6	-8.44	-8.31	-.13
3	7.4156	-73.2	RMS	14.2	2.6	-56.4	-48.31	-8.09


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3992	-73.25	RMS	13.8	2.3	-57.15	-49.27	-7.88
2	6.8984	-25.98	RMS	14	2.6	-9.38	-9.27	-.11
3	7.4174	-73.37	RMS	14.1	2.6	-56.67	-49.27	-7.4


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2386	-74	RMS	13.8	2.3	-57.9	-51.25	-6.65
2	6.7114	-28.09	RMS	14	2.6	-11.49	-11.25	-2.24
3	7.2478	-74.77	RMS	14.1	2.6	-58.07	-51.25	-6.82

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2356	-75.14	RMS	13.8	2.3	-59.04	-50.56	-8.48
2	6.739	-27.34	RMS	14	2.6	-10.74	-10.56	-.18
3	7.2514	-75.11	RMS	14.2	2.6	-58.31	-50.56	-7.75

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4022	-72.08	RMS	13.9	2.3	-55.88	-48.64	-7.24
2	6.896	-25.41	RMS	14	2.6	-8.81	-8.64	-.17
3	7.4186	-73.26	RMS	14.2	2.6	-56.46	-48.64	-7.82


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3908	-73.09	RMS	13.8	2.3	-56.99	-48.43	-8.56
2	6.8972	-25.16	RMS	14	2.6	-8.56	-8.43	-.13
3	7.4132	-73.25	RMS	14.1	2.6	-56.55	-48.43	-8.12


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2428	-72.17	RMS	13.8	2.3	-56.07	-47.33	-8.74
2	6.751	-24.16	RMS	14	2.6	-7.56	-7.33	-.23
3	7.2562	-72.49	RMS	14.1	2.6	-55.79	-47.33	-8.46

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2398	-72.24	RMS	13.8	2.3	-56.14	-47.85	-8.29
2	6.7402	-24.65	RMS	14	2.6	-8.05	-7.85	-.2
3	7.2538	-72.24	RMS	14.2	2.6	-55.44	-47.85	-7.59

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3986	-71.11	RMS	13.8	2.3	-55.01	-47.13	-7.88
2	6.914	-23.94	RMS	14	2.6	-7.34	-7.13	-.21
3	7.4135	-72.39	RMS	14.2	2.6	-55.59	-47.13	-8.46

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.3998	-71.98	RMS	13.8	2.3	-55.88	-47.55	-8.33
2	6.8972	-24.21	RMS	14	2.6	-7.61	-7.55	-.06
3	7.4114	-72.76	RMS	14.1	2.6	-56.06	-47.55	-8.51

RMS - RMS detection


9.5.41. 802.11a MODE 2TX IN THE UNII-8 BAND (HIGH GAIN)

LOW POWER INDOOR




9.5.42. 802.11be EHT20 MODE 2TX IN THE UNII-8 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR

