



9.5.19. 802.11a MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)


LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T LOW POWER INDOOR



LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


9.5.21. 802.11be EHT40 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




9.5.22. 802.11be EHT80 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS LOW) LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS HIGH) LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




9.5.23. 802.11be EHT160 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS LOW) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23428	-78.59	RMS	13.8	2.3	-62.49	-52.56	-9.93
2	6.50104	-28.58	RMS	13.9	2	-12.68	-12.56	-.12
3	6.78328	-77.13	RMS	14	2.6	-60.53	-52.56	-7.97

RMS - RMS detection




RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS HIGH) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.21052	-78.63	RMS	13.8	2.3	-62.53	-52.56	-9.97
2	6.50824	-28.54	RMS	13.9	2	-12.64	-12.56	-.08
3	6.76996	-76.93	RMS	14	2.6	-60.33	-52.56	-7.77


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.22924	-78	RMS	13.8	2.3	-61.9	-51.58	-10.32
2	6.51004	-27.61	RMS	13.8	2	-11.81	-11.58	-.23
3	6.77968	-76.41	RMS	14	2.6	-59.81	-51.58	-8.23


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23536	-77.96	RMS	13.8	2.3	-61.86	-52.56	-9.3
2	6.5014	-28.62	RMS	13.9	2	-12.72	-12.56	-.16
3	6.79588	-77.28	RMS	14	2.6	-60.68	-52.56	-8.12


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2386	-77.71	RMS	13.8	2.3	-61.61	-51.79	-9.82
2	6.49744	-27.65	RMS	13.8	2	-11.85	-11.79	-.06
3	6.77644	-76.34	RMS	14	2.6	-59.74	-51.79	-7.95


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23572	-78.39	RMS	13.8	2.3	-62.29	-52.49	-9.8
2	6.50932	-28.62	RMS	13.9	2	-12.72	-12.49	-.23
3	6.77176	-76.43	RMS	14	2.6	-59.83	-52.49	-7.34


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.22168	-78.13	RMS	13.8	2.3	-62.03	-51.72	-10.31
2	6.51616	-27.77	RMS	13.8	2	-11.97	-11.72	-.25
3	6.78112	-76.64	RMS	14	2.6	-60.04	-51.72	-8.32


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS LOW) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2278	-78.51	RMS	13.8	2.3	-62.41	-53.6	-8.81
2	6.49744	-29.69	RMS	13.9	2	-13.79	-13.6	-.19
3	6.77212	-76.94	RMS	14	2.6	-60.34	-53.6	-6.74


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2188	-78.55	RMS	13.8	2.3	-62.45	-52.88	-9.57
2	6.49888	-28.79	RMS	13.8	2	-12.99	-12.88	-.11
3	6.83008	-77.43	RMS	14	2.6	-60.83	-52.88	-7.95


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS HIGH) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23824	-78.43	RMS	13.8	2.3	-62.33	-53.48	-8.85
2	6.51364	-29.63	RMS	13.9	2	-13.73	-13.48	-.25
3	6.78616	-77.39	RMS	14	2.6	-60.79	-53.48	-7.31


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23824	-77.74	RMS	13.8	2.3	-61.64	-52.8	-8.84
2	6.49888	-28.74	RMS	13.8	2	-12.94	-12.8	-.14
3	6.77788	-76.45	RMS	14	2.6	-59.85	-52.8	-7.05

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23392	-77.66	RMS	13.8	2.3	-61.56	-52.59	-8.97
2	6.50896	-28.47	RMS	13.8	2	-12.67	-12.59	-.08
3	6.77302	-76.61	RMS	14	2.6	-60.01	-52.59	-7.42

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23932	-78.1	RMS	13.8	2.3	-62	-52.77	-9.23
2	6.51004	-28.85	RMS	13.8	2	-13.05	-12.77	-.28
3	6.77428	-76.74	RMS	14	2.6	-60.14	-52.77	-7.37


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23824	-78.3	RMS	13.8	2.3	-62.2	-53.66	-8.54
2	6.49888	-29.68	RMS	13.9	2	-13.78	-13.66	-.12
3	6.76924	-77.04	RMS	14	2.6	-60.44	-53.66	-6.78


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23248	-78.08	RMS	13.8	2.3	-61.98	-52.62	-9.36
2	6.50104	-28.5	RMS	13.8	2	-12.7	-12.62	-.08
3	6.77284	-76.46	RMS	14	2.6	-59.86	-52.62	-7.24

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23608	-77.69	RMS	13.8	2.3	-61.59	-52.71	-8.88
2	6.5122	-28.6	RMS	13.8	2	-12.8	-12.71	-.09
3	6.78112	-76.37	RMS	14	2.6	-59.77	-52.71	-7.06


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24148	-78.36	RMS	13.8	2.3	-62.26	-53.35	-8.91
2	6.5104	-29.57	RMS	13.9	2	-13.67	-13.35	-.32
3	6.78148	-77.12	RMS	14	2.6	-60.52	-53.35	-7.17


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23932	-78.56	RMS	13.8	2.3	-62.46	-52.98	-9.48
2	6.53632	-29.55	RMS	13.8	2.6	-13.15	-12.98	-.17
3	6.77608	-77.03	RMS	14	2.6	-60.43	-52.98	-7.45


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2368	-78.61	RMS	13.8	2.3	-62.51	-53.53	-8.98
2	6.51148	-29.58	RMS	13.9	2	-13.68	-13.53	-.15
3	6.7696	-77.29	RMS	14	2.6	-60.69	-53.53	-7.16


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23608	-77.95	RMS	13.8	2.3	-61.85	-52.57	-9.28
2	6.50896	-28.45	RMS	13.8	2	-12.65	-12.57	-.08
3	6.76852	-76.5	RMS	14	2.6	-59.9	-52.57	-7.33


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2296	-76.94	RMS	13.8	2.3	-60.84	-51.77	-9.07
2	6.49816	-27.7	RMS	13.9	2	-11.8	-11.77	-.03
3	6.78472	-76.49	RMS	14	2.6	-59.89	-51.77	-8.12

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.21556	-77.32	RMS	13.8	2.3	-61.22	-51.71	-9.51
2	6.49852	-27.63	RMS	13.8	2	-11.83	-11.71	-.12
3	6.78328	-76.85	RMS	14	2.6	-60.25	-51.71	-8.54

RMS - RMS detection


9.5.24. 802.11be EHT320 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS LOW MRU6) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.915	-78	RMS	13.6	1.9	-62.5	-53.06	-9.44
2	6.4178	-29.48	RMS	13.9	2.3	-13.28	-13.06	-.22
3	6.9542	-76.5	RMS	14.1	2.6	-59.8	-53.06	-6.74

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9216	-77.91	RMS	13.6	1.9	-62.41	-53.32	-9.09
2	6.4202	-29.69	RMS	13.9	2.3	-13.49	-13.32	-.17
3	6.9284	-76.64	RMS	14	2.6	-60.04	-53.32	-6.72

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-77.8	RMS	13.7	2.3	-61.8	-52.42	-9.38
2	6.5808	-29.08	RMS	13.9	2.6	-12.58	-12.42	-.16
3	7.107	-76.09	RMS	14.1	2.6	-59.39	-52.42	-6.97


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.105	-75.4	RMS	13.7	2.3	-59.4	-51.18	-8.22
2	6.5808	-29.4	RMS	13.9	2.6	-12.9	-12.64	-.26
3	7.0902	-76.16	RMS	14.1	2.6	-59.46	-52.64	-6.82


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS LOW MRU1) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9102	-77.84	RMS	13.6	1.9	-62.34	-53.35	-8.99
2	6.4172	-29.79	RMS	13.9	2.3	-13.59	-13.35	-.24
3	6.9374	-76.7	RMS	14.1	2.6	-60	-53.35	-6.65

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9138	-78.18	RMS	13.6	1.9	-62.68	-53.32	-9.36
2	6.4208	-29.71	RMS	13.9	2.3	-13.51	-13.32	-.19
3	6.9404	-76.43	RMS	14.1	2.6	-59.73	-53.32	-6.41

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0792	-76.95	RMS	13.7	2.3	-60.95	-52.17	-8.78
2	6.5892	-28.86	RMS	13.9	2.6	-12.36	-12.17	-.19
3	7.1028	-75.91	RMS	14.1	2.6	-59.21	-52.17	-7.04


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0732	-77.89	RMS	13.7	2.3	-61.89	-53.08	-8.81
2	6.579	-29.6	RMS	13.9	2.6	-13.1	-13.08	-.02
3	7.0944	-75.91	RMS	14.1	2.6	-59.21	-53.08	-6.13


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS HIGH MRU7) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9138	-77.84	RMS	13.6	1.9	-62.34	-53.11	-9.23
2	6.4202	-29.42	RMS	13.9	2.3	-13.22	-13.11	-.11
3	6.9317	-76.5	RMS	14	2.6	-59.9	-53.11	-6.79

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9102	-78.24	RMS	13.6	1.9	-62.74	-53.61	-9.13
2	6.419	-29.91	RMS	13.9	2.3	-13.71	-13.61	-.1
3	6.9368	-76.49	RMS	14.1	2.6	-59.79	-53.61	-6.18

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0756	-77.33	RMS	13.7	2.3	-61.33	-52.6	-8.73
2	6.5766	-29.3	RMS	13.9	2.6	-12.8	-12.6	-.2
3	7.0986	-75.99	RMS	14.1	2.6	-59.29	-52.6	-6.69


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-78.12	RMS	13.7	2.3	-62.12	-53.09	-9.03
2	6.5772	-29.76	RMS	13.9	2.6	-13.26	-13.09	-.17
3	7.092	-76.46	RMS	14.1	2.6	-59.76	-53.09	-6.67


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS HIGH MRU12) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9078	-77.88	RMS	13.6	1.9	-62.38	-53.22	-9.16
2	6.4148	-29.67	RMS	13.9	2.3	-13.47	-13.22	-.25
3	6.9398	-76.65	RMS	14.1	2.6	-59.95	-53.22	-6.73

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9114	-78.1	RMS	13.6	1.9	-62.6	-53.56	-9.04
2	6.416	-29.91	RMS	13.9	2.3	-13.71	-13.56	-.15
3	6.9326	-76.65	RMS	14.1	2.6	-59.95	-53.56	-6.39

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0798	-77.15	RMS	13.7	2.3	-61.15	-52.37	-8.78
2	6.5796	-28.89	RMS	13.9	2.6	-12.39	-12.37	-.02
3	7.0962	-75.96	RMS	14.1	2.6	-59.26	-52.37	-6.89


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-78.24	RMS	13.7	2.3	-62.24	-52.94	-9.3
2	6.576	-29.65	RMS	13.9	2.6	-13.15	-12.94	-.21
3	7.089	-76	RMS	14.1	2.6	-59.3	-52.94	-6.36


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS LOW MRU5) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9186	-77.67	RMS	13.6	1.9	-62.17	-53.28	-8.89
2	6.41	-29.73	RMS	13.9	2.3	-13.53	-13.28	-.25
3	6.9356	-76.63	RMS	14.1	2.6	-59.93	-53.28	-6.65

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9168	-78.27	RMS	13.6	1.9	-62.77	-53.08	-9.69
2	6.4166	-29.44	RMS	13.9	2.3	-13.24	-13.08	-.16
3	6.9368	-76.73	RMS	14.1	2.6	-60.03	-53.08	-6.95

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.084	-77.26	RMS	13.7	2.3	-61.26	-52.35	-8.91
2	6.5784	-29.1	RMS	13.9	2.6	-12.6	-12.35	-.25
3	7.089	-76.16	RMS	14.1	2.6	-59.46	-52.35	-7.11


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0852	-77.81	RMS	13.7	2.3	-61.81	-52.97	-8.84
2	6.582	-29.76	RMS	13.9	2.6	-13.26	-12.98	-.28
3	7.0866	-76.11	RMS	14.1	2.6	-59.41	-52.98	-6.43


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS HIGH MRU11)
LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9168	-78.02	RMS	13.6	1.9	-62.52	-53.32	-9.2
2	6.4118	-29.64	RMS	13.9	2.3	-13.44	-13.32	-.12
3	6.9644	-76.01	RMS	14.2	2.6	-59.21	-53.32	-5.89

RMS - RMS detection




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0744	-77.3	RMS	13.7	2.3	-61.3	-52.74	-8.56
2	6.5796	-29.49	RMS	13.9	2.6	-12.99	-12.74	-.25
3	7.0986	-75.9	RMS	14.1	2.6	-59.2	-52.74	-6.46


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1086	-75.4	RMS	13.7	2.3	-59.4	-51.25	-8.15
2	6.5988	-29.51	RMS	13.9	2.6	-13.01	-12.98	-.03
3	7.101	-76	RMS	14.1	2.6	-59.3	-52.98	-6.32


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9216	-78.26	RMS	13.6	1.9	-62.76	-53.46	-9.3
2	6.4196	-29.87	RMS	13.9	2.3	-13.67	-13.46	-.21
3	6.9374	-76.76	RMS	14.1	2.6	-60.06	-53.46	-6.6

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9198	-78.49	RMS	13.6	1.9	-62.99	-53.48	-9.51
2	6.419	-29.88	RMS	13.9	2.3	-13.68	-13.48	-.2
3	6.9374	-77.02	RMS	14.1	2.6	-60.32	-53.48	-6.84

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0684	-77.95	RMS	13.7	2.3	-61.95	-52.35	-9.6
2	6.5766	-29.06	RMS	13.9	2.6	-12.56	-12.35	-.21
3	7.1118	-76.14	RMS	14.1	2.6	-59.44	-52.35	-7.09


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1008	-76.64	RMS	13.7	2.3	-60.64	-51.57	-9.07
2	6.5772	-29.42	RMS	13.9	2.6	-12.92	-12.73	-.19
3	7.098	-76.4	RMS	14.1	2.6	-59.7	-52.73	-6.97


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9012	-77.5	RMS	13.6	1.9	-62	-53.25	-8.75
2	6.4292	-29.63	RMS	13.9	2.2	-13.53	-13.25	-.28
3	6.9362	-76.75	RMS	14.1	2.6	-60.05	-53.25	-6.8

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9144	-78.63	RMS	13.6	1.9	-63.13	-53.78	-9.35
2	6.4376	-29.79	RMS	13.9	2	-13.89	-13.78	-.11
3	6.9566	-76.78	RMS	14.1	2.6	-60.08	-53.78	-6.3

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0636	-77.39	RMS	13.7	2.3	-61.39	-52	-9.39
2	6.5886	-28.67	RMS	13.9	2.6	-12.17	-12	-.17
3	7.098	-75.8	RMS	14.1	2.6	-59.1	-52	-7.1


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0768	-78.16	RMS	13.7	2.3	-62.16	-52.82	-9.34
2	6.5964	-29.57	RMS	13.9	2.6	-13.07	-12.82	-.25
3	7.1196	-76.17	RMS	14.1	2.6	-59.47	-52.82	-6.65


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS LOW MRU3)
LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9162	-77.95	RMS	13.6	1.9	-62.45	-53.34	-9.11
2	6.4202	-29.61	RMS	13.9	2.3	-13.41	-13.34	-.07
3	6.9263	-76.44	RMS	14	2.6	-59.84	-53.34	-6.5

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9174	-78.04	RMS	13.6	1.9	-62.54	-53.52	-9.02
2	6.4208	-29.76	RMS	13.9	2.3	-13.56	-13.52	-.04
3	6.9254	-76.5	RMS	14	2.6	-59.9	-53.52	-6.38

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0672	-76.87	RMS	13.7	2.3	-60.87	-52.92	-7.95
2	6.5952	-29.48	RMS	13.9	2.6	-12.98	-12.92	-.06
3	7.0968	-75.58	RMS	14.1	2.6	-58.88	-52.92	-5.96


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1044	-74.95	RMS	13.7	2.3	-58.95	-51.38	-7.57
2	6.5814	-29.53	RMS	13.9	2.6	-13.03	-12.8	-.23
3	7.0938	-76.27	RMS	14.1	2.6	-59.57	-52.8	-6.77


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS HIGH MRU9)
LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9186	-77.67	RMS	13.6	1.9	-62.17	-53.1	-9.07
2	6.419	-29.55	RMS	13.9	2.3	-13.35	-13.1	-.25
3	6.9308	-76.26	RMS	14	2.6	-59.66	-53.1	-6.56

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9231	-78.23	RMS	13.6	1.9	-62.73	-53.06	-9.67
2	6.4178	-29.39	RMS	13.9	2.3	-13.19	-13.06	-.13
3	6.9344	-76.69	RMS	14.1	2.6	-59.99	-53.06	-6.93

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-77.42	RMS	13.7	2.3	-61.42	-52.12	-9.3
2	6.5784	-28.83	RMS	13.9	2.6	-12.33	-12.12	-.21
3	7.1034	-76.32	RMS	14.1	2.6	-59.62	-52.12	-7.5


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0792	-77.74	RMS	13.7	2.3	-61.74	-53.03	-8.71
2	6.5784	-29.55	RMS	13.9	2.6	-13.05	-13.03	-.02
3	7.0956	-76.15	RMS	14.1	2.6	-59.45	-53.03	-6.42


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2 LOW MRU4)
LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.918	-78.25	RMS	13.6	1.9	-62.75	-53.69	-9.06
2	6.3752	-29.95	RMS	13.8	2.3	-13.85	-13.69	-.16
3	6.9332	-76.77	RMS	14.1	2.6	-60.07	-53.69	-6.38

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9138	-78.56	RMS	13.6	1.9	-63.06	-53.79	-9.27
2	6.4322	-29.81	RMS	13.9	2.1	-13.81	-13.79	-.02
3	6.9278	-76.46	RMS	14	2.6	-59.86	-53.79	-6.07

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1092	-75.21	RMS	13.7	2.3	-59.21	-51.05	-8.16
2	6.5964	-29.54	RMS	13.9	2.6	-13.04	-12.82	-.22
3	7.0956	-75.78	RMS	14.1	2.6	-59.08	-52.82	-6.26


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1014	-75.2	RMS	13.7	2.3	-59.2	-51.8	-7.4
2	6.5994	-29.52	RMS	13.9	2.6	-13.02	-13	-.02
3	7.062	-73.98	RMS	14.1	2.6	-57.28	-51.35	-5.93


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2 HIGH MRU10) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.918	-78.05	RMS	13.6	1.9	-62.55	-53.35	-9.2
2	6.4304	-29.54	RMS	13.9	2.2	-13.44	-13.35	-.09
3	6.938	-76.47	RMS	14.1	2.6	-59.77	-53.35	-6.42

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9168	-78.41	RMS	13.6	1.9	-62.91	-53.38	-9.53
2	6.4202	-29.8	RMS	13.9	2.3	-13.6	-13.38	-.22
3	6.9332	-76.66	RMS	14.1	2.6	-59.96	-53.38	-6.58

RMS - RMS detection




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0756	-78.06	RMS	13.7	2.3	-62.06	-53.06	-9
2	6.5772	-29.73	RMS	13.9	2.6	-13.23	-13.06	-.17
3	7.1004	-76.51	RMS	14.1	2.6	-59.81	-53.06	-6.75


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS LOW) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-74.53	RMS	13.6	1.9	-59.03	-50.38	-8.65
2	6.416	-26.61	RMS	13.9	2.3	-10.41	-10.38	-.03
3	6.9404	-73.55	RMS	14.1	2.6	-56.85	-50.38	-6.47

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9474	-72.4	RMS	13.7	2	-56.7	-49.07	-7.63
2	6.419	-26.94	RMS	13.9	2.3	-10.74	-10.71	-.03
3	6.9278	-73.64	RMS	14	2.6	-57.04	-50.71	-6.33

RMS - RMS detection



	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1056	-72.97	RMS	13.7	2.3	-56.97	-48.67	-8.3
2	6.5766	-26.83	RMS	13.9	2.6	-10.33	-10.18	-.15
3	7.095	-73.26	RMS	14.1	2.6	-56.56	-50.18	-6.38


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.054	-74.61	RMS	13.7	2.3	-58.61	-49.81	-8.8
2	6.5712	-26.55	RMS	13.9	2.6	-10.05	-9.81	-.24
3	7.0902	-73.24	RMS	14.1	2.6	-56.54	-49.81	-6.73


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS HIGH) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.915	-74.26	RMS	13.6	1.9	-58.76	-50.05	-8.71
2	6.4202	-26.34	RMS	13.9	2.3	-10.14	-10.05	-.09
3	6.9404	-73.67	RMS	14.1	2.6	-56.97	-50.05	-6.92

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.918	-74.81	RMS	13.6	1.9	-59.31	-50.59	-8.72
2	6.419	-26.83	RMS	13.9	2.3	-10.63	-10.59	-.04
3	6.9296	-73.58	RMS	14	2.6	-56.98	-50.59	-6.39

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0672	-74.54	RMS	13.7	2.3	-58.54	-49.27	-9.27
2	6.5748	-25.99	RMS	13.9	2.6	-9.49	-9.27	-.22
3	7.0944	-73.17	RMS	14.1	2.6	-56.47	-49.27	-7.2


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1044	-71.88	RMS	13.7	2.3	-55.88	-48.69	-7.19
2	6.576	-26.83	RMS	13.9	2.6	-10.33	-10.11	-.22
3	7.0884	-73.05	RMS	14.1	2.6	-56.35	-50.11	-6.24


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9078	-75.55	RMS	13.6	1.9	-60.05	-52.19	-7.86
2	6.4328	-28.29	RMS	13.9	2.1	-12.29	-12.19	-.1
3	6.9482	-73.87	RMS	14.1	2.6	-57.17	-52.19	-4.98

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9114	-76.07	RMS	13.6	1.9	-60.57	-52.4	-8.17
2	6.4376	-28.4	RMS	13.9	2	-12.5	-12.4	-.1
3	6.9452	-74.21	RMS	14.1	2.6	-57.51	-52.4	-5.11

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0882	-75.65	RMS	13.7	2.3	-59.65	-51.68	-7.97
2	6.5928	-28.52	RMS	13.9	2.6	-12.02	-11.91	-.11
3	7.1058	-73.73	RMS	14.1	2.6	-57.03	-51.91	-5.12

RMS - RMS detection




Rev 9.5 18 Oct 2021

Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0768	-75.6	RMS	13.7	2.3	-59.6	-51.63	-7.97
2	6.5988	-28.33	RMS	13.9	2.6	-11.83	-11.63	-.2
3	7.1076	-73.72	RMS	14.1	2.6	-57.02	-51.63	-5.39


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8994	-78.22	RMS	13.6	1.9	-62.72	-54.14	-8.58
2	6.4178	-30.4	RMS	13.9	2.3	-14.2	-14.14	-.06
3	6.9608	-76.55	RMS	14.2	2.6	-59.75	-54.14	-5.61

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.915	-78.04	RMS	13.6	1.9	-62.54	-54	-8.54
2	6.419	-30.23	RMS	13.9	2.3	-14.03	-14	-.03
3	6.947	-76.36	RMS	14.1	2.6	-59.66	-54	-5.66

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0642	-77.71	RMS	13.7	2.3	-61.71	-53.7	-8.01
2	6.5736	-30.22	RMS	13.9	2.6	-13.72	-13.7	-.02
3	7.1046	-75.91	RMS	14.1	2.6	-59.21	-53.7	-5.51


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0726	-78.06	RMS	13.7	2.3	-62.06	-53.69	-8.37
2	6.5808	-30.29	RMS	13.9	2.6	-13.79	-13.69	-.1
3	7.1052	-76.27	RMS	14.1	2.6	-59.57	-53.69	-5.88


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS LOW) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8904	-71.49	RMS	13.7	1.9	-55.89	-53.98	-1.91
2	6.4184	-30.56	RMS	14.1	2.3	-14.16	-13.98	-.18
3	6.9752	-72.27	RMS	14.3	2.6	-55.37	-53.98	-1.39

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8892	-71.71	RMS	13.7	1.9	-56.11	-52.81	-3.3
2	6.413	-29.35	RMS	14.1	2.3	-12.95	-12.81	-.14
3	6.953	-72.12	RMS	14.2	2.6	-55.32	-52.81	-2.51

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.066	-71.86	RMS	13.8	2.3	-55.76	-52.61	-3.15
2	6.576	-29.27	RMS	14	2.6	-12.67	-12.61	-.06
3	7.107	-71.75	RMS	14.3	2.6	-54.85	-52.61	-2.24


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0486	-72.24	RMS	13.8	2.3	-56.14	-52.86	-3.28
2	6.5784	-29.54	RMS	14	2.6	-12.94	-12.86	-.08
3	7.1466	-71.75	RMS	14.2	2.6	-54.95	-52.86	-2.09


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS HIGH) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8946	-71.25	RMS	13.7	1.9	-55.65	-51.4	-4.25
2	6.413	-28.02	RMS	14.1	2.3	-11.62	-11.4	-.22
3	6.9686	-71.87	RMS	14.3	2.6	-54.97	-51.4	-3.57

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8982	-71.58	RMS	13.7	1.9	-55.98	-52.22	-3.76
2	6.4178	-28.79	RMS	14.1	2.3	-12.39	-12.22	-.17
3	6.9518	-72.17	RMS	14.2	2.6	-55.37	-52.22	-3.15

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0492	-72.36	RMS	13.8	2.3	-56.26	-52.57	-3.69
2	6.567	-29.44	RMS	14	2.6	-12.84	-12.57	-.27
3	7.1376	-71.54	RMS	14.4	2.6	-54.54	-52.57	-1.97


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0564	-72.06	RMS	13.8	2.3	-55.96	-52.09	-3.87
2	6.5802	-28.88	RMS	14	2.6	-12.28	-12.09	-.19
3	7.1448	-71.65	RMS	14.2	2.6	-54.85	-52.09	-2.76


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9012	-78.14	RMS	13.6	1.9	-62.64	-55.03	-7.61
2	6.4304	-31.28	RMS	13.9	2.2	-15.18	-15.03	-.15
3	6.935	-76.42	RMS	14.1	2.6	-59.72	-55.03	-4.69

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9228	-78.38	RMS	13.6	1.9	-62.88	-55.2	-7.68
2	6.4208	-31.53	RMS	13.9	2.3	-15.33	-15.2	-.13
3	6.9488	-76.37	RMS	14.1	2.6	-59.67	-55.2	-4.47

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.075	-77.33	RMS	13.7	2.3	-61.33	-54.81	-6.52
2	6.5772	-31.5	RMS	13.9	2.6	-15	-14.81	-.19
3	7.1121	-76.25	RMS	14.1	2.6	-59.55	-54.81	-4.74

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0732	-78.02	RMS	13.7	2.3	-62.02	-54.94	-7.08
2	6.5784	-31.48	RMS	13.9	2.6	-14.98	-14.94	-.04
3	7.0956	-76.14	RMS	14.1	2.6	-59.44	-54.94	-4.5

RMS - RMS detection