




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR




9.5.32. 802.11be EHT40 MODE 2TX IN THE UNII-7 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR



9.5.33. 802.11be EHT80 MODE 2TX IN THE UNII-7 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS LOW) LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS HIGH) LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


9.5.34. 802.11be EHT160 MODE 2TX IN THE UNII-7 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS LOW) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.67184	-28.42	RMS	13.9	2.6	-11.92	-11.79	-.13
2	6.57572	-68.98	RMS	13.9	2.6	-52.48	-31.91	-20.57
3	6.75536	-74.8	RMS	14	2.6	-58.2	-32.01	-26.19


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6578	-28.92	RMS	13.9	2.6	-12.42	-12.35	-.07
2	6.57608	-70.81	RMS	13.9	2.6	-54.31	-32.44	-21.87
3	6.75284	-72.94	RMS	14	2.6	-56.34	-29.15	-27.19


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS HIGH) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.67184	-28.54	RMS	13.9	2.6	-12.04	-12.02	-.02
2	6.5768	-75.61	RMS	13.9	2.6	-59.11	-32.04	-27.07
3	6.75212	-69.41	RMS	14	2.6	-52.81	-14.42	-38.39


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66068	-29.24	RMS	13.9	2.6	-12.74	-12.7	-.04
2	6.57752	-74.73	RMS	13.9	2.6	-58.23	-22.3	-35.93
3	6.7532	-70.12	RMS	14	2.6	-53.52	-32.72	-20.8


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66068	-28.61	RMS	13.9	2.6	-12.11	-12.03	-.08
2	6.57752	-70.05	RMS	13.9	2.6	-53.55	-21.63	-31.92
3	6.75284	-71.78	RMS	14	2.6	-55.18	-28.83	-26.35


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.65888	-29.13	RMS	13.9	2.6	-12.63	-12.54	-.09
2	6.57716	-72.14	RMS	13.9	2.6	-55.64	-29.34	-26.3
3	6.75356	-70.09	RMS	14	2.6	-53.49	-32.59	-20.9


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66824	-28.57	RMS	13.9	2.6	-12.07	-12	-.07
2	6.57536	-73.28	RMS	13.9	2.6	-56.78	-32.15	-24.63
3	6.75392	-72.07	RMS	14	2.6	-55.47	-32.09	-23.38


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66896	-29.2	RMS	13.9	2.6	-12.7	-12.53	-.17
2	6.57824	-68.74	RMS	13.9	2.6	-52.24	-12.53	-39.71
3	6.75464	-71.03	RMS	14	2.6	-54.43	-32.69	-21.74


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66896	-29.61	RMS	13.9	2.6	-13.11	-13.1	-.01
2	6.57788	-67.11	RMS	13.9	2.6	-50.61	-15.5	-35.11
3	6.7532	-68.42	RMS	14	2.6	-51.82	-33.12	-18.7


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6596	-30.03	RMS	13.9	2.6	-13.53	-13.28	-.25
2	6.57572	-72.43	RMS	13.9	2.6	-55.93	-33.4	-22.53
3	6.75176	-68.68	RMS	14	2.6	-52.08	-13.28	-38.8


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66032	-29.6	RMS	13.9	2.6	-13.1	-12.98	-.12
2	6.57716	-67.17	RMS	13.9	2.6	-50.67	-29.78	-20.89
3	6.7532	-67.71	RMS	14	2.6	-51.11	-33	-18.11


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6614	-29.98	RMS	13.9	2.6	-13.48	-13.36	-.12
2	6.5768	-71.07	RMS	13.9	2.6	-54.57	-33.38	-21.19
3	6.7532	-71.46	RMS	14	2.6	-54.86	-33.38	-21.48


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.67328	-29.52	RMS	13.9	2.6	-13.02	-12.88	-1.14
2	6.5786	-71.08	RMS	13.9	2.6	-54.58	-12.88	-41.7
3	6.75392	-68.64	RMS	14	2.6	-52.04	-32.97	-19.07


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.67652	-30.06	RMS	13.9	2.6	-13.56	-13.49	-.07
2	6.57788	-70.12	RMS	13.9	2.6	-53.62	-15.89	-37.73
3	6.75428	-69.41	RMS	14	2.6	-52.81	-33.61	-19.2


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS LOW) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66932	-29.79	RMS	13.9	2.6	-13.29	-13.21	-.08
2	6.57752	-73.03	RMS	13.9	2.6	-56.53	-22.81	-33.72
3	6.7532	-75.09	RMS	14	2.6	-58.49	-33.23	-25.26


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6578	-30.04	RMS	13.9	2.6	-13.54	-13.41	-.13
2	6.57752	-73.7	RMS	13.9	2.6	-57.2	-23.01	-34.19
3	6.75392	-70.89	RMS	14	2.6	-54.29	-33.5	-20.79


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS HIGH) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6614	-29.83	RMS	13.9	2.6	-13.33	-13.17	-.16
2	6.57752	-64.8	RMS	13.9	2.6	-48.3	-22.77	-25.53
3	6.75608	-62.78	RMS	14	2.6	-46.18	-33.46	-12.72


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.65996	-30.03	RMS	13.9	2.6	-13.53	-13.49	-.04
2	6.57752	-70.33	RMS	13.9	2.6	-53.83	-23.09	-30.74
3	6.75284	-75.11	RMS	14	2.6	-58.51	-30.29	-28.22


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6704	-29.8	RMS	13.9	2.6	-13.3	-13.14	-.16
2	6.5768	-68.85	RMS	13.9	2.6	-52.35	-33.16	-19.19
3	6.75392	-73.21	RMS	14	2.6	-56.61	-33.23	-23.38


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66068	-30.19	RMS	13.9	2.6	-13.69	-13.52	-.17
2	6.57716	-65.75	RMS	13.9	2.6	-49.25	-30.32	-18.93
3	6.75392	-69.05	RMS	14	2.6	-52.45	-33.61	-18.84


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66176	-29.87	RMS	13.9	2.6	-13.37	-13.22	-1.15
2	6.57536	-67.51	RMS	13.9	2.6	-51.01	-33.37	-17.64
3	6.75428	-67.26	RMS	14	2.6	-50.66	-33.34	-17.32


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.65996	-30.11	RMS	13.9	2.6	-13.61	-13.34	-.27
2	6.57608	-74.25	RMS	13.9	2.6	-57.75	-33.43	-24.32
3	6.7532	-70.63	RMS	14	2.6	-54.03	-33.36	-20.67


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6596	-29.61	RMS	13.9	2.6	-13.11	-12.88	-.23
2	6.57788	-65.98	RMS	13.9	2.6	-49.48	-15.28	-34.2
3	6.7532	-64.01	RMS	14	2.6	-47.41	-32.9	-14.51


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.65924	-30.01	RMS	13.9	2.6	-13.51	-13.44	-.07
2	6.57536	-75.01	RMS	13.9	2.6	-58.51	-33.59	-24.92
3	6.75248	-70.89	RMS	14	2.6	-54.29	-23.04	-31.25


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.66932	-28.98	RMS	13.9	2.6	-12.48	-12.34	-.14
2	6.5768	-70.58	RMS	13.9	2.6	-54.08	-32.36	-21.72
3	6.7532	-71.41	RMS	14	2.6	-54.81	-32.36	-22.45

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.73952	-29.29	RMS	14	2.6	-12.69	-12.63	-.06
2	6.57608	-69.87	RMS	13.9	2.6	-53.37	-32.72	-20.65
3	6.755	-72.61	RMS	14	2.6	-56.01	-32.82	-23.19


RMS - RMS detection

9.5.35. 802.11a MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.36. 802.11be EHT20 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.37. 802.11be EHT40 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1