

APPENDIX H: IEEE 802.11 RU SAR EXCLUSION

H.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 242T, 484T, 484T+242T, 996T, 996T+242T, 996T+484T, 996Tx2 and for WIFI 6E additionally 996Tx4.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

H.2 RU Target Powers

H.2.1 2.4 GHz WLAN 802.11ax/be RU WLAN Output Power

The below table is applicable in the following conditions:

- Pmax, DSI=0 (Power Mode 1)

Mode	Bandwidth		IEEE 802.11ax/be RU (in dBm)									
			SISO/SISO In MIMO Ant R (in dBm)					SISO/SISO in MIMO Ant L (in dBm)				
			26T	52T, 52T+26T	106T, 106T+26T	242T		26T	52T, 52T+26T	106T, 106T+26T	242T	
2.4 GHz WIFI	20 MHz	Maximum	19	19	19	18.5		19	19	19	18.5	
			ch. 11: 18.5 ch. 12: 16.0 ch. 13: -14.0	ch. 1: 18.5 ch. 12: 16.0 ch. 13: -14.0	ch. 1: 16.0 ch. 2: 18.0 ch. 9: 18.0 ch. 10: 18.0 ch. 11: 17.5 ch. 12: 13.5 ch. 13: -12.5	ch. 1: 14.0 ch. 2: 15.5 ch. 3: 17.0 ch. 9: 18.0 ch. 10: 15.0 ch. 11: 13.0 ch. 12: 12.5 ch. 13: -6.0		ch. 11: 18.5 ch. 12: 16.0 ch. 13: -14.0	ch. 1: 18.5 ch. 12: 16.0 ch. 13: -14.0	ch. 1: 16.0 ch. 2: 18.0 ch. 9: 18.0 ch. 10: 18.0 ch. 11: 17.5 ch. 12: 13.5 ch. 13: -12.5	ch. 1: 14.0 ch. 2: 15.5 ch. 3: 17.0 ch. 9: 18.0 ch. 10: 15.0 ch. 11: 13.0 ch. 12: 12.5 ch. 13: -6.0	
		Nominal	18	18	18	17.5		18	18	18	17.5	
			ch. 11: 17.5 ch. 12: 15.0 ch. 13: -15.0	ch. 1: 17.5 ch. 12: 15.0 ch. 13: -15.0	ch. 1: 15.0 ch. 2: 17.0 ch. 9: 17.0 ch. 10: 17.0 ch. 11: 16.5 ch. 12: 12.5 ch. 13: -13.5	ch. 1: 13.0 ch. 2: 14.5 ch. 3: 16.0 ch. 9: 17.0 ch. 10: 14.0 ch. 11: 12.0 ch. 12: 11.5 ch. 13: -7.0		ch. 11: 17.5 ch. 12: 15.0 ch. 13: -15.0	ch. 1: 17.5 ch. 12: 15.0 ch. 13: -15.0	ch. 1: 15.0 ch. 2: 17.0 ch. 9: 17.0 ch. 10: 17.0 ch. 11: 16.5 ch. 12: 12.5 ch. 13: -13.5	ch. 1: 13.0 ch. 2: 14.5 ch. 3: 16.0 ch. 9: 17.0 ch. 10: 14.0 ch. 11: 12.0 ch. 12: 11.5 ch. 13: -7.0	

Mode	Bandwidth		IEEE 802.11ax RU (in dBm)									
			SISO/SISO In MIMO Ant R (in dBm)					SISO/SISO in MIMO Ant L (in dBm)				
			26T	52T, 52T+26T	106T, 106T+26T	242T	484T	26T	52T, 52T+26T	106T, 106T+26T	242T	484T
2.4 GHz WIFI	40 MHz	Maximum	19	19	19	18.5	16	19	19	19	18.5	16
			ch. 11: 18.5		ch. 9: 18.0 ch. 10: 18.0 ch. 11: 17.5	ch. 3: 17.0 ch. 9: 18.0 ch. 10: 15.0 ch. 11: 13.0	ch. 3: 14.0 ch. 9: 13.5 ch. 10: 11.0 ch. 11: -6.0	ch. 11: 18.5		ch. 9: 18.0 ch. 10: 18.0 ch. 11: 17.5	ch. 3: 17.0 ch. 9: 18.0 ch. 10: 15.0 ch. 11: 13.0	ch. 3: 14.0 ch. 9: 13.5 ch. 10: 11.0 ch. 11: -6.0
		Nominal	18	18	18	17.5	15	18	18	18	17.5	15
			ch. 11: 17.5		ch. 9: 17.0 ch. 10: 17.0 ch. 11: 16.5	ch. 3: 16.0 ch. 9: 17.0 ch. 10: 14.0 ch. 11: 12.0	ch. 3: 13.0 ch. 9: 12.5 ch. 10: 10.0 ch. 11: -7.0	ch. 11: 17.5		ch. 9: 17.0 ch. 10: 17.0 ch. 11: 16.5	ch. 3: 16.0 ch. 9: 17.0 ch. 10: 14.0 ch. 11: 12.0	ch. 3: 13.0 ch. 9: 12.5 ch. 10: 10.0 ch. 11: -7.0

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 1 of 16

The below table is applicable in the following conditions:

- DSI=1 (Power Mode 2)

Mode	Bandwidth		IEEE 802.11ax/be RU (in dBm)									
			SISO/SISO In MIMO Ant R (in dBm)					SISO/SISO in MIMO Ant L (in dBm)				
			26T	52T, 52T+26T	106T, 106T +26T	242T		26T	52T, 52T+26T	106T, 106T +26T	242T	
2.4 GHz WIFI	20 MHz	Maximum	17.25	17.25	17.25	17.25		17.25	17.25	17.25	17.25	
					ch. 1: 16.0	ch. 1: 14.0 ch. 2: 15.5 ch. 3: 17.0				ch. 1: 16.0	ch. 1: 14.0 ch. 2: 15.5 ch. 3: 17.0	
						ch. 10: 15.0 ch. 11: 13.0 ch. 12: 12.5 ch. 13: -6.0					ch. 10: 15.0 ch. 11: 13.0 ch. 12: 12.5 ch. 13: -6.0	
			ch. 12: 16.0 ch. 13: -14.0	ch. 12: 16.0 ch. 13: -14.0	ch. 12: 13.5 ch. 13: -12.5			ch. 12: 16.0 ch. 13: -14.0	ch. 12: 16.0 ch. 13: -14.0	ch. 12: 13.5 ch. 13: -12.5		
		Nominal	16.25	16.25	16.25	16.25		16.25	16.25	16.25	16.25	
					ch. 1: 15.0	ch. 1: 13.0 ch. 2: 14.5 ch. 3: 16.0				ch. 1: 15.0	ch. 1: 13.0 ch. 2: 14.5 ch. 3: 16.0	
						ch. 10: 14.0 ch. 11: 12.0 ch. 12: 11.5 ch. 13: -7.0					ch. 10: 14.0 ch. 11: 12.0 ch. 12: 11.5 ch. 13: -7.0	
			ch. 12: 15.0 ch. 13: -15.0	ch. 12: 15.0 ch. 13: -15.0	ch. 12: 12.5 ch. 13: -13.5			ch. 12: 15.0 ch. 13: -15.0	ch. 12: 15.0 ch. 13: -15.0	ch. 12: 12.5 ch. 13: -13.5		
Mode	Bandwidth		IEEE 802.11ax RU (in dBm)									
			SISO/SISO In MIMO Ant R (in dBm)					SISO/SISO in MIMO Ant L (in dBm)				
			26T	52T, 52T+26T	106T, 106T +26T	242T	484T	26T	52T, 52T+26T	106T, 106T +26T	242T	484T
2.4 GHz WIFI	40 MHz	Maximum	17.25	17.25	17.25	17.25	16	17.25	17.25	17.25	17.25	16
						ch. 3: 17.0 ch. 10: 15.0 ch. 11: 13.0	ch. 3: 14.0 ch. 9: 13.5 ch. 10: 11.0 ch. 11: -6.0				ch. 3: 17.0 ch. 10: 15.0 ch. 11: 13.0	ch. 3: 14.0 ch. 9: 13.5 ch. 10: 11.0 ch. 11: -6.0
			16.25	16.25	16.25	16.25	15	16.25	16.25	16.25	16.25	15
		Nominal				ch. 3: 16.0 ch. 10: 14.0 ch. 11: 12.0	ch. 3: 13.0 ch. 9: 12.5 ch. 10: 10.0 ch. 11: -7.0				ch. 3: 16.0 ch. 10: 14.0 ch. 11: 12.0	ch. 3: 13.0 ch. 9: 12.5 ch. 10: 10.0 ch. 11: -7.0

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 2 of 16

H.2.2 5GHz WLAN 802.11ax/be RU WLAN Output Power

The below table is applicable in the following conditions:

- Pmax, DSI=0 (Power Mode 1)

Mode			IEEE 802.11ax/be RU (in dBm)														
			SISO / SISO In MIMO						SISO / SISO In MIMO								
			Antenna R						Antenna L								
5 GHz WiFi (20MHz BW)	UNII-1	Maximum	26T	52T, 52T+26T	106T, 106T+26T	242T	484T, 484T+242T	996T, 996T+242T, 996T+484T	996T*2	26T	52T, 52T+26T	106T, 106T+26T	242T	484T, 484T+242T	996T, 996T+242T, 996T+484T	996T*2	
			9.5	12.0	14.5	17.5				9.5	12.0	14.5	17.5				
						ch. 36	16.5						ch. 36	16.5			
						ch. 140	17.5						ch. 140	15.0			
			ch. 149	16.0	ch. 149	16.0	ch. 149	16.0		ch. 149	16.0	ch. 149	16.0	ch. 149	16.0		
			8.5	10.5	13.5	16.5				8.5	10.5	13.5	16.5				
			ch. 173	7.5		ch. 173	16.0		ch. 173	7.5		ch. 173	16.0				
			ch. 177	16.0		ch. 177	16.0		ch. 177	16.0							
	UNII-3	Nominal				ch. 36	15.5					ch. 36	15.5				
						ch. 140	15.5					ch. 140	15.5				
						ch. 140	14.0					ch. 140	14.0				
			18.0	18.0	18.0	20.0			18.0	18.0	18.0	20.0					
			ch. 149	15.0	ch. 149	15.0	ch. 149	15.0		ch. 149	15.0	ch. 149	15.0				
			7.5	9.5	12.5	15.5			7.5	9.5	12.5	15.5					
			ch. 173	6.5		ch. 173	15.0		ch. 173	6.5		ch. 173	15.0				
			ch. 177	15.0		ch. 177	15.0		ch. 177	15.0							
5 GHz WiFi (40MHz BW)	UNII-1	Maximum	9.5	12.0	14.5	17.5				9.5	12.0	14.5	17.5				
						ch. 38	13.5						ch. 38	13.5			
						ch. 42	13.5						ch. 42	13.5			
						ch. 106	15.5						ch. 106	15.5			
						ch. 106	15.5						ch. 106	15.5			
						ch. 118	17.5						ch. 118	17.5			
						ch. 122	17.5						ch. 122	17.5			
						ch. 126	17.5						ch. 126	17.5			
	UNII-3	Nominal				ch. 134	18.0						ch. 134	18.0			
						ch. 138	18.0						ch. 138	18.0			
						ch. 142	16.0						ch. 142	16.0			
			19.0	19.0	19.0	21.0			19.0	19.0	19.0	21.0					
						ch. 151	17.5					ch. 151	17.5				
						ch. 155	17.5					ch. 155	17.5				
			8.5	10.5	13.5	16.5			8.5	10.5	13.5	16.5					
			8.5	11.0	13.5	16.5			8.5	11.0	13.5	16.5					
UNII-1	Nominal				ch. 38	12.5						ch. 38	12.5				
					ch. 42	12.5						ch. 42	12.5				
					ch. 62	12.5						ch. 62	12.5				
					ch. 102	14.5						ch. 102	14.5				
					ch. 106	14.5						ch. 106	14.5				
					ch. 118	16.5						ch. 118	16.5				
					ch. 122	16.5						ch. 122	16.5				
					ch. 126	16.5						ch. 126	16.5				
UNII-3	Nominal				ch. 134	17.0						ch. 134	17.0				
					ch. 138	17.0						ch. 138	17.0				
					ch. 142	15.0						ch. 142	15.0				
		18.0	18.0	18.0	20.0			18.0	18.0	18.0	20.0						
					ch. 151	16.5					ch. 151	16.5					
					ch. 155	16.5					ch. 155	16.5					
		7.5	9.5	12.5	15.5	18.0			7.5	9.5	12.5	15.5	18.0				
		9.5	12.0	14.5	17.5	17.5	13.5		9.5	12.0	14.5	17.5	17.5	13.5			
UNII-2A	Maximum				ch. 106	9.5						ch. 106	9.5				
					ch. 114	9.5						ch. 114	9.5				
					ch. 122	17.5						ch. 122	17.5				
		19.0	19.0	19.0	21.0			19.0	19.0	19.0	21.0						
					ch. 106	19.0					ch. 106	19.0					
					ch. 114	19.0					ch. 114	19.0					
					ch. 122	17.5					ch. 122	17.5					
		19.0	19.0	19.0	21.0			19.0	19.0	19.0	21.0						
UNII-2A	Nominal	8.5	10.5	13.5	16.5	19.0			8.5	10.5	13.5	16.5	19.0				
					ch. 106	16.5					ch. 106	16.5					
					ch. 114	16.5					ch. 114	16.5					
					ch. 122	16.5					ch. 122	16.5					
					ch. 126	16.5					ch. 126	16.5					
					ch. 134	17.0					ch. 134	17.0					
					ch. 138	17.0					ch. 138	17.0					
					ch. 142	15.0					ch. 142	15.0					
UNII-3	Nominal	18.0	18.0	18.0	20.0			18.0	18.0	18.0	20.0						
					ch. 151	16.5					ch. 151	16.5					
					ch. 155	16.5					ch. 155	16.5					
		7.5	9.5	12.5	15.5	18.0			7.5	9.5	12.5	15.5	18.0				
		9.5	12.0	14.5	17.5	17.5	13.5		9.5	12.0	14.5	17.5	17.5	13.5			
					ch. 106	9.5					ch. 106	9.5					
					ch. 114	9.5					ch. 114	9.5					
					ch. 122	17.5					ch. 122	17.5					
UNII-2A	Maximum	19.0	19.0	19.0	21.0			19.0	19.0	19.0	21.0						
					ch. 106	19.0					ch. 106	19.0					
					ch. 114	19.0					ch. 114	19.0					
					ch. 122	17.5					ch. 122	17.5					
		19.0	19.0	19.0	21.0			19.0	19.0	19.0	21.0						
					ch. 106	19.0					ch. 106	19.0					
					ch. 114	19.0					ch. 114	19.0					
					ch. 122	17.5					ch. 122	17.5					
UNII-2A	Nominal	8.5	11.0	14.0	15.5	18.0			8.5	11.0	14.0	15.5	18.0				
					ch. 106	8.5					ch. 106	8.5					
					ch. 114	8.5					ch. 114	8.5					
					ch. 122	16.5					ch. 122	16.5					
		18.0	18.0	18.0	20.0			18.0	18.0	18.0	20.0						
					ch. 151	16.5					ch. 151	16.5					
					ch. 155	16.5					ch. 155	16.5					
		7.5	9.5	12.5	15.5	18.0			7.5	9.5	12.5	15.5	18.0				
UNII-2A	Maximum	9.0	12.0	14.5	17.5	17.5	12.0		9.0	12.0	14.5	17.5	17.5	12.0			
					ch. 106	15.5					ch. 106	15.5					
					ch. 118	16.5					ch. 118	16.5					
					ch. 122	16.5					ch. 122	16.5					
					ch. 126	16.5					ch. 126	16.5					
					ch. 134	17.0					ch. 134	17.0					
					ch. 138	17.0					ch. 138	17.0					
					ch. 142	15.0					ch. 142	15.0					
UNII-3	Nominal	18.0	18.0	18.0	20.0			18.0	18.0	18.0	20.0						
					ch. 151	16.5					ch. 151	16.5					
					ch. 155	16.5					ch. 155	16.5					
		7.5	9.5	12.5	15.5	18.0			7.5	9.5	12.5	15.5	18.0				
		9.0	12.0	14.5	17.5	17.5	12.0		9.0	12.0	14.5	17.5	17.5	12.0			
					ch. 106	15.5					ch. 106	15.5					
					ch. 118	16.5					ch. 118	16.5					
					ch. 122	16.5					ch. 122	16.5					
UNII-2A	Maximum	9.0	12.0	14.5	17.5	17.5	12.0		9.0	12.0	14.5	17.5	17.5	12.0			
					ch. 106	15.5					ch. 106	15.5					
					ch. 118	16.5					ch. 118	16.5					
					ch. 122	16.5					ch. 122	16.5					
					ch. 126	16.5					ch. 126	16.5					
					ch. 134	17.0					ch. 134	17.0					
					ch. 138	17.0					ch. 138	17.0					
					ch. 142	15.0					ch. 142	15.0					
UNII-3	Nominal	18.0	18.0	18.0	20.0			18.0	18.0	18.0	20.0						
					ch. 151	16.5					ch. 151	16.5					
					ch. 155	16.5					ch. 155	16.5					
		7.5	9.5	12.5	15.5	18.0			7.5	9.5	12.5	15.5	18.0				
		9.0	12.0	14.5	17.5	17.5	12.0		9.0	12.0	14.5	17.5	17.5	12.0			
					ch. 106	15.5					ch. 106	15.5					
					ch. 118	16.5					ch. 118	16.5					
					ch. 122	16.5					ch. 122	16.5					

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 3 of 16

The below table is applicable in the following conditions:

- DSI=1 (Power Mode 2)

Mode			IEEE 802.11ax/be RU (n dBm)													
			SISO / SISO In MMIO								SISO / SISO In MMIO					
			Antenna B								Antenna L					
5 GHz WiFi (20MHz BW)	U-NI-1	Maximum	26T	52T, 52T+26T	106T, 106T+26T	242T	484T, 484T+242T	996T, 996T+242T, 996T+484T	996T*2	26T	52T, 52T+26T	106T, 106T+26T	242T	484T, 484T+242T	996T, 996T+242T, 996T+484T	996T*2
	U-NI-2A		9.5	12.0	14.5	16.25				9.5	12.0	14.5	16.25			
	U-NI-2C		9.0	12.0	15.0	16.5				9.0	12.0	15.0	16.5			
	U-NI-3		9.5	12.5	15.5	17.0				9.5	12.5	15.5	17.0			
	U-NI-4	Nominal	17.0	17.0	17.0	ch 140: 15.0				17.0	17.0	17.0	ch 140: 15.0			
	U-NI-1		ch 148: 16.0	ch 148: 16.0	ch 148: 16.0	ch 148: 16.0				ch 148: 16.0	ch 148: 16.0	ch 148: 16.0	ch 148: 16.0			
	U-NI-2A		8.5	10.5	13.5	16.5				8.5	10.5	13.5	16.5			
	U-NI-2C		ch 173: 7.5			ch 173: 16.0 ch 177: 16.0				ch 173: 7.5			ch 173: 16.0 ch 177: 16.0			
	U-NI-3	Nominal	8.5	11.0	13.5	15.25				8.5	11.0	13.5	15.25			
	U-NI-4		8.0	11.0	14.0	15.5				8.0	11.0	14.0	15.5			
	U-NI-1		8.5	11.5	14.5	16.0				8.5	11.5	14.5	16.0			
	U-NI-2C		16.0	16.0	16.0	ch 140: 14.0				16.0	16.0	16.0	ch 140: 14.0			
5 GHz WiFi (40MHz BW)	U-NI-3	Maximum	ch 148: 15.0	ch 148: 15.0	ch 148: 15.0	ch 148: 15.0				ch 148: 15.0	ch 148: 15.0	ch 148: 15.0	ch 148: 15.0			
	U-NI-4		7.5	9.5	12.5	15.5				7.5	9.5	12.5	15.5			
	U-NI-1		ch 173: 6.5			ch 173: 15.0 ch 177: 15.0				ch 173: 6.5			ch 173: 15.0 ch 177: 15.0			
	U-NI-2C					16.25							16.25			
	U-NI-1	Nominal	9.5	12.0	14.5	16.25	ch 38: 13.5 ch 42: 13.5			9.5	12.0	14.5	16.25	ch 38: 13.5 ch 42: 13.5		
	U-NI-2A		9.0	12.0	15.0	16.5	15.5			9.0	12.0	15.0	16.5	15.5		
	U-NI-2C		9.5	12.5	15.5	17.0	ch 62: 13.5			9.5	12.5	15.5	17.0	ch 62: 13.5		
	U-NI-3		17.0	17.0	17.0	17.0	ch 102: 15.5 ch 142: 16.0			17.0	17.0	17.0	17.0	ch 102: 15.5 ch 142: 16.0		
	U-NI-4	Nominal	8.5	10.5	13.5	16.5	17.0			8.5	10.5	13.5	16.5	17.0		
	U-NI-1		8.5	11.0	13.5	15.25	15.25			8.5	11.0	13.5	15.25	15.25		
	U-NI-2A		8.0	11.0	14.0	15.5	14.5			8.0	11.0	14.0	15.5	14.5		
	U-NI-2C		8.5	11.5	14.5	16.0	16.0			8.5	11.5	14.5	16.0	16.0		
	U-NI-3	Nominal	16.0	16.0	16.0	16.0	ch 38: 12.5 ch 62: 12.5			16.0	16.0	16.0	16.0	ch 38: 14.5 ch 62: 12.5		
	U-NI-4		7.5	9.5	12.5	15.5	16.0			7.5	9.5	12.5	15.5	16.0		
5 GHz WiFi (80MHz BW)	U-NI-1		16.0	16.0	16.0	16.0	ch 106: 14.5 ch 106: 14.5 ch 142: 15.0			16.0	16.0	16.0	16.0	ch 102: 14.5 ch 106: 14.5 ch 142: 15.0		
	U-NI-2A		7.5	9.5	12.5	15.5	16.0			7.5	9.5	12.5	15.5	16.0		
	U-NI-2C		16.0	16.0	16.0	16.0	16.0			16.0	16.0	16.0	16.0	16.0		
	U-NI-3		11.0	11.0	11.0	11.0	11.0			11.0	11.0	11.0	11.0	11.0		
5 GHz WiFi (160MHz BW)	U-NI-1	Maximum	9.5	12.0	14.5	16.25	16.3	13.5	12.0	9.5	12.0	14.5	16.25	16.3	13.5	12.0
	U-NI-2A		9.0	12.0	15.0	16.50	15.5	14.0	12.0	9.0	12.0	15.0	16.50	15.5	14.0	12.0
	U-NI-2C		9.5	12.5	15.5	17.0	17.0	17.0	12.0	9.5	12.5	15.5	17.0	17.0	17.0	12.0
	U-NI-3		17.0	17.0	17.0	17.0	17.0	12.0	15.5	17.0	17.0	17.0	17.0	17.0	12.0	15.5
	U-NI-4	Nominal	8.5	10.5	13.5	16.5	17.0	17.0	14.5	8.5	10.5	13.5	16.5	17.0	17.0	14.5
	U-NI-1		8.5	11.0	13.5	15.25	15.3	12.5	11.0	8.5	11.0	13.5	15.25	15.3	12.5	11.0
	U-NI-2A		8.0	11.0	14.0	15.50	14.5	13.0	8.0	11.0	14.0	15.50	14.5	13.0	11.0	11.0
	U-NI-2C		8.5	11.5	14.5	16.0	16.0	16.0	11.0	8.5	11.5	14.5	16.0	16.0	16.0	11.0
	U-NI-3	Nominal	16.0	16.0	16.0	16.0	16.0	11.0	14.5	16.0	16.0	16.0	16.0	16.0	11.0	14.5
	U-NI-4		7.5	9.5	12.5	15.5	16.0	16.0	14.5	7.5	9.5	12.5	15.5	16.0	16.0	14.5

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 4 of 16

H.2.1 6GHz WLAN 802.11ax/be RU WLAN Output Power

The below table is applicable in the following conditions:

- Pmax, DSI=0 (Power Mode 1)

Mode	Band		IEEE 802.11ax/be RU (in dBm)																	
			SISO / SISO in MIMO								SISO / SISO in MIMO									
			Antenna R								Antenna L									
	20T	52T, 52T+20T	106T, 106T+20T	242T	484T, 484T+242T	996T, 996T+242T,996T+484T	996T*2	996T*4	20T	52T, 52T+20T	106T, 106T+20T	242T	484T, 484T+242T	996T, 996T+242T,996T+484T	996T*2	996T*4				
6 GHz WiFi (20MHz BW) - LPI	Maximum	UNII-5	-7.5	-4.5	-2.0	1.5				-7.5	-4.5	-2.0	1.5							
		UNII-6	-7.5	-4.5	-2.0	0.5				-7.5	-4.5	-2.0	0.5							
		UNII-7	-7.5	-4.5	-2.0	0.5				-7.5	-4.5	-2.0	0.5							
		UNII-8	-7.5	-4.5	-2.0	0.5				-7.5	-4.5	-2.0	0.5							
		ch. 388: -4.5								ch. 388: -4.5										
	Nominal	UNII-5	ch. 233: -11.0	ch. 233: -7.5	ch. 233: -3.0	ch. 233: -3.0				ch. 233: -11.0	ch. 233: -7.5	ch. 233: -3.0	ch. 233: -3.0							
		UNII-6	-9.0	-6.0	-3.5	-1.0				-9.0	-6.0	-3.5	-1.0							
		UNII-7	-9.0	-6.0	-3.5	-1.0				-9.0	-6.0	-3.5	-1.0							
		UNII-8	-9.0	-6.0	-3.5	-1.0				-9.0	-6.0	-3.5	-1.0							
		ch. 388: -4.5	ch. 233: -9.0	ch. 233: -4.5	ch. 233: -4.5				ch. 388: -4.5	ch. 233: -9.0	ch. 233: -4.5	ch. 233: -4.5								
6 GHz WiFi (40MHz BW) - LPI	Maximum	UNII-5	-7.5	-4.5	-2.0	1.5	4.0			-7.5	-4.5	-2.0	1.5	4.0						
		UNII-6	-7.5	-4.5	-2.0	0.5	4.0			-7.5	-4.5	-2.0	0.5	4.0						
		UNII-7	-7.5	-4.5	-2.0	0.5	4.0			-7.5	-4.5	-2.0	0.5	4.0						
		UNII-8	-7.5	-4.5	-2.0	0.5	4.0			-7.5	-4.5	-2.0	0.5	4.0						
		ch. 388: -4.5							ch. 388: -4.5											
	Nominal	UNII-5	-9.0	-6.0	-3.5	0.0	2.5	5.5			-9.0	-6.0	-3.5	0.0	2.5	5.5				
		UNII-6	-9.0	-6.0	-3.5	-1.0	2.5	5.5			-9.0	-6.0	-3.5	-1.0	2.5	5.5				
		UNII-7	-9.0	-6.0	-3.5	-1.0	2.5	5.5			-9.0	-6.0	-3.5	-1.0	2.5	5.5				
		UNII-8	-9.0	-6.0	-3.5	-1.0	2.5	5.5			-9.0	-6.0	-3.5	-1.0	2.5	5.5				
		ch. 388: -4.5	ch. 233: -9.0	ch. 233: -4.5	ch. 233: -4.5				ch. 388: -4.5	ch. 233: -9.0	ch. 233: -4.5	ch. 233: -4.5								
6 GHz WiFi (80MHz BW) - LPI	Maximum	UNII-5	-7.5	-4.5	-2.0	0.5	4.0	6.5			-7.5	-4.5	-2.0	0.5	4.0	6.5				
		UNII-6	-7.5	-4.5	-2.0	0.5	4.0	6.5			-7.5	-4.5	-2.0	0.5	4.0	6.5				
		UNII-7	-7.5	-4.5	-2.0	0.5	4.0	6.5			-7.5	-4.5	-2.0	0.5	4.0	6.5				
		UNII-8	-7.5	-4.5	-2.0	0.5	4.0	6.5			-7.5	-4.5	-2.0	0.5	4.0	6.5				
		ch. 388: -4.5							ch. 388: -4.5											
	Nominal	UNII-5	-9.0	-6.0	-3.5	0.0	2.5	5.5	8.0			-9.0	-6.0	-3.5	0.0	2.5	5.5	8.0		
		UNII-6	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0		
		UNII-7	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0		
		UNII-8	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0		
		ch. 388: -4.5	ch. 233: -9.0	ch. 233: -4.5	ch. 233: -4.5				ch. 388: -4.5	ch. 233: -9.0	ch. 233: -4.5	ch. 233: -4.5								
6 GHz WiFi (160MHz BW) - LPI	Maximum	UNII-5	-7.5	-4.5	-2.0	1.5	4.0	6.5	9.0			-7.5	-4.5	-2.0	1.5	4.0	6.5	9.0		
		UNII-6	-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0		
		UNII-7	-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0		
		UNII-8	-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0		
		ch. 388: -4.5							ch. 388: -4.5											
	Nominal	UNII-5	-9.0	-6.0	-3.5	0.0	2.5	5.5	8.0	11.0			-9.0	-6.0	-3.5	0.0	2.5	5.5	8.0	11.0
		UNII-6	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	11.0			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	11.0
		UNII-7	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	11.0			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	11.0
		UNII-8	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	11.0			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	11.0
		ch. 388: -4.5	ch. 233: -9.0	ch. 233: -4.5	ch. 233: -4.5				ch. 388: -4.5	ch. 233: -9.0	ch. 233: -4.5	ch. 233: -4.5								

The below table is applicable in the following conditions:

- Pmax, DSI=0 (Power Mode1)

Mode	Band		IEEE 802.11ax/be RU (in dBm)															
			SISO / SISO in MIMO								SISO / SISO in MIMO							
			Antenna R								Antenna L							
20T	52T, 52T+20T	106T, 106T+20T	242T	484T, 484T+242T	996T, 996T+242T,996T+484T	996T*2	996T*4	20T	52T, 52T+20T	106T, 106T+20T	242T	484T, 484T+242T	996T, 996T+242T,996T+484T	996T*2	996T*4			
6 GHz WiFi (20MHz BW) - SP	UNII-5	Maximum	9.5	12.5	15.5	17.5	18.0	18.0	9.5	12.5	15.5	17.5	18.0	18.0				
			ch. 181: 6.5	ch. 181: 6.5	ch. 181: 12.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 6.5	ch. 181: 6.5	ch. 181: 12.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	
	UNII-7	Nominal	8.5	11.5	14.5	16.5	17.0	17.0	8.5	11.5	14.5	16.5	17.0	17.0				
			ch. 181: 5.5	ch. 181: 5.5	ch. 181: 11.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 5.5	ch. 181: 5.5	ch. 181: 11.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	
	6 GHz WiFi (40MHz BW) - SP	UNII-5	Maximum	9.5	12.5	15.5	17.5	18.0	18.0	9.5	12.5	15.5	17.5	18.0	18.0			
ch. 181: 6.5				ch. 181: 6.5	ch. 181: 12.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 6.5	ch. 181: 6.5	ch. 181: 12.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	ch. 181: 14.5	
UNII-7		Nominal	8.5	11.5	14.5	16.5	17.0	17.0	8.5	11.5	14.5	16.5	17.0	17.0				
			ch. 181: 5.5	ch. 181: 5.5	ch. 181: 11.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 5.5	ch. 181: 5.5	ch. 181: 11.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	ch. 181: 13.5	
6 GHz WiFi (80MHz BW) - SP		UNII-5	Maximum	9.5	12.5	15.5	17.5	18.0	18.0	9.5	12.5	15.5	17.5	18.0	18.0	18.0	17.5	
	ch. 7: 17.0			ch. 29: 17.0	ch. 135: 17.5	ch. 135: 17.5	ch. 135: 17.5	ch. 135: 17.5	ch. 135: 17.5	ch. 7: 17.0	ch. 29: 17.0	ch. 135: 17.5	ch. 135: 17.5	ch. 135: 17.5	ch. 135: 17.5	ch. 135: 17.5	ch. 135: 17.5	
	UNII-7	Nominal	8.5	11.5	14.5	16.5	17.0	17.0	8.5	11.5	14.5	16.5	17.0	17.0				
			ch. 7: 16.0	ch. 29: 16.0	ch. 135: 16.5	ch. 135: 16.5	ch. 135: 16.5	ch. 135: 16.5	ch. 135: 16.5	ch. 7: 16.0	ch. 29: 16.0	ch. 135: 16.5	ch. 135: 16.5	ch. 135: 16.5	ch. 135: 16.5	ch. 135: 16.5	ch. 135: 16.5	
	6 GHz WiFi (160MHz BW) - SP	UNII-5	Maximum	9.5	12.5	15.5	17.5	18.0	19.0	19.0	9.5	12.5	15.5	17.5	18.0	19.0	19.0	
ch. 15: 18.5				ch. 47: 18.5	ch. 15: 18.5	ch. 47: 18.5	ch. 15: 18.5	ch. 47: 18.5	ch. 15: 18.5	ch. 15: 18.5	ch. 47: 18.5	ch. 15: 18.5	ch. 47: 18.5	ch. 15: 18.5	ch. 47: 18.5	ch. 15: 18.5	ch. 47: 18.5	
UNII-7		Nominal	8.5	11.5	14.5	16.5	17.0	18.0	18.0	8.5	11.5	14.5	16.5	17.0	18.0	18.0		
			ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	
6 GHz WiFi (320MHz BW) - SP		UNII-5	Maximum	8.5	11.5	14.5	16.5	17.0	18.0	18.0	8.5	11.5	14.5	16.5	17.0	18.0	19.0	
	ch. 15: 16.0			ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	
	UNII-7	Nominal	8.5	11.5	14.5	16.5	17.0	18.0	18.0	8.5	11.5	14.5	16.5	17.0	18.0	19.0		
			ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	
	UNII-5	Maximum	8.5	11.5	14.5	16.5	17.0	18.0	18.0	8.5	11.5	14.5	16.5	17.0	18.0	19.0	19.0	
ch. 15: 16.0			ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0	ch. 15: 16.0	ch. 47: 16.0		

The below table is applicable in the following conditions:

- DSI=1 (Power Mode 2)

Mode	Band		IEEE 802.11ac/a/b/n RU (in dBm)															
			SSB / SSB in MIMO								SSB / SSB in MIMO							
			Antenna R								Antenna L							
			25T	52T 52T+26T	106T 106T+26T	242T	484T 484T+242T	996T, 996T+242T,996T+484	996T*2	996T*4	25T	52T 52T+26T	106T 106T+26T	242T	484T 484T+242T	996T, 996T+242T,996T+484	996T*2	996T*4
6 GHz WiFi (20MHz BW) - LPI	LNI-B	Maximum	-7.5	-4.5	-2.0	1.5					-7.5	-4.5	-2.0	1.5				
			-7.5	-4.5	-2.0	0.5					-7.5	-4.5	-2.0	0.5				
			-7.5	-4.5	-2.0	0.5					-7.5	-4.5	-2.0	0.5				
			-7.5	-4.5	-2.0	0.5					-7.5	-4.5	-2.0	0.5				
			ch 181: -4.5								ch 181: -4.5							
	LNI-B	Nominal	ch 233: -11.0	ch 233: -7.5	ch 233: -7.0	ch 233: -3.0					ch 233: -11.0	ch 233: -7.5	ch 233: -7.0	ch 233: -3.0				
			-9.0	-6.0	-3.5	0.0					-9.0	-6.0	-3.5	0.0				
			-9.0	-6.0	-3.5	-1.0					-9.0	-6.0	-3.5	-1.0				
			-9.0	-6.0	-3.5	-1.0					-9.0	-6.0	-3.5	-1.0				
			-9.0	-6.0	-3.5	-1.0					-9.0	-6.0	-3.5	-1.0				
6 GHz WiFi (40MHz BW) - LPI	LNI-B	Maximum	-7.5	-4.5	-2.0	1.5	4.0				-7.5	-4.5	-2.0	1.5	4.0			
			-7.5	-4.5	-2.0	0.5	4.0				-7.5	-4.5	-2.0	0.5	4.0			
			-7.5	-4.5	-2.0	0.5	4.0				-7.5	-4.5	-2.0	0.5	4.0			
			-7.5	-4.5	-2.0	0.5	4.0				-7.5	-4.5	-2.0	0.5	4.0			
			-9.0	-6.0	-3.5	0.0	2.5				-9.0	-6.0	-3.5	0.0	2.5			
	LNI-B	Nominal	-9.0	-6.0	-3.5	-1.0	2.5				-9.0	-6.0	-3.5	-1.0	2.5			
			-9.0	-6.0	-3.5	-1.0	2.5				-9.0	-6.0	-3.5	-1.0	2.5			
			-9.0	-6.0	-3.5	-1.0	2.5				-9.0	-6.0	-3.5	-1.0	2.5			
			-9.0	-6.0	-3.5	-1.0	2.5				-9.0	-6.0	-3.5	-1.0	2.5			
			-9.0	-6.0	-3.5	-1.0	2.5				-9.0	-6.0	-3.5	-1.0	2.5			
6 GHz WiFi (80MHz BW) - LPI	LNI-B	Maximum	-7.5	-4.5	-2.0	1.5	4.0	6.5			-7.5	-4.5	-2.0	1.5	4.0	6.5		
			-7.5	-4.5	-2.0	0.5	4.0	6.5			-7.5	-4.5	-2.0	0.5	4.0	6.5		
			-7.5	-4.5	-2.0	0.5	4.0	6.5			-7.5	-4.5	-2.0	0.5	4.0	6.5		
			-7.5	-4.5	-2.0	0.5	4.0	6.5			-7.5	-4.5	-2.0	0.5	4.0	6.5		
			-9.0	-6.0	-3.5	0.0	2.5	5.5			-9.0	-6.0	-3.5	0.0	2.5	5.5		
	LNI-B	Nominal	-9.0	-6.0	-3.5	-1.0	2.5	5.5			-9.0	-6.0	-3.5	-1.0	2.5	5.5		
			-9.0	-6.0	-3.5	-1.0	2.5	5.5			-9.0	-6.0	-3.5	-1.0	2.5	5.5		
			-9.0	-6.0	-3.5	-1.0	2.5	5.5			-9.0	-6.0	-3.5	-1.0	2.5	5.5		
			-9.0	-6.0	-3.5	-1.0	2.5	5.5			-9.0	-6.0	-3.5	-1.0	2.5	5.5		
			-9.0	-6.0	-3.5	-1.0	2.5	5.5			-9.0	-6.0	-3.5	-1.0	2.5	5.5		
6 GHz WiFi (160MHz BW) - LPI	LNI-B	Maximum	-7.5	-4.5	-2.0	1.5	4.0	6.5	9.0		-7.5	-4.5	-2.0	1.5	4.0	6.5	9.0	
			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0		-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	
			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0		-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	
			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0		-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	
			-9.0	-6.0	-3.5	0.0	2.5	5.5	8.0		-9.0	-6.0	-3.5	0.0	2.5	5.5	8.0	
	LNI-B	Nominal	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0		-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	
			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0		-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	
			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0		-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	
			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0		-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	
			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0		-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	
6 GHz WiFi (320MHz BW) - LPI	LNI-B	Maximum	-7.5	-4.5	-2.0	1.5	4.0	6.5	9.0	11.5	-7.5	-4.5	-2.0	1.5	4.0	6.5	9.0	11.5
			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	11.5	-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	11.5
			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	11.5	-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	11.5
			-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	11.5	-7.5	-4.5	-2.0	0.5	4.0	6.5	9.0	11.5
			-9.0	-6.0	-3.5	0.0	2.5	5.5	8.0	10.5	-9.0	-6.0	-3.5	0.0	2.5	5.5	8.0	10.5
	LNI-B	Nominal	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5
			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5
			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5
			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5
			-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5	-9.0	-6.0	-3.5	-1.0	2.5	5.5	8.0	10.5

The below table is applicable in the following conditions:

- DSI=1 (Power Mode2)

Mode	Band		IEEE 802.11ac/a/b/n RU (in dBm)															
			SSB / SISO in MIMO								SSB / SISO in MIMO							
			Antenna R								Antenna L							
			26T	52T, 52T+26T	106T, 106T+26T	242T	484T, 484T+242T	996T, 996T+242T,996T+484 T	996T*2	996T*4	26T	52T, 52T+26T	106T, 106T+26T	242T	484T, 484T+242T	996T, 996T+242T,996T+484 T	996T*2	996T*4
6 GHz WiFi (20MHz BW) - SP	Maximum	LNI-B	9.5	12.5	15.0	15.0					9.5	12.5	15.0	15.0				
		LNI-B	9.5	12.5	14.5	14.5					9.5	12.5	14.5	14.5				
		LNI-B	ch 181: 6.5	ch 181: 9.5	ch 181: 11.5	14.0					ch 181: 6.5	ch 181: 9.5	ch 181: 11.5	14.0				
	Nominal	LNI-B	8.5	11.5	14.0	14.0					8.5	11.5	14.0	14.0				
		LNI-B	8.5	11.5	13.5	13.5					8.5	11.5	13.5	13.5				
		LNI-B	ch 181: 5.5	ch 181: 8.5	ch 181: 11.5	14.0					ch 181: 5.5	ch 181: 8.5	ch 181: 11.5	14.0				
6 GHz WiFi (40MHz BW) - SP	Maximum	LNI-B	9.5	12.5	15.0	15.0	15.0				9.5	12.5	15.0	15.0	15.0			
		LNI-B	9.5	12.5	14.5	14.5	14.5				9.5	12.5	14.5	14.5	14.5			
		LNI-B	8.5	11.5	14.0	14.0	14.0				8.5	11.5	14.0	14.0	14.0			
	Nominal	LNI-B	9.5	12.5	15.0	15.0	15.0	15.0			9.5	12.5	15.0	15.0	15.0	15.0		
		LNI-B	9.5	12.5	14.5	14.5	14.5	14.5			9.5	12.5	14.5	14.5	14.5	14.5		
		LNI-B	8.5	11.5	13.5	13.5	13.5	13.5			8.5	11.5	13.5	13.5	13.5	13.5		
6 GHz WiFi (80MHz BW) - SP	Maximum	LNI-B	9.5	12.5	15.0	15.0	15.0	15.0	15.0		9.5	12.5	15.0	15.0	15.0	15.0	15.0	
		LNI-B	9.5	12.5	14.5	14.5	14.5	14.5	14.5		9.5	12.5	14.5	14.5	14.5	14.5	14.5	
		LNI-B	8.5	11.5	14.0	14.0	14.0	14.0	14.0		8.5	11.5	14.0	14.0	14.0	14.0	14.0	
	Nominal	LNI-B	9.5	12.5	15.0	15.0	15.0	15.0	15.0		9.5	12.5	15.0	15.0	15.0	15.0	15.0	
		LNI-B	9.5	12.5	14.5	14.5	14.5	14.5	14.5		9.5	12.5	14.5	14.5	14.5	14.5	14.5	
		LNI-B	8.5	11.5	13.5	13.5	13.5	13.5	13.5		8.5	11.5	13.5	13.5	13.5	13.5	13.5	
6 GHz WiFi (160MHz BW) - SP	Maximum	LNI-B	9.5	12.5	15.0	15.0	15.0	15.0	15.0	15.0		9.5	12.5	15.0	15.0	15.0	15.0	15.0
		LNI-B	9.5	12.5	14.5	14.5	14.5	14.5	14.5	14.5		9.5	12.5	14.5	14.5	14.5	14.5	14.5
		LNI-B	8.5	11.5	14.0	14.0	14.0	14.0	14.0	14.0		8.5	11.5	14.0	14.0	14.0	14.0	14.0
	Nominal	LNI-B	9.5	12.5	15.0	15.0	15.0	15.0	15.0	15.0		9.5	12.5	15.0	15.0	15.0	15.0	15.0
		LNI-B	9.5	12.5	14.5	14.5	14.5	14.5	14.5	14.5		9.5	12.5	14.5	14.5	14.5	14.5	14.5
		LNI-B	8.5	11.5	13.5	13.5	13.5	13.5	13.5	13.5		8.5	11.5	13.5	13.5	13.5	13.5	13.5
6 GHz WiFi (320MHz BW) - SP	Maximum	LNI-B	9.5	12.5	15.0	15.0	15.0	15.0	15.0	15.0	15.0		9.5	12.5	15.0	15.0	15.0	15.0
		LNI-B	9.5	12.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5		9.5	12.5	14.5	14.5	14.5	14.5
		LNI-B	8.5	11.5	14.0	14.0	14.0	14.0	14.0	14.0	14.0		8.5	11.5	14.0	14.0	14.0	14.0
	Nominal	LNI-B	9.5	12.5	15.0	15.0	15.0	15.0	15.0	15.0	15.0		9.5	12.5	15.0	15.0	15.0	15.0
		LNI-B	9.5	12.5	14.5	14.5	14.5	14.5	14.5	14.5	14.5		9.5	12.5	14.5	14.5	14.5	14.5
		LNI-B	8.5	11.5	14.0	14.0	14.0	14.0	14.0	14.0	14.0		8.5	11.5	14.0	14.0	14.0	14.0

H.3 IEEE 802.11ax/be Measured Powers

Table H-1
Maximum 2.4 GHz 20MHz 802.11ax/be RU Output Power – Ant R

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers [dBm]
2412	1	26T	0	18.92
			4	18.26
			8	17.78
2417	2	26T	0	18.46
			4	18.42
			8	18.55
2437	6	26T	0	18.81
			4	18.70
			8	18.83
2457	10	26T	0	18.60
			4	18.49
			8	18.92
2462	11	26T	0	18.39
			4	18.20
			8	18.14
2467	12	26T	0	15.66
			4	15.50
			8	15.29
2472	13	26T	0	-14.25
			4	-15.10
			8	-15.48
Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers [dBm]
2412	1	52T	37	18.23
			39	17.54
			40	18.06
2417	2	52T	37	18.38
			39	18.46
			40	18.93
2437	6	52T	37	18.70
			39	18.30
			40	18.79
2457	10	52T	37	18.57
			39	18.28
			40	18.86
2462	11	52T	37	18.84
			39	18.25
			40	18.67
2467	12	52T	37	15.73
			39	14.90
			40	15.55
2472	13	52T	37	-14.45
			39	-15.63
			40	-15.59

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	106T	53	15.44
			54	15.73
2417	2	106T	53	17.22
			54	17.55
2437	6	106T	53	18.59
			54	18.75
2457	10	106T	53	17.52
			54	17.82
2462	11	106T	53	17.25
			54	17.06
2467	12	106T	53	13.40
			54	12.69
2472	13	106T	53	-12.72
			54	-13.72

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers [dBm]
2412	1	242T	61	13.39
2417	2	242T	61	14.93
2437	6	242T	61	18.30
2457	10	242T	61	14.48
2462	11	242T	61	12.43
2467	12	242T	61	11.89
2472	13	242T	61	-6.89

Table H-2
Maximum 2.4 GHz 40MHz 802.11ax/be RU Output Power – Ant R

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers [dBm]
2422	3	484T	65	12.92
2427	4	484T	65	14.96
2432	5	484T	65	15.09
2437	6	484T	65	14.95
2452	9	484T	65	12.39
2457	10	484T	65	10.02
2462	11	484T	65	-7.52

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 7 of 16

Table H-3
Maximum 2.4 GHz 20 MHz 802.11ax/be RU Output Power – Ant L

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers [dBm]
2412	1	26T	0	18.84
			4	18.29
			8	18.96
2417	2	26T	0	18.32
			4	18.35
			8	18.88
2437	6	26T	0	18.75
			4	18.53
			8	18.81
2457	10	26T	0	18.70
			4	18.62
			8	18.70
2462	11	26T	0	18.49
			4	18.17
			8	17.96
2467	12	26T	0	15.73
			4	15.36
			8	15.31
2472	13	26T	0	-14.06
			4	-14.87
			8	-14.33
Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers [dBm]
2412	1	52T	37	18.10
			39	17.97
			40	17.24
2417	2	52T	37	17.69
			39	18.61
			40	18.75
2437	6	52T	37	18.70
			39	18.11
			40	18.75
2457	10	52T	37	18.67
			39	18.39
			40	18.73
2462	11	52T	37	18.99
			39	18.21
			40	18.47
2467	12	52T	37	15.62
			39	14.79
			40	15.22
2472	13	52T	37	-14.25
			39	-15.81
			40	-14.52

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	106T	53	15.28
			54	15.82
2417	2	106T	53	17.20
			54	17.99
2437	6	106T	53	18.94
			54	18.60
2457	10	106T	53	17.59
			54	17.66
2462	11	106T	53	17.33
			54	16.89
2467	12	106T	53	13.48
			54	12.64
2472	13	106T	53	-12.67
			54	-13.73

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers [dBm]
2412	1	242T	61	13.39
2417	2	242T	61	14.93
2437	6	242T	61	18.20
2457	10	242T	61	14.49
2462	11	242T	61	12.47
2467	12	242T	61	11.92
2472	13	242T	61	-6.68

Table H-4
Maximum 2.4 GHz 40MHz 802.11ax/be RU Output Power – Ant L

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers [dBm]
2422	3	484T	65	13.30
2427	4	484T	65	15.38
2432	5	484T	65	15.45
2437	6	484T	65	15.36
2452	9	484T	65	12.86
2457	10	484T	65	10.29
2462	11	484T	65	-7.62

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 8 of 16

Table H-5
Maximum 5 GHz 802.11ax/be RU Output Power – Ant R

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
1	2A	5180	36	26T	7.93	8.35	7.92
		5200	40	26T	7.82	8.37	7.88
		5240	48	26T	7.85	8.47	7.91
		5260	52	26T	7.54	8.11	7.51
	2C	5280	56	26T	7.60	8.21	7.60
		5320	64	26T	7.66	8.21	7.73
		5500	100	26T	8.43	8.96	8.41
		5600	120	26T	8.38	8.77	8.06
	3	5720	144	26T	7.78	8.13	7.53
		5745	149	26T	14.73	15.01	14.36
		5785	157	26T	17.14	17.46	17.05
		5825	165	26T	17.09	17.51	17.02
4	4	5845	169	26T	6.84	7.33	6.77
		5865	173	26T	6.02	6.52	5.97
		5885	177	26T	6.60	7.04	6.57
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
1	2A	5180	36	52T	10.56	10.92	10.54
		5200	40	52T	10.52	10.90	10.52
		5240	48	52T	10.59	11.01	10.56
		5260	52	52T	10.71	11.02	10.70
	2C	5280	56	52T	10.63	11.24	10.73
		5320	64	52T	10.88	11.08	10.76
		5500	100	52T	11.53	11.86	11.60
		5600	120	52T	11.56	11.83	11.41
	3	5720	144	52T	11.06	11.36	10.91
		5745	149	52T	14.27	14.51	14.45
		5785	157	52T	17.36	17.59	17.24
		5825	165	52T	17.34	17.38	17.17
4	4	5845	169	52T	8.80	8.97	8.72
		5865	173	52T	8.73	9.11	8.75
		5885	177	52T	8.67	9.05	8.73
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	NA
1	2A	5180	36	106T	13.17	13.16	
		5200	40	106T	13.18	13.13	
		5240	48	106T	13.21	13.27	
		5260	52	106T	13.88	13.84	
	2C	5280	56	106T	13.90	13.98	
		5320	64	106T	14.17	14.15	
		5500	100	106T	14.89	14.83	
		5600	120	106T	14.73	14.55	
	3	5720	144	106T	14.17	14.02	
		5745	149	106T	14.40	14.29	
		5785	157	106T	17.45	17.39	
		5825	165	106T	17.45	17.37	
4	4	5845	169	106T	11.97	11.96	
		5865	173	106T	12.03	11.93	
		5885	177	106T	12.17	12.00	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	NA	NA
1	2A	5180	36	242T	15.20		
		5200	40	242T	16.25		
		5240	48	242T	16.31		
		5260	52	242T	15.47		
	2C	5280	56	242T	15.48		
		5320	64	242T	15.53		
		5500	100	242T	16.84		
		5600	120	242T	16.70		
	3	5720	144	242T	15.95		
		5745	149	242T	14.24		
		5785	157	242T	19.34		
		5825	165	242T	19.32		
4	4	5845	169	242T	14.92		
		5865	173	242T	14.34		
		5885	177	242T	14.42		

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 9 of 16

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	NA	NA
	1	5190	38	484T	12.31		
80MHz BW	2A	5230	46	484T	16.33		
		5270	54	484T	14.46		
		5310	62	484T	12.44		
	2C	5510	102	484T	14.92		
		5590	118	484T	16.74		
		5710	142	484T	14.70		
	3	5755	151	484T	15.77		
		5795	159	484T	17.34		
	4	5835	167	484T	17.53		
		5875	175	484T	17.53		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	NA	NA
	1	5210	42	996T	12.50		
	2A	5290	58	996T	12.99		
		5530	106	996T	8.85		
	2C	5610	122	996T	16.60		
		5690	138	996T	17.83		
	3	5775	155	996T	10.28		
	4	5855	171	996T	17.61		
	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					68	NA	NA
	1/2A	5250	50	2x996T	10.46		
	2C	5570	114	2x996T	10.62		
	3/4	5815	163	2x996T	13.64		

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 10 of 16

Table H-6
Maximum 5 GHz 802.11ax/be RU Output Power – Ant L

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	8.68	8.66	8.01
		5200	40	26T	8.71	8.61	8.74
		5240	48	26T	8.28	8.70	8.25
	2A	5260	52	26T	7.64	8.14	7.56
		5280	56	26T	7.68	8.14	7.56
		5320	64	26T	7.80	8.28	7.66
	2C	5500	100	26T	8.52	9.17	8.47
		5600	120	26T	8.56	9.07	8.30
		5720	144	26T	7.69	8.10	7.58
	3	5745	149	26T	14.29	14.73	14.20
		5785	157	26T	17.41	17.76	17.23
		5825	165	26T	17.26	17.83	17.21
	4	5845	169	26T	6.75	7.26	6.66
		5865	173	26T	6.35	6.80	6.13
		5885	177	26T	6.78	7.30	6.82

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	10.62	10.94	10.64
		5200	40	52T	10.73	10.92	10.62
		5240	48	52T	10.67	11.12	10.70
	2A	5260	52	52T	10.76	11.01	10.67
		5280	56	52T	10.74	11.09	10.68
		5320	64	52T	10.73	11.12	10.70
	2C	5500	100	52T	11.49	11.91	11.89
		5600	120	52T	11.67	11.74	11.52
		5720	144	52T	10.92	11.31	10.80
		5745	149	52T	14.38	14.62	14.23
	3	5785	157	52T	17.53	17.75	17.43
		5825	165	52T	17.44	17.75	17.34
	4	5845	169	52T	8.83	9.21	8.71
		5865	173	52T	8.84	9.19	8.79
		5885	177	52T	8.80	9.18	8.77

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	NA
	1	5180	36	106T	13.43	13.48	
		5200	40	106T	13.48	13.43	
		5240	48	106T	13.42	13.52	
	2A	5260	52	106T	13.95	13.85	
		5280	56	106T	13.90	13.89	
		5320	64	106T	14.06	14.07	
	2C	5500	100	106T	14.85	14.74	
		5600	120	106T	14.77	14.65	
		5720	144	106T	14.22	14.13	
		5745	149	106T	14.57	14.47	
	3	5785	157	106T	17.67	17.55	
		5825	165	106T	17.53	17.48	
	4	5845	169	106T	11.97	11.97	
		5865	173	106T	11.96	11.84	
		5885	177	106T	12.05	12.04	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	NA	NA
	1	5180	36	242T	15.32		
		5200	40	242T	16.33		
		5240	48	242T	16.41		
	2A	5260	52	242T	15.43		
		5280	56	242T	15.35		
		5320	64	242T	15.62		
	2C	5500	100	242T	16.72		
		5600	120	242T	16.57		
		5720	144	242T	16.06		
		5745	149	242T	14.38		
	3	5785	157	242T	19.52		
		5825	165	242T	19.52		
	4	5845	169	242T	14.82		
		5865	173	242T	14.32		
		5885	177	242T	14.52		

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 11 of 16

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	NA	NA
1		5190	38	484T	12.39		
		5230	46	484T	16.51		
2A		5270	54	484T	14.45		
		5310	62	484T	12.54		
2C		5510	102	484T	14.91		
		5590	118	484T	16.68		
		5710	142	484T	14.55		
3		5755	151	484T	15.91		
		5795	159	484T	17.42		
4		5835	167	484T	17.48		
		5875	175	484T	17.61		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	NA	NA
1		5210	42	996T	12.59		
2A		5290	58	996T	13.10		
2C		5530	106	996T	8.86		
		5610	122	996T	16.60		
		5690	138	996T	17.95		
3		5775	155	996T	10.39		
4		5855	171	996T	17.60		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					68	NA	NA
1/2A		5250	50	2x996T	10.43		
2C		5570	114	2x996T	10.61		
3/4		5815	163	2x996T	13.88		

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 12 of 16

Table H-7
Maximum 6 GHz 802.11ax/be RU Output Power – Ant R

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	7.63	8.11	7.54
		6175	45	26T	8.32	8.77	8.32
		6415	93	26T	8.44	8.89	8.49
	6	6435	97	26T	-8.68	-9.13	-8.69
		6475	105	26T	-8.65	-9.02	-8.64
		6515	113	26T	-8.52	-8.94	-8.48
	7	6535	117	26T	8.24	8.81	8.24
		6695	149	26T	8.38	8.85	8.30
		6855	181	26T	5.72	5.69	5.64
	8	6895	189	26T	-8.86	-9.21	-8.87
		6995	209	26T	-9.00	-9.38	-9.00
		7115	233	26T	-12.42	-12.70	-12.35
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	10.69	11.05	10.67
		6175	45	52T	11.30	11.66	11.31
		6415	93	52T	11.56	11.98	11.61
	6	6435	97	52T	-5.73	-6.04	-5.76
		6475	105	52T	-5.62	-5.90	-5.62
		6515	113	52T	-5.53	-5.80	-5.53
	7	6535	117	52T	11.36	11.78	11.42
		6695	149	52T	11.34	11.65	11.32
		6855	181	52T	8.63	8.90	8.59
	8	6895	189	52T	-6.00	-6.43	-6.05
		6995	209	52T	-6.13	-6.44	-6.24
		7115	233	52T	-9.06	-9.30	-9.11
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	NA
	5	5955	1	106T	13.89	13.81	
		6175	45	106T	14.03	14.14	
		6415	93	106T	14.94	14.86	
	6	6435	97	106T	-3.50	-3.36	
		6475	105	106T	-3.35	-3.34	
		6515	113	106T	-3.25	-3.25	
	7	6535	117	106T	14.78	14.84	
		6695	149	106T	14.75	14.68	
		6855	181	106T	11.80	11.69	
	8	6895	189	106T	-3.84	-3.86	
		6995	209	106T	-3.83	-3.81	
		7115	233	106T	-8.61	-8.70	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	NA	NA
	5	5955	1	242T	15.85		
		6175	45	242T	15.99		
		6415	93	242T	16.87		
	6	6435	97	242T	-0.99		
		6475	105	242T	-1.50		
		6515	113	242T	-0.84		
	7	6535	117	242T	16.74		
		6695	149	242T	16.59		
		6855	181	242T	13.61		
	8	6895	189	242T	-1.47		
		6995	209	242T	-1.50		
		7115	233	242T	-4.84		

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 13 of 16

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	NA	NA
5		5965	3	484T	16.44		
		6005	11	484T	16.17		
		6165	43	484T	16.72		
6		6405	91	484T	17.42		
		6445	99	484T	2.52		
		6485	107	484T	2.78		
7		6525	115	484T	2.67		
		6565	123	484T	17.39		
		6685	147	484T	17.21		
8		6845	179	484T	17.03		
		6885	187	484T	2.51		
		7005	211	484T	2.50		
		7085	227	484T	2.51		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	NA	NA
5		5985	7	996T	15.64		
		6145	39	996T	16.49		
		6385	87	996T	17.40		
6		6465	103	996T	5.51		
		6545	119	996T	5.12		
		6705	151	996T	18.16		
7		6865	183	996T	5.94		
		6945	199	996T	6.15		
		7025	215	996T	6.26		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					68	NA	NA
5		6025	15	2x996T	14.73		
		6185	47	2x996T	15.60		
		6345	79	2x996T	18.45		
6		6505	111	2x996T	8.30		
		6665	143	2x996T	18.31		
		6825	175	2x996T	8.71		
8		6985	207	2x996T	5.65		
320MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					69	NA	NA
5		6105	31	4x996T	17.75		
		6265	63	4x996T	17.55		
		6425	95	4x996T	10.11		
7		6585	127	4x996T	10.18		
		6745	159	4x996T	10.10		
		6905	191	4x996T	10.10		

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 14 of 16

Table H-8
Maximum 6 GHz 802.11ax/be RU Output Power – Ant L

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	7.93	8.34	7.95
		6175	45	26T	7.98	8.38	7.87
		6415	93	26T	8.62	9.02	8.48
	6	6435	97	26T	-8.32	-8.15	-8.24
		6475	105	26T	-8.17	-8.08	-8.19
		6515	113	26T	-8.14	-8.23	-8.12
	7	6535	117	26T	8.29	8.75	8.36
		6695	149	26T	8.21	8.58	7.97
		6855	181	26T	5.50	5.91	5.72
	8	6895	189	26T	-8.67	-9.04	-8.63
		6995	209	26T	-8.63	-9.02	-8.63
		7115	233	26T	-12.10	-12.36	-11.95
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	11.21	11.54	11.17
		6175	45	52T	11.09	11.34	10.95
		6415	93	52T	11.64	11.97	11.60
	6	6435	97	52T	-5.17	-6.19	-5.10
		6475	105	52T	-5.10	-5.33	-5.08
		6515	113	52T	-5.08	-5.27	-5.04
	7	6535	117	52T	11.34	11.69	11.39
		6695	149	52T	11.27	11.62	11.07
		6855	181	52T	8.55	8.87	8.51
	8	6895	189	52T	-5.68	-5.87	-5.70
		6995	209	52T	-5.64	-5.90	-5.65
		7115	233	52T	-8.49	-8.75	-8.43
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	NA
	5	5955	1	106T	13.98	13.96	
		6175	45	106T	14.14	14.22	
		6415	93	106T	14.82	14.78	
	6	6435	97	106T	-2.82	-2.92	
		6475	105	106T	-2.70	-2.68	
		6515	113	106T	-2.67	-2.67	
	7	6535	117	106T	14.60	14.57	
		6695	149	106T	14.41	14.40	
		6855	181	106T	12.00	11.96	
	8	6895	189	106T	-3.15	-3.14	
		6995	209	106T	-3.27	-3.29	
		7115	233	106T	-8.12	-8.11	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	NA	NA
	5	5955	1	242T	16.40		
		6175	45	242T	16.17		
		6415	93	242T	16.87		
	6	6435	97	242T	-0.35		
		6475	105	242T	-0.29		
		6515	113	242T	-0.24		
	7	6535	117	242T	16.48		
		6695	149	242T	16.34		
		6855	181	242T	13.89		
	8	6895	189	242T	-0.74		
		6995	209	242T	-0.87		
		7115	233	242T	-4.22		

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 15 of 16

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	NA	NA
5		5965	3	484T	16.47		
		6005	11	484T	16.61		
		6165	43	484T	16.75		
6		6405	91	484T	17.41		
		6445	99	484T	3.09		
		6485	107	484T	3.15		
7		6525	115	484T	3.18		
		6565	123	484T	17.26		
		6685	147	484T	16.92		
8		6845	179	484T	17.20		
		6885	187	484T	2.14		
		7005	211	484T	2.12		
		7085	227	484T	2.29		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	NA	NA
5		5985	7	996T	15.49		
		6145	39	996T	16.89		
		6385	87	996T	17.46		
6		6465	103	996T	6.42		
		6545	119	996T	5.17		
		6705	151	996T	18.19		
7		6865	183	996T	5.84		
		6945	199	996T	6.74		
		7025	215	996T	6.80		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					68	NA	NA
5		6025	15	2x996T	15.90		
		6185	47	2x996T	16.00		
		6345	79	2x996T	18.76		
6		6505	111	2x996T	8.63		
		6665	143	2x996T	18.87		
		6825	175	2x996T	9.38		
8		6985	207	2x996T	6.40		
320MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					69	NA	NA
5		6105	31	4x996T	17.48		
		6265	63	4x996T	17.35		
6		6425	95	4x996T	10.00		
		6585	127	4x996T	9.70		
7		6745	159	4x996T	10.35		
		6905	191	4x996T	10.47		

FCC ID: C3K-00002101	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Wireless Module		APPENDIX H: Page 16 of 16