






Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL BLCK	Atten	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6112	-57.4	RMS	1.8	13.5	-42.1	-41.91	-.19
2	5.9616	-18.41	RMS	1.9	13.7	-2.81	-2.36	-.45
3	6.6348	-61.18	RMS	2.1	13.9	-45.18	-42.36	-2.82

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7856	-63.6	RMS	13.6	1.9	-48.1	-43.65	-4.45
3	6.2596	-20.96	RMS	13.8	1.9	-5.26	-5.16	-.1
2	6.7492	-64.8	RMS	14	2.1	-48.7	-44.03	-4.67


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.767	-61.44	RMS	13.5	1.9	-46.04	-44.54	-1.5
2	6.2218	-20.73	RMS	13.8	1.9	-5.03	-4.69	-.34
3	6.787	-61.41	RMS	14	2.1	-45.31	-44.69	-.62


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2)
STANDARD POWER**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL BLCK	Atten	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.58	-58.89	RMS	1.8	13.5	-43.59	-42.48	-1.11
2	6.0768	-18.32	RMS	1.9	13.7	-2.72	-2.48	-.24
3	6.615	-62.18	RMS	2.1	13.9	-46.18	-42.48	-3.7

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL BLCK	Atten	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5692	-57.64	RMS	1.8	13.5	-42.34	-42.13	-.21
2	5.9616	-18.36	RMS	1.9	13.7	-2.76	-2.13	-.63
3	6.6486	-61.91	RMS	2.1	13.9	-45.91	-42.13	-3.78

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7364	-64.03	RMS	13.6	1.8	-48.63	-44.01	-4.62
3	6.259	-19.77	RMS	13.8	1.9	-4.07	-4.01	-.06
2	6.5698	-54.7	RMS	13.9	2.1	-38.7	-30.62	-8.08


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7604	-60.88	RMS	13.5	1.9	-45.48	-44.23	-1.25
2	6.2188	-20.57	RMS	13.8	1.9	-4.87	-4.23	-.64
3	6.8212	-61.51	RMS	14	2.1	-45.41	-44.23	-1.18


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL BLCK	Atten	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5986	-59.05	RMS	1.8	13.5	-43.75	-41.1	-2.65
2	5.961	-17.49	RMS	1.9	13.7	-1.89	-1.1	-.79
3	6.6336	-61.42	RMS	2.1	13.9	-45.42	-41.1	-4.32

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	EUT CBL BLCK	Atten	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6022	-57.58	RMS	1.8	13.5	-42.28	-41.44	-.84
2	6.0858	-17.48	RMS	1.9	13.7	-1.88	-1.44	-.44
3	6.6504	-61.18	RMS	2.1	13.9	-45.18	-41.44	-3.74

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7766	-61.15	RMS	13.6	1.9	-45.65	-41.6	-4.05
3	6.2596	-18.33	RMS	13.8	1.9	-2.63	-2.45	-.18
2	6.7984	-61.15	RMS	14	2.1	-45.05	-42.45	-2.6

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7586	-57.3	RMS	13.5	1.9	-41.9	-41.46	-.44
2	6.2458	-17.62	RMS	13.8	1.9	-1.92	-1.46	-.46
3	6.8122	-60.89	RMS	14	2.1	-44.79	-41.46	-3.33

RMS - RMS detection


9.2.6. 802.11a MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

LOW POWER INDOOR




9.2.7. 802.11be EHT20 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR




9.2.8. 802.11be EHT40 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




9.2.9. 802.11be EHT80 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

**9.2.10. 802.11be EHT160 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)
2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR**



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4168	-65.33	RMS	13.9	1.9	-49.53	-27.47	-22.06
3	6.51256	-23.46	RMS	13.9	2.1	-7.46	-7.45	-.01
2	6.595	-66.87	RMS	13.9	2.1	-50.87	-27.64	-23.23

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.41824	-64.98	RMS	13.9	1.9	-49.18	-7.5	-41.68
3	6.49816	-23.52	RMS	13.8	2.1	-7.62	-7.5	-.12
2	6.59248	-60.59	RMS	13.9	2.1	-44.59	-17.1	-27.49

RMS - RMS detection


9.2.11. 802.11be EHT320 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2558	-61.1	RMS	13.8	1.9	-45.4	-26.38	-19.02
3	6.4148	-22.13	RMS	13.9	1.9	-6.33	-6.32	-.01
2	6.5918	-60.52	RMS	13.9	2.1	-44.52	-6.32	-38.2

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9426	-67.16	RMS	13.7	1.9	-51.56	-44.73	-6.83
3	6.44	-22.09	RMS	13.9	2.1	-6.09	-6.02	-.07
2	6.593	-60.19	RMS	13.9	2.1	-44.19	-26.02	-18.17

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2028	-62.3	RMS	13.8	1.9	-46.6	-38.54	-8.06
3	6.5796	-23.14	RMS	13.9	2.1	-7.14	-7.09	-.05
2	7.0944	-69.92	RMS	14.1	2.1	-53.72	-47.09	-6.63

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1032	-67.24	RMS	13.7	1.9	-51.64	-44.21	-7.43
3	6.5988	-21.69	RMS	13.9	2.1	-5.69	-5.54	-.15
2	7.0848	-69.59	RMS	14.1	2.1	-53.39	-45.53	-7.86

RMS - RMS detection


9.2.12. 802.11a MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)

LOW POWER INDOOR




9.2.13. 802.11be EHT20 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR




9.2.14. 802.11be EHT40 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


9.2.15. 802.11be EHT80 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




9.2.16. 802.11be EHT160 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR



RMS - RMS detection




Marker	Frequenc y (GHz)	Meter Reading (dBm)	Det	226563	CBL092	Correcte d Reading dBm	Emission Mask	Margin (dB)
1	6.24328	-63.64	RMS	9.8	.9	-52.94	-51.03	-1.91
2	6.49636	-21.74	RMS	9.7	1	-11.04	-11.03	-.01
3	6.80272	-63.78	RMS	9.7	1	-53.08	-51.03	-2.05

RMS - RMS detection


9.2.17. 802.11be EHT320 MODE 2TX IN THE UNII-6 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.254	-66.57	RMS	13.8	1.9	-50.87	-30.26	-20.61
3	6.4322	-26.23	RMS	13.9	2	-10.33	-10.12	-.21
2	6.5912	-64.52	RMS	13.9	2.1	-48.52	-10.12	-38.4

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2558	-63.6	RMS	13.8	1.9	-47.9	-29.38	-18.52
3	6.4358	-25.59	RMS	13.9	2.1	-9.59	-9.32	-.27
2	6.5918	-62.16	RMS	13.9	2.1	-46.16	-9.32	-36.84

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4176	-61.19	RMS	13.9	1.9	-45.39	-18.01	-27.38
3	6.5892	-26.17	RMS	13.9	2.1	-10.17	-10.01	-.16
2	6.7542	-65.18	RMS	14	2.1	-49.08	-30.07	-19.01

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL BLCK	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4182	-59.75	RMS	13.9	1.9	-43.95	-8.67	-35.28
3	6.579	-24.92	RMS	13.9	2.1	-8.92	-8.67	-.25
2	6.7536	-64.06	RMS	14	2.1	-47.96	-28.7	-19.26


RMS - RMS detection

9.2.18. 802.11a MODE 2TX IN THE UNII-7 BAND (LOW GAIN)


STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1

9.2.19. 802.11be EHT20 MODE 2TX IN THE UNII-7 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T STANDARD POWER



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR

