

APPENDIX H: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

Note: Some bands do not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 1 of 219

H.1 LTE Lower Bandwidth RF Conducted Powers

H.1.1 LTE Band 71

LTE Band 71 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth
Table H-1

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.25	0	0
	1	36	23.35		0
	1	74	23.26		0
	36	0	22.32	0-1	1
	36	18	22.38		1
	36	37	22.40		1
	75	0	22.39		1
16QAM	1	0	22.44	0-1	1
	1	36	23.11		1
	1	74	22.56		1
	36	0	21.39	0-2	2
	36	18	21.42		2
	36	37	21.46		2
	75	0	21.43		2
64QAM	1	0	21.48	0-2	2
	1	36	21.77		2
	1	74	21.58		2
	36	0	20.34	0-3	3
	36	18	20.44		3
	36	37	20.46		3
	75	0	20.42		3
256QAM	1	0	18.51	0-5	5
	1	36	18.51		5
	1	74	18.61		5
	36	0	18.44		5
	36	18	18.41		5
	36	37	18.42		5
	75	0	18.40		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 2 of 219

LTE Band 71 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-2

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	Design MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.47	23.46	23.42	0	0
	1	25	23.52	23.57	23.46		0
	1	49	23.51	23.48	23.31		0
	25	0	21.51	21.54	21.45	0-1	2
	25	12	21.59	21.51	21.50		2
	25	25	21.54	21.53	21.53		2
16QAM	50	0	21.58	21.51	21.57		2
	1	0	22.67	22.71	22.65	0-1	1
	1	25	22.67	22.70	22.56		1
	1	49	22.80	22.64	22.65		1
	25	0	21.50	21.52	21.53	0-2	2
	25	12	21.56	21.47	21.46		2
	25	25	21.51	21.53	21.49		2
50	0	21.52	21.49	21.44	2		
64QAM	1	0	21.62	21.64	21.69	0-2	2
	1	25	21.64	21.71	21.59		2
	1	49	21.60	21.63	21.59		2
	25	0	20.49	20.52	20.51	0-3	3
	25	12	20.59	20.51	20.50		3
	25	25	20.53	20.52	20.52		3
256QAM	50	0	20.56	20.49	20.48	3	
	1	0	18.57	18.64	18.52	0-5	5
	1	25	18.61	18.61	18.61		5
	1	49	18.62	18.65	18.51		5
	25	0	18.53	18.52	18.43		5
	25	12	18.60	18.54	18.55		5
	25	25	18.56	18.54	18.49		5
50	0	18.57	18.53	18.50	5		

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 3 of 219

LTE Band 71 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-3

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.47	23.46	23.42	0	0
	1	12	23.52	23.57	23.46		0
	1	24	23.51	23.48	23.31		0
	12	0	22.51	22.54	22.45	0-1	1
	12	6	22.59	22.51	22.55		1
	12	13	22.54	22.53	22.45		1
	25	0	22.58	22.51	22.47		1
16QAM	1	0	22.67	22.71	22.65	0-1	1
	1	12	22.67	22.70	22.56		1
	1	24	22.80	22.64	22.65		1
	12	0	21.50	21.52	21.53	0-2	2
	12	6	21.56	21.47	21.46		2
	12	13	21.51	21.53	21.49		2
	25	0	21.52	21.49	21.44		2
64QAM	1	0	21.62	21.64	21.69	0-2	2
	1	12	21.64	21.71	21.59		2
	1	24	21.60	21.63	21.59		2
	12	0	20.49	20.52	20.51	0-3	3
	12	6	20.59	20.51	20.50		3
	12	13	20.53	20.52	20.52		3
	25	0	20.56	20.49	20.48		3
256QAM	1	0	18.57	18.64	18.52	0-5	5
	1	12	18.61	18.61	18.61		5
	1	24	18.62	18.65	18.51		5
	12	0	18.53	18.52	18.43		5
	12	6	18.60	18.54	18.55		5
	12	13	18.56	18.54	18.49		5
	25	0	18.57	18.53	18.50		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 4 of 219

LTE Band 71 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth
Table H-4

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.49	0	0
	1	36	20.45		0
	1	74	20.43		0
	36	0	20.58	0-1	0
	36	18	20.57		0
	36	37	20.60		0
	75	0	20.57		0
16QAM	1	0	20.98	0-1	0
	1	36	20.72		0
	1	74	20.72		0
	36	0	20.54	0-2	0
	36	18	20.62		0
	36	37	20.64		0
	75	0	20.55		0
64QAM	1	0	20.62	0-2	0
	1	36	20.65		0
	1	74	20.53		0
	36	0	20.60	0-3	0
	36	18	20.58		0
	36	37	20.59		0
	75	0	20.61		0
256QAM	1	0	18.72	0-5	2
	1	36	18.76		2
	1	74	18.68		2
	36	0	18.74		2
	36	18	18.71		2
	36	37	18.73		2
	75	0	18.68		2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by:
		Technical Manager APPENDIX H: Page 5 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

LTE Band 71 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-5

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.80	20.68	20.72	0	0
	1	25	20.80	20.71	20.64		0
	1	49	20.64	20.72	20.51		0
	25	0	20.68	20.70	20.67	0-1	0
	25	12	20.87	20.69	20.74		0
	25	25	20.76	20.71	20.62		0
	50	0	20.72	20.66	20.63		0
16QAM	1	0	20.94	20.79	21.04	0-1	0
	1	25	20.93	20.85	20.84		0
	1	49	21.01	21.04	20.80		0
	25	0	20.71	20.70	20.63	0-2	0
	25	12	20.76	20.69	20.68		0
	25	25	20.81	20.70	20.70		0
	50	0	20.79	20.66	20.65		0
64QAM	1	0	20.85	20.90	20.88	0-2	0
	1	25	20.78	20.88	20.97		0
	1	49	20.84	20.79	20.76		0
	25	0	20.74	20.73	20.62	0-3	0
	25	12	20.81	20.75	20.76		0
	25	25	20.70	20.71	20.67		0
	50	0	20.77	20.74	20.70		0
256QAM	1	0	18.85	18.89	18.84	0-5	2
	1	25	18.93	18.99	18.84		2
	1	49	19.02	18.92	18.73		2
	25	0	18.81	18.81	18.79		2
	25	12	18.90	18.79	18.88		2
	25	25	18.83	18.85	18.76		2
	50	0	18.87	18.83	18.85		2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 6 of 219

LTE Band 71 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-6

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.62	20.72	20.53	0	0
	1	12	20.68	20.66	20.61		0
	1	24	20.63	20.60	20.58		0
	12	0	20.76	20.68	20.49	0-1	0
	12	6	20.74	20.63	20.62		0
	12	13	20.71	20.74	20.59		0
	25	0	20.77	20.67	20.56		0
16QAM	1	0	20.88	20.79	20.66	0-1	0
	1	12	20.93	20.99	21.05		0
	1	24	20.91	20.90	20.73		0
	12	0	20.71	20.72	20.58	0-2	0
	12	6	20.79	20.75	20.63		0
	12	13	20.70	20.71	20.55		0
	25	0	20.70	20.69	20.57		0
64QAM	1	0	20.81	20.83	20.86	0-2	0
	1	12	21.03	20.97	20.82		0
	1	24	20.84	20.83	20.76		0
	12	0	20.71	20.68	20.69	0-3	0
	12	6	20.78	20.66	20.65		0
	12	13	20.78	20.77	20.69		0
	25	0	20.80	20.71	20.60		0
256QAM	1	0	18.71	18.79	18.72	0-5	2
	1	12	19.03	18.98	18.91		2
	1	24	18.89	18.92	18.75		2
	12	0	18.80	18.79	18.73		2
	12	6	18.91	18.83	18.78		2
	12	13	18.87	18.88	18.77		2
	25	0	18.80	18.80	18.66		2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 7 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 71 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth
Table H-7

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.81	0	0
	1	36	23.64		0
	1	74	23.54		0
	36	0	22.75	0-1	1
	36	18	22.74		1
	36	37	22.70		1
	75	0	22.73		1
16QAM	1	0	22.82	0-1	1
	1	36	22.78		1
	1	74	23.13		1
	36	0	21.71	0-2	2
	36	18	21.75		2
	36	37	21.70		2
	75	0	21.69		2
64QAM	1	0	22.02	0-2	2
	1	36	21.88		2
	1	74	21.95		2
	36	0	20.73	0-3	3
	36	18	20.69		3
	36	37	20.79		3
	75	0	20.72		3
256QAM	1	0	18.92	0-5	5
	1	36	18.88		5
	1	74	18.89		5
	36	0	18.81		5
	36	18	18.69		5
	36	37	18.84		5
	75	0	18.72		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
Technical Manager

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
Page 8 of 219

LTE Band 71 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-8

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	Design MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.87	23.97	23.80	0	0
	1	25	23.99	23.83	23.69		0
	1	49	23.75	23.81	23.71		0
	25	0	21.90	21.89	21.76	0-1	2
	25	12	21.93	21.85	21.89		2
	25	25	21.95	21.91	21.83		2
	50	0	21.93	21.85	21.80		2
16QAM	1	0	23.03	23.09	23.06	0-1	1
	1	25	22.94	23.08	22.99		1
	1	49	23.06	22.95	22.87		1
	25	0	21.88	21.87	21.85	0-2	2
	25	12	21.94	21.86	21.94		2
	25	25	21.89	21.90	21.88		2
	50	0	21.92	21.85	21.86		2
64QAM	1	0	21.89	22.10	21.98	0-2	2
	1	25	22.07	21.94	22.12		2
	1	49	22.06	21.88	21.92		2
	25	0	20.88	20.87	20.88	0-3	3
	25	12	20.94	20.83	20.78		3
	25	25	20.87	20.87	20.85		3
	50	0	20.88	20.87	20.79		3
256QAM	1	0	18.88	18.92	18.95	0-5	5
	1	25	19.00	18.99	18.83		5
	1	49	19.01	18.97	18.75		5
	25	0	18.90	18.86	18.79		5
	25	12	18.97	18.91	18.91		5
	25	25	18.82	18.95	18.84		5
	50	0	18.97	18.82	18.81		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 9 of 219

LTE Band 71 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-9

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.85	23.91	23.80	0	0
	1	12	23.76	23.87	23.78		0
	1	24	23.74	23.76	23.65		0
	12	0	22.75	22.78	22.80	0-1	1
	12	6	22.89	22.84	22.81		1
	12	13	22.83	22.82	22.92		1
16QAM	25	0	22.84	23.03	22.72	1	
	1	0	23.01	22.99	22.87	0-1	1
	1	12	23.11	23.17	22.95		1
	1	24	22.88	22.96	23.04		1
	12	0	21.85	21.87	21.79	0-2	2
	12	6	21.93	21.89	21.84		2
	12	13	21.84	21.93	21.93		2
25	0	21.86	21.93	21.78	2		
64QAM	1	0	22.19	22.06	21.87	0-2	2
	1	12	21.91	21.96	21.94		2
	1	24	22.01	21.94	21.89		2
	12	0	20.85	20.88	20.81	0-3	3
	12	6	20.91	20.87	20.75		3
	12	13	20.97	20.94	20.82		3
256QAM	25	0	20.82	20.82	20.76	3	
	1	0	18.78	19.09	18.91	0-5	5
	1	12	18.95	18.98	19.05		5
	1	24	18.91	18.92	18.89		5
	12	0	18.85	18.85	18.79		5
	12	6	19.01	18.92	18.78		5
	12	13	19.00	18.91	18.80		5
25	0	18.91	18.92	18.68	5		

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 10 of 219

LTE Band 71 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) – 15 MHz Bandwidth
Table H-10

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.26	0	0
	1	36	20.22		0
	1	74	19.99		0
	36	0	20.29	0-1	0
	36	18	20.32		0
	36	37	20.27		0
	75	0	20.29		0
16QAM	1	0	20.26	0-1	0
	1	36	20.79		0
	1	74	20.22		0
	36	0	20.29	0-2	0
	36	18	20.28		0
	36	37	20.26		0
	75	0	20.28		0
64QAM	1	0	20.39	0-2	0
	1	36	20.48		0
	1	74	20.21		0
	36	0	20.30	0-3	0
	36	18	20.31		0
	36	37	20.34		0
	75	0	20.28		0
256QAM	1	0	18.83	0-5	1.7
	1	36	18.68		1.7
	1	74	18.60		1.7
	36	0	18.71		1.7
	36	18	18.67		1.7
	36	37	18.72		1.7
	75	0	18.66		1.7

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
Technical Manager

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
Page 11 of 219

LTE Band 71 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-11

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.46	20.40	20.27	0	0
	1	25	20.36	20.35	20.30		0
	1	49	20.51	20.39	20.28		0
	25	0	20.39	20.45	20.30	0-1	0
	25	12	20.51	20.41	20.40		0
	25	25	20.42	20.44	20.35		0
	50	0	20.49	20.48	20.39		0
16QAM	1	0	20.68	20.61	20.70	0-1	0
	1	25	20.64	20.59	20.56		0
	1	49	20.81	20.51	20.43		0
	25	0	20.45	20.44	20.37	0-2	0
	25	12	20.53	20.42	20.41		0
	25	25	20.54	20.40	20.30		0
	50	0	20.50	20.31	20.36		0
64QAM	1	0	20.51	20.69	20.54	0-2	0
	1	25	20.55	20.61	20.51		0
	1	49	20.60	20.44	20.46		0
	25	0	20.49	20.47	20.39	0-3	0
	25	12	20.48	20.42	20.48		0
	25	25	20.51	20.46	20.32		0
	50	0	20.52	20.43	20.38		0
256QAM	1	0	18.91	19.03	18.90	0-5	1.7
	1	25	18.91	19.04	18.90		1.7
	1	49	18.86	18.88	18.76		1.7
	25	0	18.91	18.82	18.74		1.7
	25	12	18.89	18.80	18.86		1.7
	25	25	18.86	18.80	18.80		1.7
	50	0	18.95	18.75	18.79		1.7

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 12 of 219

LTE Band 71 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-12

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.26	20.39	20.44	0	0
	1	12	20.45	20.44	20.27		0
	1	24	20.28	20.32	20.15		0
	12	0	20.37	20.39	20.27	0-1	0
	12	6	20.50	20.41	20.35		0
	12	13	20.42	20.40	20.31		0
16QAM	25	0	20.50	20.34	20.20	0	
	1	0	20.48	20.46	20.59	0-1	0
	1	12	20.49	20.67	20.66		0
	1	24	20.49	20.68	20.52		0
	12	0	20.44	20.50	20.31	0-2	0
	12	6	20.58	20.41	20.34		0
	12	13	20.53	20.51	20.42		0
25	0	20.44	20.39	20.26	0		
64QAM	1	0	20.58	20.62	20.45	0-2	0
	1	12	20.55	20.69	20.66		0
	1	24	20.62	20.56	20.51		0
	12	0	20.43	20.40	20.38	0-3	0
	12	6	20.52	20.55	20.31		0
	12	13	20.55	20.50	20.41		0
256QAM	25	0	20.44	20.45	20.27	0	
	1	0	18.76	18.89	18.75	0-5	1.7
	1	12	19.06	18.93	18.99		1.7
	1	24	18.98	18.82	18.78		1.7
	12	0	18.82	18.82	18.69		1.7
	12	6	19.00	18.86	18.77		1.7
	12	13	18.88	18.90	18.73		1.7
25	0	18.89	18.72	18.66	1.7		

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 13 of 219

H.1.2 LTE Band 12

LTE Band 12 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-13

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.61	23.64	23.61	0	0
	1	12	23.73	23.74	23.61		0
	1	24	23.61	23.60	23.53		0
	12	0	22.67	22.69	22.61	0-1	1
	12	6	22.80	22.77	22.73		1
	12	13	22.73	22.73	22.64		1
	25	0	22.74	22.72	22.67		1
16QAM	1	0	22.84	22.88	22.85	0-1	1
	1	12	22.94	23.05	22.92		1
	1	24	22.87	22.88	22.78		1
	12	0	21.71	21.76	21.67	0-2	2
	12	6	21.80	21.81	21.72		2
	12	13	21.75	21.76	21.66		2
	25	0	21.72	21.76	21.69		2
64QAM	1	0	21.79	21.87	21.81	0-2	2
	1	12	21.92	21.94	21.83		2
	1	24	21.78	21.82	21.77		2
	12	0	20.69	20.71	20.64	0-3	3
	12	6	20.80	20.81	20.73		3
	12	13	20.75	20.75	20.68		3
	25	0	20.74	20.77	20.70		3
256QAM	1	0	18.73	18.81	18.76	0-5	5
	1	12	18.89	18.93	18.87		5
	1	24	18.78	18.83	18.70		5
	12	0	18.75	18.77	18.69		5
	12	6	18.81	18.84	18.75		5
	12	13	18.81	18.82	18.69		5
	25	0	18.75	18.81	18.74		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 14 of 219

LTE Band 12 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-14

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.52	23.60	23.54	0	0
	1	7	23.64	23.69	23.58		0
	1	14	23.58	23.54	23.46		0
	8	0	22.71	22.62	22.57	0-1	1
	8	4	22.73	22.73	22.66		1
	8	7	22.68	22.71	22.61		1
	15	0	22.72	22.79	22.67		1
16QAM	1	0	22.83	22.85	22.75	0-1	1
	1	7	22.93	22.97	22.84		1
	1	14	22.84	22.82	22.76		1
	8	0	21.78	21.71	21.61	0-2	2
	8	4	21.79	21.78	21.67		2
	8	7	21.76	21.79	21.67		2
	15	0	21.75	21.76	21.67		2
64QAM	1	0	21.81	21.77	21.75	0-2	2
	1	7	21.84	21.90	21.77		2
	1	14	21.76	21.85	21.71		2
	8	0	20.73	20.70	20.62	0-3	3
	8	4	20.77	20.82	20.73		3
	8	7	20.74	20.77	20.68		3
	15	0	20.73	20.77	20.64		3
256QAM	1	0	18.71	18.72	18.71	0-5	5
	1	7	18.88	18.83	18.81		5
	1	14	18.78	18.79	18.67		5
	8	0	18.77	18.75	18.64		5
	8	4	18.80	18.83	18.73		5
	8	7	18.74	18.77	18.73		5
	15	0	18.76	18.78	18.71		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 15 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 12 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 1.4 MHz Bandwidth

Table H-15

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.52	23.59	23.56	0	0
	1	2	23.57	23.60	23.52		0
	1	5	23.51	23.57	23.53		0
	3	0	23.61	23.66	23.51		0
	3	2	23.60	23.61	23.54		0
	3	3	23.57	23.63	23.51		0
	6	0	22.66	22.68	22.59	0-1	1
16QAM	1	0	22.91	22.86	22.83	0-1	1
	1	2	22.95	22.99	22.85		1
	1	5	22.82	22.96	22.76		1
	3	0	22.82	22.77	22.71		1
	3	2	22.73	22.84	22.66		1
	3	3	22.73	22.75	22.69		1
	6	0	21.73	21.76	21.69	0-2	2
64QAM	1	0	21.87	21.79	21.70	0-2	2
	1	2	21.82	21.96	21.77		2
	1	5	21.82	21.79	21.73		2
	3	0	21.78	21.83	21.68		2
	3	2	21.74	21.83	21.64		2
	3	3	21.77	21.82	21.68		2
	6	0	20.74	20.74	20.60	0-3	3
256QAM	1	0	18.78	18.72	18.72	0-5	5
	1	2	18.86	18.88	18.84		5
	1	5	18.78	18.81	18.73		5
	3	0	18.78	18.81	18.75		5
	3	2	18.76	18.81	18.72		5
	3	3	18.73	18.81	18.68		5
	6	0	18.75	18.75	18.67	5	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 16 of 219

LTE Band 12 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-16

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.38	20.50	20.32	0	0
	1	12	20.42	20.39	20.28		0
	1	24	20.35	20.38	20.14		0
	12	0	20.33	20.45	20.34	0-1	0
	12	6	20.42	20.49	20.53		0
	12	13	20.38	20.45	20.41		0
	25	0	20.41	20.49	20.41		0
16QAM	1	0	20.59	20.51	20.60	0-1	0
	1	12	20.67	20.63	20.72		0
	1	24	20.44	20.52	20.49		0
	12	0	20.46	20.49	20.35	0-2	0
	12	6	20.55	20.54	20.46		0
	12	13	20.48	20.50	20.44		0
	25	0	20.11	20.50	20.43		0
64QAM	1	0	20.56	20.47	20.49	0-2	0
	1	12	20.70	20.67	20.68		0
	1	24	20.49	20.52	20.52		0
	12	0	20.39	20.32	20.34	0-3	0
	12	6	20.51	20.53	20.45		0
	12	13	20.45	20.49	20.63		0
	25	0	20.47	20.52	20.40		0
256QAM	1	0	19.05	19.15	19.06	0-5	1.5
	1	12	19.19	19.17	19.14		1.5
	1	24	19.10	19.03	18.97		1.5
	12	0	18.99	19.05	19.04		1.5
	12	6	19.07	19.10	19.06		1.5
	12	13	19.05	19.15	18.93		1.5
	25	0	19.03	19.10	19.03		1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 17 of 219

LTE Band 12 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth
Table H-17

Table 11-17 LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.40	20.39	20.36	0	0
	1	7	20.26	20.38	20.24		0
	1	14	20.26	20.18	20.22		0
	8	0	20.38	20.39	20.27	0-1	0
	8	4	20.47	20.42	20.33		0
	8	7	20.39	20.47	20.37		0
	15	0	20.39	20.46	20.35		0
16QAM	1	0	20.46	20.44	20.44	0-1	0
	1	7	20.56	20.57	20.70		0
	1	14	20.46	20.64	20.38		0
	8	0	20.47	20.44	20.25	0-2	0
	8	4	20.50	20.55	20.48		0
	8	7	20.51	20.53	20.36		0
	15	0	20.43	20.53	20.40		0
64QAM	1	0	20.39	20.57	20.37	0-2	0
	1	7	20.56	20.72	20.48		0
	1	14	20.51	20.70	20.33		0
	8	0	20.47	20.49	20.32	0-3	0
	8	4	20.44	20.57	20.47		0
	8	7	20.50	20.48	20.37		0
	15	0	20.46	20.49	20.44		0
256QAM	1	0	18.91	18.98	18.92	0-5	1.5
	1	7	19.11	19.17	19.16		1.5
	1	14	19.03	19.18	18.92		1.5
	8	0	19.03	19.04	18.94		1.5
	8	4	19.04	19.20	19.08		1.5
	8	7	19.04	19.09	19.00		1.5
	15	0	19.10	19.07	18.95		1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by:
		Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 18 of 219

LTE Band 12 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth
Table H-18

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.38	20.40	20.32	0	0
	1	2	20.33	20.44	20.26		0
	1	5	20.20	20.37	20.27		0
	3	0	20.29	20.34	20.33		0
	3	2	20.10	20.37	20.27		0
	3	3	20.29	20.38	20.20		0
	6	0	20.33	20.37	20.34		0
16QAM	1	0	20.52	20.93	20.86	0-1	0
	1	2	20.70	20.66	20.98		0
	1	5	20.62	20.77	20.39		0
	3	0	20.61	20.43	20.45		0
	3	2	20.32	20.50	20.27		0
	3	3	20.50	20.46	20.13		0
	6	0	20.46	20.57	20.51		0
64QAM	1	0	20.58	20.42	20.61	0-2	0
	1	2	20.67	20.53	20.37		0
	1	5	20.58	20.56	20.40		0
	3	0	20.53	20.47	20.50		0
	3	2	20.60	20.49	20.42		0
	3	3	20.48	20.53	20.42		0
	6	0	20.48	20.38	20.35		0
256QAM	1	0	19.03	19.01	19.06	0-5	1.5
	1	2	19.17	19.20	19.05		1.5
	1	5	18.97	18.98	18.97		1.5
	3	0	19.02	19.14	18.97		1.5
	3	2	19.02	19.20	19.05		1.5
	3	3	19.03	19.10	18.98		1.5
	6	0	19.05	19.08	19.02		1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 19 of 219

LTE Band 12 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-19

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.88	23.96	23.79	0	0
	1	12	23.94	23.88	23.94		0
	1	24	23.84	23.78	23.72		0
	12	0	22.95	22.82	22.78	0-1	1
	12	6	23.00	22.98	22.91		1
	12	13	22.92	22.93	22.88		1
	25	0	22.99	22.96	22.86		1
16QAM	1	0	23.29	23.03	23.00	0-1	1
	1	12	23.21	23.25	23.10		1
	1	24	23.13	22.98	23.02		1
	12	0	21.94	21.99	21.87	0-2	2
	12	6	22.02	22.02	21.97		2
	12	13	22.00	21.96	21.98		2
	25	0	21.96	22.00	21.92		2
64QAM	1	0	22.27	22.25	22.13	0-2	2
	1	12	22.05	22.18	21.97		2
	1	24	22.05	22.00	21.98		2
	12	0	21.00	21.01	20.89	0-3	3
	12	6	21.05	21.08	20.97		3
	12	13	20.95	20.99	20.91		3
	25	0	21.01	20.98	20.90		3
256QAM	1	0	19.13	19.04	19.00	0-5	5
	1	12	19.09	19.14	19.06		5
	1	24	19.16	19.20	19.04		5
	12	0	19.00	19.07	18.95		5
	12	6	19.10	19.09	19.05		5
	12	13	19.03	18.97	18.96		5
	25	0	19.02	19.02	19.01		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 20 of 219

LTE Band 12 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-20

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.76	23.96	23.70	0	0
	1	7	23.90	23.91	23.80		0
	1	14	23.75	23.80	23.72		0
	8	0	22.92	22.89	22.78	0-1	1
	8	4	22.96	23.00	22.86		1
	8	7	22.96	22.95	22.89		1
	15	0	22.99	22.94	22.92		1
16QAM	1	0	23.14	22.98	22.93	0-1	1
	1	7	23.23	23.27	23.15		1
	1	14	23.06	23.11	22.95		1
	8	0	21.95	22.03	21.77	0-2	2
	8	4	22.02	22.05	21.90		2
	8	7	21.99	21.97	21.93		2
	15	0	21.96	22.03	21.91		2
64QAM	1	0	22.25	22.18	21.98	0-2	2
	1	7	22.08	22.11	22.07		2
	1	14	21.93	22.01	21.87		2
	8	0	20.97	20.95	20.93	0-3	3
	8	4	21.04	21.03	20.92		3
	8	7	21.00	20.98	20.86		3
	15	0	21.02	20.92	20.92		3
256QAM	1	0	18.94	18.99	18.91	0-5	5
	1	7	19.22	19.14	19.03		5
	1	14	19.05	19.11	18.82		5
	8	0	19.11	18.92	18.94		5
	8	4	19.07	19.06	18.96		5
	8	7	18.95	19.05	18.96		5
	15	0	19.04	19.00	18.89		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 21 of 219

LTE Band 12 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 1.4 MHz Bandwidth

Table H-21

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.90	23.98	23.75	0	0
	1	2	23.90	24.01	23.73		0
	1	5	23.83	23.81	23.79		0
	3	0	23.84	23.84	23.86		0
	3	2	23.80	23.85	23.81		0
	3	3	23.85	23.86	23.77		0
	6	0	22.91	22.95	22.80	0-1	1
16QAM	1	0	23.08	23.27	22.95	0-1	1
	1	2	23.07	22.93	23.13		1
	1	5	23.17	23.06	22.95		1
	3	0	22.88	22.97	22.97		1
	3	2	22.95	22.98	22.90		1
	3	3	23.00	23.02	22.93		1
	6	0	22.06	21.92	21.87	0-2	2
64QAM	1	0	22.07	22.09	21.95	0-2	2
	1	2	22.04	22.28	21.99		2
	1	5	22.04	22.08	21.94		2
	3	0	22.00	22.02	21.94		2
	3	2	21.98	22.05	21.85		2
	3	3	22.00	22.05	21.95		2
	6	0	20.95	20.94	20.85	0-3	3
256QAM	1	0	19.04	18.94	19.05	0-5	5
	1	2	19.17	19.21	19.08		5
	1	5	19.05	19.10	18.93		5
	3	0	19.03	19.08	18.97		5
	3	2	19.07	19.03	18.96		5
	3	3	19.11	19.00	18.97		5
	6	0	19.00	19.05	18.95		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 22 of 219

LTE Band 12 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth
Table H-22

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.27	20.32	20.26	0	0
	1	12	20.30	20.38	20.23		0
	1	24	20.27	20.32	20.31		0
	12	0	20.33	20.40	20.36	0-1	0
	12	6	20.44	20.45	20.40		0
	12	13	20.41	20.42	20.37		0
	25	0	20.42	20.42	20.34		0
16QAM	1	0	20.62	20.55	20.57	0-1	0
	1	12	20.80	20.95	20.66		0
	1	24	20.55	20.48	20.41		0
	12	0	20.28	20.38	20.36	0-2	0
	12	6	20.38	20.54	20.42		0
	12	13	20.48	20.41	20.39		0
	25	0	20.44	20.39	20.38		0
64QAM	1	0	20.37	20.76	20.49	0-2	0
	1	12	20.64	20.53	20.64		0
	1	24	20.52	20.62	20.44		0
	12	0	20.43	20.44	20.33	0-3	0
	12	6	20.45	20.53	20.48		0
	12	13	20.39	20.47	20.45		0
	25	0	20.33	20.50	20.36		0
256QAM	1	0	19.25	19.41	19.41	0-5	1.2
	1	12	19.53	19.42	19.33		1.2
	1	24	19.46	19.36	19.32		1.2
	12	0	19.32	19.25	19.28		1.2
	12	6	19.41	19.45	19.40		1.2
	12	13	19.30	19.40	19.26		1.2
	25	0	19.30	19.36	19.34		1.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by:
		Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 23 of 219

LTE Band 12 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth

Table H-23

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.19	20.45	20.31	0	0
	1	7	20.35	20.41	20.31		0
	1	14	20.16	20.24	20.24		0
	8	0	20.40	20.36	20.20	0-1	0
	8	4	20.35	20.46	20.40		0
	8	7	20.36	20.46	20.31		0
	15	0	20.29	20.45	20.29		0
16QAM	1	0	20.42	20.52	20.54	0-1	0
	1	7	20.52	20.76	20.70		0
	1	14	20.42	20.51	20.48		0
	8	0	20.43	20.41	20.29	0-2	0
	8	4	20.49	20.60	20.42		0
	8	7	20.44	20.48	20.40		0
	15	0	20.38	20.44	20.35		0
64QAM	1	0	20.44	20.55	20.62	0-2	0
	1	7	20.62	20.64	20.44		0
	1	14	20.29	20.47	20.56		0
	8	0	20.42	20.43	20.34	0-3	0
	8	4	20.43	20.48	20.36		0
	8	7	20.43	20.53	20.49		0
	15	0	20.40	20.46	20.35		0
256QAM	1	0	19.41	19.25	19.24	0-5	1.2
	1	7	19.39	19.28	19.40		1.2
	1	14	19.40	19.40	19.27		1.2
	8	0	19.39	19.31	19.22		1.2
	8	4	19.38	19.33	19.30		1.2
	8	7	19.38	19.32	19.24		1.2
	15	0	19.32	19.40	19.28		1.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 24 of 219

LTE Band 12 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth
Table H-24

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.30	20.29	20.23	0	0
	1	2	20.31	20.32	20.35		0
	1	5	20.25	20.29	20.22		0
	3	0	20.25	20.31	20.19		0
	3	2	20.30	20.34	20.26		0
	3	3	20.17	20.36	20.24		0
	6	0	20.36	20.41	20.31	0-1	0
16QAM	1	0	20.53	20.49	20.40	0-1	0
	1	2	20.67	20.62	20.45		0
	1	5	20.74	20.99	20.38		0
	3	0	20.44	20.52	20.57		0
	3	2	20.44	20.50	20.45		0
	3	3	20.35	20.48	20.42		0
	6	0	20.43	20.50	20.37	0-2	0
64QAM	1	0	20.43	20.53	20.43	0-2	0
	1	2	20.50	20.60	20.55		0
	1	5	20.41	20.57	20.34		0
	3	0	20.45	20.46	20.40		0
	3	2	20.45	20.58	20.30		0
	3	3	20.40	20.51	20.44		0
	6	0	20.43	20.43	20.40	0-3	0
256QAM	1	0	19.30	19.40	19.39	0-5	1.2
	1	2	19.35	19.35	19.33		1.2
	1	5	19.40	19.30	19.32		1.2
	3	0	19.44	19.39	19.33		1.2
	3	2	19.35	19.38	19.28		1.2
	3	3	19.34	19.36	19.33		1.2
	6	0	19.24	19.32	19.23		1.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 25 of 219

H.1.3 LTE Band 13

LTE Band 13 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-25

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.33	0	0
	1	12	23.40		0
	1	24	23.34		0
	12	0	22.40	0-1	1
	12	6	22.42		1
	12	13	22.44		1
	25	0	22.37		1
16QAM	1	0	22.57	0-1	1
	1	12	22.68		1
	1	24	22.66		1
	12	0	21.46	0-2	2
	12	6	21.49		2
	12	13	21.52		2
	25	0	21.40		2
64QAM	1	0	21.59	0-2	2
	1	12	21.64		2
	1	24	21.62		2
	12	0	20.45	0-3	3
	12	6	20.47		3
	12	13	20.53		3
	25	0	20.42		3
256QAM	1	0	18.45	0-5	5
	1	12	18.61		5
	1	24	18.57		5
	12	0	18.46		5
	12	6	18.46		5
	12	13	18.53		5
	25	0	18.41		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 26 of 219

LTE Band 13 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-26

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.66	0	0
	1	12	19.86		0
	1	24	19.73		0
	12	0	19.76	0-1	0
	12	6	19.82		0
	12	13	19.80		0
	25	0	19.75		0
16QAM	1	0	19.95	0-1	0
	1	12	20.16		0
	1	24	19.97		0
	12	0	19.81	0-2	0
	12	6	19.76		0
	12	13	19.84		0
	25	0	19.74		0
64QAM	1	0	19.94	0-2	0
	1	12	20.08		0
	1	24	19.95		0
	12	0	19.81	0-3	0
	12	6	19.84		0
	12	13	19.87		0
	25	0	19.80		0
256QAM	1	0	18.62	0-5	1.4
	1	12	18.65		1.4
	1	24	18.70		1.4
	12	0	18.50		1.4
	12	6	18.58		1.4
	12	13	18.57		1.4
	25	0	18.52		1.4

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 27 of 219

LTE Band 13 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-27

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.59	0	0
	1	12	23.65		0
	1	24	23.57		0
	12	0	22.62	0-1	1
	12	6	22.71		1
	12	13	22.67		1
	25	0	22.66		1
16QAM	1	0	22.91	0-1	1
	1	12	23.04		1
	1	24	22.77		1
	12	0	21.71	0-2	2
	12	6	21.71		2
	12	13	21.79		2
	25	0	21.62		2
64QAM	1	0	21.98	0-2	2
	1	12	22.02		2
	1	24	21.83		2
	12	0	20.65	0-3	3
	12	6	20.80		3
	12	13	20.75		3
	25	0	20.70		3
256QAM	1	0	18.67	0-5	5
	1	12	18.87		5
	1	24	18.83		5
	12	0	18.69		5
	12	6	18.71		5
	12	13	18.73		5
	25	0	18.73		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
Technical Manager

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
Page 28 of 219

LTE Band 13 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-28

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.39	0	0
	1	12	20.51		0
	1	24	20.45		0
	12	0	20.50	0-1	0
	12	6	20.55		0
	12	13	20.56		0
	25	0	20.42		0
16QAM	1	0	20.67	0-1	0
	1	12	20.74		0
	1	24	20.81		0
	12	0	20.51	0-2	0
	12	6	20.60		0
	12	13	20.63		0
	25	0	20.50		0
64QAM	1	0	20.80	0-2	0
	1	12	20.83		0
	1	24	20.78		0
	12	0	20.56	0-3	0
	12	6	20.62		0
	12	13	20.62		0
	25	0	20.48		0
256QAM	1	0	18.69	0-5	1.9
	1	12	18.97		1.9
	1	24	18.83		1.9
	12	0	18.81		1.9
	12	6	18.74		1.9
	12	13	18.85		1.9
	25	0	18.69		1.9

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 29 of 219

H.1.4 LTE Band 14

LTE Band 14 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-29

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.48	0	0
	1	12	23.50		0
	1	24	23.47		0
	12	0	22.20	0-1	1
	12	6	22.24		1
	12	13	22.21		1
	25	0	22.18		1
16QAM	1	0	22.75	0-1	1
	1	12	22.80		1
	1	24	22.67		1
	12	0	21.53	0-2	2
	12	6	21.60		2
	12	13	21.62		2
	25	0	21.52		2
64QAM	1	0	21.71	0-2	2
	1	12	21.77		2
	1	24	21.68		2
	12	0	20.57	0-3	3
	12	6	20.58		3
	12	13	20.59		3
	25	0	20.53		3
256QAM	1	0	18.51	0-5	5
	1	12	18.68		5
	1	24	18.57		5
	12	0	18.54		5
	12	6	18.56		5
	12	13	18.56		5
	25	0	18.51		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 30 of 219

LTE Band 14 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-30

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.99	0	0
	1	12	19.85		0
	1	24	19.85		0
	12	0	19.90	0-1	0
	12	6	19.89		0
	12	13	19.97		0
	25	0	19.92		0
	25	0	19.92		0
16QAM	1	0	19.98	0-1	0
	1	12	20.21		0
	1	24	19.96		0
	12	0	19.95	0-2	0
	12	6	19.97		0
	12	13	20.01		0
	25	0	19.95		0
	25	0	19.95		0
64QAM	1	0	20.16	0-2	0
	1	12	20.21		0
	1	24	20.10		0
	12	0	19.96	0-3	0
	12	6	19.96		0
	12	13	20.07		0
	25	0	19.98		0
	25	0	19.98		0
256QAM	1	0	18.68	0-5	1.4
	1	12	18.83		1.4
	1	24	18.70		1.4
	12	0	18.63		1.4
	12	6	18.63		1.4
	12	13	18.70		1.4
	25	0	18.65		1.4
	25	0	18.65		1.4

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 31 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 14 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-31

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	23.70	0	0
	1	12	23.88		0
	1	24	23.76		0
	12	0	22.36	0-1	1
	12	6	22.37		1
	12	13	22.46		1
	25	0	22.39		1
16QAM	1	0	22.96	0-1	1
	1	12	23.10		1
	1	24	22.95		1
	12	0	21.83	0-2	2
	12	6	21.86		2
	12	13	21.91		2
	25	0	21.76		2
64QAM	1	0	22.03	0-2	2
	1	12	21.99		2
	1	24	21.96		2
	12	0	20.85	0-3	3
	12	6	20.84		3
	12	13	20.81		3
	25	0	20.84		3
256QAM	1	0	18.87	0-5	5
	1	12	18.88		5
	1	24	18.90		5
	12	0	18.80		5
	12	6	18.78		5
	12	13	18.80		5
	25	0	18.83		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
Technical Manager

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
Page 32 of 219

LTE Band 14 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-32

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.57	0	0
	1	12	20.75		0
	1	24	20.58		0
	12	0	20.60	0-1	0
	12	6	20.69		0
	12	13	20.68		0
	25	0	20.64		0
16QAM	1	0	20.74	0-1	0
	1	12	20.85		0
	1	24	20.79		0
	12	0	20.63	0-2	0
	12	6	20.68		0
	12	13	20.70		0
	25	0	20.62		0
64QAM	1	0	20.77	0-2	0
	1	12	20.84		0
	1	24	20.79		0
	12	0	20.61	0-3	0
	12	6	20.68		0
	12	13	20.73		0
	25	0	20.60		0
256QAM	1	0	18.95	0-5	1.9
	1	12	18.86		1.9
	1	24	18.95		1.9
	12	0	18.85		1.9
	12	6	18.92		1.9
	12	13	18.85		1.9
	25	0	18.89		1.9

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by:
		Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 33 of 219

H.1.5 LTE Band 26

LTE Band 26 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-33

LTE Band 26 (Cell) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.48	23.47	23.49	0	0
	1	25	23.48	23.58	23.50		0
	1	49	23.52	23.45	23.46		0
	25	0	22.51	22.52	22.43	0-1	1
	25	12	22.57	22.50	22.46		1
	25	25	22.49	22.53	22.50		1
	50	0	22.54	22.48	22.48		1
16QAM	1	0	22.73	22.84	22.65	0-1	1
	1	25	22.73	22.82	22.66		1
	1	49	22.76	22.69	22.60		1
	25	0	21.54	21.54	21.52	0-2	2
	25	12	21.58	21.55	21.53		2
	25	25	21.54	21.57	21.54		2
	50	0	21.55	21.52	21.49		2
64QAM	1	0	21.69	21.67	21.61	0-2	2
	1	25	21.66	21.75	21.75		2
	1	49	21.69	21.70	21.60		2
	25	0	20.48	20.53	20.49	0-3	3
	25	12	20.59	20.55	20.50		3
	25	25	20.54	20.57	20.54		3
	50	0	20.59	20.49	20.47		3
256QAM	1	0	18.64	18.64	18.58	0-5	5
	1	25	18.64	18.70	18.72		5
	1	49	18.69	18.62	18.65		5
	25	0	18.53	18.55	18.53		5
	25	12	18.60	18.55	18.52		5
	25	25	18.51	18.57	18.58		5
	50	0	18.56	18.54	18.49		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 34 of 219

LTE Band 26 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-34

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	Design MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.45	23.49	23.38	0	0
	1	12	23.50	23.50	23.48		0
	1	24	23.43	23.48	23.37		0
	12	0	21.50	21.50	21.42	0-1	2
	12	6	21.58	21.55	21.55		2
	12	13	21.54	21.59	21.50		2
	25	0	21.54	21.49	21.56		2
16QAM	1	0	22.66	22.86	22.68	0-1	1
	1	12	22.79	22.88	22.71		1
	1	24	22.71	22.65	22.65		1
	12	0	21.49	21.55	21.45	0-2	2
	12	6	21.61	21.59	21.57		2
	12	13	21.58	21.57	21.54		2
	25	0	21.56	21.48	21.54		2
64QAM	1	0	21.74	21.75	21.68	0-2	2
	1	12	21.80	21.86	21.77		2
	1	24	21.70	21.62	21.59		2
	12	0	20.52	20.58	20.47	0-3	3
	12	6	20.62	20.57	20.58		3
	12	13	20.57	20.60	20.58		3
	25	0	20.56	20.53	20.54		3
256QAM	1	0	18.53	18.64	18.55	0-5	5
	1	12	18.69	18.72	18.68		5
	1	24	18.61	18.65	18.61		5
	12	0	18.53	18.56	18.49		5
	12	6	18.61	18.55	18.61		5
	12	13	18.59	18.64	18.59		5
	25	0	18.58	18.57	18.56		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 35 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 26 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-35

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.38	23.45	23.37	0	0
	1	7	23.46	23.48	23.39		0
	1	14	23.35	23.41	23.34		0
	8	0	22.49	22.49	22.39	0-1	1
	8	4	22.53	22.57	22.52		1
	8	7	22.48	22.53	22.45		1
	15	0	22.48	22.48	22.51		1
16QAM	1	0	22.66	22.87	22.60	0-1	1
	1	7	22.73	22.84	22.75		1
	1	14	22.59	22.64	22.60		1
	8	0	21.56	21.56	21.47	0-2	2
	8	4	21.58	21.66	21.56		2
	8	7	21.55	21.61	21.49		2
	15	0	21.55	21.54	21.52		2
64QAM	1	0	21.60	21.72	21.62	0-2	2
	1	7	21.67	21.75	21.66		2
	1	14	21.61	21.72	21.63		2
	8	0	20.57	20.54	20.46	0-3	3
	8	4	20.60	20.64	20.56		3
	8	7	20.56	20.59	20.52		3
	15	0	20.56	20.49	20.51		3
256QAM	1	0	18.49	18.54	18.56	0-5	5
	1	7	18.63	18.69	18.67		5
	1	14	18.58	18.63	18.59		5
	8	0	18.57	18.55	18.51		5
	8	4	18.57	18.66	18.60		5
	8	7	18.58	18.62	18.57		5
	15	0	18.55	18.54	18.54		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 36 of 219

LTE Band 26 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 1.4 MHz Bandwidth

Table H-36

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.48	23.41	23.41	0	0
	1	2	23.52	23.53	23.46		0
	1	5	23.46	23.51	23.41		0
	3	0	23.49	23.43	23.42		0
	3	2	23.47	23.52	23.29		0
	3	3	23.44	23.49	23.41		0
	6	0	22.50	22.41	22.44	0-1	1
16QAM	1	0	22.61	22.87	22.61	0-1	1
	1	2	22.67	22.79	22.71		1
	1	5	22.64	22.66	22.58		1
	3	0	22.61	22.56	22.53		1
	3	2	22.62	22.65	22.54		1
	3	3	22.58	22.65	22.55		1
	6	0	21.50	21.47	21.52	0-2	2
64QAM	1	0	21.61	21.60	21.59	0-2	2
	1	2	21.63	21.68	21.58		2
	1	5	21.59	21.67	21.58		2
	3	0	21.63	21.55	21.56		2
	3	2	21.57	21.64	21.55		2
	3	3	21.60	21.64	21.54		2
	6	0	20.51	20.49	20.50	0-3	3
256QAM	1	0	18.57	18.58	18.57	0-5	5
	1	2	18.63	18.65	18.52		5
	1	5	18.59	18.57	18.50		5
	3	0	18.57	18.59	18.57		5
	3	2	18.57	18.62	18.60		5
	3	3	18.55	18.60	18.58		5
	6	0	18.51	18.49	18.52		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 37 of 219

LTE Band 26 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-37

LTE Band 26 (Cell) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.80	20.94	20.89	0	0
	1	25	20.92	21.10	20.81		0
	1	49	20.82	20.82	20.91		0
	25	0	20.98	20.95	20.97	0-1	0
	25	12	20.95	20.91	20.87		0
	25	25	20.92	20.95	20.97		0
	50	0	20.95	20.89	20.89		0
16QAM	1	0	21.23	21.08	21.26	0-1	0
	1	25	21.09	21.18	21.14		0
	1	49	21.08	21.23	21.12		0
	25	0	20.94	20.99	20.84	0-2	0
	25	12	21.04	21.00	20.93		0
	25	25	20.93	21.03	20.96		0
	50	0	20.96	20.93	20.87		0
64QAM	1	0	21.06	21.09	21.09	0-2	0
	1	25	21.15	20.99	21.10		0
	1	49	21.09	21.06	21.07		0
	25	0	20.81	20.87	20.80	0-3	0.1
	25	12	20.85	20.86	20.83		0.1
	25	25	20.86	20.90	20.89		0.1
	50	0	20.87	20.81	20.70		0.1
256QAM	1	0	18.99	18.98	18.88	0-5	2.1
	1	25	18.97	18.94	18.94		2.1
	1	49	19.02	18.91	18.97		2.1
	25	0	18.80	18.85	18.81		2.1
	25	12	18.88	18.89	18.85		2.1
	25	25	18.82	18.90	18.79		2.1
	50	0	18.87	18.86	18.75		2.1

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 38 of 219

LTE Band 26 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-38

Table 11-50							
LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.84	21.09	20.88	0	0
	1	12	20.82	20.90	20.86		0
	1	24	20.81	20.81	20.75		0
	12	0	20.81	20.96	20.82	0-1	0
	12	6	20.98	20.95	20.92		0
	12	13	20.86	20.91	20.90		0
	25	0	20.93	20.87	20.92		0
16QAM	1	0	21.06	21.17	20.98	0-1	0
	1	12	21.12	21.23	21.17		0
	1	24	21.03	21.07	21.10		0
	12	0	20.93	21.03	20.92	0-2	0
	12	6	20.98	20.97	21.01		0
	12	13	20.91	20.94	20.92		0
	25	0	20.96	20.88	20.90		0
64QAM	1	0	21.09	21.02	21.14	0-2	0
	1	12	21.05	21.14	21.16		0
	1	24	21.01	21.03	21.03		0
	12	0	20.78	20.86	20.75	0-3	0.1
	12	6	20.92	20.89	20.82		0.1
	12	13	20.83	20.96	20.84		0.1
	25	0	20.82	20.79	20.82		0.1
256QAM	1	0	18.85	18.86	18.90	0-5	2.1
	1	12	18.90	19.06	18.97		2.1
	1	24	18.96	19.03	18.99		2.1
	12	0	18.83	18.83	18.79		2.1
	12	6	18.90	18.88	18.87		2.1
	12	13	18.85	18.85	18.84		2.1
	25	0	18.86	18.79	18.85		2.1

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 39 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 26 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth

Table H-39

Table 11-55 LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.79	20.98	20.92	0	0
	1	7	20.86	20.91	20.78		0
	1	14	20.87	20.77	20.72		0
	8	0	20.96	20.91	20.77	0-1	0
	8	4	20.95	20.95	20.89		0
	8	7	20.88	20.91	20.93		0
	15	0	20.95	20.87	20.87		0
16QAM	1	0	21.03	20.98	21.02	0-1	0
	1	7	21.12	21.04	21.09		0
	1	14	20.89	21.10	20.98		0
	8	0	21.32	20.85	20.83	0-2	0
	8	4	21.03	21.10	20.96		0
	8	7	21.04	21.02	20.96		0
	15	0	20.97	20.95	20.93		0
64QAM	1	0	21.02	21.12	21.02	0-2	0
	1	7	21.12	21.09	21.08		0
	1	14	21.06	21.31	21.02		0
	8	0	20.94	20.74	20.74	0-3	0.1
	8	4	20.89	20.97	20.88		0.1
	8	7	20.84	20.85	20.74		0.1
	15	0	20.88	20.82	20.84		0.1
256QAM	1	0	18.90	18.91	18.88	0-5	2.1
	1	7	19.01	19.14	18.95		2.1
	1	14	18.97	18.87	18.91		2.1
	8	0	18.88	18.83	18.80		2.1
	8	4	18.86	18.94	18.86		2.1
	8	7	18.88	18.91	18.79		2.1
	15	0	18.82	18.84	18.80		2.1

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 40 of 219

LTE Band 26 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth

Table H-40

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.84	20.81	20.81	0	0
	1	2	20.85	20.97	20.80		0
	1	5	20.87	20.90	20.85		0
	3	0	20.84	20.85	20.77		0
	3	2	20.89	20.89	20.87		0
	3	3	20.88	20.92	20.79		0
	6	0	20.81	20.86	20.82	0-1	0
16QAM	1	0	21.25	21.06	21.06	0-1	0
	1	2	21.16	21.18	21.16		0
	1	5	21.03	21.06	21.10		0
	3	0	21.05	20.94	21.08		0
	3	2	20.96	21.01	20.94		0
	3	3	21.00	21.04	20.96		0
	6	0	20.97	20.89	20.96	0-2	0
64QAM	1	0	21.09	21.03	21.11	0-2	0
	1	2	21.07	21.10	21.05		0
	1	5	21.07	21.07	21.02		0
	3	0	21.00	20.96	20.92		0
	3	2	20.96	21.03	20.97		0
	3	3	21.04	21.04	21.03		0
	6	0	20.81	20.74	20.78	0-3	0.1
256QAM	1	0	18.80	18.97	18.89	0-5	2.1
	1	2	18.94	18.94	18.87		2.1
	1	5	18.87	18.91	18.82		2.1
	3	0	18.97	18.89	18.84		2.1
	3	2	18.85	18.87	18.85		2.1
	3	3	18.89	18.95	18.83		2.1
	6	0	18.81	18.76	18.81	2.1	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 41 of 219

LTE Band 26 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-41

LTE Band 26 (Cell) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.85	23.97	23.92	0	0
	1	25	23.82	24.00	23.84		0
	1	49	23.91	23.93	23.72		0
	25	0	22.86	22.92	22.88	0-1	1
	25	12	22.97	22.89	22.80		1
	25	25	22.93	22.98	22.90		1
	50	0	22.89	22.93	22.95		1
16QAM	1	0	23.06	23.16	23.29	0-1	1
	1	25	23.13	23.09	23.06		1
	1	49	23.26	23.19	22.97		1
	25	0	21.89	21.89	21.90	0-2	2
	25	12	21.94	21.92	21.90		2
	25	25	21.90	21.94	21.93		2
	50	0	21.91	21.88	21.88		2
64QAM	1	0	22.02	22.06	22.05	0-2	2
	1	25	22.15	22.07	22.06		2
	1	49	22.12	22.05	22.03		2
	25	0	20.83	20.97	20.95	0-3	3
	25	12	20.97	21.02	20.85		3
	25	25	20.92	21.02	20.93		3
	50	0	20.98	20.92	20.93		3
256QAM	1	0	19.07	19.10	18.96	0-5	5
	1	25	19.14	19.17	18.95		5
	1	49	19.06	19.08	18.94		5
	25	0	18.85	18.94	18.95		5
	25	12	19.02	18.94	18.83		5
	25	25	18.90	18.99	18.88		5
	50	0	18.94	18.94	18.89		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 42 of 219

LTE Band 26 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-42

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	Design MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.74	23.87	23.77	0	0
	1	12	23.90	23.91	23.83		0
	1	24	23.78	23.85	23.76		0
	12	0	21.78	21.87	21.84	0-1	2
	12	6	21.92	21.93	21.92		2
	12	13	21.91	21.97	21.88		2
	25	0	21.93	21.93	21.91		2
16QAM	1	0	23.07	23.15	23.01	0-1	1
	1	12	23.02	23.38	23.30		1
	1	24	22.94	23.16	22.99		1
	12	0	21.85	21.98	21.90	0-2	2
	12	6	21.95	21.97	21.96		2
	12	13	21.90	22.04	21.90		2
	25	0	21.91	21.84	21.94		2
64QAM	1	0	22.20	22.16	22.09	0-2	2
	1	12	22.07	22.34	22.11		2
	1	24	22.03	22.17	21.90		2
	12	0	20.87	20.86	20.85	0-3	3
	12	6	20.94	20.92	21.01		3
	12	13	20.90	21.03	20.94		3
	25	0	20.95	20.90	20.88		3
256QAM	1	0	18.93	19.08	18.82	0-5	5
	1	12	18.96	19.17	18.94		5
	1	24	18.90	19.08	19.02		5
	12	0	18.86	18.97	18.87		5
	12	6	18.95	18.94	18.99		5
	12	13	18.86	18.94	18.91		5
	25	0	18.91	18.88	18.89		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 43 of 219

LTE Band 26 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-43

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.88	23.77	23.70	0	0
	1	7	23.87	23.96	23.82		0
	1	14	23.83	23.74	23.81		0
	8	0	22.80	22.84	22.80	0-1	1
	8	4	22.94	22.97	22.93		1
	8	7	22.81	22.86	22.86		1
	15	0	22.84	22.87	22.78		1
16QAM	1	0	22.90	23.07	22.98	0-1	1
	1	7	23.32	23.11	23.16		1
	1	14	22.98	23.00	23.10		1
	8	0	21.87	21.91	21.89	0-2	2
	8	4	21.86	22.11	21.92		2
	8	7	21.91	22.04	21.92		2
	15	0	21.89	21.87	21.86		2
64QAM	1	0	22.06	22.14	22.06	0-2	2
	1	7	22.01	22.17	22.06		2
	1	14	21.93	22.01	21.97		2
	8	0	20.94	21.01	20.81	0-3	3
	8	4	20.93	21.11	20.92		3
	8	7	21.01	20.98	20.90		3
	15	0	20.88	20.95	20.87		3
256QAM	1	0	18.82	19.06	18.83	0-5	5
	1	7	19.05	19.11	19.10		5
	1	14	18.80	19.04	18.93		5
	8	0	18.98	19.01	18.87		5
	8	4	18.96	18.99	18.89		5
	8	7	18.94	19.02	18.94		5
	15	0	18.91	18.96	18.92		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 44 of 219

LTE Band 26 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) – 1.3 MHz Bandwidth

Table H-44

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.86	23.84	23.82	0	0
	1	2	23.82	23.94	23.80		0
	1	5	23.76	23.91	23.75		0
	3	0	23.82	23.84	23.77		0
	3	2	23.78	23.87	23.78		0
	3	3	23.83	23.86	23.75		0
	6	0	22.84	22.87	22.77	0-1	1
16QAM	1	0	22.94	23.08	23.08	0-1	1
	1	2	23.01	23.26	23.08		1
	1	5	23.00	23.09	22.97		1
	3	0	23.01	22.88	23.04		1
	3	2	22.93	23.03	22.98		1
	3	3	22.96	23.01	22.91		1
	6	0	21.89	21.93	21.93	0-2	2
64QAM	1	0	22.00	22.07	22.02	0-2	2
	1	2	22.11	22.13	21.91		2
	1	5	21.85	21.97	21.85		2
	3	0	21.92	21.96	21.94		2
	3	2	21.92	22.05	21.95		2
	3	3	21.89	22.06	21.90		2
	6	0	20.94	20.93	20.86	0-3	3
256QAM	1	0	18.81	19.02	18.92	0-5	5
	1	2	19.04	19.07	18.90		5
	1	5	18.75	19.08	18.98		5
	3	0	18.95	18.98	18.90		5
	3	2	18.92	19.01	18.84		5
	3	3	18.88	19.00	18.86		5
	6	0	18.77	18.81	18.84		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 45 of 219

LTE Band 26 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-45

LTE Band 26 (Cell) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26740 (819.0 MHz)	26865 (831.5 MHz)	26990 (844.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	21.08	20.98	20.92	0	0
	1	25	21.11	21.30	21.08		0
	1	49	21.13	20.99	20.96		0
	25	0	21.07	21.09	21.01	0-1	0
	25	12	21.10	21.06	21.06		0
	25	25	21.05	21.08	21.03		0
	50	0	21.06	21.08	20.95		0
16QAM	1	0	21.27	21.31	21.32	0-1	0
	1	25	21.23	21.27	21.06		0
	1	49	21.02	21.32	21.12		0
	25	0	21.05	21.11	21.09	0-2	0
	25	12	21.18	21.06	21.10		0
	25	25	21.13	21.06	21.01		0
	50	0	21.05	21.08	21.02		0
64QAM	1	0	21.09	21.19	21.26	0-2	0
	1	25	21.21	21.26	21.14		0
	1	49	21.19	21.18	21.17		0
	25	0	20.96	21.02	20.90	0-3	0.2
	25	12	20.95	21.07	20.94		0.2
	25	25	20.97	20.99	20.92		0.2
	50	0	20.98	20.95	20.93		0.2
256QAM	1	0	19.04	19.03	19.13	0-5	2.2
	1	25	19.08	19.32	19.12		2.2
	1	49	19.01	19.03	19.11		2.2
	25	0	18.93	18.91	18.93		2.2
	25	12	18.97	18.99	18.98		2.2
	25	25	18.94	19.13	18.95		2.2
	50	0	18.90	18.98	18.92		2.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 46 of 219

LTE Band 26 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-46

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	21.06	20.97	21.00	0	0
	1	12	21.00	21.04	20.93		0
	1	24	20.93	21.02	20.92		0
	12	0	20.96	21.06	20.92	0-1	0
	12	6	21.08	21.02	21.06		0
	12	13	21.03	21.15	21.03		0
	25	0	21.04	21.00	21.01		0
16QAM	1	0	21.30	21.28	21.20	0-1	0
	1	12	21.36	21.28	21.22		0
	1	24	21.16	21.23	21.16		0
	12	0	20.97	21.14	21.01	0-2	0
	12	6	21.11	21.14	21.07		0
	12	13	21.15	21.16	21.03		0
	25	0	21.03	21.10	21.07		0
64QAM	1	0	21.17	21.19	21.16	0-2	0
	1	12	21.21	21.24	21.29		0
	1	24	21.13	21.13	21.12		0
	12	0	20.88	20.97	20.95	0-3	0.2
	12	6	20.99	20.93	20.95		0.2
	12	13	21.00	21.02	20.91		0.2
	25	0	21.02	20.97	20.95		0.2
256QAM	1	0	19.04	18.98	19.00	0-5	2.2
	1	12	19.09	19.15	19.11		2.2
	1	24	18.88	19.21	18.94		2.2
	12	0	18.89	19.02	18.88		2.2
	12	6	19.02	19.02	18.99		2.2
	12	13	19.02	19.03	18.96		2.2
	25	0	18.92	18.88	18.97		2.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by:
		Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 47 of 219

LTE Band 26 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth

Table H-47

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.83	20.80	20.81	0	0
	1	7	20.96	21.10	21.01		0
	1	14	20.78	20.93	20.86		0
	8	0	21.01	21.01	20.92	0-1	0
	8	4	20.98	21.17	21.02		0
	8	7	20.95	21.05	20.99		0
	15	0	21.11	21.02	20.99		0
16QAM	1	0	21.23	21.25	21.07	0-1	0
	1	7	21.21	21.33	21.07		0
	1	14	21.16	21.26	21.14		0
	8	0	21.01	21.08	21.09	0-2	0
	8	4	21.10	21.24	21.10		0
	8	7	21.07	21.09	21.01		0
	15	0	21.11	21.10	21.02		0
64QAM	1	0	20.90	21.22	21.05	0-2	0
	1	7	21.33	21.37	21.27		0
	1	14	21.02	21.08	21.18		0
	8	0	20.96	20.99	20.90	0-3	0.2
	8	4	20.96	21.10	20.99		0.2
	8	7	20.95	21.03	20.94		0.2
	15	0	20.92	20.94	20.95		0.2
256QAM	1	0	18.96	19.00	18.97	0-5	2.2
	1	7	19.01	19.24	18.98		2.2
	1	14	18.94	18.97	19.01		2.2
	8	0	19.00	18.97	18.82		2.2
	8	4	18.98	19.08	18.93		2.2
	8	7	18.94	19.00	18.97		2.2
	15	0	18.94	18.93	18.94		2.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 48 of 219

LTE Band 26 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth

Table H-48

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.91	20.86	20.86	0	0
	1	2	20.96	21.10	20.93		0
	1	5	20.85	21.03	20.96		0
	3	0	20.92	20.96	20.90		0
	3	2	20.95	21.05	20.96		0
	3	3	20.97	20.98	20.90		0
	6	0	20.94	20.96	21.00	0-1	0
16QAM	1	0	21.16	21.23	21.16	0-1	0
	1	2	21.23	21.43	21.19		0
	1	5	21.12	21.44	21.14		0
	3	0	21.12	21.13	21.05		0
	3	2	21.17	21.11	21.14		0
	3	3	21.20	21.20	21.15		0
	6	0	21.15	21.08	21.03	0-2	0
64QAM	1	0	21.17	21.14	21.16	0-2	0
	1	2	21.17	21.29	21.06		0
	1	5	21.09	21.29	21.13		0
	3	0	21.10	21.10	21.06		0
	3	2	21.05	21.18	21.08		0
	3	3	21.09	21.15	21.04		0
	6	0	20.95	21.02	20.95	0-3	0.2
256QAM	1	0	18.95	19.04	18.89	0-5	2.2
	1	2	19.01	19.13	18.92		2.2
	1	5	18.89	19.03	19.05		2.2
	3	0	18.94	18.95	18.98		2.2
	3	2	18.97	19.07	18.94		2.2
	3	3	19.01	19.14	19.02		2.2
	6	0	18.94	18.91	18.92		2.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 49 of 219

H.1.6 LTE Band 5

LTE Band 5 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-49

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.48	23.45	23.41	0	0
	1	12	23.54	23.61	23.50		0
	1	24	23.49	23.44	23.37		0
	12	0	22.48	22.46	22.45	0-1	1
	12	6	22.61	22.49	22.57		1
	12	13	22.54	22.56	22.53		1
	25	0	22.56	22.46	22.53		1
16QAM	1	0	22.72	22.72	22.65	0-1	1
	1	12	22.85	22.78	22.81		1
	1	24	22.73	22.72	22.57		1
	12	0	21.54	21.53	21.46	0-2	2
	12	6	21.64	21.50	21.62		2
	12	13	21.58	21.57	21.56		2
	25	0	21.62	21.47	21.52		2
64QAM	1	0	21.70	21.64	21.60	0-2	2
	1	12	21.82	21.73	21.68		2
	1	24	21.86	21.62	21.56		2
	12	0	20.51	20.53	20.45	0-3	3
	12	6	20.66	20.55	20.59		3
	12	13	20.58	20.59	20.54		3
	25	0	20.58	20.49	20.54		3
256QAM	1	0	18.60	18.58	18.53	0-5	5
	1	12	18.73	18.73	18.69		5
	1	24	18.65	18.55	18.53		5
	12	0	18.57	18.55	18.46		5
	12	6	18.63	18.55	18.54		5
	12	13	18.60	18.58	18.51		5
	25	0	18.61	18.51	18.51		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 50 of 219

LTE Band 5 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-50

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.41	23.44	23.35	0	0
	1	7	23.54	23.46	23.40		0
	1	14	23.46	23.36	23.35		0
	8	0	22.55	22.48	22.47	0-1	1
	8	4	22.59	22.57	22.52		1
	8	7	22.56	22.51	22.49		1
	15	0	22.65	22.49	22.48		1
16QAM	1	0	22.73	22.65	22.58	0-1	1
	1	7	22.84	22.77	22.71		1
	1	14	22.71	22.64	22.59		1
	8	0	21.63	21.51	21.51	0-2	2
	8	4	21.67	21.62	21.59		2
	8	7	21.63	21.59	21.55		2
64QAM	15	0	21.58	21.48	21.53	0-2	2
	1	0	21.68	21.68	21.59		2
	1	7	21.79	21.69	21.69		2
	1	14	21.81	21.62	21.55	0-3	2
	8	0	20.62	20.49	20.47		3
	8	4	20.68	20.62	20.56		3
256QAM	8	7	20.63	20.57	20.58	0-5	3
	15	0	20.63	20.49	20.54		3
	1	0	18.57	18.57	18.46		5
	1	7	18.72	18.72	18.62		5
	1	14	18.59	18.57	18.55		5
	8	0	18.63	18.53	18.48		5
	8	4	18.65	18.64	18.58		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 51 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 5 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 1.4 MHz Bandwidth

Table H-51

LTE Band 5 (Cell) 1.4 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]		
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)				
			Conducted Power [dBm]						
QPSK	1	0	23.59	23.48	23.41	0	0		
	1	2	23.51	23.43	23.47		0		
	1	5	23.48	23.50	23.30		0		
	3	0	23.47	23.44	23.37		0		
	3	2	23.46	23.44	23.40		0		
	3	3	23.46	23.44	23.37		0		
16QAM	6	0	22.54	22.52	22.49	0-1	1		
	1	0	22.77	22.72	22.65	0-1	1		
	1	2	22.73	22.77	22.62		1		
	1	5	22.76	22.67	22.70		1		
	3	0	22.64	22.55	22.55		1		
	3	2	22.63	22.62	22.51		1		
64QAM	3	3	22.64	22.57	22.51		0-2	1	
	6	0	21.58	21.54	21.56	2			
	1	0	21.69	21.56	21.61	0-2		2	
	1	2	21.67	21.69	21.64			2	
	1	5	21.67	21.63	21.63			2	
	3	0	21.63	21.57	21.48			2	
256QAM	3	2	21.67	21.65	21.59		0-3	2	
	3	3	21.63	21.58	21.54			0-5	2
	6	0	20.60	20.56	20.51	3			
	1	0	18.63	18.50	18.50	0-5			5
	1	2	18.68	18.61	18.55				5
	1	5	18.63	18.54	18.53				5
3	0	18.66	18.52	18.55	5				
3	2	18.62	18.59	18.51	5				
256QAM	3	3	18.64	18.55	18.52		0-5	5	
	6	0	18.55	18.56	18.47	5			

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 52 of 219

LTE Band 5 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-52

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.64	20.59	20.64	0	0
	1	12	20.74	20.67	20.68		0
	1	24	20.66	20.66	20.63		0
	12	0	20.64	20.74	20.62	0-1	0
	12	6	20.84	20.67	20.75		0
	12	13	20.73	20.77	20.68		0
	25	0	20.72	20.72	20.67		0
16QAM	1	0	20.96	21.00	20.72	0-1	0
	1	12	20.88	21.21	20.97		0
	1	24	21.00	20.95	20.92		0
	12	0	20.75	20.63	20.70	0-2	0
	12	6	20.81	20.77	20.78		0
	12	13	20.83	20.79	20.66		0
	25	0	20.78	20.69	20.71		0
64QAM	1	0	20.85	20.93	20.84	0-2	0
	1	12	20.92	21.02	20.83		0
	1	24	20.86	20.83	20.88		0
	12	0	20.56	20.63	20.61	0-3	0.1
	12	6	20.69	20.62	20.73		0.1
	12	13	20.68	20.70	20.62		0.1
	25	0	20.63	20.55	20.60		0.1
256QAM	1	0	18.68	18.59	18.56	0-5	2.1
	1	12	18.86	18.75	18.74		2.1
	1	24	18.88	18.66	18.61		2.1
	12	0	18.61	18.54	18.63		2.1
	12	6	18.73	18.64	18.65		2.1
	12	13	18.78	18.64	18.57		2.1
	25	0	18.75	18.58	18.59		2.1

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 53 of 219

LTE Band 5 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth

Table H-53

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.71	20.68	20.63	0	0
	1	7	20.72	20.72	20.58		0
	1	14	20.62	20.63	20.51		0
	8	0	20.84	20.68	20.64	0-1	0
	8	4	20.76	20.69	20.68		0
	8	7	20.85	20.82	20.65		0
	15	0	20.76	20.76	20.66		0
16QAM	1	0	20.81	20.73	20.87	0-1	0
	1	7	21.03	21.02	20.80		0
	1	14	20.99	20.86	20.80		0
	8	0	20.89	20.68	20.61	0-2	0
	8	4	20.89	20.85	20.75		0
	8	7	20.85	20.77	20.78		0
	15	0	20.85	20.73	20.68		0
64QAM	1	0	20.81	21.00	20.74	0-2	0
	1	7	21.01	20.96	20.95		0
	1	14	20.85	20.86	20.66		0
	8	0	20.66	20.58	20.58	0-3	0.1
	8	4	20.80	20.67	20.75		0.1
	8	7	20.77	20.63	20.60		0.1
	15	0	20.71	20.61	20.59		0.1
256QAM	1	0	18.67	18.70	18.51	0-5	2.1
	1	7	18.84	18.87	18.68		2.1
	1	14	18.67	18.74	18.64		2.1
	8	0	18.71	18.65	18.63		2.1
	8	4	18.80	18.73	18.67		2.1
	8	7	18.66	18.66	18.60		2.1
	15	0	18.65	18.63	18.65		2.1

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 54 of 219

LTE Band 5 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth

Table H-54

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.81	20.68	20.59	0	0
	1	2	20.76	20.68	20.60		0
	1	5	20.63	20.62	20.60		0
	3	0	20.62	20.69	20.56		0
	3	2	20.78	20.65	20.59		0
	3	3	20.63	20.72	20.59		0
	6	0	20.69	20.78	20.65	0-1	0
16QAM	1	0	21.01	20.82	20.74	0-1	0
	1	2	21.07	21.11	20.85		0
	1	5	20.79	20.92	20.77		0
	3	0	20.88	20.73	20.74		0
	3	2	20.79	20.91	20.71		0
	3	3	20.68	20.84	20.69		0
	6	0	20.78	20.82	20.64	0-2	0
64QAM	1	0	20.77	20.73	20.78	0-2	0
	1	2	20.85	21.06	20.82		0
	1	5	20.94	20.92	20.89		0
	3	0	20.81	20.76	20.79		0
	3	2	20.87	20.73	20.81		0
	3	3	20.81	20.82	20.80		0
	6	0	20.65	20.63	20.60	0-3	0.1
256QAM	1	0	18.81	18.66	18.79	0-5	2.1
	1	2	18.75	18.71	18.70		2.1
	1	5	18.74	18.69	18.59		2.1
	3	0	18.76	18.67	18.63		2.1
	3	2	18.69	18.74	18.58		2.1
	3	3	18.73	18.68	18.59		2.1
	6	0	18.67	18.67	18.61	2.1	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 55 of 219

LTE Band 5 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-55

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.84	23.82	23.80	0	0
	1	12	23.90	23.90	23.89		0
	1	24	23.84	23.77	23.78		0
	12	0	22.88	22.85	22.88	0-1	1
	12	6	22.97	22.88	22.93		1
	12	13	22.97	22.87	22.93		1
	25	0	22.94	22.89	22.91		1
16QAM	1	0	23.09	22.86	23.04	0-1	1
	1	12	23.16	23.30	23.30		1
	1	24	23.09	23.03	22.93		1
	12	0	21.96	21.95	21.87	0-2	2
	12	6	22.02	21.96	21.98		2
	12	13	21.97	21.97	21.97		2
	25	0	21.96	21.81	21.92		2
64QAM	1	0	22.06	21.96	22.11	0-2	2
	1	12	22.09	22.06	22.09		2
	1	24	21.96	22.07	21.97		2
	12	0	20.94	20.96	20.85	0-3	3
	12	6	21.02	21.00	21.03		3
	12	13	21.04	20.95	20.86		3
	25	0	20.98	20.80	20.88		3
256QAM	1	0	18.91	18.94	18.93	0-5	5
	1	12	19.16	19.03	19.00		5
	1	24	18.95	18.98	18.86		5
	12	0	18.92	18.90	18.87		5
	12	6	19.00	19.04	18.92		5
	12	13	19.01	18.96	18.86		5
	25	0	18.96	18.91	18.91		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 56 of 219

LTE Band 5 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-56

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.87	23.74	23.71	0	0
	1	7	23.91	23.89	23.90		0
	1	14	23.84	23.74	23.61		0
	8	0	22.91	22.79	22.81	0-1	1
	8	4	22.99	22.99	22.87		1
	8	7	22.93	22.93	22.84		1
	15	0	22.96	22.91	22.82		1
16QAM	1	0	23.08	23.09	22.93	0-1	1
	1	7	23.38	23.11	23.10		1
	1	14	23.12	23.33	22.91		1
	8	0	22.04	21.87	21.85	0-2	2
	8	4	21.99	21.99	21.97		2
	8	7	21.98	21.93	21.92		2
	15	0	21.97	21.92	22.03		2
64QAM	1	0	22.11	21.92	21.93	0-2	2
	1	7	22.27	22.05	21.98		2
	1	14	22.10	22.00	21.90		2
	8	0	21.01	20.83	20.78	0-3	3
	8	4	21.02	20.99	20.91		3
	8	7	21.07	20.92	20.87		3
	15	0	20.98	20.82	20.89		3
256QAM	1	0	18.92	18.95	18.87	0-5	5
	1	7	19.10	19.05	19.04		5
	1	14	19.01	18.91	18.96		5
	8	0	19.02	18.89	18.83		5
	8	4	19.03	19.02	18.89		5
	8	7	18.96	19.01	18.86		5
	15	0	18.98	18.97	18.88		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
 Technical Manager

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
 Page 57 of 219

LTE Band 5 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) – 1.4 MHz Bandwidth

Table H-57

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.84	24.02	23.73	0	0
	1	2	23.88	24.03	23.84		0
	1	5	23.77	23.76	23.67		0
	3	0	23.85	23.84	23.79		0
	3	2	23.87	23.95	23.74		0
	3	3	23.80	23.91	23.72		0
	6	0	22.84	22.90	22.84		0-1
16QAM	1	0	23.12	23.13	22.85	0-1	1
	1	2	23.12	23.04	23.09		1
	1	5	23.32	23.05	23.05		1
	3	0	22.94	22.95	22.82		1
	3	2	23.00	23.01	22.92		1
	3	3	23.01	22.86	22.77		1
	6	0	22.00	21.93	21.80		0-2
64QAM	1	0	22.00	22.02	21.98	0-2	2
	1	2	22.05	22.17	22.03		2
	1	5	22.05	22.04	21.95		2
	3	0	21.96	21.98	21.92		2
	3	2	21.97	22.12	21.87		2
	3	3	22.00	22.02	21.93		2
	6	0	20.95	20.99	20.91		0-3
256QAM	1	0	19.06	19.10	18.93	0-5	5
	1	2	19.13	19.01	19.03		5
	1	5	18.98	19.09	18.89		5
	3	0	18.97	18.97	18.87		5
	3	2	18.94	19.05	18.88		5
	3	3	19.08	19.06	18.80		5
	6	0	18.88	18.99	18.90		5

FCC ID: Licensed Module C3K2119
FCC ID: Unlicensed Module C3K00002102A

RF EXPOSURE PART 1 TEST REPORT

Approved by:
Technical Manager

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

APPENDIX H:
Page 58 of 219

LTE Band 5 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-58

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	21.07	21.04	20.96	0	0
	1	12	21.03	20.99	20.96		0
	1	24	20.96	21.02	20.82		0
	12	0	21.05	21.11	20.92	0-1	0
	12	6	21.16	21.10	21.03		0
	12	13	21.12	21.05	20.95		0
	25	0	21.13	20.98	21.02		0
16QAM	1	0	21.24	21.12	21.17	0-1	0
	1	12	21.43	21.33	21.25		0
	1	24	21.39	21.33	21.12		0
	12	0	21.06	21.05	21.01	0-2	0
	12	6	21.21	21.09	21.08		0
	12	13	21.12	21.14	21.06		0
	25	0	21.12	21.04	20.96		0
64QAM	1	0	21.31	21.19	21.06	0-2	0
	1	12	21.32	21.32	21.17		0
	1	24	21.14	21.09	21.13		0
	12	0	20.99	20.99	20.84	0-3	0.2
	12	6	21.06	20.85	20.99		0.2
	12	13	21.05	20.97	20.96		0.2
	25	0	20.98	20.93	20.95		0.2
256QAM	1	0	18.92	18.94	18.90	0-5	2.2
	1	12	19.24	19.19	19.02		2.2
	1	24	19.01	18.93	18.92		2.2
	12	0	18.94	19.03	18.88		2.2
	12	6	19.06	18.97	18.99		2.2
	12	13	19.08	19.01	18.91		2.2
	25	0	19.05	18.92	18.93		2.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 59 of 219

LTE Band 5 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth

Table H-59

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	21.13	20.88	20.88	0	0
	1	7	21.12	21.08	20.95		0
	1	14	20.98	20.98	20.87		0
	8	0	20.97	21.02	20.90	0-1	0
	8	4	21.12	21.12	21.04		0
	8	7	21.10	21.03	20.94		0
	15	0	21.04	21.04	20.94		0
16QAM	1	0	21.17	21.03	21.22	0-1	0
	1	7	21.27	21.26	21.21		0
	1	14	21.43	21.22	20.97		0
	8	0	21.22	21.17	20.89	0-2	0
	8	4	21.19	21.21	21.04		0
	8	7	21.18	21.11	21.08		0
	15	0	21.17	21.05	21.03		0
64QAM	1	0	21.13	21.19	21.14	0-2	0
	1	7	21.18	21.20	21.23		0
	1	14	21.20	21.05	21.18		0
	8	0	21.05	20.91	20.92	0-3	0.2
	8	4	21.03	21.03	21.05		0.2
	8	7	20.99	20.96	20.95		0.2
	15	0	21.00	20.87	20.93		0.2
256QAM	1	0	18.98	18.95	18.86	0-5	2.2
	1	7	19.10	19.14	19.05		2.2
	1	14	19.13	19.09	18.91		2.2
	8	0	19.06	18.92	18.86		2.2
	8	4	19.05	18.99	18.98		2.2
	8	7	19.03	18.99	18.91		2.2
	15	0	19.02	19.00	18.93		2.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 60 of 219

LTE Band 5 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth

Table H-60

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	21.11	21.04	20.94	0	0
	1	2	20.96	20.95	20.83		0
	1	5	20.98	20.95	20.78		0
	3	0	21.01	21.04	20.90		0
	3	2	21.00	20.94	20.96		0
	3	3	21.02	20.94	20.88		0
	6	0	21.07	21.03	20.97	0-1	0
16QAM	1	0	21.25	21.29	21.35	0-1	0
	1	2	21.30	21.30	21.10		0
	1	5	21.26	21.24	21.10		0
	3	0	21.22	21.08	21.12		0
	3	2	21.23	21.22	21.01		0
	3	3	21.20	21.13	20.99		0
	6	0	21.13	21.23	21.01	0-2	0
64QAM	1	0	21.30	21.16	21.46	0-2	0
	1	2	21.17	21.27	21.05		0
	1	5	21.24	21.26	21.16		0
	3	0	21.14	21.13	21.08		0
	3	2	21.20	21.19	20.96		0
	3	3	21.05	21.31	20.96		0
	6	0	20.97	21.04	21.02	0-3	0.2
256QAM	1	0	18.98	18.99	18.99	0-5	2.2
	1	2	19.14	19.07	18.99		2.2
	1	5	19.04	19.04	18.94		2.2
	3	0	18.95	18.99	18.89		2.2
	3	2	19.03	18.95	18.97		2.2
	3	3	18.92	19.07	18.90		2.2
	6	0	18.93	19.00	18.85		2.2

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 61 of 219

H.1.7 LTE Band 66

LTE Band 66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H-61

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.08	24.00	24.05	0	0
	1	36	24.24	24.06	24.02		0
	1	74	24.18	24.06	24.07		0
	36	0	23.25	23.07	23.01	0-1	1
	36	18	23.29	23.09	23.14		1
	36	37	23.29	23.10	23.16		1
	75	0	23.26	23.13	23.16		1
16QAM	1	0	23.21	23.30	23.30	0-1	1
	1	36	23.62	23.51	23.42		1
	1	74	23.32	23.18	23.25		1
	36	0	22.25	22.06	22.13	0-2	2
	36	18	22.21	22.14	22.21		2
	36	37	22.23	22.13	22.23		2
	75	0	22.23	22.09	22.17		2
64QAM	1	0	22.69	22.17	22.27	0-2	2
	1	36	22.31	22.35	22.31		2
	1	74	22.18	22.29	22.33		2
	36	0	21.15	21.02	21.05	0-3	3
	36	18	21.27	21.16	21.17		3
	36	37	21.15	21.21	21.20		3
	75	0	21.17	21.15	21.22		3
256QAM	1	0	19.23	19.05	19.03	0-5	5
	1	36	19.34	19.24	19.30		5
	1	74	19.24	19.32	19.19		5
	36	0	19.24	19.08	19.19		5
	36	18	19.24	19.09	19.23		5
	36	37	19.22	19.17	19.23		5
	75	0	19.22	19.20	19.16		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 62 of 219

LTE Band 66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-62

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.04	24.07	23.91	0	0
	1	25	24.25	23.98	24.12		0
	1	49	24.18	24.00	24.02		0
	25	0	23.21	23.00	23.07	0-1	1
	25	12	23.20	23.20	23.09		1
	25	25	23.18	23.14	23.14		1
16QAM	50	0	23.22	23.03	23.02	0-1	1
	1	0	23.26	23.13	23.21		1
	1	25	23.48	23.51	23.37		1
	1	49	23.37	23.36	23.28	0-2	1
	25	0	22.26	22.10	22.11		2
	25	12	22.23	22.17	22.11		2
64QAM	25	25	22.25	22.13	22.19	0-2	2
	50	0	22.23	22.19	22.12		2
	1	0	22.26	22.32	22.31	0-2	2
	1	25	22.45	22.30	22.41		2
	1	49	22.30	22.22	22.28	0-3	2
	25	0	21.18	21.16	21.18		3
25	12	21.22	21.23	21.09	3		
25	25	21.13	21.18	21.20	3		
256QAM	50	0	21.20	21.13	21.03		3
	1	0	19.20	19.10	19.10	0-5	5
	1	25	19.33	19.25	19.31		5
	1	49	19.32	19.19	19.14		5
	25	0	19.17	19.10	19.10		5
	25	12	19.25	19.16	19.19		5
	25	25	19.21	19.12	19.18		5
50	0	19.25	19.20	19.09	5		

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 63 of 219

LTE Band 66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-63

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.16	24.10	24.13	0	0
	1	12	24.19	24.09	24.17		0
	1	24	24.06	23.99	24.01		0
	12	0	23.09	23.00	23.12	0-1	1
	12	6	23.13	23.11	23.22		1
	12	13	23.13	23.16	23.19		1
16QAM	25	0	23.16	23.06	23.10	1	
	1	0	23.38	23.27	23.27	0-1	1
	1	12	23.48	23.49	23.34		1
	1	24	23.33	23.25	23.38		1
	12	0	22.01	21.90	21.90	0-2	2
	12	6	21.98	22.18	22.00		2
12	13	21.93	22.19	22.09	2		
64QAM	25	0	22.27	22.16	22.12	2	
	1	0	22.43	22.29	22.22	0-2	2
	1	12	22.21	22.31	22.28		2
	1	24	22.36	22.33	22.16		2
	12	0	21.30	21.22	21.10	0-3	3
	12	6	20.90	21.34	21.10		3
12	13	21.08	21.30	21.14	3		
256QAM	25	0	21.23	21.11	21.18	3	
	1	0	19.28	19.31	19.13	0-5	5
	1	12	19.39	19.17	19.12		5
	1	24	19.29	19.20	19.17		5
	12	0	19.36	19.20	19.23		5
	12	6	19.21	19.17	19.14		5
12	13	19.27	19.20	19.19	5		
	25	0	19.29	19.16	19.15	5	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 64 of 219

LTE Band 66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-64

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.04	24.07	23.91	0	0
	1	7	24.25	23.98	24.12		0
	1	14	24.18	24.00	24.02		0
	8	0	23.21	23.00	23.07	0-1	1
	8	4	23.20	23.20	23.09		1
	8	7	23.18	23.14	23.14		1
	15	0	23.22	23.03	23.02		1
16QAM	1	0	23.26	23.13	23.21	0-1	1
	1	7	23.48	23.45	23.37		1
	1	14	23.37	23.36	23.28		1
	8	0	22.26	22.10	22.11	0-2	2
	8	4	22.23	22.17	22.11		2
	8	7	22.25	22.13	22.19		2
	15	0	22.23	22.19	22.12		2
64QAM	1	0	22.26	22.32	22.31	0-2	2
	1	7	22.45	22.30	22.41		2
	1	14	22.30	22.22	22.28		2
	8	0	21.18	21.16	21.18	0-3	3
	8	4	21.22	21.23	21.09		3
	8	7	21.13	21.18	21.20		3
	15	0	21.20	21.13	21.03		3
256QAM	1	0	19.20	19.10	19.10	0-5	5
	1	7	19.33	19.25	19.31		5
	1	14	19.32	19.19	19.14		5
	8	0	19.17	19.10	19.10		5
	8	4	19.25	19.16	19.19		5
	8	7	19.21	19.12	19.18		5
	15	0	19.25	19.20	19.09		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 65 of 219

LTE Band 66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 1.4 MHz Bandwidth

Table H-65

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.16	24.04	24.07	0	0
	1	2	24.19	24.04	24.17		0
	1	5	24.06	23.99	24.01		0
	3	0	24.15	24.09	24.13		0
	3	2	24.09	24.10	24.11		0
	3	3	24.26	24.06	24.15		0
	6	0	23.16	23.06	23.10	0-1	1
16QAM	1	0	23.38	23.27	23.27	0-1	1
	1	2	23.48	23.49	23.34		1
	1	5	23.33	23.25	23.38		1
	3	0	23.28	23.19	23.12		1
	3	2	23.34	23.18	23.30		1
	3	3	23.30	23.12	23.32		1
	6	0	22.27	22.16	22.12	0-2	2
64QAM	1	0	22.43	22.29	22.22	0-2	2
	1	2	22.21	22.31	22.28		2
	1	5	22.36	22.33	22.16		2
	3	0	22.45	22.19	22.19		2
	3	2	22.30	22.23	22.17		2
	3	3	22.30	22.20	22.27		2
	6	0	21.23	21.11	21.18	0-3	3
256QAM	1	0	19.28	19.31	19.13	0-5	5
	1	2	19.39	19.17	19.12		5
	1	5	19.29	19.20	19.17		5
	3	0	19.36	19.20	19.23		5
	3	2	19.21	19.17	19.14		5
	3	3	19.27	19.20	19.19		5
	6	0	19.29	19.16	19.15		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 66 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H-66

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.49	17.76	17.34	0	0
	1	36	17.31	17.32	17.32		0
	1	74	17.52	17.68	17.36		0
	36	0	17.58	17.53	17.41	0-1	0
	36	18	17.61	17.39	17.52		0
	36	37	17.48	17.48	17.46		0
	75	0	17.54	17.46	17.53		0
16QAM	1	0	17.95	17.77	17.66	0-1	0
	1	36	17.86	17.75	17.48		0
	1	74	18.01	17.86	17.64		0
	36	0	17.43	17.44	17.47	0-2	0
	36	18	17.55	17.46	17.49		0
	36	37	17.58	17.54	17.59		0
	75	0	17.51	17.60	17.56		0
64QAM	1	0	17.64	17.61	17.92	0-2	0
	1	36	17.78	17.49	17.69		0
	1	74	17.68	17.79	17.41		0
	36	0	17.67	17.60	17.47	0-3	0
	36	18	17.55	17.49	17.50		0
	36	37	17.52	17.50	17.55		0
	75	0	17.49	17.57	17.52		0
256QAM	1	0	17.72	17.46	17.60	0-5	0
	1	36	17.70	17.59	17.65		0
	1	74	17.70	17.72	17.76		0
	36	0	17.46	17.49	17.47		0
	36	18	17.56	17.60	17.55		0
	36	37	17.61	17.55	17.55		0
	75	0	17.51	17.56	17.50		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 67 of 219

LTE Band 66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-67

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.84	17.67	17.83	0	0
	1	25	17.91	17.76	17.93		0
	1	49	17.80	17.75	17.88		0
	25	0	17.79	17.83	17.76	0-1	0
	25	12	17.87	17.84	17.79		0
	25	25	17.80	17.88	17.85		0
	50	0	17.83	17.86	17.73	0	
16QAM	1	0	17.91	17.75	17.82	0-1	0
	1	25	17.87	17.72	17.79		0
	1	49	17.89	17.85	17.73		0
	25	0	17.62	17.63	17.53	0-2	0
	25	12	17.75	17.60	17.58		0
	25	25	17.67	17.68	17.71		0
	50	0	17.71	17.59	17.58	0	
64QAM	1	0	17.61	17.68	17.88	0-2	0
	1	25	17.65	17.76	17.79		0
	1	49	17.74	17.84	17.67		0
	25	0	17.62	17.50	17.65	0-3	0
	25	12	17.77	17.59	17.59		0
	25	25	17.70	17.75	17.75		0
	50	0	17.77	17.68	17.62	0	
256QAM	1	0	17.78	17.65	17.68	0-5	0
	1	25	17.81	17.74	17.81		0
	1	49	17.80	17.77	17.72		0
	25	0	17.63	17.66	17.62		0
	25	12	17.75	17.61	17.59		0
	25	25	17.66	17.74	17.69		0
	50	0	17.66	17.68	17.60		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 68 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-68

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.36	17.38	17.37	0	0
	1	12	17.52	17.44	17.45		0
	1	24	17.50	17.38	17.53		0
	12	0	17.55	17.42	17.41	0-1	0
	12	6	17.60	17.47	17.62		0
	12	13	17.55	17.55	17.49		0
	25	0	17.58	17.55	17.55		0
16QAM	1	0	17.63	17.57	17.73	0-1	0
	1	12	17.93	17.63	17.69		0
	1	24	17.66	17.72	17.67		0
	12	0	17.62	17.60	17.53	0-2	0
	12	6	17.65	17.54	17.59		0
	12	13	17.61	17.58	17.58		0
	25	0	17.61	17.51	17.55		0
64QAM	1	0	17.59	17.67	17.57	0-2	0
	1	12	17.65	17.69	17.73		0
	1	24	17.77	17.75	17.70		0
	12	0	17.62	17.45	17.53	0-3	0
	12	6	17.62	17.53	17.58		0
	12	13	17.55	17.60	17.58		0
	25	0	17.56	17.61	17.52		0
256QAM	1	0	17.47	17.47	17.49	0-5	0
	1	12	17.64	17.73	17.64		0
	1	24	17.75	17.56	17.62		0
	12	0	17.55	17.60	17.65		0
	12	6	17.57	17.50	17.72		0
	12	13	17.59	17.59	17.64		0
	25	0	17.57	17.62	17.57		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 69 of 219

LTE Band 66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth

Table H-69

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.46	17.46	17.28	0	0
	1	7	17.50	17.50	17.53		0
	1	14	17.52	17.31	17.35		0
	8	0	17.54	17.39	17.39	0-1	0
	8	4	17.84	17.56	17.39		0
	8	7	17.54	17.43	17.55		0
	15	0	17.63	17.50	17.58		0
16QAM	1	0	17.72	17.49	17.63	0-1	0
	1	7	17.70	17.82	17.78		0
	1	14	17.64	17.66	17.69		0
	8	0	17.60	17.46	17.50	0-2	0
	8	4	17.65	17.56	17.51		0
	8	7	17.63	17.54	17.51		0
	15	0	17.60	17.56	17.61		0
64QAM	1	0	17.67	17.54	17.67	0-2	0
	1	7	17.68	17.64	17.62		0
	1	14	17.56	17.68	17.70		0
	8	0	17.61	17.51	17.63	0-3	0
	8	4	17.59	17.61	17.50		0
	8	7	17.59	17.53	17.54		0
	15	0	17.66	17.59	17.40		0
256QAM	1	0	17.61	17.59	17.64	0-5	0
	1	7	17.71	17.71	17.61		0
	1	14	17.67	17.59	17.54		0
	8	0	17.54	17.53	17.48		0
	8	4	17.61	17.56	17.52		0
	8	7	17.56	17.58	17.57		0
	15	0	17.55	17.48	17.48		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 70 of 219

LTE Band 66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth

Table H-70

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.61	17.53	17.38	0	0
	1	2	17.54	17.45	17.38		0
	1	5	17.52	17.32	17.34		0
	3	0	17.50	17.45	17.26		0
	3	2	17.45	17.40	17.33		0
	3	3	17.62	17.49	17.37		0
	6	0	17.49	17.55	17.62	0-1	0
16QAM	1	0	17.84	17.65	17.66	0-1	0
	1	2	17.73	17.81	17.68		0
	1	5	17.77	17.48	17.62		0
	3	0	17.66	17.54	17.58		0
	3	2	17.72	17.53	17.58		0
	3	3	17.63	17.67	17.61		0
	6	0	17.56	17.56	17.62	0-2	0
64QAM	1	0	17.78	17.56	17.72	0-2	0
	1	2	17.69	17.72	17.61		0
	1	5	17.81	17.61	17.54		0
	3	0	17.77	17.73	17.62		0
	3	2	17.64	17.56	17.67		0
	3	3	17.73	17.62	17.54		0
	6	0	17.55	17.59	17.49	0-3	0
256QAM	1	0	17.56	17.59	17.56	0-5	0
	1	2	17.56	17.68	17.60		0
	1	5	17.58	17.53	17.65		0
	3	0	17.56	17.53	17.64		0
	3	2	17.59	17.55	17.57		0
	3	3	17.57	17.63	17.57		0
	6	0	17.48	17.55	17.52	0	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 71 of 219

H.1.8 LTE Band 25

LTE Band 25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H-71

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.30	24.22	24.07	0	0
	1	36	24.23	24.61	24.16		0
	1	74	24.36	24.47	24.22		0
	36	0	23.25	23.39	23.22	0-1	1
	36	18	23.46	23.43	23.34		1
	36	37	23.40	23.55	23.29		1
	75	0	23.37	23.39	23.26		1
16QAM	1	0	23.68	23.61	23.22	0-1	1
	1	36	23.71	23.85	23.58		1
	1	74	23.69	23.82	23.59		1
	36	0	22.31	22.45	22.32	0-2	2
	36	18	22.41	22.43	22.31		2
	36	37	22.47	22.50	22.37		2
	75	0	22.38	22.48	22.33		2
64QAM	1	0	22.32	22.58	22.51	0-2	2
	1	36	22.43	22.50	22.40		2
	1	74	22.63	22.40	22.44		2
	36	0	21.33	21.38	21.28	0-3	3
	36	18	21.48	21.39	21.33		3
	36	37	21.48	21.52	21.35		3
	75	0	21.37	21.40	21.32		3
256QAM	1	0	19.57	19.49	19.51	0-5	5
	1	36	19.27	19.55	19.17		5
	1	74	19.36	19.60	19.40		5
	36	0	19.32	19.36	19.35		5
	36	18	19.37	19.46	19.27		5
	36	37	19.51	19.56	19.30		5
	75	0	19.42	19.39	19.32		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 72 of 219

LTE Band 25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-72

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.25	24.36	24.38	0	0
	1	25	24.44	24.60	24.48		0
	1	49	24.41	24.59	24.40		0
	25	0	23.37	23.52	23.31	0-1	1
	25	12	23.55	23.54	23.31		1
	25	25	23.51	23.57	23.39		1
16QAM	50	0	23.48	23.54	23.45	0-1	1
	1	0	23.52	23.53	23.46		1
	1	25	23.73	23.71	23.56		1
	1	49	23.70	23.95	23.66	0-2	1
	25	0	22.41	22.53	22.35		2
	25	12	22.54	22.61	22.38		2
64QAM	25	25	22.52	22.62	22.39	0-2	2
	50	0	22.56	22.60	22.44		2
	1	0	22.58	22.57	22.63		0-2
	1	25	22.66	22.83	22.59	2	
	1	49	22.58	22.69	22.40	0-3	
	25	0	21.41	21.52	21.40		3
25	12	21.51	21.60	21.36	3		
256QAM	25	25	21.51	21.63	21.36	0-3	3
	50	0	21.56	21.59	21.47		3
	1	0	19.31	19.57	19.31		0-5
	1	25	19.62	19.79	19.65	5	
	1	49	19.56	19.58	19.51	5	
	25	0	19.45	19.53	19.41	5	
	25	12	19.55	19.58	19.37	5	
	25	25	19.53	19.55	19.42	5	
50	0	19.52	19.55	19.44	5		

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 73 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-73

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.22	24.34	24.35	0	0
	1	12	24.29	24.52	24.52		0
	1	24	24.39	24.60	24.25		0
	12	0	23.35	23.54	23.30	0-1	1
	12	6	23.52	23.51	23.28		1
	12	13	23.43	23.55	23.34		1
	25	0	23.47	23.50	23.26		1
16QAM	1	0	23.46	23.60	23.56	0-1	1
	1	12	23.66	23.65	23.74		1
	1	24	23.63	23.91	23.50		1
	12	0	22.42	22.57	22.29	0-2	2
	12	6	22.54	22.62	22.41		2
	12	13	22.50	22.62	22.39		2
	25	0	22.49	22.56	22.25		2
64QAM	1	0	22.45	22.64	22.55	0-2	2
	1	12	22.53	22.79	22.58		2
	1	24	22.49	22.59	22.43		2
	12	0	21.44	21.56	21.31	0-3	3
	12	6	21.56	21.60	21.42		3
	12	13	21.49	21.65	21.41		3
	25	0	21.54	21.46	21.30		3
256QAM	1	0	19.46	19.51	19.46	0-5	5
	1	12	19.66	19.74	19.55		5
	1	24	19.48	19.63	19.41		5
	12	0	19.44	19.44	19.43		5
	12	6	19.48	19.60	19.49		5
	12	13	19.54	19.65	19.50		5
	25	0	19.50	19.59	19.26		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 74 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-74

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.26	24.53	24.17	0	0
	1	7	24.37	24.50	24.36		0
	1	14	24.29	24.37	24.23		0
	8	0	23.44	23.53	23.29	0-1	1
	8	4	23.43	23.50	23.37		1
	8	7	23.48	23.52	23.38		1
16QAM	15	0	23.44	23.59	23.31	0-1	1
	1	0	23.57	23.80	23.50		1
	1	7	23.81	23.86	23.67		1
	1	14	23.70	23.69	23.55	0-2	2
	8	0	22.47	22.62	22.38		2
	8	4	22.52	22.55	22.44		2
64QAM	8	7	22.49	22.61	22.38	0-2	2
	15	0	22.50	22.60	22.33		2
	1	0	22.48	22.63	22.47		0-2
	1	7	22.60	22.88	22.53	2	
	1	14	22.52	22.58	22.45	0-3	
	8	0	21.43	21.51	21.41		3
8	4	21.51	21.65	21.48	3		
256QAM	8	7	21.49	21.56	21.39	0-3	3
	15	0	21.50	21.49	21.39		3
	1	0	19.30	19.54	19.49		0-5
	1	7	19.56	19.67	19.47	5	
	1	14	19.51	19.57	19.46	5	
	8	0	19.47	19.51	19.41	5	
8	4	19.49	19.64	19.50	5		
8	7	19.49	19.67	19.37	5		
256QAM	15	0	19.51	19.57	19.43	0-5	5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 75 of 219

LTE Band 25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 1.4 MHz Bandwidth

Table H-75

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.30	24.49	24.25	0	0
	1	2	24.43	24.42	24.31		0
	1	5	24.28	24.47	24.33		0
	3	0	24.37	24.53	24.29		0
	3	2	24.40	24.53	24.25		0
	3	3	24.36	24.50	24.33		0
	6	0	23.38	23.59	23.32	0-1	1
16QAM	1	0	23.71	23.84	23.37	0-1	1
	1	2	23.69	23.83	23.66		1
	1	5	23.54	23.90	23.52		1
	3	0	23.50	23.65	23.45		1
	3	2	23.51	23.68	23.42		1
	3	3	23.48	23.70	23.33		1
	6	0	22.55	22.58	22.37	0-2	2
64QAM	1	0	22.56	22.82	22.46	0-2	2
	1	2	22.58	22.79	22.59		2
	1	5	22.63	22.62	22.61		2
	3	0	22.56	22.73	22.45		2
	3	2	22.52	22.63	22.44		2
	3	3	22.44	22.60	22.35		2
	6	0	21.51	21.68	21.44	0-3	3
256QAM	1	0	19.52	19.59	19.37	0-5	5
	1	2	19.59	19.69	19.44		5
	1	5	19.51	19.54	19.48		5
	3	0	19.49	19.60	19.46		5
	3	2	19.45	19.62	19.36		5
	3	3	19.51	19.71	19.38		5
	6	0	19.47	19.69	19.43	5	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 76 of 219

LTE Band 25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H-76

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.20	16.42	16.60	0	0
	1	36	16.36	16.42	16.22		0
	1	74	16.42	16.39	16.21		0
	36	0	16.43	16.47	16.25	0-1	0
	36	18	16.49	16.44	16.30		0
	36	37	16.49	16.50	16.36		0
	75	0	16.46	16.41	16.30		0
16QAM	1	0	16.59	16.51	16.55	0-1	0
	1	36	16.45	16.92	16.47		0
	1	74	16.92	16.61	16.52		0
	36	0	16.45	16.45	16.41	0-2	0
	36	18	16.57	16.52	16.33		0
	36	37	16.57	16.55	16.40		0
	75	0	16.54	16.47	16.27		0
64QAM	1	0	16.36	16.35	16.31	0-2	0
	1	36	16.52	16.67	16.34		0
	1	74	16.68	16.50	16.71		0
	36	0	16.37	16.37	16.20	0-3	0
	36	18	16.48	16.44	16.35		0
	36	37	16.55	16.54	16.37		0
	75	0	16.52	16.42	16.38		0
256QAM	1	0	16.32	16.41	16.43	0-5	0
	1	36	16.46	16.62	16.48		0
	1	74	16.63	16.61	16.31		0
	36	0	16.45	16.53	16.26		0
	36	18	16.47	16.41	16.30		0
	36	37	16.49	16.55	16.27		0
	75	0	16.50	16.52	16.36		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 77 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-77

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.63	16.67	16.56	0	0
	1	25	16.76	16.75	16.64		0
	1	49	16.67	16.69	16.52		0
	25	0	16.63	16.71	16.60	0-1	0
	25	12	16.72	16.63	16.50		0
	25	25	16.23	16.75	16.62		0
	50	0	16.65	16.70	16.60		0
16QAM	1	0	16.74	16.85	16.70	0-1	0
	1	25	16.88	16.88	16.72		0
	1	49	16.82	16.94	16.58		0
	25	0	16.63	16.70	16.54	0-2	0
	25	12	16.77	16.69	16.57		0
	25	25	16.79	16.86	16.63		0
	50	0	16.75	16.75	16.54		0
64QAM	1	0	16.71	16.73	16.60	0-2	0
	1	25	16.81	16.85	16.59		0
	1	49	16.87	16.90	16.61		0
	25	0	16.62	16.67	16.45	0-3	0
	25	12	16.70	16.70	16.49		0
	25	25	16.80	16.82	16.61		0
	50	0	16.71	16.67	16.61		0
256QAM	1	0	16.68	16.73	16.46	0-5	0
	1	25	16.75	16.91	16.70		0
	1	49	16.76	16.88	16.65		0
	25	0	16.70	16.70	16.58		0
	25	12	16.78	16.71	16.56		0
	25	25	16.78	16.84	16.59		0
	50	0	16.75	16.72	16.55		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 78 of 219

LTE Band 25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-78

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.53	16.57	16.48	0	0
	1	12	16.70	16.73	16.52		0
	1	24	16.55	16.64	16.49		0
	12	0	16.57	16.62	16.51	0-1	0
	12	6	16.70	16.65	16.47		0
	12	13	16.67	16.75	16.57		0
	25	0	16.71	16.69	16.40		0
16QAM	1	0	16.71	16.70	16.72	0-1	0
	1	12	17.28	16.88	16.68		0
	1	24	16.82	16.94	16.76		0
	12	0	16.65	16.74	16.56	0-2	0
	12	6	16.73	16.67	16.54		0
	12	13	16.73	16.74	16.52		0
	25	0	16.75	16.71	16.44		0
64QAM	1	0	16.76	16.74	16.54	0-2	0
	1	12	16.93	16.78	16.82		0
	1	24	16.72	16.87	16.62		0
	12	0	16.63	16.66	16.49	0-3	0
	12	6	16.72	16.74	16.52		0
	12	13	16.73	16.73	16.58		0
	25	0	16.68	16.62	16.52		0
256QAM	1	0	16.71	16.73	16.43	0-5	0
	1	12	16.92	16.77	16.60		0
	1	24	16.72	16.82	16.66		0
	12	0	16.61	16.78	16.38		0
	12	6	16.78	16.82	16.53		0
	12	13	16.71	16.73	16.50		0
	25	0	16.69	16.68	16.42		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 79 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth

Table H-79

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.57	16.57	16.47	0	0
	1	7	16.64	16.73	16.56		0
	1	14	16.55	16.61	16.46		0
	8	0	16.67	16.66	16.61	0-1	0
	8	4	16.70	16.66	16.60		0
	8	7	16.67	16.69	16.48		0
	15	0	16.74	16.65	16.50	0	
16QAM	1	0	16.59	16.76	16.63	0-1	0
	1	7	17.12	17.03	16.68		0
	1	14	16.77	16.88	16.75		0
	8	0	16.81	16.72	16.60	0-2	0
	8	4	16.74	16.71	16.61		0
	8	7	16.76	16.79	16.50		0
	15	0	16.75	16.69	16.62	0	
64QAM	1	0	16.77	16.90	16.67	0-2	0
	1	7	17.02	16.87	16.62		0
	1	14	16.77	16.87	16.50		0
	8	0	16.73	16.66	16.58	0-3	0
	8	4	16.78	16.72	16.59		0
	8	7	16.70	16.77	16.57		0
	15	0	16.73	16.68	16.52	0	
256QAM	1	0	16.61	16.66	16.55	0-5	0
	1	7	16.81	16.80	16.84		0
	1	14	16.83	16.69	16.59		0
	8	0	16.70	16.71	16.59		0
	8	4	16.80	16.70	16.58		0
	8	7	16.70	16.78	16.51		0
	15	0	16.72	16.73	16.57		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by:
		Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 80 of 219

LTE Band 25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth

Table H-80

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.50	16.49	16.60	0	0
	1	2	16.50	16.47	16.40		0
	1	5	16.45	16.47	16.34		0
	3	0	16.46	16.52	16.37		0
	3	2	16.48	16.66	16.32		0
	3	3	16.50	16.55	16.34		0
	6	0	16.55	16.69	16.38	0-1	0
16QAM	1	0	16.82	16.69	16.72	0-1	0
	1	2	16.73	17.07	16.68		0
	1	5	16.68	16.87	16.70		0
	3	0	16.58	16.78	16.51		0
	3	2	16.59	16.72	16.39		0
	3	3	16.60	16.67	16.55		0
	6	0	16.60	16.69	16.43	0-2	0
64QAM	1	0	16.60	16.76	16.59	0-2	0
	1	2	16.83	16.73	16.59		0
	1	5	16.87	16.70	16.42		0
	3	0	16.54	16.67	16.46		0
	3	2	16.57	16.71	16.47		0
	3	3	16.57	16.67	16.39		0
	6	0	16.52	16.67	16.41	0-3	0
256QAM	1	0	16.72	16.66	16.52	0-5	0
	1	2	16.67	16.78	16.59		0
	1	5	16.61	16.69	16.35		0
	3	0	16.51	16.62	16.50		0
	3	2	16.65	16.69	16.48		0
	3	3	16.62	16.65	16.47		0
	6	0	16.59	16.64	16.48		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 81 of 219

H.1.9 LTE Band 2

LTE Band 2 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H-81

LTE Band 2 (PCS) 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			18675 (1857.5 MHz)	18900 (1880.0 MHz)	19125 (1902.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	24.15	24.32	24.08	0	0	
	1	36	24.17	24.31	24.15		0	
	1	74	24.24	24.17	24.18		0	
	36	0	23.11	23.32	23.21	0-1	1	
	36	18	23.32	23.33	23.17		1	
	36	37	23.27	23.36	23.24		1	
16QAM	75	0	23.31	23.38	23.13	0-1	1	
	1	0	23.38	23.81	23.31		0-1	1
	1	36	23.39	23.86	23.25			1
	1	74	23.66	23.76	23.50	0-2		1
	36	0	22.25	22.36	22.48		2	
	36	18	22.34	22.34	22.24		2	
36	37	22.33	22.40	22.26	2			
64QAM	75	0	22.34	22.34	22.19	0-2	2	
	1	0	22.48	22.49	22.27		0-2	2
	1	36	22.37	22.68	22.26			2
	1	74	22.38	22.42	22.06	0-3		2
	36	0	21.24	21.43	21.18		3	
	36	18	21.30	21.37	21.18		3	
36	37	21.32	21.39	21.30	3			
256QAM	75	0	21.29	21.33	21.12	0-3	3	
	1	0	19.33	19.42	19.47		0-5	5
	1	36	19.47	19.38	19.27			5
	1	74	19.53	19.39	19.38	5		
	36	0	19.27	19.32	19.19	5		
	36	18	19.34	19.38	19.22	5		
36	37	19.46	19.44	19.33	5			
75	0	19.39	19.40	19.19	5			

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 82 of 219

LTE Band 2 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-82

LTE Band 2 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18650 (1855.0 MHz)	18900 (1880.0 MHz)	19150 (1905.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.23	24.27	24.30	0	0
	1	25	24.43	24.52	24.45		0
	1	49	24.38	24.36	24.24		0
	25	0	23.33	23.44	23.28	0-1	1
	25	12	23.39	23.45	23.38		1
	25	25	23.42	23.48	23.34		1
	50	0	23.43	23.50	23.44	1	
16QAM	1	0	23.43	23.83	23.66	0-1	1
	1	25	23.45	23.81	23.50		1
	1	49	23.57	23.85	23.57		1
	25	0	22.33	22.43	22.36	0-2	2
	25	12	22.48	22.47	22.43		2
	25	25	22.45	22.56	22.29		2
	50	0	22.40	22.39	22.36	2	
64QAM	1	0	22.43	22.47	22.42	0-2	2
	1	25	22.47	22.86	22.46		2
	1	49	22.63	22.57	22.39		2
	25	0	21.32	21.43	21.20	0-3	3
	25	12	21.47	21.42	21.50		3
	25	25	21.41	21.54	21.37		3
	50	0	21.45	21.40	21.34	3	
256QAM	1	0	19.33	19.47	19.30	0-5	5
	1	25	19.60	19.61	19.31		5
	1	49	19.51	19.51	19.49		5
	25	0	19.52	19.34	19.32		5
	25	12	19.53	19.41	19.36		5
	25	25	19.38	19.48	19.34		5
	50	0	19.37	19.45	19.38		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 83 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 2 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-83

LTE Band 2 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18625 (1852.5 MHz)	18900 (1880.0 MHz)	19175 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.20	24.36	24.21	0	0
	1	12	24.34	24.45	24.20		0
	1	24	24.23	24.33	24.18		0
	12	0	23.29	23.39	23.31	0-1	1
	12	6	23.42	23.47	23.34		1
	12	13	23.35	23.47	23.31		1
	25	0	23.41	23.37	23.32		1
16QAM	1	0	23.57	23.78	23.48	0-1	1
	1	12	23.70	23.61	23.62		1
	1	24	23.52	23.85	23.56		1
	12	0	22.48	22.53	22.41	0-2	2
	12	6	22.46	22.46	22.42		2
	12	13	22.45	22.49	22.39		2
	25	0	22.36	22.44	22.44		2
64QAM	1	0	22.41	22.57	22.61	0-2	2
	1	12	22.65	22.75	22.60		2
	1	24	22.42	22.51	22.36		2
	12	0	21.38	21.45	21.33	0-3	3
	12	6	21.40	21.44	21.37		3
	12	13	21.41	21.52	21.31		3
	25	0	21.35	21.41	21.29		3
256QAM	1	0	19.26	19.42	19.40	0-5	5
	1	12	19.56	19.72	19.45		5
	1	24	19.44	19.59	19.41		5
	12	0	19.42	19.45	19.28		5
	12	6	19.43	19.46	19.39		5
	12	13	19.43	19.53	19.39		5
	25	0	19.44	19.43	19.29		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 84 of 219

LTE Band 2 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 3 MHz Bandwidth

Table H-84

LTE Band 2 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18615 (1851.5 MHz)	18900 (1880.0 MHz)	19185 (1908.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.16	24.42	24.04	0	0
	1	7	24.31	24.39	24.16		0
	1	14	24.20	24.35	24.08		0
	8	0	23.34	23.34	23.25	0-1	1
	8	4	23.37	23.39	23.29		1
	8	7	23.38	23.45	23.22		1
	15	0	23.36	23.39	23.13		1
16QAM	1	0	23.50	23.48	23.38	0-1	1
	1	7	23.66	23.57	23.49		1
	1	14	23.35	23.69	23.40		1
	8	0	22.48	22.45	22.17	0-2	2
	8	4	22.46	22.42	22.38		2
	8	7	22.43	22.55	22.36		2
	15	0	22.39	22.44	22.19		2
64QAM	1	0	22.35	22.48	22.35	0-2	2
	1	7	22.49	22.79	22.51		2
	1	14	22.50	22.60	22.39		2
	8	0	21.40	21.46	21.27	0-3	3
	8	4	21.38	21.42	21.34		3
	8	7	21.38	21.51	21.26		3
	15	0	21.45	21.37	21.27		3
256QAM	1	0	19.35	19.32	19.29	0-5	5
	1	7	19.54	19.72	19.43		5
	1	14	19.30	19.54	19.30		5
	8	0	19.42	19.40	19.21		5
	8	4	19.43	19.49	19.32		5
	8	7	19.38	19.43	19.24		5
	15	0	19.40	19.40	19.19		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 85 of 219

LTE Band 2 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 1.4 MHz Bandwidth

Table H-85

LTE Band 2 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18607 (1850.7 MHz)	18900 (1880.0 MHz)	19193 (1909.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.35	24.51	24.19	0	0
	1	2	24.31	24.46	24.25		0
	1	5	24.35	24.43	24.18		0
	3	0	24.32	24.46	24.23		0
	3	2	24.32	24.52	24.23		0
	3	3	24.32	24.43	24.20		0
	6	0	23.42	23.43	23.29	0-1	1
16QAM	1	0	23.76	23.69	23.64	0-1	1
	1	2	23.58	23.87	23.55		1
	1	5	23.72	23.74	23.52		1
	3	0	23.43	23.58	23.36		1
	3	2	23.50	23.59	23.36		1
	3	3	23.50	23.53	23.32		1
	6	0	22.44	22.50	22.36	0-2	2
64QAM	1	0	22.52	22.68	22.32	0-2	2
	1	2	22.52	22.59	22.32		2
	1	5	22.38	22.61	22.48		2
	3	0	22.49	22.58	22.33		2
	3	2	22.38	22.51	22.40		2
	3	3	22.36	22.66	22.41		2
	6	0	21.46	21.53	21.32	0-3	3
256QAM	1	0	19.55	19.56	19.40	0-5	5
	1	2	19.48	19.58	19.44		5
	1	5	19.56	19.51	19.31		5
	3	0	19.49	19.54	19.36		5
	3	2	19.48	19.60	19.41		5
	3	3	19.37	19.58	19.34		5
	6	0	19.41	19.42	19.21	5	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 86 of 219

LTE Band 2 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H-86

LTE Band 2 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18675 (1857.5 MHz)	18900 (1880.0 MHz)	19125 (1902.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.41	16.56	16.48	0	0
	1	36	16.66	16.63	16.48		0
	1	74	16.62	16.60	16.40		0
	36	0	16.56	16.64	16.51	0-1	0
	36	18	16.68	16.62	16.50		0
	36	37	16.64	16.71	16.53		0
	75	0	16.68	16.64	16.51		0
16QAM	1	0	17.06	16.93	16.68	0-1	0
	1	36	16.81	16.74	16.78		0
	1	74	17.05	16.84	16.40		0
	36	0	16.58	16.61	16.49	0-2	0
	36	18	16.69	16.70	16.39		0
	36	37	16.61	16.75	16.54		0
	75	0	16.70	16.58	16.44		0
64QAM	1	0	16.58	16.70	16.73	0-2	0
	1	36	16.80	16.70	16.69		0
	1	74	16.86	16.77	16.63		0
	36	0	16.57	16.68	16.55	0-3	0
	36	18	16.70	16.65	16.49		0
	36	37	16.70	16.70	16.58		0
	75	0	16.64	16.65	16.49		0
256QAM	1	0	16.58	16.54	16.62	0-5	0
	1	36	16.74	16.74	16.68		0
	1	74	16.75	16.72	16.67		0
	36	0	16.58	16.68	16.53		0
	36	18	16.73	16.64	16.51		0
	36	37	16.74	16.71	16.58		0
	75	0	16.69	16.58	16.58		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 87 of 219

LTE Band 2 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-87

LTE Band 2 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18650 (1855.0 MHz)	18900 (1880.0 MHz)	19150 (1905.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.65	16.75	16.67	0	0
	1	25	16.79	16.85	16.59		0
	1	49	16.67	16.77	16.60		0
	25	0	16.70	16.72	16.45	0-1	0
	25	12	16.81	16.75	16.65		0
	25	25	16.78	16.84	16.68		0
16QAM	50	0	16.76	16.78	16.71	0	
	1	0	16.82	16.93	16.80	0-1	0
	1	25	17.04	16.97	16.77		0
	1	49	17.25	16.98	16.90		0
	25	0	16.67	16.67	16.68	0-2	0
	25	12	16.76	16.76	16.74		0
25	25	16.79	16.80	16.62	0		
64QAM	50	0	16.72	16.75	16.62	0	
	1	0	17.03	16.89	16.69	0-2	0
	1	25	16.95	16.87	16.78		0
	1	49	16.76	16.81	16.79		0
	25	0	16.62	16.77	16.56	0-3	0
	25	12	16.84	16.81	16.70		0
25	25	16.81	16.83	16.70	0		
256QAM	50	0	16.67	16.72	16.70	0	
	1	0	16.74	16.77	16.73	0-5	0
	1	25	16.78	16.91	16.72		0
	1	49	16.78	16.80	16.75		0
	25	0	16.69	16.68	16.61		0
	25	12	16.79	16.74	16.73		0
	25	25	16.82	16.82	16.68		0
50	0	16.73	16.76	16.70	0		

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 88 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 2 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-88

LTE Band 2 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18625 (1852.5 MHz)	18900 (1880.0 MHz)	19175 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.61	16.60	16.56	0	0
	1	12	16.74	16.74	16.59		0
	1	24	16.67	16.75	16.51		0
	12	0	16.71	16.75	16.65	0-1	0
	12	6	16.79	16.75	16.62		0
	12	13	16.74	16.83	16.59		0
	25	0	16.74	16.75	16.57		0
16QAM	1	0	16.91	16.91	16.67	0-1	0
	1	12	16.89	16.94	16.93		0
	1	24	16.81	16.84	16.75		0
	12	0	16.70	16.79	16.68	0-2	0
	12	6	16.79	16.79	16.67		0
	12	13	16.78	16.88	16.59		0
	25	0	16.71	16.68	16.63		0
64QAM	1	0	16.78	16.74	16.71	0-2	0
	1	12	16.87	17.02	16.77		0
	1	24	16.82	16.79	16.72		0
	12	0	16.77	16.76	16.67	0-3	0
	12	6	16.83	16.71	16.70		0
	12	13	16.74	16.86	16.69		0
	25	0	16.67	16.70	16.62		0
256QAM	1	0	16.60	16.82	16.69	0-5	0
	1	12	16.92	16.99	16.74		0
	1	24	16.78	16.94	16.69		0
	12	0	16.69	16.74	16.63		0
	12	6	16.83	16.74	16.69		0
	12	13	16.76	16.86	16.65		0
	25	0	16.75	16.75	16.63		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 89 of 219

LTE Band 2 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 3 MHz Bandwidth

Table H-89

LTE Band 2 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18615 (1851.5 MHz)	18900 (1880.0 MHz)	19185 (1908.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.60	16.66	16.46	0	0
	1	7	16.66	16.78	16.59		0
	1	14	16.65	16.60	16.49		0
	8	0	16.70	16.73	16.50	0-1	0
	8	4	16.74	16.74	16.66		0
	8	7	16.72	16.78	16.54		0
	15	0	16.78	16.74	16.47		0
16QAM	1	0	16.80	16.90	16.66	0-1	0
	1	7	17.00	16.96	16.78		0
	1	14	16.73	17.01	16.89		0
	8	0	16.75	16.76	16.56	0-2	0
	8	4	16.80	16.78	16.62		0
	8	7	16.75	16.86	16.63		0
	15	0	16.76	16.72	16.54		0
64QAM	1	0	16.68	16.92	16.69	0-2	0
	1	7	16.83	17.08	16.71		0
	1	14	16.75	16.84	16.66		0
	8	0	16.77	16.71	16.49	0-3	0
	8	4	16.78	16.79	16.67		0
	8	7	16.78	16.87	16.63		0
	15	0	16.70	16.72	16.57		0
256QAM	1	0	16.75	16.87	16.55	0-5	0
	1	7	16.92	17.01	16.74		0
	1	14	16.78	16.78	16.75		0
	8	0	16.77	16.76	16.52		0
	8	4	16.80	16.81	16.72		0
	8	7	16.77	16.88	16.61		0
	15	0	16.73	16.71	16.54		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 90 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 2 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 1.4 MHz Bandwidth

Table H-90

LTE Band 2 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			18607 (1850.7 MHz)	18900 (1880.0 MHz)	19193 (1909.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.62	16.64	16.47	0	0
	1	2	16.63	16.78	16.59		0
	1	5	16.68	16.80	16.46		0
	3	0	16.66	16.66	16.55		0
	3	2	16.71	16.74	16.43		0
	3	3	16.69	16.72	16.51		0
	6	0	16.63	16.81	16.55	0-1	0
16QAM	1	0	17.08	17.04	16.88	0-1	0
	1	2	16.84	17.02	16.64		0
	1	5	16.71	16.96	16.74		0
	3	0	16.68	16.81	16.68		0
	3	2	16.77	16.83	16.60		0
	3	3	16.86	16.86	16.63		0
	6	0	16.71	16.84	16.61	0-2	0
64QAM	1	0	16.74	16.88	16.68	0-2	0
	1	2	16.80	16.92	16.65		0
	1	5	16.83	16.96	16.71		0
	3	0	16.77	16.84	16.65		0
	3	2	16.78	16.89	16.68		0
	3	3	16.75	16.82	16.68		0
	6	0	16.71	16.78	16.57	0-3	0
256QAM	1	0	16.89	16.89	16.60	0-5	0
	1	2	16.80	16.84	16.68		0
	1	5	16.85	16.75	16.73		0
	3	0	16.77	16.87	16.64		0
	3	2	16.83	16.91	16.72		0
	3	3	16.67	16.90	16.73		0
	6	0	16.78	16.79	16.60	0	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 91 of 219

H.1.10 LTE Band 30

LTE Band 30 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-91

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.75	0	0
	1	12	20.79		0
	1	24	20.79		0
	12	0	19.85	0-1	1
	12	6	19.88		1
	12	13	19.78		1
	25	0	19.90		1
16QAM	1	0	20.04	0-1	1
	1	12	20.07		1
	1	24	20.02		1
	12	0	18.89	0-2	2
	12	6	18.93		2
	12	13	18.89		2
	25	0	18.89		2
64QAM	1	0	19.04	0-2	2
	1	12	19.09		2
	1	24	18.96		2
	12	0	17.85	0-3	3
	12	6	17.88		3
	12	13	17.86		3
	25	0	17.87		3
256QAM	1	0	15.88	0-5	5
	1	12	15.91		5
	1	24	15.88		5
	12	0	15.80		5
	12	6	15.82		5
	12	13	15.83		5
	25	0	15.91		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 92 of 219

LTE Band 30 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-92

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	14.85	0	0
	1	12	14.87		0
	1	24	14.84		0
	12	0	14.85	0-1	0
	12	6	14.83		0
	12	13	14.95		0
	25	0	14.81		0
16QAM	1	0	15.05	0-1	0
	1	12	15.10		0
	1	24	15.00		0
	12	0	15.04	0-2	0
	12	6	14.93		0
	12	13	14.91		0
	25	0	14.86		0
64QAM	1	0	15.11	0-2	0
	1	12	15.15		0
	1	24	15.13		0
	12	0	14.95	0-3	0
	12	6	14.92		0
	12	13	14.97		0
	25	0	14.81		0
256QAM	1	0	14.83	0-5	0
	1	12	15.11		0
	1	24	14.97		0
	12	0	14.88		0
	12	6	14.98		0
	12	13	14.88		0
	25	0	14.91		0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 93 of 219

H.1.11 LTE Band 41

LTE Band 41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H-93

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	23.65	23.81	23.78	23.69	23.66	0	0
	1	36	23.71	23.83	23.79	23.71	23.66		0
	1	74	23.76	23.81	23.84	23.73	23.63		0
	36	0	22.76	22.87	22.84	22.77	22.72	0-1	1
	36	18	22.89	22.94	22.87	22.84	22.72		1
	36	37	22.91	22.92	22.93	22.85	22.76		1
	75	0	22.90	22.93	22.86	22.85	22.69		1
16QAM	1	0	22.66	22.77	22.79	22.73	22.61	0-1	1
	1	36	22.74	22.74	22.86	22.77	22.58		1
	1	74	22.77	22.73	22.78	22.72	22.60		1
	36	0	21.74	21.83	21.88	21.78	21.75	0-2	2
	36	18	21.88	21.91	21.86	21.86	21.69		2
	36	37	21.87	21.92	21.93	21.87	21.76		2
	75	0	21.86	21.89	21.83	21.84	21.68		2
64QAM	1	0	21.84	21.90	21.98	21.88	21.80	0-2	2
	1	36	21.92	21.94	21.97	21.82	21.81		2
	1	74	21.89	21.95	21.90	21.79	21.71		2
	36	0	20.75	20.86	20.87	20.77	20.73	0-3	3
	36	18	20.89	20.96	20.85	20.83	20.70		3
	36	37	20.88	20.93	20.92	20.84	20.77		3
	75	0	20.89	20.93	20.84	20.87	20.71		3
256QAM	1	0	18.67	18.84	18.75	18.67	18.60	0-5	5
	1	36	18.74	18.90	18.82	18.82	18.64		5
	1	74	18.88	18.95	18.73	18.79	18.63		5
	36	0	18.79	18.87	18.82	18.75	18.72		5
	36	18	18.86	18.91	18.86	18.84	18.67		5
	36	37	18.89	18.91	18.90	18.87	18.76		5
	75	0	18.87	18.92	18.88	18.86	18.70		5

LTE Band 41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-94

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	23.82	23.91	23.93	23.77	23.69	0	0
	1	25	23.90	23.97	23.98	23.78	23.79		0
	1	49	23.93	23.89	23.94	23.80	23.70		0
	25	0	22.93	23.09	23.00	22.89	22.83	0-1	1
	25	12	23.05	23.08	22.98	23.01	22.84		1
	25	25	23.00	23.07	23.02	23.00	22.87		1
	50	0	23.05	23.07	22.98	22.98	22.85		1
16QAM	1	0	22.81	22.94	22.94	22.86	22.69	0-1	1
	1	25	22.79	22.99	23.01	22.76	22.83		1
	1	49	22.83	22.79	22.91	22.80	22.70		1
	25	0	21.93	22.05	22.03	21.91	21.87	0-2	2
	25	12	22.10	22.09	22.03	22.02	21.86		2
	25	25	22.05	22.05	22.07	21.99	21.88		2
	50	0	22.03	22.06	22.01	22.00	21.83		2
64QAM	1	0	21.95	21.99	22.03	21.87	21.90	0-2	2
	1	25	22.04	22.16	22.16	21.97	21.99		2
	1	49	22.07	21.99	22.05	21.90	21.88		2
	25	0	20.93	21.04	20.98	20.89	20.82	0-3	3
	25	12	21.07	21.10	20.99	20.96	20.85		3
	25	25	21.03	21.07	21.00	20.96	20.87		3
	50	0	21.04	21.06	20.99	20.98	20.81		3
256QAM	1	0	18.80	18.87	18.73	18.71	18.80	0-5	5
	1	25	18.90	18.63	19.12	19.01	18.76		5
	1	49	19.01	18.89	18.90	18.86	18.83		5
	25	0	18.92	19.03	18.95	18.92	18.83		5
	25	12	19.05	19.08	18.98	18.99	18.86		5
	25	25	19.06	19.06	19.05	18.98	18.89		5
	50	0	19.03	19.07	18.99	18.99	18.85		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 94 of 219

LTE Band 41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-95

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	23.84	23.87	23.89	23.73	23.66	0	0
	1	12	23.92	23.96	23.95	23.84	23.76		0
	1	24	23.92	23.85	23.88	23.78	23.69		0
	12	0	22.93	23.04	22.96	22.55	22.80	0-1	1
	12	6	23.06	23.06	22.98	22.99	22.84		1
	12	13	23.00	23.00	23.02	22.96	22.86		1
16QAM	25	0	23.00	22.99	22.94	22.95	22.76	0-1	1
	1	0	22.84	22.83	22.95	22.73	22.70		1
	1	12	22.87	22.88	23.04	22.88	22.77		1
	1	24	22.83	22.75	22.93	22.75	22.66	0-2	1
	12	0	21.96	21.96	21.93	21.93	21.81		2
	12	6	22.03	22.04	21.99	21.98	21.86		2
64QAM	12	13	21.98	22.03	22.01	21.94	21.83	0-2	2
	25	0	21.98	22.00	21.96	21.95	21.79		2
	1	0	21.94	21.99	21.93	21.89	21.88	0-2	2
	1	12	22.09	21.90	22.07	21.99	21.92		2
	1	24	22.04	22.05	21.94	21.92	21.79	0-3	2
	12	0	20.91	21.01	20.96	20.96	20.83		3
256QAM	12	6	21.04	21.06	20.96	21.00	20.80		0-3
	12	13	21.05	21.04	21.06	20.91	20.89	3	
	25	0	20.97	21.05	20.96	20.95	20.81	0-5	3
	1	0	18.66	18.89	18.74	18.81	18.62		5
	1	12	19.09	18.93	19.06	18.96	18.87	0-5	5
	1	24	18.81	18.90	18.85	18.92	18.69		5
256QAM	12	0	18.88	19.02	18.95	18.96	18.77	0-5	5
	12	6	19.02	19.07	18.96	18.99	18.79		5
	12	13	19.00	19.02	19.01	18.98	18.83	0-5	5
	25	0	19.02	19.04	18.95	18.93	18.79		5

LTE Band 41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H-96

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	18.31	18.32	18.32	18.30	18.30	0	0
	1	36	18.39	18.35	18.36	18.36	18.27		0
	1	74	18.38	18.33	18.31	18.37	18.23		0
	36	0	18.47	18.42	18.37	18.41	18.31	0-1	0
	36	18	18.54	18.43	18.41	18.50	18.34		0
	36	37	18.57	18.43	18.47	18.39	18.37		0
16QAM	75	0	18.53	18.41	18.37	18.49	18.34	0-1	0
	1	0	18.24	18.37	18.34	18.36	18.19		0
	1	36	18.45	18.30	18.35	18.38	18.43		0
	1	74	18.45	18.32	18.40	18.38	18.19	0-2	0
	36	0	18.44	18.40	18.41	18.39	18.32		0
	36	18	18.59	18.46	18.42	18.47	18.27		0
64QAM	36	37	18.56	18.42	18.52	18.50	18.44	0-2	0
	75	0	18.61	18.44	18.41	18.49	18.30		0
	1	0	18.56	18.51	18.39	18.41	18.28		0-2
	1	36	18.61	18.47	18.40	18.48	18.29	0	
	1	74	18.51	18.48	18.50	18.52	18.25	0-3	
	36	0	18.42	18.34	18.38	18.41	18.31		0
256QAM	36	18	18.52	18.44	18.41	18.46	18.31		0-3
	36	37	18.53	18.45	18.50	18.46	18.31	0	
	75	0	18.55	18.44	18.39	18.47	18.24	0	
	1	0	18.24	18.38	18.34	18.30	18.23	0-5	0
	1	36	18.48	18.39	18.28	18.38	18.29		0
	1	74	18.50	18.34	18.49	18.38	18.25		0
256QAM	36	0	18.43	18.42	18.54	18.39	18.31	0-5	0
	36	18	18.54	18.44	18.37	18.46	18.30		0
	36	37	18.58	18.44	18.50	18.49	18.32		0
	75	0	18.57	18.44	18.42	18.48	18.30	0	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 95 of 219

LTE Band 41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-97

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	18.51	18.47	18.41	18.42	18.34	0	0
	1	25	18.60	18.51	18.54	18.54	18.41		0
	1	49	18.59	18.45	18.51	18.48	18.31		0
	25	0	18.56	18.60	18.51	18.53	18.42	0-1	0
	25	12	18.65	18.63	18.58	18.62	18.43		0
	25	25	18.66	18.56	18.60	18.61	18.47		0
	50	0	18.62	18.63	18.54	18.61	18.39	0	
16QAM	1	0	18.49	18.35	18.44	18.44	18.36	0-1	0
	1	25	18.65	18.46	18.47	18.46	18.38		0
	1	49	18.57	18.42	18.44	18.36	18.37		0
	25	0	18.57	18.59	18.51	18.55	18.40	0-2	0
	25	12	18.67	18.59	18.50	18.63	18.45		0
	25	25	18.68	18.54	18.60	18.58	18.43		0
	50	0	18.67	18.53	18.51	18.60	18.38	0	
64QAM	1	0	18.60	18.54	18.52	18.51	18.48	0-2	0
	1	25	18.63	18.55	18.44	18.66	18.61		0
	1	49	18.76	18.49	18.63	18.51	18.45		0
	25	0	18.52	18.55	18.23	18.50	18.41	0-3	0
	25	12	18.66	18.60	18.54	18.61	18.41		0
	25	25	18.64	18.40	18.62	18.61	18.46		0
	50	0	18.63	18.56	18.50	18.61	18.38	0	
256QAM	1	0	18.48	18.43	18.37	18.35	18.32	0-5	0
	1	25	18.50	18.54	18.68	18.54	18.40		0
	1	49	18.66	18.50	18.43	18.39	18.32		0
	25	0	18.57	18.59	18.54	18.53	18.42	0	
	25	12	18.65	18.59	18.54	18.63	18.44	0	
	25	25	18.67	18.50	18.64	18.60	18.48	0	
	50	0	18.66	18.59	18.53	18.63	18.43	0	

LTE Band 41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H-98

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	18.50	18.42	18.43	18.42	18.30	0	0
	1	12	18.60	18.48	18.52	18.51	18.50		0
	1	24	18.54	18.42	18.43	18.43	18.29		0
	12	0	18.50	18.56	18.47	18.61	18.36	0-1	0
	12	6	18.65	18.61	18.49	18.59	18.39		0
	12	13	18.63	18.58	18.63	18.55	18.43		0
	25	0	18.60	18.57	18.33	18.56	18.40	0	
16QAM	1	0	18.48	18.38	18.52	18.36	18.33	0-1	0
	1	12	18.63	18.47	18.48	18.37	18.38		0
	1	24	18.51	18.27	18.41	18.35	18.30		0
	12	0	18.52	18.43	18.45	18.54	18.35	0-2	0
	12	6	18.64	18.53	18.52	18.61	18.37		0
	12	13	18.61	18.46	18.57	18.53	18.44		0
	25	0	18.61	18.52	18.47	18.54	18.37	0	
64QAM	1	0	18.56	18.46	18.52	18.54	18.43	0-2	0
	1	12	18.67	18.55	18.69	18.64	18.45		0
	1	24	18.55	18.43	18.48	18.57	18.44		0
	12	0	18.51	18.51	18.47	18.55	18.35	0-3	0
	12	6	18.59	18.59	18.56	18.38	18.42		0
	12	13	18.59	18.48	18.52	18.53	18.45		0
	25	0	18.59	18.53	18.49	18.58	18.36	0	
256QAM	1	0	18.48	18.35	18.52	18.40	18.30	0-5	0
	1	12	18.49	18.62	18.55	18.59	18.44		0
	1	24	18.61	18.42	18.48	18.52	18.23		0
	12	0	18.54	18.55	18.50	18.60	18.39	0	
	12	6	18.63	18.61	18.53	18.62	18.42	0	
	12	13	18.59	18.52	18.57	18.56	18.48	0	
	25	0	18.63	18.52	18.51	18.58	18.39	0	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 96 of 219

LTE Band 41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H-99

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	24.00	23.77	24.01	23.72	23.76	0	0
	1	36	24.09	23.86	23.92	23.72	23.93		0
	1	74	24.04	23.78	24.07	23.78	23.93		0
	36	0	22.98	22.80	22.91	22.75	22.95	0-1	1
	36	18	23.00	22.86	22.91	22.69	22.92		1
	36	37	22.98	22.84	22.93	22.73	22.94		1
16QAM	75	0	22.94	22.91	22.82	22.72	22.94	0-1	1
	1	0	22.71	22.62	22.67	22.54	22.56		1
	1	36	22.91	22.54	22.97	22.75	22.89		1
	1	74	22.69	22.69	22.97	22.89	22.64	0-2	1
	36	0	22.02	21.84	21.91	21.70	21.89		2
	36	18	21.91	21.95	21.91	21.70	21.95		2
64QAM	36	37	22.00	21.84	21.98	21.71	21.90	0-2	2
	75	0	21.88	21.80	21.80	21.67	21.91		2
	1	0	21.96	21.78	21.82	21.66	21.70		2
	1	36	22.06	21.84	21.68	21.90	21.66	0-3	2
	1	74	22.18	21.71	22.00	21.61	21.87		2
	36	0	20.97	20.80	20.95	20.71	20.90		3
256QAM	36	18	21.10	20.92	20.98	20.77	20.93	0-3	3
	36	37	21.06	20.82	20.96	20.75	20.98		3
	75	0	20.91	20.82	20.78	20.64	20.81		3
	1	0	18.89	18.73	18.77	18.27	18.42	0-5	5
	1	36	18.98	18.56	18.99	18.37	18.40		5
	1	74	18.92	18.42	18.60	18.16	18.04		5
36	0	19.14	18.67	18.98	18.40	18.49	5		
36	18	19.21	18.64	18.96	18.41	18.44	5		
36	37	19.09	18.50	18.93	18.29	18.35	5		
75	0	19.16	18.65	18.89	18.42	18.39	5		

LTE Band 41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H-100

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	23.83	23.82	23.99	23.81	23.99	0	0
	1	25	23.99	24.02	24.06	23.93	24.15		0
	1	49	24.11	23.96	24.11	23.97	23.92		0
	25	0	23.16	23.03	23.17	22.91	23.07	0-1	1
	25	12	23.18	23.05	23.23	22.99	23.01		1
	25	25	23.17	23.02	23.15	22.95	23.05		1
16QAM	50	0	23.15	23.03	23.11	22.96	23.09	0-1	1
	1	0	23.09	22.85	22.86	22.85	22.85		1
	1	25	23.06	22.93	23.12	23.11	23.02		1
	1	49	22.90	22.65	22.92	22.78	22.77	0-2	1
	25	0	22.12	22.04	22.10	21.89	22.03		2
	25	12	22.21	22.03	22.16	21.87	22.05		2
64QAM	25	25	22.03	22.03	22.19	21.85	22.07	0-2	2
	50	0	22.13	22.08	22.14	21.94	22.00		2
	1	0	21.89	21.89	22.04	21.90	21.81		2
	1	25	22.17	21.85	22.13	21.81	22.12	0-3	2
	1	49	21.77	22.04	21.52	21.62	21.96		2
	25	0	21.09	21.03	21.13	20.89	21.04		3
256QAM	25	12	21.17	21.04	21.23	20.95	21.12	0-3	3
	25	25	21.12	20.97	21.16	20.84	21.05		3
	50	0	21.13	21.00	21.17	20.88	21.03		3
	1	0	19.17	18.72	18.75	18.29	18.38	0-5	5
	1	25	19.35	18.70	18.74	18.30	18.30		5
	1	49	19.20	18.52	18.60	18.11	18.15		5
25	0	19.35	18.84	18.82	18.24	18.40	5		
25	12	19.35	18.78	18.82	18.26	18.29	5		
	25	25	19.26	18.63	18.80	18.20	18.28		5
	50	0	19.33	18.77	18.73	18.27	18.28		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 97 of 219

LTE Band 41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth
Table H-101

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	24.19	23.85	24.15	23.82	23.96	0	0
	1	12	23.98	23.98	24.11	24.04	23.99		0
	1	24	23.96	24.18	24.00	23.71	24.07		0
	12	0	23.15	22.93	23.08	22.93	23.00	0-1	1
	12	6	23.10	22.96	23.17	22.89	23.05		1
	12	13	23.07	22.95	23.10	22.88	23.12		1
16QAM	25	0	23.08	22.91	23.15	22.86	23.04	0-1	1
	1	0	22.86	22.74	22.77	22.82	23.01		1
	1	12	22.85	22.81	22.80	22.94	22.88		1
	1	24	23.07	22.51	22.86	22.56	22.79	0-2	1
	12	0	22.22	22.10	22.19	21.92	22.07		2
	12	6	22.30	22.07	22.14	21.89	22.08		2
64QAM	12	13	22.30	22.20	22.30	22.03	22.10	0-2	2
	25	0	22.19	21.96	22.04	21.72	21.99		2
	1	0	21.90	21.86	21.92	21.79	21.83		2
	1	12	22.03	22.10	22.20	22.07	22.08	0-3	2
	1	24	22.02	21.89	21.58	21.89	21.70		2
	12	0	21.01	21.04	21.01	20.77	20.95		3
256QAM	12	6	21.14	21.11	21.13	20.93	21.07	0-3	3
	12	13	21.18	21.00	21.03	20.70	20.94		3
	25	0	21.19	20.96	21.11	20.76	20.94		3
	1	0	19.18	18.62	18.73	18.13	18.24	0-5	5
	1	12	19.32	18.72	18.82	18.24	18.23		5
	1	24	19.16	18.55	18.62	18.09	18.13		5
12	0	19.32	18.75	18.78	18.17	18.30	5		
12	6	19.34	18.77	18.80	18.26	18.26	5		
	12	13	19.24	18.68	18.77	18.20	18.26		5
	25	0	19.31	18.72	18.72	18.27	18.34		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 98 of 219

H.1.12 LTE Band 48

LTE Band 48 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth
Table H-102

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.02	18.77	18.67	18.93	0	0
	1	36	19.11	18.88	18.67	18.92		0
	1	74	19.22	18.75	18.90	18.83		0
	36	0	18.10	17.88	17.67	17.90	0-1	1
	36	18	18.10	17.83	17.83	17.83		1
	36	37	18.11	17.79	17.80	17.83		1
75	0	18.34	17.83	17.72	17.77	1		
16QAM	1	0	17.98	17.51	17.68	17.85	0-1	1
	1	36	18.07	17.58	17.74	17.89		1
	1	74	18.04	17.72	17.55	17.85		1
	36	0	17.10	16.83	16.65	16.85	0-2	2
	36	18	17.09	16.86	16.82	16.92		2
	36	37	17.07	16.77	16.85	16.83		2
75	0	17.30	16.81	16.70	16.85	2		
64QAM	1	0	17.39	16.94	16.56	16.82	0-2	2
	1	36	17.00	16.89	16.64	16.81		2
	1	74	17.09	16.89	16.56	16.87		2
	36	0	16.15	15.90	15.70	15.91	0-3	3
	36	18	16.14	15.93	15.87	15.91		3
	36	37	16.13	15.83	15.90	15.89		3
75	0	16.70	15.83	15.67	15.82	3		
256QAM	1	0	14.21	13.98	14.30	14.38	0-5	5
	1	36	14.32	13.72	14.41	14.54		5
	1	74	14.20	13.65	14.26	14.46		5
	36	0	14.36	13.91	14.49	14.59		5
	36	18	14.27	13.68	14.51	14.74		5
	36	37	14.29	13.65	14.46	14.47		5
75	0	14.33	13.68	14.46	14.53	5		

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 99 of 219

LTE Band 48 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth
Table H-103

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.21	18.74	18.83	18.75	0	0
	1	25	19.23	18.96	18.74	18.90		0
	1	49	19.10	18.78	18.84	18.90		0
	25	0	18.27	17.97	17.82	17.94	0-1	1
	25	12	18.26	18.01	17.91	17.93		1
	25	25	18.23	17.90	17.87	17.90		1
	50	0	18.17	17.98	17.90	17.92		1
16QAM	1	0	18.09	17.95	17.73	17.80	0-1	1
	1	25	18.17	17.89	17.68	17.89		1
	1	49	18.09	17.61	17.62	17.74		1
	25	0	17.13	17.01	16.88	16.99	0-2	2
	25	12	17.26	16.97	16.96	17.00		2
	25	25	17.20	16.89	16.89	16.87		2
	50	0	17.19	16.97	16.88	16.94		2
64QAM	1	0	16.80	16.94	16.72	16.88	0-2	2
	1	25	17.08	16.79	16.96	16.82		2
	1	49	16.87	16.88	16.92	16.81		2
	25	0	16.18	16.03	15.90	15.93	0-3	3
	25	12	16.27	16.06	15.98	15.96		3
	25	25	16.24	15.93	15.93	15.94		3
	50	0	16.18	15.90	15.87	15.91		3
256QAM	1	0	14.62	13.96	14.55	14.61	0-5	5
	1	25	14.63	13.72	14.49	14.65		5
	1	49	14.55	13.70	14.55	14.71		5
	25	0	14.69	13.93	14.61	14.64		5
	25	12	14.69	13.83	14.61	14.72		5
	25	25	14.62	13.62	14.50	14.69		5
	50	0	14.70	13.80	14.60	14.68		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 100 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth
Table H-104

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.17	18.92	18.88	18.93	0	0
	1	12	19.15	18.89	18.71	18.83		0
	1	24	19.00	18.72	18.81	18.78		0
	12	0	18.14	17.98	17.72	17.94	0-1	1
	12	6	18.22	17.96	17.98	17.85		1
	12	13	18.17	17.94	17.91	17.91		1
	25	0	18.28	17.99	17.86	17.90		1
16QAM	1	0	18.02	17.91	17.82	17.81	0-1	1
	1	12	18.21	17.72	17.76	17.74		1
	1	24	17.99	17.59	17.89	17.83		1
	12	0	17.39	17.05	16.94	16.88	0-2	2
	12	6	17.37	17.05	17.03	16.94		2
	12	13	17.26	17.16	17.07	16.88		2
	25	0	17.19	17.06	16.84	16.90		2
64QAM	1	0	17.09	16.63	16.61	16.81	0-2	2
	1	12	17.14	16.84	17.00	17.12		2
	1	24	16.99	16.88	16.68	16.90		2
	12	0	16.18	16.02	15.98	15.86	0-3	3
	12	6	16.30	16.06	16.03	15.97		3
	12	13	16.20	15.99	15.93	15.87		3
	25	0	16.16	16.02	15.93	15.78		3
256QAM	1	0	14.60	13.77	14.46	14.68	0-5	5
	1	12	14.68	13.82	14.51	14.66		5
	1	24	14.49	13.68	14.36	14.69		5
	12	0	14.70	13.93	14.59	14.66		5
	12	6	14.72	13.86	14.60	14.73		5
	12	13	14.59	13.76	14.51	14.70		5
	25	0	14.69	13.85	14.56	14.72		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 101 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth
Table H-105

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	17.56	17.25	17.21	17.25	0	0
	1	36	17.42	17.38	17.21	17.36		0
	1	74	17.55	17.18	17.29	17.13		0
	36	0	17.61	17.43	17.13	17.39	0-1	0
	36	18	17.58	17.36	17.29	17.39		0
	36	37	17.59	17.30	17.25	17.33		0
	75	0	17.42	17.37	17.18	17.27		0
16QAM	1	0	17.29	17.32	17.00	17.16	0-1	0
	1	36	17.34	17.23	17.10	17.04		0
	1	74	17.58	17.19	17.11	17.28		0
	36	0	17.08	16.88	16.67	16.94	0-2	0
	36	18	17.13	16.88	16.77	16.89		0
	36	37	17.08	16.79	16.82	16.81		0
	75	0	17.25	16.82	16.63	16.74		0
64QAM	1	0	16.89	17.05	16.82	16.73	0-2	0
	1	36	17.18	17.08	16.77	16.67		0
	1	74	16.86	16.91	16.72	16.85		0
	36	0	16.16	15.93	15.75	15.95	0-3	0.8
	36	18	16.10	15.93	15.83	15.92		0.8
	36	37	16.17	15.90	15.92	15.87		0.8
	75	0	16.25	15.84	15.68	15.89		0.8
256QAM	1	0	14.32	14.45	14.20	14.38	0-5	2.8
	1	36	14.27	14.35	14.29	14.51		2.8
	1	74	14.32	14.34	14.38	14.80		2.8
	36	0	14.37	14.58	14.49	14.66		2.8
	36	18	14.15	14.35	14.64	14.81		2.8
	36	37	14.14	14.31	14.50	14.72		2.8
	75	0	14.44	14.21	14.49	14.65		2.8

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 102 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H-106

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	17.62	17.39	17.30	17.39	0	0
	1	25	17.64	17.55	17.36	17.37		0
	1	49	17.67	17.34	17.36	17.25		0
	25	0	17.66	17.49	17.38	17.48	0-1	0
	25	12	17.75	17.53	17.38	17.44		0
	25	25	17.69	17.49	17.39	17.50		0
16QAM	50	0	17.69	17.46	17.37	17.43	0-1	0
	1	0	17.63	17.35	17.32	17.46		0
	1	25	17.70	17.25	17.32	17.46		0
	1	49	17.71	17.36	17.43	17.43	0-2	0
	25	0	17.17	17.01	16.86	16.97		0
	25	12	17.25	17.01	16.85	16.94		0
64QAM	25	25	17.24	16.99	16.85	16.93	0-2	0
	50	0	17.18	16.99	16.89	16.86		0
	1	0	17.00	17.04	17.09	17.09		0-2
	1	25	17.24	16.86	17.02	16.85	0	
	1	49	16.99	16.91	16.75	16.85	0	
	256QAM	25	0	16.18	15.99	15.82	15.91	0-3
25		12	16.18	16.01	15.88	15.94	0.8	
25		25	16.19	15.97	15.84	15.88	0.8	
50		0	16.21	16.00	15.80	15.86	0-5	0.8
1		0	14.62	13.96	14.55	14.71		2.8
1		25	14.63	14.32	14.49	14.65		2.8
1	49	14.55	14.30	14.55	14.82	2.8		
25	0	14.69	14.53	14.41	14.84	2.8		
25	12	14.69	14.43	14.61	14.82	2.8		
256QAM	25	25	14.62	14.22	14.50	14.69	0-5	2.8
	50	0	14.70	14.40	14.60	14.68		2.8

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 103 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth
Table H-107

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	17.51	17.16	17.17	17.26	0	0
	1	12	17.71	17.51	17.13	17.34		0
	1	24	17.59	17.35	17.30	17.17		0
	12	0	17.60	17.41	17.15	17.32	0-1	0
	12	6	17.74	17.37	17.47	17.47		0
	12	13	17.73	17.39	17.38	17.29		0
	25	0	17.67	17.50	17.29	17.40		0
16QAM	1	0	17.62	17.27	17.28	17.10	0-1	0
	1	12	17.53	17.19	17.23	17.21		0
	1	24	17.46	17.38	16.98	17.00		0
	12	0	17.15	17.06	16.95	16.85	0-2	0
	12	6	17.31	17.05	17.04	16.94		0
	12	13	17.29	17.01	17.02	17.04		0
	25	0	17.16	16.98	16.88	16.88		0
64QAM	1	0	16.99	17.11	16.83	16.71	0-2	0
	1	12	17.21	17.08	16.66	17.07		0
	1	24	16.87	16.86	16.73	16.89		0
	12	0	16.22	16.10	15.80	15.93	0-3	0.8
	12	6	16.27	16.07	15.83	15.97		0.8
	12	13	16.16	16.01	15.89	15.99		0.8
	25	0	16.18	15.96	15.88	15.94		0.8
256QAM	1	0	14.60	14.37	14.46	14.68	0-5	2.8
	1	12	14.68	14.42	14.51	14.60		2.8
	1	24	14.49	14.28	14.36	14.89		2.8
	12	0	14.70	14.53	14.49	14.66		2.8
	12	6	14.72	14.46	14.60	14.85		2.8
	12	13	14.59	14.36	14.51	14.83		2.8
	25	0	14.69	14.45	14.56	14.65		2.8

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 104 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth
Table H-108

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.64	19.37	19.49	19.53	0	0
	1	36	19.65	19.46	19.51	19.68		0
	1	74	19.57	19.42	19.49	19.73		0
	36	0	18.80	18.51	18.65	18.74	0-1	1
	36	18	18.76	18.56	18.65	18.80		1
	36	37	18.78	18.52	18.68	18.82		1
75	0	18.77	18.47	18.68	18.80	1		
16QAM	1	0	18.69	18.37	18.52	18.50	0-1	1
	1	36	18.70	18.38	18.70	18.64		1
	1	74	18.58	18.41	18.57	18.62		1
	36	0	17.76	17.54	17.66	17.72	0-2	2
	36	18	17.77	17.54	17.67	17.79		2
	36	37	17.78	17.47	17.66	17.81		2
75	0	17.78	17.47	17.64	17.78	2		
64QAM	1	0	17.81	17.40	17.72	17.72	0-2	2
	1	36	17.82	17.54	17.66	17.83		2
	1	74	17.73	17.50	17.60	17.81		2
	36	0	16.80	16.54	16.64	16.76	0-3	3
	36	18	16.81	16.54	16.67	16.81		3
	36	37	16.75	16.53	16.70	16.85		3
75	0	16.76	16.48	16.68	16.81	3		
256QAM	1	0	14.68	14.44	14.53	14.63	0-5	5
	1	36	14.72	14.49	14.60	14.75		5
	1	74	14.72	14.51	14.62	14.80		5
	36	0	14.81	14.55	14.66	14.79		5
	36	18	14.80	14.60	14.67	14.79		5
	36	37	14.79	14.55	14.72	14.88		5
75	0	14.81	14.50	14.65	14.82	5		

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 105 of 219

LTE Band 48 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth
Table H-109

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.79	19.47	19.62	19.70	0	0
	1	25	19.83	19.54	19.70	19.80		0
	1	49	19.75	19.55	19.63	19.80		0
	25	0	18.89	18.61	18.72	18.80	0-1	1
	25	12	18.93	18.68	18.74	18.90		1
	25	25	18.89	18.66	18.77	18.88		1
16QAM	50	0	18.87	18.63	18.73	18.88	0-1	1
	1	0	18.72	18.53	18.58	18.73		1
	1	25	18.82	18.55	18.56	18.86		1
	1	49	18.76	18.57	18.63	18.89	0-2	2
	25	0	17.90	17.61	17.71	17.82		2
	25	12	17.93	17.65	17.76	17.90		2
64QAM	25	25	17.87	17.67	17.78	17.91	0-2	2
	50	0	17.90	17.64	17.71	17.88		2
	1	0	17.92	17.62	17.72	17.84		0-2
	1	25	17.99	17.69	17.77	17.96	2	
	1	49	17.85	17.71	17.72	17.89	2	
	256QAM	25	0	16.88	16.56	16.74	16.86	0-3
25		12	16.91	16.63	16.79	16.89	3	
25		25	16.90	16.67	16.72	16.93	3	
50		0	16.90	16.65	16.74	16.87	0-5	3
1		0	14.73	14.48	14.58	14.67		5
1		25	14.86	14.59	14.70	14.85		5
1	49	14.77	14.52	14.66	14.82	5		
25	0	14.87	14.64	14.74	14.85	5		
25	12	14.92	14.70	14.71	14.92	5		
256QAM	25	25	14.91	14.68	14.74	14.90	0-5	5
	50	0	14.89	14.67	14.75	14.91		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 106 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H-110

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.73	19.48	19.57	19.71	0	0
	1	12	19.79	19.56	19.63	19.78		0
	1	24	19.74	19.52	19.58	19.75		0
	12	0	18.88	18.62	18.69	18.83	0-1	1
	12	6	18.90	18.67	18.74	18.90		1
	12	13	18.89	18.62	18.71	18.89		1
	25	0	18.88	18.63	18.72	18.88		1
16QAM	1	0	18.76	18.49	18.63	18.64	0-1	1
	1	12	18.88	18.58	18.68	18.80		1
	1	24	18.75	18.50	18.60	18.72		1
	12	0	17.86	17.58	17.66	17.88	0-2	2
	12	6	17.89	17.61	17.71	17.84		2
	12	13	17.83	17.62	17.72	17.87		2
	25	0	17.86	17.63	17.69	17.88		2
64QAM	1	0	17.86	17.52	17.63	17.86	0-2	2
	1	12	17.96	17.69	17.72	17.96		2
	1	24	17.95	17.63	17.75	17.91		2
	12	0	16.87	16.59	16.73	16.87	0-3	3
	12	6	16.91	16.67	16.73	16.93		3
	12	13	16.91	16.61	16.66	16.86		3
	25	0	16.91	16.60	16.70	16.90		3
256QAM	1	0	14.77	14.55	14.60	14.82	0-5	5
	1	12	14.78	14.52	14.79	14.86		5
	1	24	14.86	14.62	14.45	14.77		5
	12	0	14.86	14.58	14.68	14.85		5
	12	6	14.94	14.66	14.73	14.91		5
	12	13	14.91	14.62	14.71	14.90		5
	25	0	14.89	14.59	14.74	14.88		5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 107 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth
Table H-111

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	16.14	15.78	15.92	16.00	0	0
	1	36	16.14	15.90	15.94	16.09		0
	1	74	16.00	15.93	15.90	16.14		0
	36	0	16.11	15.95	16.06	16.15	0-1	0
	36	18	16.18	15.98	16.06	16.20		0
	36	37	16.15	15.92	16.08	16.25		0
16QAM	75	0	16.17	15.84	16.09	16.19	0	
	1	0	16.07	15.83	15.90	15.94	0-1	0
	1	36	15.98	15.82	15.95	16.08		0
	1	74	15.88	15.85	15.84	16.13		0
	36	0	16.18	15.94	16.07	16.20	0-2	0
	36	18	16.19	15.96	16.07	16.18		0
36	37	16.19	15.95	16.11	16.28	0		
64QAM	75	0	16.16	15.90	16.06	16.20	0	
	1	0	16.14	15.88	15.98	16.20	0-2	0
	1	36	16.17	15.98	16.01	16.33		0
	1	74	16.05	15.97	15.98	16.27		0
	36	0	16.50	15.92	16.03	16.13	0-3	0
	36	18	16.19	15.96	16.08	16.20		0
36	37	16.17	16.14	16.08	16.27	0		
256QAM	75	0	16.14	15.89	16.03	16.19	0	
	1	0	14.35	14.10	14.31	14.27	0-5	1.5
	1	36	14.50	14.03	14.18	14.40		1.5
	1	74	14.38	14.30	14.18	14.52		1.5
	36	0	14.53	14.26	14.37	14.45		1.5
	36	18	14.47	14.23	14.39	14.51		1.5
36	37	14.50	14.22	14.41	14.55	1.5		
	75	0	14.50	14.19	14.38	14.52	1.5	

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 108 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth
Table H-112

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	16.31	16.02	16.09	16.14	0	0
	1	25	16.34	16.08	16.15	16.29		0
	1	49	16.27	16.04	16.14	16.32		0
	25	0	16.36	16.08	16.14	16.30	0-1	0
	25	12	16.38	16.14	16.19	16.37		0
	25	25	16.35	16.16	16.23	16.36		0
50	0	16.35	16.13	16.18	16.32	0		
16QAM	1	0	16.18	15.95	16.10	16.18	0-1	0
	1	25	16.23	16.06	16.09	16.21		0
	1	49	16.17	16.03	16.14	16.29		0
	25	0	16.35	16.04	16.50	16.32	0-2	0
	25	12	16.38	16.12	16.21	16.38		0
	25	25	16.33	16.11	16.21	16.39		0
50	0	16.34	16.07	16.23	16.37	0		
64QAM	1	0	16.33	16.08	16.17	16.34	0-2	0
	1	25	16.36	16.18	16.18	16.37		0
	1	49	16.32	16.13	16.16	16.39		0
	25	0	16.65	16.06	16.17	16.29	0-3	0
	25	12	16.37	16.10	16.21	16.35		0
	25	25	16.31	16.10	16.22	16.35		0
50	0	16.34	16.22	16.17	16.35	0		
256QAM	1	0	14.42	14.24	14.37	14.42	0-5	1.5
	1	25	14.57	14.25	14.54	14.62		1.5
	1	49	14.47	14.45	14.26	14.53		1.5
	25	0	14.63	14.37	14.50	14.62		1.5
	25	12	14.65	14.42	14.50	14.69		1.5
	25	25	14.64	14.39	14.53	14.67		1.5
50	0	14.63	14.41	14.51	14.65	1.5		

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 109 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

LTE Band 48 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth
Table H-113

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	16.32	16.03	16.08	16.20	0	0
	1	12	16.31	16.10	16.14	16.22		0
	1	24	16.28	16.11	16.11	16.26		0
	12	0	16.36	16.10	16.19	16.29	0-1	0
	12	6	16.40	16.15	16.25	16.34		0
	12	13	16.36	16.14	16.14	16.33		0
	25	0	16.38	16.12	16.24	16.27		0
16QAM	1	0	16.19	15.93	16.01	16.12	0-1	0
	1	12	16.35	16.02	16.06	16.27		0
	1	24	16.19	15.97	16.01	16.24		0
	12	0	16.37	16.07	16.19	16.30	0-2	0
	12	6	16.35	16.09	16.17	16.34		0
	12	13	16.29	16.08	16.16	16.32		0
	25	0	16.35	16.08	16.16	16.32		0
64QAM	1	0	16.31	16.03	16.12	16.33	0-2	0
	1	12	16.40	16.16	16.26	16.41		0
	1	24	16.26	16.05	16.11	16.32		0
	12	0	16.36	16.06	16.18	16.29	0-3	0
	12	6	16.40	16.12	16.16	16.63		0
	12	13	16.29	16.09	16.21	16.32		0
	25	0	16.37	16.07	16.18	16.34		0
256QAM	1	0	14.58	14.19	14.37	14.52	0-5	1.5
	1	12	14.50	14.34	14.38	14.62		1.5
	1	24	14.56	14.32	14.33	14.53		1.5
	12	0	14.61	14.39	14.49	14.58		1.5
	12	6	14.68	14.39	14.51	14.68		1.5
	12	13	14.64	14.39	14.46	14.62		1.5
	25	0	14.62	14.39	14.48	14.60		1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 110 of 219

DUT Type:
 Modular Approval - Host Integration (Portable Computing Device)

H.2 NR Lower Bandwidth RF Conducted Powers

H.2.1 NR Band n71

NR Band n71 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-1

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.53	0	0.0
	1	40	23.60		0.0
	1	77	23.42		0.0
	36	0	22.59	0-1	1.0
	36	22	23.59	0	0.0
	36	43	22.53	0-1	1.0
	75	0	22.61		1.0
DFT-s-OFDM 16QAM	1	1	22.42	0-1	1.0
CP-OFDM QPSK	1	1	22.24	0-1.5	1.5

NR Band n71 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-2

NR Band n71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
			133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.44	23.41	23.41	0	0.0
	1	26	23.45	23.42	23.35		0.0
	1	50	23.38	23.44	23.34		0.0
	25	0	22.48	22.39	22.33	0-1	1.0
	25	14	23.39	23.34	23.28	0	0.0
	25	27	22.36	22.35	22.32	0-1	1.0
	50	0	22.39	22.32	22.23		1.0
DFT-s-OFDM 16QAM	1	1	22.45	22.34	22.40	0-1	1.0
CP-OFDM QPSK	1	1	21.87	21.98	21.78	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 111 of 219

NR Band n71 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-3

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.50	23.39	23.38	0	0.0
	1	13	23.55	23.50	23.44		0.0
	1	23	23.47	23.43	23.28		0.0
	12	0	22.41	22.36	22.40	0-1	1.0
	12	7	23.42	23.40	23.37	0	0.0
	12	13	22.51	22.39	22.36	0-1	1.0
	25	0	22.54	22.36	22.32		1.0
DFT-s-OFDM 16QAM	1	1	22.40	22.35	22.38	0-1	1.0
CP-OFDM QPSK	1	1	21.85	21.77	21.80	0-1.5	1.5

NR Band n71 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-4

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.36	0	0.0
	1	40	20.31		0.0
	1	77	20.29		0.0
	36	0	20.34	0-1	0.0
	36	22	20.40	0	0.0
	36	43	20.34	0-1	0.0
	75	0	20.33		0.0
DFT-s-OFDM 16QAM	1	1	20.34	0-1	0.0
CP-OFDM QPSK	1	1	20.35	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 112 of 219

NR Band n71 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-5

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.21	20.32	20.17	0	0.0
	1	26	20.24	20.30	20.06		0.0
	1	50	20.13	20.22	20.08		0.0
	25	0	20.34	20.22	20.10	0-1	0.0
	25	14	20.14	20.27	20.02	0	0.0
	25	27	20.13	20.19	20.11	0-1	0.0
	50	0	20.19	20.25	19.99		0.0
DFT-s-OFDM 16QAM	1	1	20.19	20.29	20.12	0-1	0.0
CP-OFDM QPSK	1	1	20.06	20.17	20.23	0-1.5	0.0

NR Band n71 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-6

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.26	20.15	20.21	0	0.0
	1	13	20.31	20.26	20.19		0.0
	1	23	20.31	20.17	20.11		0.0
	12	0	20.19	20.17	20.20	0-1	0.0
	12	7	20.29	20.25	20.16	0	0.0
	12	13	20.28	20.23	20.10	0-1	0.0
	25	0	20.28	20.22	20.16		0.0
DFT-s-OFDM 16QAM	1	1	20.22	20.13	20.16	0-1	0.0
CP-OFDM QPSK	1	1	20.56	20.10	20.03	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 113 of 219

NR Band n71 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-7

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.86	0	0.0
	1	40	23.90		0.0
	1	77	23.79		0.0
	36	0	22.88	0-1	1.0
	36	22	23.98	0	0.0
	36	43	22.85	0-1	1.0
	75	0	22.89		1.0
DFT-s-OFDM 16QAM	1	1	22.82	0-1	1.0
CP-OFDM QPSK	1	1	22.56	0-1.5	1.5

NR Band n71 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-8

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.83	23.74	23.71	0	0.0
	1	26	23.82	23.76	23.68		0.0
	1	50	23.72	23.75	23.65		0.0
	25	0	22.85	22.69	22.65	0-1	1.0
	25	14	23.80	23.68	23.61	0	0.0
	25	27	22.68	22.73	22.69	0-1	1.0
	50	0	22.77	22.67	22.62		1.0
DFT-s-OFDM 16QAM	1	1	22.75	22.71	22.72	0-1	1.0
CP-OFDM QPSK	1	1	22.25	22.33	22.23	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 114 of 219

NR Band n71 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-9

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.84	23.70	23.78	0	0.0
	1	13	23.77	23.91	23.76		0.0
	1	23	23.82	23.76	23.64		0.0
	12	0	22.78	22.71	22.75	0-1	1.0
	12	7	23.73	23.72	23.71	0	0.0
	12	13	22.84	22.71	22.69	0-1	1.0
	25	0	22.77	22.69	22.73		1.0
DFT-s-OFDM 16QAM	1	1	22.81	22.68	22.61	0-1	1.0
CP-OFDM QPSK	1	1	22.31	22.16	22.12	0-1.5	1.5

NR Band n71 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-10

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.56	0	0.0
	1	40	20.41		0.0
	1	77	20.41		0.0
	36	0	20.47	0-1	0.0
	36	22	20.54	0	0.0
	36	43	20.40	0-1	0.0
	75	0	20.47		0.0
DFT-s-OFDM 16QAM	1	1	20.45	0-1	0.0
CP-OFDM QPSK	1	1	20.49	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 115 of 219

NR Band n71 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-11

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.38	20.43	20.89	0	0.0
	1	26	20.38	20.42	20.21		0.0
	1	50	20.22	20.32	20.21		0.0
	25	0	20.55	20.34	20.23	0-1	0.0
	25	14	20.38	20.38	20.16	0	0.0
	25	27	20.32	20.35	20.25	0-1	0.0
	50	0	20.37	20.35	20.12		0.0
DFT-s-OFDM 16QAM	1	1	20.32	20.38	20.27	0-1	0.0
CP-OFDM QPSK	1	1	20.36	20.29	20.21	0-1.5	0.0

NR Band n71 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-12

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.39	20.31	20.34	0	0.0
	1	13	20.42	20.40	20.33		0.0
	1	23	20.39	20.35	20.26		0.0
	12	0	20.40	20.28	20.29	0-1	0.0
	12	7	20.32	20.34	20.26	0	0.0
	12	13	20.57	20.36	20.29	0-1	0.0
	25	0	20.40	20.34	20.26		0.0
DFT-s-OFDM 16QAM	1	1	20.35	20.26	20.28	0-1	0.0
CP-OFDM QPSK	1	1	20.25	20.12	20.21	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 116 of 219

H.2.2 NR Band n12

NR Band n12 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-13

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.69	0	0.0
	1	26	23.56		0.0
	1	50	23.56		0.0
	25	0	22.62	0-1	1.0
	25	14	23.54	0	0.0
	25	27	22.65	0-1	1.0
	50	0	22.61		1.0
DFT-s-OFDM 16QAM	1	1	22.67	0-1	1.0
CP-OFDM QPSK	1	1	22.23	0-1.5	1.5

NR Band n12 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-14

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.60	23.57	23.53	0	0.0
	1	13	23.66	23.58	23.61		0.0
	1	23	23.59	23.61	23.55		0.0
	12	0	22.61	22.62	22.59	0-1	1.0
	12	7	23.54	23.57	23.45	0	0.0
	12	13	22.58	22.53	22.51	0-1	1.0
	25	0	22.54	22.55	22.49		1.0
DFT-s-OFDM 16QAM	1	1	22.58	22.56	22.52	0-1	1.0
CP-OFDM QPSK	1	1	22.05	21.91	21.86	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 117 of 219

NR Band n12 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-15

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.27	0	0.0
	1	26	20.26		0.0
	1	50	20.30		0.0
	25	0	20.25	0-1	0.0
	25	14	20.26	0	0.0
	25	27	20.23	0-1	0.0
	50	0	20.29		0.0
DFT-s-OFDM 16QAM	1	1	20.26	0-1	0.0
CP-OFDM QPSK	1	1	20.20	0-1.5	0.0

NR Band n12 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-16

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.16	20.19	20.23	0	0.0
	1	13	20.19	20.32	20.21		0.0
	1	23	20.17	20.29	20.17		0.0
	12	0	20.25	20.33	20.27	0-1	0.0
	12	7	20.15	20.23	20.19	0	0.0
	12	13	20.25	20.22	20.15	0-1	0.0
	25	0	20.18	20.30	20.25		0.0
DFT-s-OFDM 16QAM	1	1	20.14	20.11	20.21	0-1	0.0
CP-OFDM QPSK	1	1	20.11	20.14	20.16	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 118 of 219

NR Band n12 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-17

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.50	0	0.0
	1	26	24.25		0.0
	1	50	24.39		0.0
	25	0	23.34	0-1	1.0
	25	14	24.18	0	0.0
	25	27	23.32	0-1	1.0
	50	0	23.23		1.0
DFT-s-OFDM 16QAM	1	1	23.39	0-1	1.0
CP-OFDM QPSK	1	1	23.03	0-1.5	1.5

NR Band n12 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-18

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.60	24.25	24.34	0	0.0
	1	13	24.21	24.29	24.47		0.0
	1	23	24.39	24.23	23.98		0.0
	12	0	23.68	23.30	23.55	0-1	1.0
	12	7	24.33	24.22	24.38	0	0.0
	12	13	23.45	23.23	23.27	0-1	1.0
	25	0	23.70	23.29	23.32		1.0
DFT-s-OFDM 16QAM	1	1	23.52	23.23	23.25	0-1	1.0
CP-OFDM QPSK	1	1	23.13	22.90	23.25	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 119 of 219

NR Band n12 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-19

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.01	0	0.0
	1	26	18.98		0.0
	1	50	18.89		0.0
	25	0	19.04	0-1	0.0
	25	14	18.95	0	0.0
	25	27	18.91	0-1	0.0
	50	0	18.98		0.0
DFT-s-OFDM 16QAM	1	1	19.00	0-1	0.0
CP-OFDM QPSK	1	1	18.97	0-1.5	0.0

NR Band n12 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-20

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.01	19.08	18.99	0	0.0
	1	13	19.01	19.01	18.94		0.0
	1	23	18.93	18.96	18.97		0.0
	12	0	19.02	19.04	18.96	0-1	0.0
	12	7	18.93	19.01	18.93	0	0.0
	12	13	18.96	18.96	18.88	0-1	0.0
	25	0	18.99	19.01	18.91		0.0
DFT-s-OFDM 16QAM	1	1	18.98	18.96	18.77	0-1	0.0
CP-OFDM QPSK	1	1	18.90	19.01	18.76	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 120 of 219

H.2.3 NR Band n14

NR Band n14 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-21

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.38	23.41	0	0.0
	1	13	23.34	23.31		0.0
	1	23	23.44	23.30		0.0
	12	0	22.62	22.71	0-1	1.0
	12	7	23.57	23.62	0	0.0
	12	13	22.59	22.62	0-1	1.0
	25	0	22.66	22.65		1.0
DFT-s-OFDM 16QAM	1	1	22.60	22.90	0-1	1.0
CP-OFDM QPSK	1	1	22.48	22.24	0-1.5	1.5

NR Band n14 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-22

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.73	19.78	0	0.0
	1	13	19.84	19.59		0.0
	1	23	19.83	19.61		0.0
	12	0	19.88	19.89	0-1	0.0
	12	7	19.92	19.89	0	0.0
	12	13	19.81	19.82	0-1	0.0
	25	0	19.85	19.81		0.0
DFT-s-OFDM 16QAM	1	1	19.76	19.98	0-1	0.0
CP-OFDM QPSK	1	1	20.03	19.08	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 121 of 219

NR Band n14 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-23

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.83	24.04	0	0.0
	1	13	23.88	23.97		0.0
	1	23	23.79	23.86		0.0
	12	0	22.87	23.00	0-1	1.0
	12	7	23.84	23.92	0	0.0
	12	13	22.85	22.88	0-1	1.0
	25	0	22.84	22.97		1.0
DFT-s-OFDM 16QAM	1	1	22.85	23.06	0-1	1.0
CP-OFDM QPSK	1	1	22.35	22.34	0-1.5	1.5

NR Band n14 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-24

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.51	20.70	0	0.0
	1	13	20.60	20.60		0.0
	1	23	20.51	20.58		0.0
	12	0	20.49	20.68	0-1	0.0
	12	7	20.52	20.62	0	0.0
	12	13	20.48	20.52	0-1	0.0
	25	0	20.59	20.65		0.0
DFT-s-OFDM 16QAM	1	1	20.54	20.64	0-1	0.0
CP-OFDM QPSK	1	1	20.49	20.61	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 122 of 219

H.2.4 NR Band n26

NR Band n26 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-25

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.46	23.36	0	0.0
	1	40	23.37	23.30		0.0
	1	77	23.46	23.30		0.0
	36	0	22.39	22.32	0-1	1.0
	36	22	23.44	23.36	0	0.0
	36	43	22.46	22.31	0-1	1.0
	75	0	22.44	22.36		1.0
DFT-s-OFDM 16QAM	1	1	22.44	22.24	0-1	1.0
CP-OFDM QPSK	1	1	22.04	21.76	0-1.5	1.5

NR Band n26 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-26

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.41	23.32	23.23	0	0.0
	1	26	23.33	23.29	23.11		0.0
	1	50	23.29	23.19	23.17		0.0
	25	0	22.45	22.30	22.18	0-1	1.0
	25	14	23.31	23.30	23.14	0	0.0
	25	27	22.30	22.27	22.23	0-1	1.0
	50	0	22.36	22.35	22.14		1.0
DFT-s-OFDM 16QAM	1	1	22.40	22.33	22.25	0-1	1.0
CP-OFDM QPSK	1	1	21.80	21.66	21.57	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 123 of 219

NR Band n26 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-27

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.41	23.25	23.18	0	0.0
	1	13	23.36	23.30	23.32		0.0
	1	23	23.29	23.25	23.24		0.0
	12	0	22.43	22.21	22.30	0-1	1.0
	12	7	23.39	23.28	23.24	0	0.0
	12	13	22.39	22.29	22.28	0-1	1.0
	25	0	22.43	22.30	22.31		1.0
DFT-s-OFDM 16QAM	1	1	22.39	22.25	22.21	0-1	1.0
CP-OFDM QPSK	1	1	21.85	21.70	21.63	0-1.5	1.5

NR Band n26 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-28

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.85	20.76	0	0.0
	1	40	20.82	20.70		0.0
	1	77	20.85	20.64		0.0
	36	0	20.78	20.69	0-1	0.0
	36	22	20.86	20.72	0	0.0
	36	43	20.88	20.68	0-1	0.0
	75	0	20.87	20.68		0.0
DFT-s-OFDM 16QAM	1	1	20.84	20.64	0-1	0.0
CP-OFDM QPSK	1	1	20.82	20.70	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 124 of 219

NR Band n26 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-29

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.78	20.68	20.62	0	0.0
	1	26	20.85	20.70	20.61		0.0
	1	50	20.76	20.62	20.58		0.0
	25	0	20.80	20.70	20.61	0-1	0.0
	25	14	20.68	20.65	20.62	0	0.0
	25	27	20.67	20.66	20.60	0-1	0.0
	50	0	20.72	20.69	20.49		0.0
DFT-s-OFDM 16QAM	1	1	20.81	20.86	20.78	0-1	0.0
CP-OFDM QPSK	1	1	20.72	20.55	20.56	0-1.5	0.0

NR Band n26 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-30

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.85	20.64	20.73	0	0.0
	1	13	20.86	20.71	20.71		0.0
	1	23	20.76	20.64	20.69		0.0
	12	0	20.78	20.66	20.71	0-1	0.0
	12	7	20.75	20.70	20.62	0	0.0
	12	13	20.77	20.65	20.65	0-1	0.0
	25	0	20.80	20.67	20.65		0.0
DFT-s-OFDM 16QAM	1	1	20.81	20.79	20.89	0-1	0.0
CP-OFDM QPSK	1	1	20.68	20.44	20.55	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 125 of 219

NR Band n26 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-31

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.10	24.06	0	0.0
	1	40	24.11	24.01		0.0
	1	77	24.21	23.97		0.0
	36	0	23.14	23.03	0-1	1.0
	36	22	24.13	24.04	0	0.0
	36	43	23.16	23.01	0-1	1.0
	75	0	23.20	23.06		1.0
DFT-s-OFDM 16QAM	1	1	23.12	23.03	0-1	1.0
CP-OFDM QPSK	1	1	22.56	22.50	0-1.5	1.5

NR Band n26 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-32

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.11	24.04	23.93	0	0.0
	1	26	24.01	24.05	23.85		0.0
	1	50	24.04	23.98	23.87		0.0
	25	0	23.06	22.98	22.93	0-1	1.0
	25	14	23.99	24.04	23.90	0	0.0
	25	27	23.02	23.03	22.94	0-1	1.0
	50	0	23.04	23.02	22.88		1.0
DFT-s-OFDM 16QAM	1	1	23.07	23.03	22.97	0-1	1.0
CP-OFDM QPSK	1	1	22.46	22.61	22.32	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 126 of 219

NR Band n26 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-33

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.95	23.98	24.03	0	0.0
	1	13	23.98	24.06	23.98		0.0
	1	23	23.90	24.02	23.96		0.0
	12	0	22.93	22.93	23.01	0-1	1.0
	12	7	23.96	23.98	23.97	0	0.0
	12	13	22.96	22.98	23.00	0-1	1.0
	25	0	22.95	23.00	23.00		1.0
DFT-s-OFDM 16QAM	1	1	22.94	22.95	23.05	0-1	1.0
CP-OFDM QPSK	1	1	22.27	22.41	22.47	0-1.5	1.5

NR Band n26 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-34

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	21.28	21.14	0	0.0
	1	40	21.19	21.09		0.0
	1	77	21.30	21.08		0.0
	36	0	21.18	21.08	0-1	0.0
	36	22	21.27	21.17	0	0.0
	36	43	21.24	21.07	0-1	0.0
	75	0	21.22	21.15		0.0
DFT-s-OFDM 16QAM	1	1	21.17	21.07	0-1	0.0
CP-OFDM QPSK	1	1	21.16	21.05	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 127 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

NR Band n26 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-35

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.12	21.15	21.05	0	0.0
	1	26	21.05	21.15	20.97		0.0
	1	50	21.08	21.01	20.97		0.0
	25	0	21.14	21.09	21.01	0-1	0.0
	25	14	21.10	21.06	20.90	0	0.0
	25	27	21.04	21.09	21.03	0-1	0.0
	50	0	21.12	21.11	20.95		0.0
DFT-s-OFDM 16QAM	1	1	21.13	21.06	21.01	0-1	0.0
CP-OFDM QPSK	1	1	21.04	21.02	20.91	0-1.5	0.0

NR Band n26 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-36

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.24	21.05	21.12	0	0.0
	1	13	21.19	21.12	21.11		0.0
	1	23	21.14	21.05	21.05		0.0
	12	0	21.21	21.03	21.10	0-1	0.0
	12	7	21.15	21.12	21.03	0	0.0
	12	13	21.13	21.14	21.04	0-1	0.0
	25	0	21.15	21.10	21.07		0.0
DFT-s-OFDM 16QAM	1	1	21.17	21.03	21.11	0-1	0.0
CP-OFDM QPSK	1	1	21.01	21.00	20.98	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 128 of 219

H.2.5 NR Band n5

NR Band n5 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-37

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.70	0	0.0
	1	40	23.58		0.0
	1	77	23.52		0.0
	36	0	22.66	0-1	1.0
	36	22	23.64	0	0.0
	36	43	22.67	0-1	1.0
	75	0	22.65		1.0
DFT-s-OFDM 16QAM	1	1	22.61	0-1	1.0
CP-OFDM QPSK	1	1	22.08	0-1.5	1.5

NR Band n5 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-38

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.47	0	0.0
	1	26	23.44		0.0
	1	50	23.49		0.0
	25	0	22.53	0-1	1.0
	25	14	23.43	0	0.0
	25	27	22.43	0-1	1.0
	50	0	22.46		1.0
DFT-s-OFDM 16QAM	1	1	22.42	0-1	1.0
CP-OFDM QPSK	1	1	21.87	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 129 of 219

NR Band n5 Ant 2 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-39

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.55	23.54	23.46	0	0.0
	1	13	23.45	23.43	23.47		0.0
	1	23	23.60	23.45	23.52		0.0
	12	0	22.53	22.47	22.38	0-1	1.0
	12	7	23.44	23.38	23.41	0	0.0
	12	13	22.51	22.46	22.49	0-1	1.0
	25	0	22.49	22.45	22.37		1.0
DFT-s-OFDM 16QAM	1	1	22.55	22.53	22.40	0-1	1.0
CP-OFDM QPSK	1	1	21.98	21.98	21.83	0-1.5	1.5

NR Band n5 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-40

NR Band n5 15 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.97	0	0.0
	1	40	20.88		0.0
	1	77	20.86		0.0
	36	0	20.99	0-1	0.0
	36	22	21.01	0	0.0
	36	43	20.95	0-1	0.0
	75	0	21.01		0.0
DFT-s-OFDM 16QAM	1	1	21.00	0-1	0.0
CP-OFDM QPSK	1	1	21.04	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 130 of 219

NR Band n5 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth
Table H.2-41

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.78	0	0.0
	1	26	20.71		0.0
	1	50	20.71		0.0
	25	0	20.80	0-1	0.0
	25	14	20.74	0	0.0
	25	27	20.82	0-1	0.0
	50	0	20.73		0.0
DFT-s-OFDM 16QAM	1	1	20.87	0-1	0.0
CP-OFDM QPSK	1	1	20.69	0-1.5	0.0

NR Band n5 Ant 2 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth
Table H.2-42

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.90	20.82	20.77	0	0.0
	1	13	20.73	20.75	20.76		0.0
	1	23	20.96	20.78	20.78		0.0
	12	0	20.80	20.77	20.74	0-1	0.0
	12	7	20.71	20.71	20.79	0	0.0
	12	13	20.84	20.75	20.77	0-1	0.0
	25	0	20.77	20.78	20.71		0.0
DFT-s-OFDM 16QAM	1	1	20.95	20.88	20.90	0-1	0.0
CP-OFDM QPSK	1	1	21.04	20.90	20.72	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 131 of 219

NR Band n5 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-43

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.08	0	0.0
	1	40	24.00		0.0
	1	77	23.90		0.0
	36	0	23.15	0-1	1.0
	36	22	24.09	0	0.0
	36	43	23.01	0-1	1.0
	75	0	23.10		1.0
DFT-s-OFDM 16QAM	1	1	23.05	0-1	1.0
CP-OFDM QPSK	1	1	22.53	0-1.5	1.5

NR Band n5 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-44

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.95	0	0.0
	1	26	23.97		0.0
	1	50	23.89		0.0
	25	0	22.93	0-1	1.0
	25	14	23.96	0	0.0
	25	27	22.91	0-1	1.0
	50	0	22.99		1.0
DFT-s-OFDM 16QAM	1	1	22.84	0-1	1.0
CP-OFDM QPSK	1	1	22.44	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 132 of 219

NR Band n5 Ant 5 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-45

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.08	23.96	23.96	0	0.0
	1	13	23.94	23.96	23.91		0.0
	1	23	23.96	24.00	23.88		0.0
	12	0	23.02	22.91	22.89	0-1	1.0
	12	7	23.94	23.91	23.81	0	0.0
	12	13	22.97	22.98	22.86	0-1	1.0
	25	0	22.98	23.00	22.89		1.0
DFT-s-OFDM 16QAM	1	1	22.93	22.85	22.92	0-1	1.0
CP-OFDM QPSK	1	1	22.43	22.34	22.33	0-1.5	1.5

NR Band n5 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-46

NR Band n5 15 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.07	0	0.0
	1	40	21.03		0.0
	1	77	20.88		0.0
	36	0	21.16	0-1	0.0
	36	22	21.11	0	0.0
	36	43	21.02	0-1	0.0
	75	0	21.09		0.0
DFT-s-OFDM 16QAM	1	1	21.03	0-1	0.0
CP-OFDM QPSK	1	1	21.11	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 133 of 219

NR Band n5 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth
Table H.2-47

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.94	0	0.0
	1	26	20.95		0.0
	1	50	20.90		0.0
	25	0	21.10	0-1	0.0
	25	14	21.02	0	0.0
	25	27	20.95	0-1	0.0
	50	0	20.95		0.0
DFT-s-OFDM 16QAM	1	1	21.12	0-1	0.0
CP-OFDM QPSK	1	1	20.83	0-1.5	0.0

NR Band n5 Ant 5 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth
Table H.2-48

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.08	20.95	21.01	0	0.0
	1	13	20.98	20.92	20.87		0.0
	1	23	20.99	20.98	20.88		0.0
	12	0	21.00	21.10	20.91	0-1	0.0
	12	7	20.95	21.04	20.84	0	0.0
	12	13	20.94	20.96	20.87	0-1	0.0
	25	0	20.99	20.96	20.88		0.0
DFT-s-OFDM 16QAM	1	1	21.02	21.08	20.96	0-1	0.0
CP-OFDM QPSK	1	1	20.92	20.89	20.91	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 134 of 219

H.2.6 NR Band n66

NR Band n66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth

Table H.2-49

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.08	0	0.0
	1	80	24.43		0.0
	1	158	24.22		0.0
	80	0	23.55	0-1	1.0
	80	40	24.49	0	0.0
	80	80	23.67	0-1	1.0
	160	0	23.54		1.0
DFT-s-OFDM 16QAM	1	1	23.05	0-1	1.0
CP-OFDM QPSK	1	1	22.69	0-1.5	1.5

NR Band n66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 25 MHz Bandwidth

Table H.2-50

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.38	0	0.0
	1	67	24.40		0.0
	1	131	24.66		0.0
	64	0	23.51	0-1	1.0
	64	35	24.43	0	0.0
	64	69	23.56	0-1	1.0
	128	0	23.53		1.0
DFT-s-OFDM 16QAM	1	1	23.37	0-1	1.0
CP-OFDM QPSK	1	1	23.04	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 135 of 219

NR Band n66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth

Table H.2-51

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.33	24.74	24.42	0	0.0
	1	53	24.27	24.63	24.33		0.0
	1	104	24.33	24.80	24.40		0.0
	50	0	23.37	23.76	23.42	0-1	1.0
	50	28	24.34	24.72	24.43	0	0.0
	50	56	23.37	23.71	23.39	0-1	1.0
	100	0	23.38	23.78	23.44		1.0
DFT-s-OFDM 16QAM	1	1	23.24	23.62	23.45	0-1	1.0
CP-OFDM QPSK	1	1	22.77	23.21	22.89	0-1.5	1.5

NR Band n66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-52

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.25	24.50	24.33	0	0.0
	1	40	24.14	24.25	24.19		0.0
	1	77	24.36	24.53	24.26		0.0
	36	0	23.32	23.56	23.35	0-1	1.0
	36	22	24.33	24.51	24.34	0	0.0
	36	43	23.34	23.56	23.31	0-1	1.0
	75	0	23.37	23.52	23.33		1.0
DFT-s-OFDM 16QAM	1	1	23.25	23.30	23.30	0-1	1.0
CP-OFDM QPSK	1	1	22.73	22.86	22.86	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 136 of 219

NR Band n66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-53

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.09	24.25	24.19	0	0.0
	1	26	24.11	24.32	24.22		0.0
	1	50	24.22	24.25	24.16		0.0
	25	0	23.18	23.30	23.18	0-1	1.0
	25	14	24.15	24.31	24.18	0	0.0
	25	27	23.19	23.26	23.18	0-1	1.0
	50	0	23.17	23.31	23.19		1.0
DFT-s-OFDM 16QAM	1	1	23.18	23.27	23.17	0-1	1.0
CP-OFDM QPSK	1	1	22.63	22.70	22.66	0-1.5	1.5

NR Band n66 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-54

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.04	24.42	24.22	0	0.0
	1	13	24.09	24.60	24.25		0.0
	1	23	24.03	24.56	24.18		0.0
	12	0	23.07	23.48	23.24	0-1	1.0
	12	7	24.06	24.47	24.23	0	0.0
	12	13	23.09	23.48	23.23	0-1	1.0
	25	0	23.07	23.45	23.25		1.0
DFT-s-OFDM 16QAM	1	1	23.09	23.43	23.19	0-1	1.0
CP-OFDM QPSK	1	1	22.53	22.85	22.58	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 137 of 219

NR Band n66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth

Table H.2-55

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.02	0	0.0
	1	80	17.04		0.0
	1	158	16.99		0.0
	80	0	17.07	0-1	0.0
	80	40	17.08	0	0.0
	80	80	17.17	0-1	0.0
	160	0	17.13		0.0
DFT-s-OFDM 16QAM	1	1	16.93	0-1	0.0
CP-OFDM QPSK	1	1	17.01	0-1.5	0.0

NR Band n66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 25 MHz Bandwidth

Table H.2-56

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.10	0	0.0
	1	67	17.05		0.0
	1	131	17.18		0.0
	64	0	17.02	0-1	0.0
	64	35	17.15	0	0.0
	64	69	17.10	0-1	0.0
	128	0	17.12		0.0
DFT-s-OFDM 16QAM	1	1	16.96	0-1	0.0
CP-OFDM QPSK	1	1	17.13	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 138 of 219

NR Band n66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth

Table H.2-57

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.90	17.01	16.86	0	0.0
	1	53	16.76	17.05	16.83		0.0
	1	104	16.94	17.03	16.97		0.0
	50	0	16.80	17.03	16.88	0-1	0.0
	50	28	16.84	17.10	16.90	0	0.0
	50	56	16.97	17.07	16.93	0-1	0.0
	100	0	16.86	17.13	16.88		0.0
DFT-s-OFDM 16QAM	1	1	16.79	16.89	16.80	0-1	0.0
CP-OFDM QPSK	1	1	16.88	16.98	16.88	0-1.5	0.0

NR Band n66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-58

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.89	17.11	16.87	0	0.0
	1	40	16.82	17.03	16.77		0.0
	1	77	16.99	17.10	16.94		0.0
	36	0	16.95	17.15	16.85	0-1	0.0
	36	22	16.90	17.06	16.88	0	0.0
	36	43	16.96	17.10	16.92	0-1	0.0
	75	0	16.87	17.12	16.85		0.0
DFT-s-OFDM 16QAM	1	1	16.99	17.02	16.74	0-1	0.0
CP-OFDM QPSK	1	1	17.08	17.11	16.82	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 139 of 219

NR Band n66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-59

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.67	16.89	16.87	0	0.0
	1	26	16.70	16.90	16.91		0.0
	1	50	16.78	16.88	16.81		0.0
	25	0	16.70	16.88	16.87	0-1	0.0
	25	14	16.77	16.87	16.84	0	0.0
	25	27	16.83	16.88	16.86	0-1	0.0
	50	0	16.79	16.83	16.87		0.0
DFT-s-OFDM 16QAM	1	1	16.64	16.76	16.83	0-1	0.0
CP-OFDM QPSK	1	1	16.61	16.81	16.82	0-1.5	0.0

NR Band n66 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-60

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.69	16.87	16.78	0	0.0
	1	13	16.70	16.87	16.83		0.0
	1	23	16.62	16.83	16.77		0.0
	12	0	16.66	16.87	16.77	0-1	0.0
	12	7	16.59	16.86	16.79	0	0.0
	12	13	16.61	16.89	16.81	0-1	0.0
	25	0	16.67	16.82	16.82		0.0
DFT-s-OFDM 16QAM	1	1	16.58	16.73	16.72	0-1	0.0
CP-OFDM QPSK	1	1	16.58	16.81	16.76	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 140 of 219

H.2.7 NR Band n25

NR Band n25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 35 MHz Bandwidth

Table H.2-61

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.98	0	0.0
	1	94	24.00		0.0
	1	186	23.80		0.0
	90	0	23.70	0-1	1.0
	90	49	23.96	0	0.0
	90	98	23.50	0-1	1.0
	180	0	23.39		1.0
DFT-s-OFDM 16QAM	1	1	23.40	0-1	1.0
CP-OFDM QPSK	1	1	22.50	0-1.5	1.5

NR Band n25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth

Table H.2-62

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.06	0	0.0
	1	80	23.95		0.0
	1	158	23.90		0.0
	80	0	23.66	0-1	1.0
	80	40	24.00	0	0.0
	80	80	23.46	0-1	1.0
	160	0	23.68		1.0
DFT-s-OFDM 16QAM	1	1	23.28	0-1	1.0
CP-OFDM QPSK	1	1	22.58	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 141 of 219

NR Band n25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 25 MHz Bandwidth

Table H.2-63

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.00	0	0.0
	1	67	23.90		0.0
	1	131	23.87		0.0
	64	0	23.50	0-1	1.0
	64	35	24.00	0	0.0
	64	69	23.80	0-1	1.0
	128	0	23.67		1.0
DFT-s-OFDM 16QAM	1	1	23.36	0-1	1.0
CP-OFDM QPSK	1	1	22.60	0-1.5	1.5

NR Band n25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth

Table H.2-64

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.10	24.01	24.02	0	0.0
	1	53	23.99	23.90	24.20		0.0
	1	104	23.90	24.00	23.98		0.0
	50	0	22.98	23.74	23.87	0-1	1.0
	50	28	24.00	24.17	24.12	0	0.0
	50	56	23.00	23.67	23.88	0-1	1.0
	100	0	22.73	22.79	23.50		1.0
DFT-s-OFDM 16QAM	1	1	23.09	23.27	23.14	0-1	1.0
CP-OFDM QPSK	1	1	23.10	23.00	22.96	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 142 of 219

NR Band n25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-65

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.10	23.99	24.12	0	0.0
	1	40	23.90	24.00	23.97		0.0
	1	77	24.00	24.11	23.99		0.0
	36	0	23.02	23.74	23.87	0-1	1.0
	36	22	24.10	23.99	24.14	0	0.0
	36	43	23.00	23.67	23.88	0-1	1.0
	75	0	23.00	23.00	23.50		1.0
DFT-s-OFDM 16QAM	1	1	23.40	23.34	23.55	0-1	1.0
CP-OFDM QPSK	1	1	23.10	23.00	22.96	0-1.5	1.5

NR Band n25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-66

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.03	24.00	24.12	0	0.0
	1	26	23.88	24.00	23.97		0.0
	1	50	24.00	24.11	23.99		0.0
	25	0	23.32	23.74	23.87	0-1	1.0
	25	14	24.10	23.99	24.14	0	0.0
	25	27	23.00	23.20	23.88	0-1	1.0
	50	0	23.00	23.00	23.55		1.0
DFT-s-OFDM 16QAM	1	1	23.40	23.34	23.55	0-1	1.0
CP-OFDM QPSK	1	1	22.88	22.90	22.77	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 143 of 219

NR Band n25 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-67

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.58	24.60	24.62	0	0.0
	1	13	24.51	24.69	24.69		0.0
	1	23	24.63	24.71	24.58		0.0
	12	0	23.52	23.58	23.57	0-1	1.0
	12	7	24.55	24.56	24.58	0	0.0
	12	13	23.66	23.68	23.60	0-1	1.0
	25	0	23.65	23.60	23.61		1.0
DFT-s-OFDM 16QAM	1	1	23.49	23.56	23.56	0-1	1.0
CP-OFDM QPSK	1	1	23.00	23.07	22.90	0-1.5	1.5

NR Band n25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 35 MHz Bandwidth

Table H.2-68

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.60	0	0.0
	1	94	15.71		0.0
	1	186	15.99		0.0
	90	0	15.83	0-1	0.0
	90	49	15.66	0	0.0
	90	98	15.78	0-1	0.0
	180	0	15.80		0.0
DFT-s-OFDM 16QAM	1	1	15.77	0-1	0.0
CP-OFDM QPSK	1	1	15.82	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 144 of 219

NR Band n25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth

Table H.2-69

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.87	0	0.0
	1	80	15.78		0.0
	1	158	15.81		0.0
	80	0	15.90	0-1	0.0
	80	40	15.98	0	0.0
	80	80	15.90	0-1	0.0
	160	0	15.98		0.0
DFT-s-OFDM 16QAM	1	1	15.56	0-1	0.0
CP-OFDM QPSK	1	1	15.87	0-1.5	0.0

NR Band n25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 25 MHz Bandwidth

Table H.2-70

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.77	0	0.0
	1	67	15.87		0.0
	1	131	15.73		0.0
	64	0	15.70	0-1	0.0
	64	35	15.88	0	0.0
	64	69	15.83	0-1	0.0
	128	0	15.93		0.0
DFT-s-OFDM 16QAM	1	1	15.91	0-1	0.0
CP-OFDM QPSK	1	1	15.99	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 145 of 219

NR Band n25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth

Table H.2-71

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.89	16.01	15.99	0	0.0
	1	53	16.00	16.02	15.83		0.0
	1	104	15.87	15.91	15.90		0.0
	50	0	15.89	15.94	15.88	0-1	0.0
	50	28	15.78	16.02	15.79	0	0.0
	50	56	15.96	15.94	16.00	0-1	0.0
	100	0	15.92	16.01	15.91		0.0
DFT-s-OFDM 16QAM	1	1	15.98	16.12	15.88	0-1	0.0
CP-OFDM QPSK	1	1	16.01	15.97	15.67	0-1.5	0.0

NR Band n25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-72

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.89	15.91	15.99	0	0.0
	1	40	15.90	15.89	16.01		0.0
	1	77	15.88	15.80	15.92		0.0
	36	0	15.78	15.78	16.01	0-1	0.0
	36	22	15.90	15.82	16.04	0	0.0
	36	43	15.81	15.80	15.88	0-1	0.0
	75	0	15.84	15.83	15.90		0.0
DFT-s-OFDM 16QAM	1	1	15.77	15.77	15.98	0-1	0.0
CP-OFDM QPSK	1	1	15.78	15.69	15.79	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 146 of 219

NR Band n25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-73

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.82	15.88	15.99	0	0.0
	1	26	15.92	15.90	15.84		0.0
	1	50	15.83	16.10	15.82		0.0
	25	0	15.98	15.79	16.10	0-1	0.0
	25	14	15.93	15.80	16.01	0	0.0
	25	27	15.83	15.77	15.89	0-1	0.0
	50	0	15.82	15.82	15.83		0.0
DFT-s-OFDM 16QAM	1	1	15.88	15.90	15.97	0-1	0.0
CP-OFDM QPSK	1	1	15.87	15.73	15.93	0-1.5	0.0

NR Band n25 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-74

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.79	15.82	15.69	0	0.0
	1	13	15.69	15.76	15.67		0.0
	1	23	15.74	15.76	15.71		0.0
	12	0	15.75	15.83	15.75	0-1	0.0
	12	7	15.72	15.71	15.72	0	0.0
	12	13	15.73	15.54	15.74	0-1	0.0
	25	0	15.75	15.82	15.76		0.0
DFT-s-OFDM 16QAM	1	1	15.67	15.75	15.67	0-1	0.0
CP-OFDM QPSK	1	1	15.66	15.90	15.83	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 147 of 219

H.2.8 NR Band n30

NR Band n30 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 5 MHz Bandwidth

Table H.2-75

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.79	0	0.0
	1	13	20.91		0.0
	1	23	20.85		0.0
	12	0	19.88	0-1	1.0
	12	7	20.91	0	0.0
	12	13	19.93	0-1	1.0
	25	0	19.90		1.0
DFT-s-OFDM 16QAM	1	1	19.82	0-1	1.0
CP-OFDM QPSK	1	1	19.33	0-1.5	1.5

NR Band n30 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 5 MHz Bandwidth

Table H.2-76

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.49	0	0.0
	1	13	14.61		0.0
	1	23	14.53		0.0
	12	0	14.49	0-1	0.0
	12	7	14.53	0	0.0
	12	13	14.53	0-1	0.0
	25	0	14.48		0.0
DFT-s-OFDM 16QAM	1	1	14.40	0-1	0.0
CP-OFDM QPSK	1	1	14.39	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 148 of 219

H.2.9 NR Band n41

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 90 MHz Bandwidth

Table H.2-77

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.39	25.79	0	0.0
	1	123	25.81	26.01		0.0
	1	243	25.90	25.59		0.0
	120	0	25.02	24.99	0-1	1.0
	120	63	25.90	26.00	0	0.0
	120	125	24.99	25.09	0-1	1.0
	243	0	25.00	25.11		1.0
DFT-s-OFDM 16QAM	1	1	24.62	24.76	0-1	1.0
CP-OFDM QPSK	1	1	23.95	24.49	0-1.5	1.5

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 80 MHz Bandwidth

Table H.2-78

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.20	25.81	0	0.0
	1	109	26.04	25.97		0.0
	1	215	26.07	25.42		0.0
	108	0	25.07	25.07	0-1	1.0
	108	55	25.95	25.93	0	0.0
	108	109	25.05	25.10	0-1	1.0
	216	0	25.02	25.10		1.0
DFT-s-OFDM 16QAM	1	1	24.35	24.83	0-1	1.0
CP-OFDM QPSK	1	1	23.79	24.32	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 149 of 219

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 70 MHz Bandwidth

Table H.2-79

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.23	25.84	0	0.0
	1	95	25.95	26.01		0.0
	1	187	25.95	25.56		0.0
	90	0	25.03	25.16	0-1	1.0
	90	50	25.90	25.90	0	0.0
	90	99	25.07	25.08	0-1	1.0
	180	0	25.02	25.10		1.0
DFT-s-OFDM 16QAM	1	1	24.29	24.86	0-1	1.0
CP-OFDM QPSK	1	1	23.70	24.62	0-1.5	1.5

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 60 MHz Bandwidth

Table H.2-80

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	25.52	26.34	26.02	0	0.0
	1	81	26.12	26.13	26.13		0.0
	1	160	26.12	25.96	25.99		0.0
	81	0	25.19	25.34	25.13	0-1	1.0
	81	41	25.75	25.85	26.10	0	0.0
	81	81	25.24	25.11	25.17	0-1	1.0
	162	0	25.11	25.20	25.22		1.0
DFT-s-OFDM 16QAM	1	1	25.03	25.34	24.97	0-1	1.0
CP-OFDM QPSK	1	1	24.37	24.99	24.57	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 150 of 219

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 50 MHz Bandwidth

Table H.2-81

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	25.54	26.37	25.93	0	0.0
	1	67	26.06	26.25	25.96		0.0
	1	131	26.15	25.93	26.00		0.0
	64	0	25.15	25.31	25.25	0-1	1.0
	64	35	25.96	25.85	26.04	0	0.0
	64	69	25.18	25.11	25.18	0-1	1.0
	128	0	25.11	25.18	25.19		1.0
DFT-s-OFDM 16QAM	1	1	25.09	25.24	25.08	0-1	1.0
CP-OFDM QPSK	1	1	24.39	25.03	24.81	0-1.5	1.5

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 40 MHz Bandwidth

Table H.2-82

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	25.55	26.45	26.02	26.12	0	0.0
	1	53	25.94	26.19	25.81	26.04		0.0
	1	104	26.09	26.31	26.05	25.99		0.0
	50	0	25.16	25.51	25.02	25.23	0-1	1.0
	50	28	26.02	26.31	25.88	26.10	0	0.0
	50	56	25.18	25.43	25.07	25.18	0-1	1.0
	100	0	25.13	25.45	25.13	25.14		1.0
DFT-s-OFDM 16QAM	1	1	25.01	25.76	25.14	25.23	0-1	1.0
CP-OFDM QPSK	1	1	24.37	24.86	24.63	24.82	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 151 of 219

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth

Table H.2-83

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	25.45	26.00	26.09	25.98	25.97	0	0.0
	1	39	26.00	26.07	25.97	26.07	25.90		0.0
	1	76	26.11	26.16	25.98	26.12	25.95		0.0
	36	0	25.19	25.10	25.26	25.07	25.20	0-1	1.0
	36	21	26.03	26.02	25.88	25.96	26.08	0	0.0
	36	42	25.16	25.20	25.15	25.14	25.16	0-1	1.0
	75	0	25.11	25.14	25.21	25.10	25.12		1.0
DFT-s-OFDM 16QAM	1	1	25.00	25.32	25.02	25.11	24.86	0-1	1.0
CP-OFDM QPSK	1	1	24.37	24.57	24.98	24.59	24.81	0-1.5	1.5

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth

Table H.2-84

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	25.79	25.95	26.07	25.94	25.90	0	0.0
	1	26	25.98	25.97	25.97	26.00	25.81		0.0
	1	49	26.20	26.09	26.04	26.09	25.83		0.0
	25	0	25.05	25.10	25.29	25.07	25.06	0-1	1.0
	25	13	26.02	26.00	25.85	26.00	25.89	0	0.0
	25	26	25.02	25.10	25.17	25.17	24.93	0-1	1.0
	50	0	25.17	25.17	25.16	25.11	25.06		1.0
DFT-s-OFDM 16QAM	1	1	25.05	25.58	25.07	24.93	25.17	0-1	1.0
CP-OFDM QPSK	1	1	24.40	24.54	24.76	24.23	24.63	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 152 of 219

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-85

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	25.84	26.26	25.97	26.01	25.87	0	0.0
	1	19	25.92	26.06	25.90	25.97	26.01		0.0
	1	36	26.07	26.09	25.95	26.06	26.00		0.0
	18	0	25.14	25.23	25.21	25.09	25.06	0-1	1.0
	18	10	25.98	26.01	25.89	25.95	25.90	0	0.0
	18	20	25.11	25.23	25.09	25.19	25.00	0-1	1.0
	36	0	25.11	25.14	25.18	25.08	25.00		1.0
DFT-s-OFDM 16QAM	1	1	25.04	25.28	25.26	25.40	25.17	0-1	1.0
CP-OFDM QPSK	1	1	24.38	24.77	24.88	24.47	24.43	0-1.5	1.5

NR Band n41 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-86

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	25.74	26.02	26.05	25.66	25.71	0	0.0
	1	12	25.80	26.04	26.06	25.69	25.68		0.0
	1	22	26.00	25.85	25.98	25.84	25.64		0.0
	12	0	25.01	25.07	25.04	24.86	24.82	0-1	1.0
	12	6	25.88	25.90	25.93	25.90	25.77	0	0.0
	12	12	24.90	24.94	25.12	24.99	24.81	0-1	1.0
	24	0	24.97	25.09	25.08	24.95	24.86		1.0
DFT-s-OFDM 16QAM	1	1	25.09	25.28	25.17	24.87	25.08	0-1	1.0
CP-OFDM QPSK	1	1	24.39	24.77	24.57	24.37	24.47	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 153 of 219

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 90 MHz Bandwidth

Table H.2-87

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.46	16.69	0	0.0
	1	123	16.48	16.58		0.0
	1	243	16.67	16.62		0.0
	120	0	16.54	16.61	0-1	0.0
	120	63	16.54	16.59	0	0.0
	120	125	16.49	16.49	0-1	0.0
	243	0	16.58	16.63		0.0
DFT-s-OFDM 16QAM	1	1	16.63	16.46	0-1	0.0
CP-OFDM QPSK	1	1	16.57	16.65	0-1.5	0.0

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 80 MHz Bandwidth

Table H.2-88

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.48	16.52	0	0.0
	1	109	16.45	16.63		0.0
	1	215	16.44	16.46		0.0
	108	0	16.58	16.63	0-1	0.0
	108	55	16.52	16.56	0	0.0
	108	109	16.48	16.48	0-1	0.0
	216	0	16.52	16.60		0.0
DFT-s-OFDM 16QAM	1	1	16.72	16.34	0-1	0.0
CP-OFDM QPSK	1	1	16.64	16.93	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 154 of 219

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 70 MHz Bandwidth

Table H.2-89

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.62	16.70	0	0.0
	1	95	16.65	16.57		0.0
	1	187	16.54	16.59		0.0
	90	0	16.61	16.68	0-1	0.0
	90	50	16.48	16.62	0	0.0
	90	99	16.50	16.48	0-1	0.0
	180	0	16.52	16.59		0.0
DFT-s-OFDM 16QAM	1	1	16.74	16.56	0-1	0.0
CP-OFDM QPSK	1	1	16.57	16.61	0-1.5	0.0

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 60 MHz Bandwidth

Table H.2-90

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.52	16.83	16.58	0	0.0
	1	81	16.58	16.72	16.61		0.0
	1	160	16.49	16.68	16.53		0.0
	81	0	16.72	16.70	16.64	0-1	0.0
	81	41	16.65	16.69	16.62	0	0.0
	81	81	16.71	16.67	16.59	0-1	0.0
	162	0	16.66	16.71	16.67		0.0
DFT-s-OFDM 16QAM	1	1	16.75	16.86	16.81	0-1	0.0
CP-OFDM QPSK	1	1	16.72	16.59	16.92	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 155 of 219

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 50 MHz Bandwidth

Table H.2-91

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.83	16.77	16.70	0	0.0
	1	67	16.71	16.72	16.60		0.0
	1	131	16.72	16.66	16.56		0.0
	64	0	16.66	16.71	16.70	0-1	0.0
	64	35	16.71	16.71	16.60	0	0.0
	64	69	16.67	16.66	16.55	0-1	0.0
	128	0	16.71	16.74	16.68		0.0
DFT-s-OFDM 16QAM	1	1	16.88	16.60	16.56	0-1	0.0
CP-OFDM QPSK	1	1	16.74	16.71	16.68	0-1.5	0.0

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 40 MHz Bandwidth

Table H.2-92

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.81	16.93	16.89	16.92	0	0.0
	1	53	16.75	16.88	16.61	16.61		0.0
	1	104	16.78	16.95	16.85	16.60		0.0
	50	0	16.74	16.84	16.74	16.65	0-1	0.0
	50	28	16.73	16.80	16.68	16.67	0	0.0
	50	56	16.80	16.86	16.72	16.69	0-1	0.0
	100	0	16.71	16.84	16.67	16.71		0.0
DFT-s-OFDM 16QAM	1	1	16.81	17.01	16.95	16.80	0-1	0.0
CP-OFDM QPSK	1	1	16.81	17.08	16.78	16.96	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 156 of 219

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth

Table H.2-93

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.66	16.64	16.86	16.71	16.58	0	0.0
	1	39	16.58	16.68	16.74	16.73	16.53		0.0
	1	76	16.76	16.82	16.79	16.77	16.63		0.0
	36	0	16.76	16.62	16.80	16.65	16.61	0-1	0.0
	36	21	16.73	16.66	16.77	16.67	16.61	0	0.0
	36	42	16.74	16.69	16.86	16.76	16.66	0-1	0.0
	75	0	16.79	16.67	16.81	16.77	16.62		0.0
DFT-s-OFDM 16QAM	1	1	16.72	16.62	16.90	16.80	16.57	0-1	0.0
CP-OFDM QPSK	1	1	16.89	16.71	16.68	16.55	16.87	0-1.5	0.0

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth

Table H.2-94

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.70	16.74	16.88	16.68	16.60	0	0.0
	1	26	16.83	16.78	16.82	16.70	16.54		0.0
	1	49	16.76	16.72	16.93	16.84	16.68		0.0
	25	0	16.81	16.74	16.75	16.73	16.57	0-1	0.0
	25	13	16.83	16.71	16.81	16.70	16.52	0	0.0
	25	26	16.77	16.70	16.84	16.72	16.51	0-1	0.0
	50	0	16.80	16.64	16.83	16.71	16.52		0.0
DFT-s-OFDM 16QAM	1	1	16.95	16.90	16.90	16.62	16.73	0-1	0.0
CP-OFDM QPSK	1	1	17.04	16.60	16.90	16.70	16.59	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 157 of 219

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-95

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.92	16.62	16.93	16.70	16.52	0	0.0
	1	19	16.87	16.73	16.86	16.80	16.57		0.0
	1	36	17.07	16.78	16.92	16.86	16.45		0.0
	18	0	16.81	16.58	16.81	16.72	16.52	0-1	0.0
	18	10	16.73	16.59	16.86	16.56	16.46	0	0.0
	18	20	16.83	16.63	16.81	16.78	16.51	0-1	0.0
	36	0	16.79	16.57	16.75	16.72	16.46		0.0
DFT-s-OFDM 16QAM	1	1	16.74	16.69	16.82	16.81	16.79	0-1	0.0
CP-OFDM QPSK	1	1	16.83	16.69	16.74	16.82	16.67	0-1.5	0.0

NR Band n41 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-96

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.72	16.48	16.74	16.66	16.38	0	0.0
	1	12	16.63	16.43	16.73	16.73	16.49		0.0
	1	22	16.52	16.45	16.84	16.66	16.49		0.0
	12	0	16.61	16.56	16.71	16.49	16.45	0-1	0.0
	12	6	16.60	16.51	16.78	16.62	16.59	0	0.0
	12	12	16.60	16.53	16.79	16.59	16.56	0-1	0.0
	24	0	16.63	16.51	16.71	16.58	16.51		0.0
DFT-s-OFDM 16QAM	1	1	16.86	16.78	16.91	16.54	16.32	0-1	0.0
CP-OFDM QPSK	1	1	16.63	16.63	16.90	16.47	16.57	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 158 of 219

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 90 MHz Bandwidth

Table H.2-97

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.75	25.71	0	0.0
	1	123	25.70	25.67		0.0
	1	243	25.80	25.72		0.0
	120	0	25.62	25.62	0-1	1.0
	120	63	25.64	25.70	0	0.0
	120	125	25.53	25.61	0-1	1.0
	243	0	25.52	25.60		1.0
DFT-s-OFDM 16QAM	1	1	25.47	25.49	0-1	1.0
CP-OFDM QPSK	1	1	25.05	25.07	0-1.5	1.5

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 80 MHz Bandwidth

Table H.2-98

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	26.00	25.75	0	0.0
	1	109	25.85	25.71		0.0
	1	215	25.89	25.79		0.0
	108	0	25.71	25.41	0-1	1.0
	108	55	25.86	25.73	0	0.0
	108	109	25.53	25.56	0-1	1.0
	216	0	25.65	25.51		1.0
DFT-s-OFDM 16QAM	1	1	25.75	25.47	0-1	1.0
CP-OFDM QPSK	1	1	25.34	25.05	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 159 of 219

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 70 MHz Bandwidth

Table H.2-99

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.68	25.59	0	0.0
	1	95	25.71	25.75		0.0
	1	187	25.75	25.72		0.0
	90	0	25.51	25.49	0-1	1.0
	90	50	25.79	25.77	0	0.0
	90	99	25.57	25.58	0-1	1.0
	180	0	25.66	25.49		1.0
DFT-s-OFDM 16QAM	1	1	25.64	25.59	0-1	1.0
CP-OFDM QPSK	1	1	25.08	24.94	0-1.5	1.5

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 60 MHz Bandwidth

Table H.2-100

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	25.97	25.91	25.87	0	0.0
	1	81	25.92	25.87	25.97		0.0
	1	160	25.98	25.91	25.92		0.0
	81	0	25.81	25.83	25.85	0-1	1.0
	81	41	25.97	25.87	25.94	0	0.0
	81	81	25.82	25.81	25.77	0-1	1.0
	162	0	25.56	25.65	25.65		1.0
DFT-s-OFDM 16QAM	1	1	25.73	25.61	25.76	0-1	1.0
CP-OFDM QPSK	1	1	25.35	25.17	25.07	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 160 of 219

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 50 MHz Bandwidth

Table H.2-101

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	25.95	25.92	25.92	0	0.0
	1	67	25.92	25.97	25.99		0.0
	1	131	25.99	25.89	25.99		0.0
	64	0	25.65	25.70	25.73	0-1	1.0
	64	35	25.97	25.90	26.01	0	0.0
	64	69	25.66	25.64	25.82	0-1	1.0
	128	0	25.64	25.65	25.78		1.0
DFT-s-OFDM 16QAM	1	1	25.86	25.52	25.77	0-1	1.0
CP-OFDM QPSK	1	1	25.24	25.25	25.31	0-1.5	1.5

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 40 MHz Bandwidth

Table H.2-102

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	26.04	26.07	25.99	26.08	0	0.0
	1	53	25.99	26.02	25.95	26.00		0.0
	1	104	25.97	26.18	26.02	26.08		0.0
	50	0	25.90	25.95	25.79	25.63	0-1	1.0
	50	28	25.96	26.04	25.98	26.09	0	0.0
	50	56	25.87	25.81	25.92	25.82	0-1	1.0
	100	0	25.88	25.97	25.80	25.71		1.0
DFT-s-OFDM 16QAM	1	1	25.78	25.79	25.83	25.81	0-1	1.0
CP-OFDM QPSK	1	1	25.32	25.38	25.42	25.45	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 161 of 219

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth

Table H.2-103

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	26.20	26.06	26.16	26.00	26.21	0	0.0
	1	39	26.07	26.06	26.07	26.08	26.09		0.0
	1	76	26.16	26.29	26.13	26.36	26.12		0.0
	36	0	25.61	25.54	25.67	25.66	25.61	0-1	1.0
	36	21	26.07	26.11	26.18	26.04	25.98	0	0.0
	36	42	25.65	25.64	25.68	25.69	25.80	0-1	1.0
	75	0	25.68	25.63	25.70	25.63	25.77		1.0
DFT-s-OFDM 16QAM	1	1	25.58	25.74	25.52	25.83	25.61	0-1	1.0
CP-OFDM QPSK	1	1	25.27	25.32	25.16	25.15	25.37	0-1.5	1.5

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth

Table H.2-104

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	26.03	25.87	26.02	26.00	25.96	0	0.0
	1	26	26.04	25.89	26.02	25.90	26.11		0.0
	1	49	26.00	25.89	25.97	25.95	26.02		0.0
	25	0	25.72	25.60	25.72	25.63	25.71	0-1	1.0
	25	13	26.10	26.12	26.21	26.02	26.19	0	0.0
	25	26	25.74	25.60	25.70	25.73	25.76	0-1	1.0
	50	0	25.75	25.55	25.73	25.60	25.70		1.0
DFT-s-OFDM 16QAM	1	1	25.56	25.50	25.58	25.56	25.76	0-1	1.0
CP-OFDM QPSK	1	1	25.49	24.96	25.25	25.14	25.25	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 162 of 219

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-105

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	26.15	25.93	26.11	25.87	26.01	0	0.0
	1	19	25.99	25.98	25.95	25.98	26.10		0.0
	1	36	26.01	25.90	26.00	25.95	26.07		0.0
	18	0	25.73	25.52	25.77	25.52	25.75	0-1	1.0
	18	10	26.02	26.10	26.10	26.09	26.11	0	0.0
	18	20	25.76	25.61	25.71	25.69	25.74	0-1	1.0
	36	0	25.72	25.59	25.72	25.68	25.78		1.0
DFT-s-OFDM 16QAM	1	1	25.97	25.57	25.56	25.47	25.75	0-1	1.0
CP-OFDM QPSK	1	1	25.27	25.34	25.38	25.21	25.49	0-1.5	1.5

NR Band n41 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-106

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	25.99	26.07	26.00	25.85	25.98	0	0.0
	1	12	25.98	25.93	25.97	25.98	26.04		0.0
	1	22	26.10	26.12	25.99	25.87	25.98		0.0
	12	0	25.78	25.56	25.79	25.70	25.77	0-1	1.0
	12	6	26.06	25.88	26.19	26.03	26.03	0	0.0
	12	12	25.80	25.72	25.76	25.78	25.83	0-1	1.0
	24	0	25.85	25.66	25.78	25.73	25.79		1.0
DFT-s-OFDM 16QAM	1	1	25.44	25.30	25.52	25.38	25.60	0-1	1.0
CP-OFDM QPSK	1	1	24.95	24.94	25.18	25.03	24.87	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 163 of 219

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 90 MHz Bandwidth

Table H.2-107

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.35	16.02	0	0.0
	1	123	16.23	16.14		0.0
	1	243	16.49	16.28		0.0
	120	0	16.32	16.13	0-1	0.0
	120	63	16.25	16.17	0	0.0
	120	125	16.33	16.30	0-1	0.0
	243	0	16.30	16.21		0.0
DFT-s-OFDM 16QAM	1	1	16.37	15.81	0-1	0.0
CP-OFDM QPSK	1	1	16.24	15.98	0-1.5	0.0

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 80 MHz Bandwidth

Table H.2-108

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.40	16.19	0	0.0
	1	109	16.30	16.29		0.0
	1	215	16.41	16.31		0.0
	108	0	16.37	16.25	0-1	0.0
	108	55	16.27	16.33	0	0.0
	108	109	16.25	16.35	0-1	0.0
	216	0	16.29	16.27		0.0
DFT-s-OFDM 16QAM	1	1	16.58	16.07	0-1	0.0
CP-OFDM QPSK	1	1	16.34	15.93	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 164 of 219

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 70 MHz Bandwidth

Table H.2-109

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.44	16.27	0	0.0
	1	95	16.35	16.28		0.0
	1	187	16.35	16.43		0.0
	90	0	16.46	16.31	0-1	0.0
	90	50	16.35	16.32	0	0.0
	90	99	16.28	16.37	0-1	0.0
	180	0	16.38	16.28		0.0
DFT-s-OFDM 16QAM	1	1	16.49	15.80	0-1	0.0
CP-OFDM QPSK	1	1	16.28	16.22	0-1.5	0.0

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 60 MHz Bandwidth

Table H.2-110

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.66	16.42	16.38	0	0.0
	1	81	16.48	16.43	16.52		0.0
	1	160	16.42	16.45	16.61		0.0
	81	0	16.63	16.44	16.41	0-1	0.0
	81	41	16.55	16.42	16.53	0	0.0
	81	81	16.49	16.50	16.59	0-1	0.0
	162	0	16.54	16.40	16.57		0.0
DFT-s-OFDM 16QAM	1	1	16.80	16.50	16.29	0-1	0.0
CP-OFDM QPSK	1	1	16.57	16.35	16.43	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 165 of 219

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 50 MHz Bandwidth

Table H.2-111

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.69	16.44	16.46	0	0.0
	1	67	16.60	16.52	16.50		0.0
	1	131	16.52	16.47	16.71		0.0
	64	0	16.65	16.46	16.57	0-1	0.0
	64	35	16.57	16.41	16.52	0	0.0
	64	69	16.55	16.45	16.63	0-1	0.0
	128	0	16.57	16.43	16.59		0.0
DFT-s-OFDM 16QAM	1	1	16.61	16.54	16.30	0-1	0.0
CP-OFDM QPSK	1	1	16.62	16.40	16.27	0-1.5	0.0

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 40 MHz Bandwidth

Table H.2-112

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.70	16.58	16.38	16.49	0	0.0
	1	53	16.49	16.44	16.34	16.37		0.0
	1	104	16.70	16.63	16.52	16.60		0.0
	50	0	16.57	16.46	16.40	16.48	0-1	0.0
	50	28	16.56	16.47	16.42	16.49	0	0.0
	50	56	16.49	16.57	16.43	16.63	0-1	0.0
	100	0	16.57	16.48	16.44	16.54		0.0
DFT-s-OFDM 16QAM	1	1	16.86	16.81	16.38	16.26	0-1	0.0
CP-OFDM QPSK	1	1	16.56	16.55	16.31	16.21	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 166 of 219

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth

Table H.2-113

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.68	16.64	16.41	16.52	16.42	0	0.0
	1	39	16.57	16.62	16.44	16.26	16.31		0.0
	1	76	16.63	16.78	16.51	16.52	16.62		0.0
	36	0	16.57	16.54	16.49	16.42	16.49	0-1	0.0
	36	21	16.54	16.56	16.49	16.38	16.50	0	0.0
	36	42	16.62	16.61	16.57	16.56	16.63	0-1	0.0
	75	0	16.61	16.56	16.50	16.42	16.55		0.0
DFT-s-OFDM 16QAM	1	1	16.59	16.47	16.72	16.43	16.21	0-1	0.0
CP-OFDM QPSK	1	1	16.64	16.60	16.41	16.29	16.37	0-1.5	0.0

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth

Table H.2-114

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.59	16.55	16.61	16.46	16.43	0	0.0
	1	26	16.64	16.60	16.58	16.53	16.54		0.0
	1	49	16.65	16.65	16.44	16.32	16.59		0.0
	25	0	16.61	16.59	16.53	16.37	16.59	0-1	0.0
	25	13	16.66	16.60	16.51	16.45	16.58	0	0.0
	25	26	16.60	16.58	16.48	16.52	16.48	0-1	0.0
	50	0	16.64	16.56	16.52	16.49	16.56		0.0
DFT-s-OFDM 16QAM	1	1	16.85	16.52	16.27	16.63	16.24	0-1	0.0
CP-OFDM QPSK	1	1	16.65	16.50	16.52	16.48	16.48	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 167 of 219

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-115

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.59	16.66	16.63	16.36	16.47	0	0.0
	1	19	16.50	16.59	16.59	16.48	16.48		0.0
	1	36	16.63	16.83	16.57	16.49	16.55		0.0
	18	0	16.58	16.52	16.54	16.41	16.49	0-1	0.0
	18	10	16.61	16.55	16.55	16.46	16.55	0	0.0
	18	20	16.57	16.45	16.55	16.53	16.56	0-1	0.0
	36	0	16.58	16.54	16.47	16.48	16.59		0.0
DFT-s-OFDM 16QAM	1	1	16.81	16.73	16.39	16.02	16.22	0-1	0.0
CP-OFDM QPSK	1	1	16.74	16.52	16.61	16.59	16.48	0-1.5	0.0

NR Band n41 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-116

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.58	16.36	16.20	16.39	16.41	0	0.0
	1	12	16.64	16.28	16.36	16.29	16.45		0.0
	1	22	16.54	16.43	16.19	16.34	16.53		0.0
	12	0	16.54	16.38	16.40	16.32	16.44	0-1	0.0
	12	6	16.57	16.37	16.36	16.29	16.43	0	0.0
	12	12	16.49	16.39	16.29	16.31	16.26	0-1	0.0
	24	0	16.54	16.39	16.39	16.34	16.50		0.0
DFT-s-OFDM 16QAM	1	1	16.68	16.37	16.64	16.23	16.15	0-1	0.0
CP-OFDM QPSK	1	1	16.50	16.45	16.32	16.28	16.40	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
		APPENDIX H: Page 168 of 219

DUT Type:
Modular Approval - Host Integration (Portable Computing Device)

NR n48 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth

Table H.2-117

NR Band n48 30 MHz Bandwidth				
Channel				
Antenna	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 3	20.62	20.54	20.47	20.57
SRS #3 Ant 4	20.15	20.29	20.05	20.19

NR n48 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth

Table H.2-118

NR Band n48 20 MHz Bandwidth				
Channel				
Antenna	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 3	20.56	20.46	20.50	20.59
SRS #3 Ant 4	19.94	19.97	19.80	19.97

NR n48 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-119

NR Band n48 15 MHz Bandwidth				
Channel				
Antenna	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 3	20.57	20.48	20.51	20.58
SRS #3 Ant 4	19.91	19.96	20.01	19.95

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 169 of 219

NR n48 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-120

NR Band n48 10 MHz Bandwidth				
Channel				
Antenna	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 3	20.54	20.32	20.32	20.39
SRS #3 Ant 4	19.97	19.60	19.87	19.74

NR n48 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth

Table H.2-121

NR Band n48 30 MHz Bandwidth				
Channel				
Antenna	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 3	14.13	14.21	14.16	14.21
SRS #3 Ant 4	12.56	12.74	12.55	12.64

NR n48 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth

Table H.2-122

NR Band n48 20 MHz Bandwidth				
Channel				
Antenna	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 3	14.17	14.18	14.19	14.14
SRS #3 Ant 4	12.44	12.57	12.29	12.62

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 170 of 219

NR n48 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-123

NR Band n48 15 MHz Bandwidth				
Channel				
Antenna	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 3	14.14	14.19	14.18	14.20
SRS #3 Ant 4	12.31	12.21	12.60	12.41

NR n48 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-124

NR Band n48 10 MHz Bandwidth				
Channel				
Antenna	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)
	Conducted Power [dBm]			
SRS #2 Ant 3	14.07	14.00	13.99	14.06
SRS #3 Ant 4	12.44	12.33	12.12	12.15

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 171 of 219

H.2.10 NR Band n77

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 90 MHz Bandwidth

Table H.2-125

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.68	24.65	0	0.0
	1	123	24.67	24.81		0.0
	1	243	24.91	24.81		0.0
	120	0	23.79	23.61	0-1	1.0
	120	63	24.65	24.67	0	0.0
	120	125	23.79	23.58	0-1	1.0
	243	0	23.81	23.59		1.0
DFT-s-OFDM 16QAM	1	1	23.86	23.77	0-1	1.0
CP-OFDM QPSK	1	1	23.46	23.13	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 80 MHz Bandwidth

Table H.2-126

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.74	24.64	0	0.0
	1	109	24.50	24.78		0.0
	1	215	24.71	24.75		0.0
	108	0	23.81	23.63	0-1	1.0
	108	55	24.68	24.77	0	0.0
	108	109	23.85	23.55	0-1	1.0
	216	0	23.85	23.62		1.0
DFT-s-OFDM 16QAM	1	1	24.29	23.73	0-1	1.0
CP-OFDM QPSK	1	1	23.43	23.33	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 172 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 70 MHz Bandwidth

Table H.2-127

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.81	24.66	0	0.0
	1	95	24.61	24.64		0.0
	1	187	24.79	24.51		0.0
	90	0	23.82	23.60	0-1	1.0
	90	50	24.66	24.57	0	0.0
	90	99	23.81	23.50	0-1	1.0
	180	0	23.81	23.66		1.0
DFT-s-OFDM 16QAM	1	1	23.85	23.98	0-1	1.0
CP-OFDM QPSK	1	1	23.48	23.10	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 60 MHz Bandwidth

Table H.2-128

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.95	24.51	0	0.0
	1	81	24.74	24.64		0.0
	1	160	25.00	24.59		0.0
	81	0	23.86	23.73	0-1	1.0
	81	41	24.76	24.59	0	0.0
	81	81	23.92	23.65	0-1	1.0
	162	0	23.90	23.67		1.0
DFT-s-OFDM 16QAM	1	1	24.26	23.90	0-1	1.0
CP-OFDM QPSK	1	1	23.26	23.08	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 173 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 50 MHz Bandwidth

Table H.2-129

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.91	24.61	0	0.0
	1	67	24.82	24.73		0.0
	1	131	24.91	24.54		0.0
	64	0	23.87	23.80	0-1	1.0
	64	35	24.80	24.68	0	0.0
	64	69	23.98	23.67	0-1	1.0
	128	0	23.95	23.76		1.0
DFT-s-OFDM 16QAM	1	1	24.17	24.02	0-1	1.0
CP-OFDM QPSK	1	1	23.41	23.29	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 40 MHz Bandwidth

Table H.2-130

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.08	25.01	0	0.0
	1	53	24.80	24.67		0.0
	1	104	25.14	24.73		0.0
	50	0	23.95	23.87	0-1	1.0
	50	28	24.83	24.75	0	0.0
	50	56	24.03	23.80	0-1	1.0
	100	0	23.97	23.83		1.0
DFT-s-OFDM 16QAM	1	1	23.85	24.15	0-1	1.0
CP-OFDM QPSK	1	1	23.66	23.47	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 174 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth

Table H.2-131

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.82	24.94	0	0.0
	1	39	24.90	24.86		0.0
	1	76	25.03	24.83		0.0
	36	0	23.93	23.86	0-1	1.0
	36	21	24.83	24.73	0	0.0
	36	42	24.02	23.86	0-1	1.0
	75	0	23.99	23.84		1.0
DFT-s-OFDM 16QAM	1	1	23.94	23.90	0-1	1.0
CP-OFDM QPSK	1	1	23.57	23.31	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth

Table H.2-132

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.98	24.80	0	0.0
	1	26	24.77	24.81		0.0
	1	49	24.94	24.83		0.0
	25	0	23.93	23.89	0-1	1.0
	25	13	24.85	24.70	0	0.0
	25	26	23.98	23.89	0-1	1.0
	50	0	24.01	23.80		1.0
DFT-s-OFDM 16QAM	1	1	24.05	23.98	0-1	1.0
CP-OFDM QPSK	1	1	23.48	23.52	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 175 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-133

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.77	24.78	0	0.0
	1	19	24.80	24.98		0.0
	1	36	24.99	24.72		0.0
	18	0	24.00	23.94	0-1	1.0
	18	10	24.91	24.72	0	0.0
	18	20	24.04	23.84	0-1	1.0
	36	0	24.08	23.95		1.0
DFT-s-OFDM 16QAM	1	1	24.13	24.27	0-1	1.0
CP-OFDM QPSK	1	1	23.30	23.54	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-134

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.79	24.63	0	0.0
	1	12	24.72	24.61		0.0
	1	22	24.74	24.61		0.0
	12	0	23.78	23.70	0-1	1.0
	12	6	24.78	24.60	0	0.0
	12	12	23.82	23.63	0-1	1.0
	24	0	23.81	23.71		1.0
DFT-s-OFDM 16QAM	1	1	23.62	23.89	0-1	1.0
CP-OFDM QPSK	1	1	23.08	23.18	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 176 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 90 MHz Bandwidth

Table H.2-135

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.60	14.43	0	0.0
	1	123	14.54	14.58		0.0
	1	243	14.79	14.34		0.0
	120	0	14.55	14.44	0-1	0.0
	120	63	14.47	14.43	0	0.0
	120	125	14.55	14.33	0-1	0.0
	243	0	14.54	14.45		0.0
DFT-s-OFDM 16QAM	1	1	14.67	14.81	0-1	0.0
CP-OFDM QPSK	1	1	14.67	14.59	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 80 MHz Bandwidth

Table H.2-136

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.66	14.41	0	0.0
	1	109	14.62	14.48		0.0
	1	215	14.79	14.37		0.0
	108	0	14.52	14.48	0-1	0.0
	108	55	14.48	14.49	0	0.0
	108	109	14.53	14.35	0-1	0.0
	216	0	14.55	14.43		0.0
DFT-s-OFDM 16QAM	1	1	14.79	14.45	0-1	0.0
CP-OFDM QPSK	1	1	14.54	14.56	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 177 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 70 MHz Bandwidth

Table H.2-137

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.65	14.40	0	0.0
	1	95	14.56	14.58		0.0
	1	187	14.72	14.42		0.0
	90	0	14.50	14.43	0-1	0.0
	90	50	14.46	14.39	0	0.0
	90	99	14.55	14.42	0-1	0.0
	180	0	14.52	14.41		0.0
DFT-s-OFDM 16QAM	1	1	14.54	14.40	0-1	0.0
CP-OFDM QPSK	1	1	14.46	14.44	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 60 MHz Bandwidth

Table H.2-138

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.73	14.62	0	0.0
	1	81	14.53	14.58		0.0
	1	160	14.81	14.42		0.0
	81	0	14.65	14.58	0-1	0.0
	81	41	14.60	14.55	0	0.0
	81	81	14.65	14.54	0-1	0.0
	162	0	14.64	14.52		0.0
DFT-s-OFDM 16QAM	1	1	14.60	14.74	0-1	0.0
CP-OFDM QPSK	1	1	14.82	14.62	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 178 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 50 MHz Bandwidth

Table H.2-139

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.77	14.69	0	0.0
	1	67	14.61	14.77		0.0
	1	131	14.74	14.54		0.0
	64	0	14.61	14.61	0-1	0.0
	64	35	14.65	14.56	0	0.0
	64	69	14.72	14.43	0-1	0.0
	128	0	14.67	14.49		0.0
DFT-s-OFDM 16QAM	1	1	14.62	14.38	0-1	0.0
CP-OFDM QPSK	1	1	14.60	14.46	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 40 MHz Bandwidth

Table H.2-140

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.88	14.86	0	0.0
	1	53	14.77	14.67		0.0
	1	104	14.93	14.62		0.0
	50	0	14.76	14.69	0-1	0.0
	50	28	14.80	14.68	0	0.0
	50	56	14.85	14.64	0-1	0.0
	100	0	14.81	14.69		0.0
DFT-s-OFDM 16QAM	1	1	15.07	14.76	0-1	0.0
CP-OFDM QPSK	1	1	14.80	14.62	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 179 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth

Table H.2-141

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.88	14.86	0	0.0
	1	39	14.77	14.67		0.0
	1	76	14.93	14.62		0.0
	36	0	14.76	14.69	0-1	0.0
	36	21	14.80	14.68	0	0.0
	36	42	14.85	14.64	0-1	0.0
	75	0	14.81	14.69		0.0
DFT-s-OFDM 16QAM	1	1	15.07	14.86	0-1	0.0
CP-OFDM QPSK	1	1	14.80	14.62	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth

Table H.2-142

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.87	14.60	0	0.0
	1	26	14.80	14.74		0.0
	1	49	14.85	14.64		0.0
	25	0	14.72	14.58	0-1	0.0
	25	13	14.67	14.63	0	0.0
	25	26	14.74	14.68	0-1	0.0
	50	0	14.69	14.68		0.0
DFT-s-OFDM 16QAM	1	1	14.50	14.86	0-1	0.0
CP-OFDM QPSK	1	1	14.68	14.60	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 180 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-143

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.87	14.67	0	0.0
	1	19	14.66	14.82		0.0
	1	36	14.77	14.82		0.0
	18	0	14.68	14.78	0-1	0.0
	18	10	14.73	14.74	0	0.0
	18	20	14.73	14.86	0-1	0.0
	36	0	14.68	14.76		0.0
DFT-s-OFDM 16QAM	1	1	14.79	14.85	0-1	0.0
CP-OFDM QPSK	1	1	14.67	14.74	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-144

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.79	14.64	0	0.0
	1	12	14.87	14.53		0.0
	1	22	14.90	14.59		0.0
	12	0	14.63	14.60	0-1	0.0
	12	6	14.70	14.58	0	0.0
	12	12	14.65	14.53	0-1	0.0
	24	0	14.61	14.59		0.0
DFT-s-OFDM 16QAM	1	1	14.68	14.60	0-1	0.0
CP-OFDM QPSK	1	1	14.62	14.61	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 181 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 90 MHz Bandwidth

Table H.2-145

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.06	0	0.0
	1	123	25.29		0.0
	1	243	25.23		0.0
	120	0	24.23	0-1	1.0
	120	63	25.26	0	0.0
	120	125	24.30	0-1	1.0
	243	0	24.25		1.0
DFT-s-OFDM 16QAM	1	1	24.04	0-1	1.0
CP-OFDM QPSK	1	1	23.63	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 80 MHz Bandwidth

Table H.2-146

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.19	0	0.0
	1	109	25.40		0.0
	1	215	25.21		0.0
	108	0	24.28	0-1	1.0
	108	55	25.29	0	0.0
	108	109	24.38	0-1	1.0
	216	0	24.33		1.0
DFT-s-OFDM 16QAM	1	1	24.25	0-1	1.0
CP-OFDM QPSK	1	1	23.69	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 182 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 70 MHz Bandwidth

Table H.2-147

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.18	0	0.0
	1	95	25.28		0.0
	1	187	25.18		0.0
	90	0	24.42	0-1	1.0
	90	50	25.29	0	0.0
	90	99	24.35	0-1	1.0
	180	0	24.32		1.0
DFT-s-OFDM 16QAM	1	1	24.28	0-1	1.0
CP-OFDM QPSK	1	1	23.78	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 60 MHz Bandwidth

Table H.2-148

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.41	0	0.0
	1	81	25.48		0.0
	1	160	25.38		0.0
	81	0	24.50	0-1	1.0
	81	41	25.48	0	0.0
	81	81	24.53	0-1	1.0
	162	0	24.48		1.0
DFT-s-OFDM 16QAM	1	1	24.45	0-1	1.0
CP-OFDM QPSK	1	1	23.95	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 183 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 50 MHz Bandwidth

Table H.2-149

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.49	0	0.0
	1	67	25.47		0.0
	1	131	25.39		0.0
	64	0	24.44	0-1	1.0
	64	35	25.42	0	0.0
	64	69	24.51	0-1	1.0
	128	0	24.43		1.0
DFT-s-OFDM 16QAM	1	1	24.50	0-1	1.0
CP-OFDM QPSK	1	1	24.07	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 40 MHz Bandwidth

Table H.2-150

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.50	0	0.0
	1	53	25.59		0.0
	1	104	25.69		0.0
	50	0	24.62	0-1	1.0
	50	28	25.52	0	0.0
	50	56	24.64	0-1	1.0
	100	0	24.66		1.0
DFT-s-OFDM 16QAM	1	1	24.55	0-1	1.0
CP-OFDM QPSK	1	1	24.03	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 184 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth
Table H.2-151

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.49	0	0.0
	1	39	25.53		0.0
	1	76	25.54		0.0
	36	0	24.56	0-1	1.0
	36	21	25.46	0	0.0
	36	42	24.64	0-1	1.0
	75	0	24.67		1.0
DFT-s-OFDM 16QAM	1	1	24.51	0-1	1.0
CP-OFDM QPSK	1	1	24.02	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth
Table H.2-152

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.51	0	0.0
	1	26	25.58		0.0
	1	49	25.70		0.0
	25	0	24.65	0-1	1.0
	25	13	25.55	0	0.0
	25	26	24.51	0-1	1.0
	50	0	24.69		1.0
DFT-s-OFDM 16QAM	1	1	24.53	0-1	1.0
CP-OFDM QPSK	1	1	24.06	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 185 of 219

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-153

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.49	0	0.0
	1	19	25.65		0.0
	1	36	25.63		0.0
	18	0	24.49	0-1	1.0
	18	10	25.54	0	0.0
	18	20	24.64	0-1	1.0
	36	0	24.68		1.0
DFT-s-OFDM 16QAM	1	1	24.39	0-1	1.0
CP-OFDM QPSK	1	1	24.02	0-1.5	1.5

NR Band n77 Ant 1 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-154

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.29	0	0.0
	1	12	25.46		0.0
	1	22	25.50		0.0
	12	0	24.52	0-1	1.0
	12	6	25.36	0	0.0
	12	12	24.52	0-1	1.0
	24	0	24.42		1.0
DFT-s-OFDM 16QAM	1	1	24.22	0-1	1.0
CP-OFDM QPSK	1	1	23.91	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 186 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 90 MHz Bandwidth

Table H.2-155

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.93	0	0.0
	1	123	15.27		0.0
	1	243	15.21		0.0
	120	0	15.03	0-1	0.0
	120	63	15.10	0	0.0
	120	125	15.18	0-1	0.0
	243	0	15.06		0.0
DFT-s-OFDM 16QAM	1	1	14.71	0-1	0.0
CP-OFDM QPSK	1	1	14.86	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 80 MHz Bandwidth

Table H.2-156

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.01	0	0.0
	1	109	15.19		0.0
	1	215	15.14		0.0
	108	0	15.14	0-1	0.0
	108	55	15.13	0	0.0
	108	109	15.17	0-1	0.0
	216	0	15.11		0.0
DFT-s-OFDM 16QAM	1	1	15.04	0-1	0.0
CP-OFDM QPSK	1	1	14.87	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 187 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 70 MHz Bandwidth

Table H.2-157

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.10	0	0.0
	1	95	15.12		0.0
	1	187	15.12		0.0
	90	0	15.10	0-1	0.0
	90	50	15.07	0	0.0
	90	99	15.18	0-1	0.0
	180	0	15.10		0.0
DFT-s-OFDM 16QAM	1	1	15.01	0-1	0.0
CP-OFDM QPSK	1	1	15.14	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 60 MHz Bandwidth

Table H.2-158

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.22	0	0.0
	1	81	15.37		0.0
	1	160	15.26		0.0
	81	0	15.30	0-1	0.0
	81	41	15.28	0	0.0
	81	81	15.26	0-1	0.0
	162	0	15.27		0.0
DFT-s-OFDM 16QAM	1	1	15.24	0-1	0.0
CP-OFDM QPSK	1	1	15.18	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 188 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 50 MHz Bandwidth

Table H.2-159

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.37	0	0.0
	1	67	15.24		0.0
	1	131	15.25		0.0
	64	0	15.34	0-1	0.0
	64	35	15.31	0	0.0
	64	69	15.22	0-1	0.0
	128	0	15.31		0.0
DFT-s-OFDM 16QAM	1	1	15.31	0-1	0.0
CP-OFDM QPSK	1	1	15.29	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 40 MHz Bandwidth

Table H.2-160

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.40	0	0.0
	1	53	15.47		0.0
	1	104	15.55		0.0
	50	0	15.43	0-1	0.0
	50	28	15.47	0	0.0
	50	56	15.50	0-1	0.0
	100	0	15.49		0.0
DFT-s-OFDM 16QAM	1	1	15.34	0-1	0.0
CP-OFDM QPSK	1	1	15.27	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 189 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth
Table H.2-161

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.34	0	0.0
	1	39	15.52		0.0
	1	76	15.66		0.0
	36	0	15.42	0-1	0.0
	36	21	15.46	0	0.0
	36	42	15.53	0-1	0.0
	75	0	15.45		0.0
DFT-s-OFDM 16QAM	1	1	15.31	0-1	0.0
CP-OFDM QPSK	1	1	15.30	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth
Table H.2-162

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.33	0	0.0
	1	26	15.30		0.0
	1	49	15.36		0.0
	25	0	15.42	0-1	0.0
	25	13	15.39	0	0.0
	25	26	15.40	0-1	0.0
	50	0	15.39		0.0
DFT-s-OFDM 16QAM	1	1	15.34	0-1	0.0
CP-OFDM QPSK	1	1	15.27	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 190 of 219

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-163

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.31	0	0.0
	1	19	15.25		0.0
	1	36	15.43		0.0
	18	0	15.40	0-1	0.0
	18	10	15.44	0	0.0
	18	20	15.42	0-1	0.0
	36	0	15.45		0.0
DFT-s-OFDM 16QAM	1	1	15.16	0-1	0.0
CP-OFDM QPSK	1	1	15.32	0-1.5	0.0

NR Band n77 Ant 1 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-164

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.32	0	0.0
	1	12	15.43		0.0
	1	22	15.40		0.0
	12	0	15.41	0-1	0.0
	12	6	15.47	0	0.0
	12	12	15.36	0-1	0.0
	24	0	15.44		0.0
DFT-s-OFDM 16QAM	1	1	15.27	0-1	0.0
CP-OFDM QPSK	1	1	15.29	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 191 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 90 MHz Bandwidth

Table H.2-165

NR Band n77 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	25.51	25.07	0	0.0	
	1	123	25.18	25.29		0.0	
	1	243	25.19	25.04		0.0	
	120	0	24.41	24.27	0-1	1.0	
	120	63	25.20	25.19	0	0.0	
	120	125	24.20	24.17	0-1	1.0	
	243	0	24.31	24.18		1.0	
DFT-s-OFDM 16QAM	1	1	24.54	24.31	0-1	1.0	
CP-OFDM QPSK	1	1	24.07	23.58	0-1.5	1.5	

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 80 MHz Bandwidth

Table H.2-166

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.49	25.12	0	0.0
	1	109	25.19	25.36		0.0
	1	215	25.17	24.98		0.0
	108	0	24.37	24.29	0-1	1.0
	108	55	25.19	25.20	0	0.0
	108	109	24.20	24.19	0-1	1.0
	216	0	24.28	24.18		1.0
DFT-s-OFDM 16QAM	1	1	24.77	24.06	0-1	1.0
CP-OFDM QPSK	1	1	24.05	23.48	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 192 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 70 MHz Bandwidth

Table H.2-167

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.44	25.08	0	0.0
	1	95	25.20	25.14		0.0
	1	187	25.10	24.95		0.0
	90	0	24.37	24.28	0-1	1.0
	90	50	25.17	25.21	0	0.0
	90	99	24.21	24.17	0-1	1.0
	180	0	24.32	24.23		1.0
DFT-s-OFDM 16QAM	1	1	24.55	23.94	0-1	1.0
CP-OFDM QPSK	1	1	24.07	23.65	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 60 MHz Bandwidth

Table H.2-168

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.49	25.14	0	0.0
	1	81	25.25	25.33		0.0
	1	160	25.34	25.17		0.0
	81	0	24.53	24.34	0-1	1.0
	81	41	25.31	25.29	0	0.0
	81	81	24.34	24.36	0-1	1.0
	162	0	24.43	24.37		1.0
DFT-s-OFDM 16QAM	1	1	24.80	24.44	0-1	1.0
CP-OFDM QPSK	1	1	23.94	23.87	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 193 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 50 MHz Bandwidth

Table H.2-169

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.57	25.19	0	0.0
	1	67	25.53	25.22		0.0
	1	131	25.29	25.15		0.0
	64	0	24.48	24.33	0-1	1.0
	64	35	25.34	25.34	0	0.0
	64	69	24.39	24.36	0-1	1.0
	128	0	24.47	24.39		1.0
DFT-s-OFDM 16QAM	1	1	24.33	24.51	0-1	1.0
CP-OFDM QPSK	1	1	24.18	23.94	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 40 MHz Bandwidth

Table H.2-170

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.54	25.55	0	0.0
	1	53	25.53	25.58		0.0
	1	104	25.63	25.47		0.0
	50	0	24.69	24.58	0-1	1.0
	50	28	25.50	25.51	0	0.0
	50	56	24.57	24.57	0-1	1.0
	100	0	24.63	24.58		1.0
DFT-s-OFDM 16QAM	1	1	24.75	24.30	0-1	1.0
CP-OFDM QPSK	1	1	24.12	24.03	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 194 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth

Table H.2-171

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.52	25.47	0	0.0
	1	39	25.49	25.44		0.0
	1	76	25.46	25.49		0.0
	36	0	24.61	24.62	0-1	1.0
	36	21	25.48	25.52	0	0.0
	36	42	24.63	24.59	0-1	1.0
	75	0	24.61	24.62		1.0
DFT-s-OFDM 16QAM	1	1	24.78	24.43	0-1	1.0
CP-OFDM QPSK	1	1	24.40	24.05	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth

Table H.2-172

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.59	25.47	0	0.0
	1	26	25.62	25.32		0.0
	1	49	25.52	25.40		0.0
	25	0	24.70	24.53	0-1	1.0
	25	13	25.55	25.53	0	0.0
	25	26	24.68	24.49	0-1	1.0
	50	0	24.63	24.62		1.0
DFT-s-OFDM 16QAM	1	1	24.70	24.38	0-1	1.0
CP-OFDM QPSK	1	1	24.24	24.05	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 195 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-173

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.59	25.51	0	0.0
	1	19	25.56	25.63		0.0
	1	36	25.57	25.45		0.0
	18	0	24.67	24.63	0-1	1.0
	18	10	25.53	25.53	0	0.0
	18	20	24.57	24.56	0-1	1.0
	36	0	24.64	24.60		1.0
DFT-s-OFDM 16QAM	1	1	24.77	24.53	0-1	1.0
CP-OFDM QPSK	1	1	24.21	24.02	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-174

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	25.14	25.29	0	0.0
	1	12	25.37	25.58		0.0
	1	22	25.26	25.33		0.0
	12	0	24.44	24.43	0-1	1.0
	12	6	25.38	25.30	0	0.0
	12	12	24.39	24.38	0-1	1.0
	24	0	24.47	24.44		1.0
DFT-s-OFDM 16QAM	1	1	24.55	24.44	0-1	1.0
CP-OFDM QPSK	1	1	23.81	23.82	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 196 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 90 MHz Bandwidth

Table H.2-175

NR Band n77 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.89	13.53	0	0.0	
	1	123	13.68	13.82		0.0	
	1	243	13.62	13.44		0.0	
	120	0	13.73	13.55	0-1	0.0	
	120	63	13.60	13.65	0	0.0	
	120	125	13.50	13.53	0-1	0.0	
	243	0	13.64	13.57		0.0	
DFT-s-OFDM 16QAM	1	1	13.74	13.58	0-1	0.0	
CP-OFDM QPSK	1	1	13.60	13.56	0-1.5	0.0	

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 80 MHz Bandwidth

Table H.2-176

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	13.88	13.52	0	0.0
	1	109	13.58	13.71		0.0
	1	215	13.62	13.40		0.0
	108	0	13.72	13.63	0-1	0.0
	108	55	13.60	13.67	0	0.0
	108	109	13.52	13.60	0-1	0.0
	216	0	13.59	13.60		0.0
DFT-s-OFDM 16QAM	1	1	14.34	13.43	0-1	0.0
CP-OFDM QPSK	1	1	13.79	13.52	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A		RF EXPOSURE PART 1 TEST REPORT	Approved by:
			Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)			APPENDIX H: Page 197 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 70 MHz Bandwidth

Table H.2-177

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	13.84	13.58	0	0.0
	1	95	13.69	13.82		0.0
	1	187	13.61	13.34		0.0
	90	0	13.75	13.63	0-1	0.0
	90	50	13.62	13.72	0	0.0
	90	99	13.56	13.63	0-1	0.0
	180	0	13.68	13.65		0.0
DFT-s-OFDM 16QAM	1	1	13.86	13.76	0-1	0.0
CP-OFDM QPSK	1	1	13.97	13.48	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 60 MHz Bandwidth

Table H.2-178

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.02	13.70	0	0.0
	1	81	13.76	13.84		0.0
	1	160	13.78	13.60		0.0
	81	0	13.87	13.75	0-1	0.0
	81	41	13.72	13.71	0	0.0
	81	81	13.69	13.69	0-1	0.0
	162	0	13.80	13.71		0.0
DFT-s-OFDM 16QAM	1	1	13.92	13.75	0-1	0.0
CP-OFDM QPSK	1	1	14.03	13.74	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 198 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 50 MHz Bandwidth

Table H.2-179

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	13.86	13.73	0	0.0
	1	67	13.71	13.76		0.0
	1	131	13.72	13.71		0.0
	64	0	13.83	13.74	0-1	0.0
	64	35	13.80	13.75	0	0.0
	64	69	13.77	13.69	0-1	0.0
	128	0	13.80	13.71		0.0
DFT-s-OFDM 16QAM	1	1	14.51	13.85	0-1	0.0
CP-OFDM QPSK	1	1	13.81	13.52	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 40 MHz Bandwidth

Table H.2-180

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.25	14.04	0	0.0
	1	53	13.98	14.05		0.0
	1	104	13.99	14.08		0.0
	50	0	14.02	13.94	0-1	0.0
	50	28	13.96	13.89	0	0.0
	50	56	13.88	13.88	0-1	0.0
	100	0	13.95	13.89		0.0
DFT-s-OFDM 16QAM	1	1	14.38	13.74	0-1	0.0
CP-OFDM QPSK	1	1	14.01	13.78	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 199 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth

Table H.2-181

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.00	14.01	0	0.0
	1	39	13.91	13.94		0.0
	1	76	13.89	13.96		0.0
	36	0	13.96	13.94	0-1	0.0
	36	21	13.90	13.90	0	0.0
	36	42	13.90	13.90	0-1	0.0
	75	0	13.94	13.94		0.0
DFT-s-OFDM 16QAM	1	1	14.01	13.78	0-1	0.0
CP-OFDM QPSK	1	1	14.06	14.15	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth

Table H.2-182

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.08	13.84	0	0.0
	1	26	13.95	13.86		0.0
	1	49	13.92	13.98		0.0
	25	0	13.94	13.55	0-1	0.0
	25	13	13.90	13.87	0	0.0
	25	26	13.92	13.97	0-1	0.0
	50	0	13.90	13.88		0.0
DFT-s-OFDM 16QAM	1	1	14.12	13.67	0-1	0.0
CP-OFDM QPSK	1	1	13.99	13.98	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 200 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-183

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	14.12	13.96	0	0.0
	1	19	13.98	14.02		0.0
	1	36	14.06	14.03		0.0
	18	0	13.98	13.88	0-1	0.0
	18	10	13.90	13.90	0	0.0
	18	20	13.87	13.93	0-1	0.0
	36	0	13.87	13.95		0.0
DFT-s-OFDM 16QAM	1	1	13.85	14.33	0-1	0.0
CP-OFDM QPSK	1	1	13.88	13.89	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-184

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	13.74	13.95	0	0.0
	1	12	13.90	13.61		0.0
	1	22	13.71	13.81		0.0
	12	0	13.66	13.81	0-1	0.0
	12	6	13.77	13.86	0	0.0
	12	12	13.72	13.81	0-1	0.0
	24	0	13.75	13.76		0.0
DFT-s-OFDM 16QAM	1	1	13.80	13.41	0-1	0.0
CP-OFDM QPSK	1	1	13.73	13.88	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 201 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 90 MHz Bandwidth

Table H.2-185

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.81	0	0.0
	1	123	25.95		0.0
	1	243	26.02		0.0
	120	0	24.92	0-1	1.0
	120	63	25.89	0	0.0
	120	125	24.97	0-1	1.0
	243	0	24.86		1.0
DFT-s-OFDM 16QAM	1	1	24.94	0-1	1.0
CP-OFDM QPSK	1	1	24.22	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 80 MHz Bandwidth

Table H.2-186

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.83	0	0.0
	1	109	25.95		0.0
	1	215	25.87		0.0
	108	0	24.82	0-1	1.0
	108	55	25.82	0	0.0
	108	109	24.96	0-1	1.0
	216	0	24.91		1.0
DFT-s-OFDM 16QAM	1	1	24.91	0-1	1.0
CP-OFDM QPSK	1	1	24.44	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 202 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 70 MHz Bandwidth
Table H.2-187

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.81	0	0.0
	1	95	25.87		0.0
	1	187	25.87		0.0
	90	0	24.90	0-1	1.0
	90	50	25.77	0	0.0
	90	99	24.95	0-1	1.0
	180	0	24.88		1.0
DFT-s-OFDM 16QAM	1	1	24.91	0-1	1.0
CP-OFDM QPSK	1	1	24.32	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 60 MHz Bandwidth
Table H.2-188

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	26.06	0	0.0
	1	81	26.10		0.0
	1	160	26.18		0.0
	81	0	25.05	0-1	1.0
	81	41	26.00	0	0.0
	81	81	25.10	0-1	1.0
	162	0	25.07		1.0
DFT-s-OFDM 16QAM	1	1	24.76	0-1	1.0
CP-OFDM QPSK	1	1	24.44	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 203 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 50 MHz Bandwidth

Table H.2-189

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.90	0	0.0
	1	67	25.94		0.0
	1	131	26.01		0.0
	64	0	25.05	0-1	1.0
	64	35	25.92	0	0.0
	64	69	25.04	0-1	1.0
	128	0	25.04		1.0
DFT-s-OFDM 16QAM	1	1	24.85	0-1	1.0
CP-OFDM QPSK	1	1	24.52	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 40 MHz Bandwidth

Table H.2-190

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	26.02	0	0.0
	1	53	26.05		0.0
	1	104	26.31		0.0
	50	0	25.14	0-1	1.0
	50	28	26.16	0	0.0
	50	56	25.33	0-1	1.0
	100	0	25.26		1.0
DFT-s-OFDM 16QAM	1	1	24.95	0-1	1.0
CP-OFDM QPSK	1	1	24.60	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 204 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth
Table H.2-191

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	26.07	0	0.0
	1	39	26.14		0.0
	1	76	26.26		0.0
	36	0	25.19	0-1	1.0
	36	21	26.09	0	0.0
	36	42	25.25	0-1	1.0
	75	0	25.22		1.0
DFT-s-OFDM 16QAM	1	1	24.90	0-1	1.0
CP-OFDM QPSK	1	1	24.59	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth
Table H.2-192

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	26.07	0	0.0
	1	26	26.06		0.0
	1	49	26.16		0.0
	25	0	25.13	0-1	1.0
	25	13	26.13	0	0.0
	25	26	25.20	0-1	1.0
	50	0	25.23		1.0
DFT-s-OFDM 16QAM	1	1	24.98	0-1	1.0
CP-OFDM QPSK	1	1	24.64	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 205 of 219

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-193

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	26.08	0	0.0
	1	19	26.07		0.0
	1	36	26.16		0.0
	18	0	25.16	0-1	1.0
	18	10	26.12	0	0.0
	18	20	25.23	0-1	1.0
	36	0	25.22		1.0
DFT-s-OFDM 16QAM	1	1	24.96	0-1	1.0
CP-OFDM QPSK	1	1	24.59	0-1.5	1.5

NR Band n77 Ant 6 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-194

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	25.99	0	0.0
	1	12	25.94		0.0
	1	22	25.98		0.0
	12	0	25.00	0-1	1.0
	12	6	25.97	0	0.0
	12	12	25.03	0-1	1.0
	24	0	25.01		1.0
DFT-s-OFDM 16QAM	1	1	24.98	0-1	1.0
CP-OFDM QPSK	1	1	24.55	0-1.5	1.5

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 206 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 90 MHz Bandwidth

Table H.2-195

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.24	0	0.0
	1	123	14.26		0.0
	1	243	14.47		0.0
	120	0	14.24	0-1	0.0
	120	63	14.28	0	0.0
	120	125	14.35	0-1	0.0
	243	0	14.30		0.0
DFT-s-OFDM 16QAM	1	1	14.07	0-1	0.0
CP-OFDM QPSK	1	1	14.33	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 80 MHz Bandwidth

Table H.2-196

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.23	0	0.0
	1	109	14.30		0.0
	1	215	14.42		0.0
	108	0	14.30	0-1	0.0
	108	55	14.31	0	0.0
	108	109	14.38	0-1	0.0
	216	0	14.33		0.0
DFT-s-OFDM 16QAM	1	1	14.16	0-1	0.0
CP-OFDM QPSK	1	1	14.28	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 207 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 70 MHz Bandwidth

Table H.2-197

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.36	0	0.0
	1	95	14.40		0.0
	1	187	14.43		0.0
	90	0	14.27	0-1	0.0
	90	50	14.30	0	0.0
	90	99	14.40	0-1	0.0
	180	0	14.35		0.0
DFT-s-OFDM 16QAM	1	1	13.99	0-1	0.0
CP-OFDM QPSK	1	1	14.29	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 60 MHz Bandwidth

Table H.2-198

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.43	0	0.0
	1	81	14.67		0.0
	1	160	14.59		0.0
	81	0	14.47	0-1	0.0
	81	41	14.56	0	0.0
	81	81	14.59	0-1	0.0
	162	0	14.53		0.0
DFT-s-OFDM 16QAM	1	1	14.50	0-1	0.0
CP-OFDM QPSK	1	1	14.29	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 208 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 50 MHz Bandwidth

Table H.2-199

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.57	0	0.0
	1	67	14.48		0.0
	1	131	14.50		0.0
	64	0	14.46	0-1	0.0
	64	35	14.47	0	0.0
	64	69	14.54	0-1	0.0
	128	0	14.51		0.0
DFT-s-OFDM 16QAM	1	1	14.64	0-1	0.0
CP-OFDM QPSK	1	1	14.42	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 40 MHz Bandwidth

Table H.2-200

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.58	0	0.0
	1	53	14.48		0.0
	1	104	14.87		0.0
	50	0	14.53	0-1	0.0
	50	28	14.57	0	0.0
	50	56	14.64	0-1	0.0
	100	0	14.59		0.0
DFT-s-OFDM 16QAM	1	1	14.56	0-1	0.0
CP-OFDM QPSK	1	1	14.57	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 209 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth
Table H.2-201

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.61	0	0.0
	1	39	14.41		0.0
	1	76	14.67		0.0
	36	0	14.57	0-1	0.0
	36	21	14.51	0	0.0
	36	42	14.61	0-1	0.0
	75	0	14.59		0.0
DFT-s-OFDM 16QAM	1	1	14.64	0-1	0.0
CP-OFDM QPSK	1	1	14.49	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth
Table H.2-202

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.66	0	0.0
	1	26	14.59		0.0
	1	49	14.74		0.0
	25	0	14.58	0-1	0.0
	25	13	14.57	0	0.0
	25	26	14.46	0-1	0.0
	50	0	14.61		0.0
DFT-s-OFDM 16QAM	1	1	14.80	0-1	0.0
CP-OFDM QPSK	1	1	14.57	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 210 of 219

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth
Table H.2-203

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.60	0	0.0
	1	19	14.62		0.0
	1	36	14.71		0.0
	18	0	14.54	0-1	0.0
	18	10	14.56	0	0.0
	18	20	14.59	0-1	0.0
	36	0	14.54		0.0
DFT-s-OFDM 16QAM	1	1	14.43	0-1	0.0
CP-OFDM QPSK	1	1	14.65	0-1.5	0.0

NR Band n77 Ant 6 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth
Table H.2-204

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.50	0	0.0
	1	12	14.47		0.0
	1	22	14.53		0.0
	12	0	14.44	0-1	0.0
	12	6	14.50	0	0.0
	12	12	14.43	0-1	0.0
	24	0	14.48		0.0
DFT-s-OFDM 16QAM	1	1	14.52	0-1	0.0
CP-OFDM QPSK	1	1	14.62	0-1.5	0.0

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 211 of 219

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 90 MHz Bandwidth

Table H.2-205

NR Band n77 90 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.68	25.30
SRS #3 Ant 4	25.81	25.92

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 80 MHz Bandwidth

Table H.2-206

NR Band n77 80 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.62	25.29
SRS #3 Ant 4	25.73	25.90

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 70 MHz Bandwidth

Table H.2-207

NR Band n77 70 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.60	25.28
SRS #3 Ant 4	25.70	25.89

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 212 of 219

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 60 MHz Bandwidth

Table H.2-208

NR Band n77 60 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.58	25.38
SRS #3 Ant 4	25.68	25.91

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 50 MHz Bandwidth

Table H.2-209

NR Band n77 50 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.57	25.32
SRS #3 Ant 4	25.68	25.87

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 40 MHz Bandwidth

Table H.2-210

NR Band n77 40 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.56	25.45
SRS #3 Ant 4	25.60	26.15

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 213 of 219

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 30 MHz Bandwidth

Table H.2-211

NR Band n77 30 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.52	25.46
SRS #3 Ant 4	25.61	26.16

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 20 MHz Bandwidth

Table H.2-212

NR Band n77 20 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.39	25.54
SRS #3 Ant 4	25.50	26.08

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 15 MHz Bandwidth

Table H.2-213

NR Band n77 15 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.42	25.52
SRS #3 Ant 4	25.52	26.10

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 214 of 219

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 10 MHz Bandwidth

Table H.2-214

NR Band n77 10 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	25.21	25.29
SRS #3 Ant 4	25.40	25.93

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 90 MHz Bandwidth

Table H.2-215

NR Band n77 90 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.45	12.28
SRS #3 Ant 4	13.33	13.16

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 80 MHz Bandwidth

Table H.2-216

NR Band n77 80 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.39	12.27
SRS #3 Ant 4	13.29	13.13

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)	APPENDIX H: Page 215 of 219	

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 70 MHz Bandwidth

Table H.2-217

NR Band n77 70 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.36	12.27
SRS #3 Ant 4	13.27	13.13

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 60 MHz Bandwidth

Table H.2-218

NR Band n77 60 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.32	12.27
SRS #3 Ant 4	13.25	13.14

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 50 MHz Bandwidth

Table H.2-219

NR Band n77 50 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.33	12.23
SRS #3 Ant 4	13.27	13.12

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 216 of 219

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 40 MHz Bandwidth

Table H.2-220

NR Band n77 40 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.29	12.54
SRS #3 Ant 4	13.19	13.41

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 30 MHz Bandwidth

Table H.2-221

NR Band n77 30 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.27	12.52
SRS #3 Ant 4	13.19	13.41

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 20 MHz Bandwidth

Table H.2-222

NR Band n77 20 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.20	12.47
SRS #3 Ant 4	13.09	13.36

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 217 of 219

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 15 MHz Bandwidth

Table H.2-223

NR Band n77 15 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.25	12.46
SRS #3 Ant 4	13.10	13.33

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 10 MHz Bandwidth

Table H.2-224

NR Band n77 10 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant 3	12.11	12.33
SRS #3 Ant 4	13.10	13.19

NR n77 SRS Ant 3,4 Measured P_{Max} for DSI = 3 (No Motion) - 90 MHz Bandwidth

Table H.2-225

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)	APPENDIX H: Page 218 of 219	

NR n77 SRS Ant 3,4 Measured P_{Limit} for DSI = 6 (Motion) - 90 MHz Bandwidth

Table H.2-226

NR Band n77 DoD 90 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant 3	12.47
SRS #3 Ant 4	13.61

FCC ID: Licensed Module C3K2119 FCC ID: Unlicensed Module C3K00002102A	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Modular Approval - Host Integration (Portable Computing Device)		APPENDIX H: Page 219 of 219