

9.6.2. 802.11g MODE


2TX Chain 0 + Chain 1 CDD MODE

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--



PSD Results

Channel	Frequency (MHz)	Chain 0 Meas (dBm/ 3kHz)	Chain 1 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 1	2412	-8.23	-6.39	-4.20	8.0	-12.2
Mid 6	2437	-7.74	-9.02	-5.32	8.0	-13.3
High 11	2462	-9.89	-8.82	-6.31	8.0	-14.3
High 12	2467	-11.69	-10.38	-7.97	8.0	-16.0
High 13	2472	-13.99	-13.59	-10.77	8.0	-18.8



LOW CHANNEL 1




MID CHANNEL 6




HIGH CHANNEL 11



HIGH CHANNEL 12



HIGH CHANNEL 13



9.6.3. 802.11n HT20 MODE


2TX Chain 0 + Chain 1 SDM MODE

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--



PSD Results

Channel	Frequency (MHz)	Chain 0 Meas (dBm/ 3kHz)	Chain 1 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 1	2412	-9.14	-10.05	-6.56	8.0	-14.6
Mid 6	2437	-9.60	-9.65	-6.61	8.0	-14.6
High 11	2462	-11.78	-11.81	-8.79	8.0	-16.8
High 12	2467	-12.18	-11.63	-8.88	8.0	-16.9
High 13	2472	-14.19	-13.42	-10.78	8.0	-18.8



LOW CHANNEL 1




MID CHANNEL 6




HIGH CHANNEL 11



HIGH CHANNEL 12



HIGH CHANNEL 13



9.6.4. 802.11n HT40 MODE



2TX Chain 0 + Chain 1 SDM MODE

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--



PSD Results

Channel	Frequency (MHz)	Chain 0 Meas (dBm/ 3kHz)	Chain 1 Meas (dBm/ 3kHz)	Total Corr'd PSD (dBm/ 3kHz)	Limit (dBm/ 3kHz)	Margin (dB)
Low 3	2422	-11.04	-11.27	-8.14	8.0	-16.1
Mid 6	2437	-11.49	-11.41	-8.44	8.0	-16.4
High 8	2447	-13.22	-14.41	-10.76	8.0	-18.8
High 9	2452	-15.21	-14.60	-11.88	8.0	-19.9
High 10	2457	-16.95	-16.86	-13.89	8.0	-21.9
High 11	2462	-15.49	-15.67	-12.57	8.0	-20.6



LOW CHANNEL 3





MID CHANNEL 6





HIGH CHANNEL 8




HIGH CHANNEL 9



HIGH CHANNEL 10



HIGH CHANNEL 11



9.7. CONDUCTED SPURIOUS EMISSIONS

LIMITS

FCC §15.247 (d)


RSS-247 5.5


Output power was measured based on the use of peak measurement, therefore the required attenuation is 20 dB.

RESULTS


9.7.1. 802.11b MODE

2TX Chain 0 + Chain 1 CDD MODE







HIGH CHANNEL 12 BANDEDGE CHAIN 0




OUT-OF-BAND HIGH CHANNEL 12 CHAIN 0




HIGH CHANNEL 13 BANDEDGE CHAIN 0




OUT-OF-BAND HIGH CHANNEL 13 CHAIN 0







HIGH CHANNEL 12 BANDEDGE CHAIN 1



OUT-OF-BAND HIGH CHANNEL 12 CHAIN 1




HIGH CHANNEL 13 BANDEDGE CHAIN 1




OUT-OF-BAND HIGH CHANNEL 13 CHAIN 1


9.7.2. 802.11g MODE

2TX Chain 0 + Chain 1 CDD MODE







HIGH CHANNEL 12 BANDEDGE CHAIN 0




OUT-OF-BAND HIGH CHANNEL 12 CHAIN 0




HIGH CHANNEL 13 BANDEDGE CHAIN 0




OUT-OF-BAND HIGH CHANNEL 13 CHAIN 0







9.7.3. 802.11n HT20 MODE

2TX Chain 0 + Chain 1 SDM MODE







HIGH CHANNEL 12 BANDEDGE CHAIN 0



OUT-OF-BAND HIGH CHANNEL 12 CHAIN 0



HIGH CHANNEL 13 BANDEDGE CHAIN 0



OUT-OF-BAND HIGH CHANNEL 13 CHAIN 0

