



Plot 7-103. Band Edge Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 1)



Plot 7-104. Band Edge Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 2)

FCC ID: C3K1995 IC: 3048A-1995	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 98 of 202




Plot 7-105. Band Edge Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 8)




Plot 7-106. Band Edge Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 9)

FCC ID: C3K1995 IC: 3048A-1995	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 99 of 202




Plot 7-107. Band Edge Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 10)




Plot 7-108. Band Edge Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 11)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 100 of 202




Plot 7-109. Band Edge Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 12)



Plot 7-110. Band Edge Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 13)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 101 of 202




Plot 7-111. Band Edge Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 3)




Plot 7-112. Band Edge Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 8)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 102 of 202






Plot 7-113. Band Edge Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 9)





Plot 7-114. Band Edge Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 10)



FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Microsoft	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 103 of 202



FCC ID: C3K1995 IC: 3048A-1995	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Microsoft	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 104 of 202



FCC ID: C3K1995 IC: 3048A-1995	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 105 of 202



Plot 7-120. Band Edge Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 484 Tones – Ch. 11)

FCC ID: C3K1995 IC: 3048A-1995	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 106 of 202

7.6 Conducted Spurious Emissions

§15.247(d); RSS-247 [5.5]

Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates, tone configurations, and RU indices were investigated to determine the worst case configuration. For the following out of band conducted emissions plots, the EUT was set to a data rate of MCS0 in 802.11ax mode as this setting produced the worst-case emissions.

The limit for out-of-band spurious emissions at the band edge is 30dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100kHz bandwidth per the procedure in Section 11.1 of ANSI C63.10-2013 and KDB 558074 D01 v05r02.

Test Procedure Used

ANSI C63.10-2013 – Section 11.11.3
 KDB 558074 D01 v05r02 – Section 8.5
 ANSI C63.10-2013 – Section 14.3.3
 KDB 662911 D01 v02r01 – Section E(3)b)

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 25GHz (separated into two plots per channel)
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = Peak
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-5. Test Instrument & Measurement Setup


FCC ID: C3K1995 IC: 3048A-1995	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Microsoft	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 107 of 202

Test Notes


1. RBW was set to 1MHz rather than 100kHz in order to increase the measurement speed.
2. The display line shown in the following plots denotes the limit at 30dB below the fundamental emission level measured in a 100kHz bandwidth. However, since the traces in the following plots are measured with a 1MHz RBW, the display line may not necessarily appear to be 30dB below the level of the fundamental in a 1MHz bandwidth.
3. For plots showing conducted spurious emissions near the limit, the frequencies were investigated with a reduced RBW to ensure that no emissions were present.
4. The conducted spurious emissions were measured to relative limits. Therefore, in accordance with ANSI C63.10-2013 and KDB 662911 D01 v02r01 Section E)3)b), it was unnecessary to show compliance through the summation of test results of the individual outputs.

FCC ID: C3K1995 IC: 3048A-1995	 PCTEST [®] Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 108 of 202

SISO SOUTH Conducted Spurious Emission





Plot 7-121. Conducted Spurious Plot SISO SOUTH (802.11ax 20MHz BW OFDMA – 26 Tones – Ch. 1)





Plot 7-122. Conducted Spurious Plot SISO SOUTH (802.11ax 20MHz BW OFDMA – 26 Tones – Ch. 1)


FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 109 of 202




FCC ID: C3K1995 IC: 3048A-1995	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 110 of 202




FCC ID: C3K1995 IC: 3048A-1995	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 111 of 202






Plot 7-127. Conducted Spurious Plot SISO SOUTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 1)




Plot 7-128. Conducted Spurious Plot SISO SOUTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 1)


FCC ID: C3K1995 IC: 3048A-1995	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 112 of 202



FCC ID: C3K1995 IC: 3048A-1995	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 113 of 202




Plot 7-131. Conducted Spurious Plot SISO SOUTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 11)




Plot 7-132. Conducted Spurious Plot SISO SOUTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 11)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 114 of 202




Plot 7-133. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 3)




Plot 7-134. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 3)

FCC ID: C3K1995 IC: 3048A-1995	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 115 of 202





Plot 7-135. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 7)




Plot 7-136. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 7)


FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 116 of 202



FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 117 of 202




Plot 7-139. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 3)




Plot 7-140. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 3)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 118 of 202




Plot 7-141. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 7)




Plot 7-142. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 7)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 119 of 202




Plot 7-143. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 11)



Plot 7-144. Conducted Spurious Plot SISO SOUTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 11)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 120 of 202

SISO NORTH Conducted Spurious Emissions






Plot 7-145. Conducted Spurious Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 26 Tones – Ch. 1)




Plot 7-146. Conducted Spurious Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 26 Tones – Ch. 1)


FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 121 of 202



FCC ID: C3K1995 IC: 3048A-1995	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 122 of 202




Plot 7-149. Conducted Spurious Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 26 Tones – Ch. 11)




Plot 7-150. Conducted Spurious Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 26 Tones – Ch. 11)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 123 of 202





Plot 7-151. Conducted Spurious Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 1)




Plot 7-152. Conducted Spurious Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 1)


FCC ID: C3K1995 IC: 3048A-1995	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Microsoft	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 124 of 202



FCC ID: C3K1995 IC: 3048A-1995	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 125 of 202




Plot 7-155. Conducted Spurious Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 11)




Plot 7-156. Conducted Spurious Plot SISO NORTH (802.11ax 20MHz BW OFDMA – 242 Tones – Ch. 11)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 126 of 202




Plot 7-157. Conducted Spurious Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 3)



Plot 7-158. Conducted Spurious Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 3)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 127 of 202




Plot 7-159. Conducted Spurious Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 7)




Plot 7-160. Conducted Spurious Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 7)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 128 of 202





Plot 7-161. Conducted Spurious Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 11)




Plot 7-162. Conducted Spurious Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 26 Tones – Ch. 11)


FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 129 of 202




FCC ID: C3K1995 IC: 3048A-1995	 Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 130 of 202



FCC ID: C3K1995 IC: 3048A-1995	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 131 of 202



Plot 7-167. Conducted Spurious Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 11)



Plot 7-168. Conducted Spurious Plot SISO NORTH (802.11ax 40MHz BW OFDMA – 242 Tones – Ch. 11)

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 132 of 202

7.7 Radiated Spurious Emission Measurements – Above 1 GHz

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 6 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-39 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μ V/m]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-39. Radiated Limits

Test Procedures Used

ANSI C63.10-2013 – Section 6.6.4.3
 KDB 558074 D01 v05r02 – Sections 8.6, 8.7

Test Settings

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times$ span/RBW)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: C3K1995 IC: 3048A-1995	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Microsoft	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 133 of 202

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-6. Test Instrument & Measurement Setup

Test Notes

1. The optional test procedures for antenna port conducted measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All radiated spurious emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in Section 15.205 and Section 8.10 of RSS-Gen are below the limit shown in Table 7-39.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas. The worst-case emissions are reported however emissions whose levels were not within 20dB of the respective limits were not reported.
6. Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
8. The "-" shown in the following RSE tables are used to denote a noise floor measurement.

FCC ID: C3K1995 IC: 3048A-1995	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 134 of 202

9. Some band edge measurements were performed using a channel integration method to determine compliance with the out of band average radiated spurious emissions limit in the 2483.5 – 2500MHz band. Per KDB 558074 D01 v05r02 Section 13.3, a measurement was performed using a RBW of 100kHz at the frequency with highest emission outside of band edge. For integration that does not start at 2483.5MHz, consideration was taken to ensure the worst case emission is in the 1MHz spectrum. The results were integrated up to the 1MHz reference bandwidth to show compliance with the 15.209 radiated limit for emissions greater than 1GHz.
10. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $[\text{dB}_{\mu\text{V/m}}]$ = Analyzer Level $[\text{dBm}] + 107 + \text{AFCL} [\text{dB/m}]$
- AFCL $[\text{dB/m}]$ = Antenna Factor $[\text{dB/m}] + \text{Cable Loss} [\text{dB}]$
- Margin $[\text{dB}]$ = Field Strength Level $[\text{dB}_{\mu\text{V/m}}] - \text{Limit} [\text{dB}_{\mu\text{V/m}}]$


Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Section 7.7 was calculated using the formula:
 $\text{Offset (dB)} = (\text{Antenna Factor} + \text{Cable Loss} + \text{Attenuator}) - \text{Preamplifier Gain}$


FCC ID: C3K1995 IC: 3048A-1995	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Microsoft	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 135 of 202

7.7.1 SISO SOUTH Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-169. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 26 Tones – Ch. 1) 300°




Plot 7-170. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 26 Tones – Ch. 6) 300°


FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 136 of 202



Plot 7-171. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 26 Tones – Ch. 11) 300°




Plot 7-172. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 26 Tones – Ch. 1) Closed




Plot 7-173. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 26 Tones – Ch. 6) Closed


FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 137 of 202



Plot 7-174. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 26 Tones – Ch. 11) Closed




Plot 7-175. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 242 Tones – Ch. 1) 300°




Plot 7-176. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 242 Tones – Ch. 6) 300°

FCC ID: C3K1995 IC: 3048A-1995	PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 138 of 202




Plot 7-177. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 242 Tones – Ch. 11) 300°




Plot 7-178. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 242 Tones – Ch. 1) Closed

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 139 of 202



**Plot 7-179. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 242 Tones – Ch. 6)
Closed**




**Plot 7-180. Radiated Spurious Plot above 1GHz SISO SOUTH (802.11ax OFDMA – 242 Tones – Ch. 11)
Closed**


FCC ID: C3K1995 IC: 3048A-1995	PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 140 of 202

SISO SOUTH Radiated Spurious Emissions Measurements (Above 18GHz)

§15.209; RSS-Gen [8.9]




Plot 7-181. Radiated Spurious Plot above 18GHz SISO SOUTH (802.11ax OFDMA – 106 Tones) 300°




Plot 7-182. Radiated Spurious Plot above 18GHz SISO SOUTH (802.11ax OFDMA – 242 Tones) 300°

FCC ID: C3K1995 IC: 3048A-1995	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 141 of 202



Plot 7-183. Radiated Spurious Plot above 18GHz SISO SOUTH (802.11ax OFDMA – 106 Tones) Closed



Plot 7-184. Radiated Spurious Plot above 18GHz SISO SOUTH (802.11ax OFDMA – 242 Tones) Closed

FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 142 of 202

SISO SOUTH Radiated Spurious Emission Measurements
§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
4824.00	Avg	V	-	-	-79.38	6.80	34.42	53.98	-19.56
4824.00	Peak	V	-	-	-68.30	6.80	45.50	73.98	-28.48
12060.00	Avg	V	-	-	-81.45	18.06	43.61	53.98	-10.37
12060.00	Peak	V	-	-	-70.54	18.06	54.52	73.98	-19.46

Table 7-40. Radiated Measurements SISO SOUTH (26 Tones)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
4874.00	Avg	V	-	-	-79.67	7.32	34.65	53.98	-19.33
4874.00	Peak	V	-	-	-68.28	7.32	46.04	73.98	-27.94
7311.00	Avg	V	321	212	-76.12	12.45	43.33	53.98	-10.64
7311.00	Peak	V	321	212	-63.47	12.45	55.98	73.98	-17.99
12185.00	Avg	V	-	-	-81.74	18.35	43.61	53.98	-10.37
12185.00	Peak	V	-	-	-70.52	18.35	54.83	73.98	-19.15

Table 7-41. Radiated Measurements SISO SOUTH (26 Tones)

FCC ID: C3K1995 IC: 3048A-1995	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 143 of 202

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4924.00	Avg	V	330	224	-79.02	7.44	35.42	53.98	-18.56
4924.00	Peak	V	330	224	-68.00	7.44	46.44	73.98	-27.54
7386.00	Avg	V	107	40	-75.49	12.26	43.77	53.98	-10.21
7386.00	Peak	V	107	40	-58.08	12.26	61.18	73.98	-12.80
12310.00	Avg	V	-	-	-81.96	18.69	43.73	53.98	-10.25
12310.00	Peak	V	-	-	-70.42	18.69	55.27	73.98	-18.71

Table 7-42. Radiated Measurements SISO SOUTH (26 Tones)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4824.00	Avg	V	-	-	-79.42	6.80	34.38	53.98	-19.60
4824.00	Peak	V	-	-	-67.49	6.80	46.31	73.98	-27.67
12060.00	Avg	V	-	-	-81.84	18.06	43.22	53.98	-10.76
12060.00	Peak	V	-	-	-70.39	18.06	54.67	73.98	-19.31

Table 7-43. Radiated Measurements SISO SOUTH (242 Tones)

FCC ID: C3K1995 IC: 3048A-1995	 PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 144 of 202

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4874.00	Avg	V	-	-	-79.63	7.32	34.69	53.98	-19.29
4874.00	Peak	V	-	-	-68.44	7.32	45.88	73.98	-28.10
7311.00	Avg	V	318	39	-78.79	12.45	40.66	53.98	-13.31
7311.00	Peak	V	318	39	-66.49	12.45	52.96	73.98	-21.01
12185.00	Avg	V	-	-	-81.87	18.35	43.48	53.98	-10.50
12185.00	Peak	V	-	-	-71.36	18.35	53.99	73.98	-19.99

Table 7-44. Radiated Measurements SISO SOUTH (242 Tones)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4924.00	Avg	V	-	-	-79.60	7.44	34.84	53.98	-19.14
4924.00	Peak	V	-	-	-67.92	7.44	46.52	73.98	-27.46
7386.00	Avg	V	341	84	-75.62	12.26	43.64	53.98	-10.34
7386.00	Peak	V	341	84	-62.46	12.26	56.80	73.98	-17.18
12310.00	Avg	V	-	-	-81.90	18.69	43.79	53.98	-10.19
12310.00	Peak	V	-	-	-70.85	18.69	54.84	73.98	-19.14

Table 7-45. Radiated Measurements SISO SOUTH (242 Tones)


FCC ID: C3K1995 IC: 3048A-1995	 PCTEST® <small>Proud to be part of element</small>	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset		Page 145 of 202

7.7.2 SISO NORTH Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]




Plot 7-185. Radiated Spurious Plot above 1GHz SISO NORTH (802.11ax OFDMA – 26 Tones – Ch. 1) 300°




Plot 7-186. Radiated Spurious Plot above 1GHz SISO NORTH (802.11ax OFDMA – 26 Tones – Ch. 6) 300°


FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	 Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 146 of 202



Plot 7-187. Radiated Spurious Plot above 1GHz SISO NORTH (802.11ax OFDMA – 26 Tones – Ch. 11) 300°




Plot 7-188. Radiated Spurious Plot above 1GHz SISO NORTH (802.11ax OFDMA – 26 Tones – Ch. 1) Closed




Plot 7-189. Radiated Spurious Plot above 1GHz SISO NORTH (802.11ax OFDMA – 26 Tones – Ch. 6) Closed


FCC ID: C3K1995 IC: 3048A-1995	PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 147 of 202



**Plot 7-190. Radiated Spurious Plot above 1GHz SISO NORTH (802.11ax OFDMA – 26 Tones – Ch. 11)
Closed**



Plot 7-191. Radiated Spurious Plot above 1GHz SISO NORTH (802.11ax OFDMA – 242 Tones – Ch. 1) 300°



Plot 7-192. Radiated Spurious Plot above 1GHz SISO NORTH (802.11ax OFDMA – 242 Tones – Ch. 6) 300°

FCC ID: C3K1995 IC: 3048A-1995	PCTEST® Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1M2105060048-13.C3K	Test Dates: 05/20/2021 - 09/08/2021	EUT Type: Portable Handset	Page 148 of 202