


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T


Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	179.52	175.68	320	-140.48



9.3.26. 802.11a MODE 2TX IN THE UNII-8 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE


Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	22.76	21.88	320	-297.24
Mid	6995	22.72	22.20	320	-297.28
High	7115	23.14	21.78	320	-296.86



9.3.27. 802.11be EHT20 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	20.38	20.58	320	-299.42
Mid	6995	18.87	18.67	320	-301.13
High	7115	21.30	20.55	320	-298.70




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	20.76	20.82	320	-299.18
Mid	6995	19.14	18.96	320	-300.86
High	7115	21.36	20.80	320	-298.64




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	20.20	19.80	320	-299.80
Mid	6995	20.28	19.76	320	-299.72
High	7115	20.60	19.84	320	-299.40




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	21.06	21.32	320	-298.68
Mid	6995	21.52	21.20	320	-298.48
High	7115	21.80	20.80	320	-298.20




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	21.32	21.36	320	-298.64
Mid	6995	21.40	21.84	320	-298.16
High	7115	22.28	21.60	320	-297.72



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T


Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	23.04	22.76	320	-296.96
Mid	6995	23.04	22.96	320	-296.96
High	7115	23.20	23.04	320	-296.80



9.3.28. 802.11be EHT40 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6885	45.84	45.84	320	-274.16
Mid	6965	46.48	47.28	320	-272.72
High	7085	46.64	46.32	320	-273.36




9.3.29. 802.11be EHT80 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)
2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	90.72	93.12	320	-226.88
Mid	6945	91.68	91.20	320	-228.32
High	7025	92.96	91.20	320	-227.04




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	92.64	96.64	320	-223.36
Mid	6945	92.96	91.84	320	-227.04
High	7025	92.80	93.92	320	-226.08




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	94.40	94.88	320	-225.12
Mid	6945	95.68	93.99	320	-224.32
High	7025	92.32	92.16	320	-227.68



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T


Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	92.32	97.28	320	-222.72
Mid	6945	91.84	98.40	320	-221.60
High	7025	94.08	96.48	320	-223.52



9.3.30. 802.11be EHT160 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTINUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	174.00	142.72	320	-146.00
High	6985	173.44	140.80	320	-146.56




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTINUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	180.48	175.36	320	-139.52
High	6985	178.24	176.00	320	-141.76




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTINUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	179.20	178.24	320	-140.80
High	6985	179.66	181.12	320	-138.88




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTINUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	182.72	176.96	320	-137.28
High	6985	181.12	174.40	320	-138.88




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTINUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	177.92	180.16	320	-139.84
High	6985	181.76	177.92	320	-138.24




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTINUOUS 2)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	179.84	175.36	320	-140.16
High	6985	177.60	177.60	320	-142.40




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTINUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	170.56	165.12	320	-149.44
High	6985	166.40	165.76	320	-153.60




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTINUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	180.48	175.82	320	-139.52
High	6985	179.52	176.00	320	-140.48




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTINUOUS)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	179.52	177.60	320	-140.48
High	6985	179.52	177.60	320	-140.48



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTINUOUS 2)

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	179.52	176.32	320	-140.48
High	6985	176.64	178.56	320	-141.44



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T

Channel	Frequency (MHz)	26 dB Bandwidth Chain 0 (MHz)	26 dB Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	181.44	177.60	320	-138.56
High	6985	187.52	176.00	320	-132.48

